R3850-2.1-U

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1988

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the second annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1987
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1987
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1987
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1987
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1987
ISSN 0898-0535

The Length of Stay series has been published annually since 1964. The 1987 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1987 and Pediatric Length of Stay by Diagnosis and Operation, United States 1987. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and CPHA Publications iv

Preface v

Description of the Database

Data Collection vii
Data Quality ix
Database Characteristics ix

Organization of Psychiatric Length of Stay Tables xiv

Explanation of Psychiatric Length of Stay Statistics xvi

Application of Psychiatric Length of Stay Tables xvii

Trends in Psychiatric Length of Stay xviii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 175

Appendix 2: Teaching Intensity Program Calculation 176

Appendix 3: State Inclusions and Hospital Counts by Region 177

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 178

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 185

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the healthcare industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of healthcare professionals in a variety of settings.

Copyright ©1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the healthcare industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. This series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1987 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager
Joyce Beach, Senior Programmer
Lale A. Olson, Senior Electronic Publishing Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Publications staff: Linda E. Vanek, MSW, Product Manager, for marketing assistance, Rhonda A. Gregory, Customer Service Representative, for clerical assistance, and James Chesney, PhD., for research advice.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Maureen Rieschl, and Billie Thompson. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and the Wyoming Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1987 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,184 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages xi-xiii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1986 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1986 AHA magnetic tape), includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1986 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1987 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	480	1,445	1,925	1,382	3,355	4,737	168	175	343	2,030	4,975	7,005
Sample	39	185	224	288	672	960	0	0	0	327	857	1,184
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	8.1	12.8	11.6	20.8	20.0	20.3	0	0	0	16.1	17.2	16.9
Number of Urban Hospitals												
Universe	355	346	701	1,165	1,966	3,131	140	94	234	1,660	2,406	4,066
Sample	24	43	67	221	366	587	0	0	0	245	409	654
Urban Hospitals as Percent of Universe												
Universe	74.0	23.9	36.4	84.3	58.6	66.1	83.3	53.7	68.2	81.8	48.4	58.0
Sample	5.0	3.0	3.5	16.0	10.9	12.4	0	0	0	12.1	8.2	9.3
Number of High/Medium Teaching Intensity Hospitals												
Universe	175	53	228	532	379	911	111	31	142	818	463	1,281
Sample	17	6	23	130	96	226	0	0	0	147	102	249
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	36.5	3.7	11.8	38.5	11.3	19.2	66.1	17.7	41.4	40.3	9.3	18.3
Sample	3.5	.4	1.2	9.4	2.9	4.8	0	0	0	7.2	2.1	3.6
Average Occupancy as Percent of Universe												
Universe	77.6	48.7	55.9	67.4	54.4	58.2	73.3	56.1	64.5	70.3	52.8	57.9
Sample	63.5	47.9	50.6	66.4	57.7	60.3	0	0	0	66.1	55.6	58.5

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals recording facility information on the 1986 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	327	100.0	170,058	100.0
Control				
Public	39	11.9	16,406	9.6
Private	288	88.1	153,652	90.4
Bedsize				
<100 Beds	21	6.4	4,068	2.4
100-199	79	24.1	28,841	17.0
200-299	78	23.9	37,376	22.0
300-399	63	19.3	38,117	22.4
400-499	33	10.1	21,409	12.6
500+	53	16.2	40,247	23.7
Teaching Intensity				
Low	180	55.1	79,718	46.9
Medium	88	26.9	50,023	29.4
High	59	18.0	40,317	23.7
Location				
Rural	82	25.1	27,350	16.1
Urban	245	74.9	142,708	83.9

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	857	100.0	70,450	100.0
Control				
Public	185	21.6	10,190	14.5
Private	672	78.4	60,260	85.5
Bedsize				
<100 Beds	445	51.9	17,716	25.1
100-199	224	26.1	19,794	28.1
200-299	108	12.6	16,318	23.2
300-399	42	4.9	6,262	8.9
400-499	21	2.5	7,447	10.6
500+	17	2.0	2,913	4.1
Teaching Intensity				
Low	755	88.1	52,857	75.0
Medium	82	9.6	16,031	22.8
High	20	2.3	1,562	2.2
Location				
Rural	448	52.3	21,608	30.7
Urban	409	47.7	48,842	69.3

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

- a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.
- b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.
- c. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The first Psychiatric Length of Stay series, profiling 1986 data, offered a baseline year for monitoring national and regional length of stay trends for hospital patients with psychiatric conditions.

The 1987 Psychiatric Length of Stay series affords a glimpse of emerging patterns for further investigation. The tables that follow highlight data from the 1986 and the new 1987 publications in two areas of interest to users:

(1) regional length of stay differences for selected psychiatric diagnoses; and
(2) sex length of stay differences for selected psychiatric diagnoses.

Table 1 below displays 1986 and 1987 average lengths of stay in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 900 patient discharges in each region, and for all psychiatric diagnoses. The table is categorized by geographic region.

For all of the five common psychiatric diagnoses, except other and unspecified alcohol dependence (303.9), the western region length of stay remains the lowest, following a 22 year old pattern for all diagnoses, in which the Northeast has the highest lengths of stay, and the West, the lowest.

For example, in 1987 the average length of stay in the Northeast for paranoid schizophrenia (295.3) is 21 days; it is 11.1 days in the West, a difference of 9.9 days. Similarly, the 1987 average length of stay in the Northeast for a diagnosis of major depressive disorder, single episode (296.2) is 18.5 days, while it is 13.8 days in the West, a 4.7 day difference. For all psychiatric diagnoses, the difference between the northeastern and the western regions in 1987 is 2.5 days.

Lengths of stay for all psychiatric diagnoses from 1986 to 1987, rose or remained constant in three of the four regions, including the West. The exception is the north central region, where average lengths of stay for all psychiatric diagnoses dropped 0.2 days. The southern and northeastern regions recorded the highest increases: 0.9 days from 1986 to 1987. The western region rose 0.5 days. In the U.S. for all psychiatric diagnoses, average lengths of stay rose 0.4 days, from 13.7 in 1986 to 14.1 in 1987.

Table 1
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals with a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	***ICD-9-CM* Code**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Paranoid schizophrenia	295.3	20.0	21.0	16.7	16.8	13.0	13.8	11.5	11.1	15.4	15.6
Major depressive disorder, single episode	296.2	18.5	18.5	16.8	16.8	17.2	17.9	13.9	13.8	16.7	16.7
Neurotic depression	300.4	14.5	15.7	14.8	14.7	11.9	13.2	11.3	10.6	13.5	13.6
Other and unspecified alcohol dependence	303.9	10.1	11.4	18.0	17.7	13.5	14.6	17.3	19.7	15.0	15.8
Brief depressive reaction	309.0	9.6	9.9	10.3	9.9	8.3	8.8	5.8	5.8	8.8	8.8
All psychiatric codes	290.0-314.9	13.9	14.8	14.9	14.7	13.2	14.1	11.8	12.3	13.7	14.1

The differences in average length of stay for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses, in hospitals without a psychiatric acute care service unit/beds, are also illuminating.

As Table 2 reveals below, the regional differences do not uniformly show the expected pattern of higher average lengths of stay in the Northeast, North Central, and South and lower stays in the West. In 1987, three of the five examined diagnoses show higher average lengths of stay in the West than in all other regions. For example, in the southern region a diagnosis of acute alcoholic intoxication (303.0) has an average length of stay of 8.9 days; the average stay in the West is 11.1 days. For a diagnosis of depressive disorder (311), the average length of stay in the north central region is 7 days; in the West 10.6 days.

On the other hand, from 1986 to 1987, average lengths of stay for each region for the five common psychiatric diagnoses have gone up in the Northeast by an average 2.3 days, 1 day in the north central region, 0.6 days in the South, and 0.4 in the West.

Similarly, for all psychiatric diagnoses the average length of stay has declined in the West from 1986 to 1987 from 11.6 to 11.4 days and has increased in the other three regions, ranging from 0.6 days in the South to 1.1 days in the Northeast.

Table 2
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals without a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Other specified alcoholic psychosis	291.8	5.1	5.2	4.9	4.9	4.1	4.7	5.6	7.4	5.0	5.5
Major depressive disorder, recurrent episode	296.3	9.8	15.8	13.2	17.3	10.8	11.5	14.6	10.0	12.7	14.1
Acute alcoholic intoxication	303.0	4.6	5.9	8.7	8.8	7.8	8.9	10.4	11.1	8.4	8.6
Cocaine dependence	304.2	5.4	8.4	14.9	14.1	24.6	25.9	18.5	19.0	16.7	14.8
Depressive disorder, not elsewhere classified	311	9.3	10.5	5.5	7.0	6.5	6.0	7.1	10.6	6.6	8.1
All psychiatric codes	290.0-314.9	7.6	8.7	10.9	11.9	9.7	10.3	11.6	11.4	10.4	10.7

Table 3 shows average lengths of stay by sex in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses. For the five common psychiatric diagnoses with a few exceptions, e.g., neurotic depression (300.4), in all regions and the U.S., women have higher average lengths of stay in 1986 and 1987. This finding is often cited in the literature examining psychiatric lengths of stay. To illustrate, in 1986, men with a diagnosis of brief depressive reaction (309.0) stay an average 8.3 days, while women stay 9 days in the U.S. For all psychiatric diagnoses in the U.S. in 1986, men stay 13.1 days to women's average 14.3 days, a 1.2 day difference.

In 1987, the national length of stay differential between men and women for brief depressive reaction (309.0) increases. Men stay an average 8.2 days, while women stay 9.3 days. The same holds true for all psychiatric diagnoses: men stay an average 13.4 and women 14.6 days, a 0.1 increase in the differential between average stays for men and women from 1986 to 1987.

Moreover, there are regional variations in lengths of stay by sex. In the Northeast, men and women diagnosed with a major depressive disorder, recurrent episode (296.3), have an average stay of 19.8 and 21.3 days respectively in 1987. Men and women in the West with the same diagnosis stay an average 13.6 and 14.6 days. Cocaine dependence (304.2) reveals the opposite pattern, in which the West has higher average stays for men and women, 19.6 and 18 days respectively, than in the Northeast, where average stays are 8.6 days for men and women diagnosed with cocaine dependence (304.2).

Overall, regional average lengths of stay by sex from 1986 to 1987 increase. The north central region records the only decline: 0.1 days for men and 0.2 days for women. For all psychiatric diagnoses, the lengths of stay for men in the Northeast increase by 0.9 days and 1 day for women; in the South the increase is 1.1 days for men and 0.8 days for women.

Table 3

Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals with a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	19.6	19.8	21.0	21.3	17.3	16.1	18.3	17.1
Neurotic depression	300.4	16.0	16.8	13.6	15.0	14.6	14.4	15.0	14.8
Acute alcoholic intoxication	303.0	6.5	6.2	7.6	6.3	7.1	6.5	6.9	6.9
Cocaine dependence	304.2	13.1	8.6	13.0	8.6	16.0	14.6	13.7	12.3
Brief depressive reaction	309.0	9.3	8.9	9.8	10.6	9.5	9.3	10.8	10.3
All psychiatric codes	290.0-314.9	12.2	13.1	15.5	16.5	14.5	14.4	15.3	15.1

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.0	17.1	17.2	17.3	12.9	13.6	14.3	14.6
Neurotic depression	300.4	11.9	14.1	12.0	12.7	12.0	10.9	11.0	10.5
Acute alcoholic intoxication	303.0	9.7	8.0	9.7	9.0	6.9	6.6	7.0	5.5
Cocaine dependence	304.2	17.2	16.2	14.8	14.8	20.2	19.6	16.6	18.0
Brief depressive reaction	309.0	8.3	8.3	8.3	9.1	5.3	5.2	6.1	6.2
All psychiatric codes	290.0-314.9	12.4	13.5	13.8	14.6	11.8	12.3	11.9	12.4

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.6	16.6	17.9	17.6
Neurotic depression	300.4	13.8	13.8	13.3	13.4
Acute alcoholic intoxication	303.0	7.1	6.5	7.4	6.5
Cocaine dependence	304.2	16.6	14.7	14.2	12.6
Brief depressive reaction	309.0	8.3	8.2	9.0	9.3
All psychiatric codes	290.0-314.9	13.1	13.4	14.3	14.6

Table 4 displays average lengths of stay by sex in hospitals without a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 90 patient discharges in each region, and for all psychiatric diagnoses.

As the statistics in Table 2 suggest, these hospitals do not appear to follow the expected pattern of higher stays for women with psychiatric conditions. For example, a high frequency diagnosis for women (diagnosed two times more) is neurotic depression (300.4). In 1986, women stay 6.9 days to men's 7.8 in the U.S. In 1987, the difference is greater: men stay an average 9.5 days to women's 7.7, almost a 2 day spread. At the same time, for all psychiatric diagnoses in the U.S. for both years, women stay fewer days: 1.1 days in 1986 and 0.6 days in 1987. On the other hand, acute alcoholic intoxication (303.0), a high frequency diagnosis for men (diagnosed three times more), men stay 0.3 days less in 1986, and 0.6 days less in 1987 than do women.

Furthermore, regional variations in lengths of stay by sex do not correspond to the expected regional pattern. In the Northeast in 1987, the average stay for cocaine dependence (304.2) is 7.2 days for men and 7.4 for women. In the West, the average stay is 14.6 and 10.1 for men and women respectively. In 1987, for all psychiatric diagnoses in the Northeast, the average stay is 7.7 for men and 10.2 for women, in comparison to 12 days for men and 10.7 days for women in the West.

Like the regional average lengths of stay by sex for hospitals with a psychiatric acute care service unit/beds, from 1986 to 1987, the average lengths of stay for hospitals without such a unit increase. In the Northeast, the average stay increases 0.9 days for men and 1.6 days for women. The latter average stay equals the increase for women in the north central region as well (1.6), where men have increased stays by 0.7 days. In the South, the increase is 0.8 for men and 0.4 days for women. Only in the West is there a decline of 0.5 days for women, while stays for men remain the same over the two years.

To summarize, a preliminary examination of the 1986 and 1987 Psychiatric Length of Stay series reveals:

1. For hospitals with a psychiatric acute care service unit/beds and for the psychiatric diagnoses examined (5), there are higher stays in the Northeast and lower stays in the West, overall following a well-acknowledged length of stay pattern for all diagnoses that began in 1965.

2. For hospitals without a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), the same pattern does not exist.

3. For hospitals with a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), women stay longer than men, a pattern often cited in the literature. In hospitals without such a unit, the statistics do not point to the same pattern.

4. Lengths of stay for all psychiatric diagnoses in two regions for both hospital service types show increases for 1986 and 1987. Lengths of stay decline in the north central and western regions for at least one of the hospital service types during the two year period.

The four tables introduce a few of the many cross tabulations that can be accomplished using the Psychiatric Length of Stay series. As users conduct their own inquiries, it is essential to remember the statistics in this section are merely descriptive, and not the subject of critical analysis. Thus it is also important that users routinely:

1) examine the characteristics of the database (pp. ix-xiii and Appendix 3);
2) look at the patient counts in each diagnosis table; and
3) acknowledge any clinical, financial, legal, and social issues for each psychiatric diagnosis covered in the Psychiatric Length of Stay series.

Such caution, paired with expertise, will make the statistics and tables presented in the next section more valuable as hospital cost and quality of care information on patients with psychiatric conditions.

Table 4
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals without a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	7.7	15.0	10.5	16.1	11.7	17.6	13.6	17.1
Neurotic depression	300.4	8.3	7.2	6.8	7.4	8.3	9.1	7.4	8.1
Acute alcoholic intoxication	303.0	4.7	5.8	4.3	6.2	8.9	8.7	8.2	9.2
Cocaine dependence	304.2	5.6	8.3	5.0	8.4	16.3	15.4	11.5	11.0
Brief depressive reaction	309.0	4.3	5.0	6.0	4.6	9.2	7.2	6.2	8.0
All psychiatric codes	290.0-314.9	6.8	7.7	8.6	10.2	11.7	12.4	9.7	11.3

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	10.7	12.1	10.8	11.3	14.8	8.5	14.4	10.7
Neurotic depression	300.4	6.5	6.4	6.1	6.0	8.7	14.6	7.8	10.1
Acute alcoholic intoxication	303.0	7.4	8.9	9.5	8.7	10.1	10.8	11.3	11.9
Cocaine dependence	304.2	24.5	25.6	24.8	27.1	18.8	18.6	17.4	19.3
Brief depressive reaction	309.0	3.6	5.7	4.1	5.0	4.0	4.2	4.2	5.1
All psychiatric codes	290.0-314.9	11.0	11.8	8.4	8.8	12.0	12.0	11.2	10.7

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	12.7	14.0	12.7	14.2
Neurotic depression	300.4	7.8	9.5	6.9	7.7
Acute alcoholic intoxication	303.0	8.3	8.5	8.6	9.1
Cocaine dependence	304.2	17.5	[illegible]	14.6	12.9
Brief depressive reaction	309.0	4.9	[illegible]	4.8	5.8
All psychiatric codes	290.0-314.9	10.9	11.0	9.8	10.4

Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	48	16.0	280	2	3	9	19	46	59	66	36	9.1	147	1	2	7	9	15	26	73
75 +	175	12.5	197	2	3	8	14	29	42	95	106	9.9	107	2	2	6	13	23	30	54
ALL AGES	224	13.3	214	2	3	8	15	31	53	86	142	9.7	116	1	2	6	11	21	29	57
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	62.0		62	62	62	62	62	62	62										
55-74	74	12.8	239	2	3	9	14	23	38	92	42	9.0	86	1	2	7	11	20	29	47
75 +	277	10.9	149	2	2	8	12	21	33	71	220	9.9	163	1	2	6	10	20	32	69
ALL AGES	352	11.5	173	2	3	8	13	21	34	90	262	9.8	150	1	2	6	11	19	32	66
SUBTOTAL	**576**	**12.2**	**189**	**2**	**3**	**8**	**14**	**23**	**42**	**88**	**404**	**9.7**	**139**	**1**	**2**	**6**	**11**	**20**	**31**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	9.1	30	3	3	7	15	19	80	99 +	9	18.8	497	1	2	11	24	58	68	68
75 +	37	11.1	66	1	2	10	15	20	24	41	22	10.6	158	1	2	6	14	21	40	59
ALL AGES	51	10.5	58	2	3	9	15	20	25	99	31	13.0	257	1	2	7	14	33	58	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	27	14.0	131	3	4	11	18	36	42	43	5	14.0	232	1	1	10	20	40	40	40
75 +	48	14.6	232	4	5	10	16	31	49	87	34	9.1	70	2	3	7	11	14	30	43
ALL AGES	75	14.4	193	4	4	11	16	31	43	79	39	9.7	89	2	3	7	11	15	37	43
SUBTOTAL	**126**	**12.8**	**142**	**3**	**4**	**10**	**16**	**24**	**41**	**90**	**70**	**11.2**	**162**	**2**	**2**	**7**	**11**	**23**	**43**	**66**
GRAND TOTAL	**702**	**12.3**	**181**	**2**	**3**	**8**	**14**	**23**	**42**	**89**	**474**	**10.0**	**141**	**1**	**2**	**6**	**11**	**20**	**34**	**66**

Total U.S. January - December 1987

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	7.0	13	3	3	7	10	10	10	10										
35-54	10	9.8	48	4	4	7	15	21	23	23	3	11.7	57	5	5	10	17	20	20	20
55-74	74	10.1	40	3	4	9	14	18	28	99 +	52	9.9	259	1	2	5	9	24	60	99 +
75 +	124	13.1	202	1	3	9	18	32	60	99 +	143	10.8	140	2	3	7	14	23	34	99 +
ALL AGES	212	11.8	136	2	3	9	16	21	49	99 +	198	10.6	168	2	2	6	13	23	40	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	5.3	6	4	4	4	7	8	8	8	2	3.0		3	3	3	3	3	3	3
35-54	7	5.6	23	1	1	6	9	12	13	13	4	5.3	17	1	1	4	8	11	11	11
55-74	114	12.4	203	2	3	9	16	31	69	99 +	93	12.5	291	2	3	7	11	31	46	86
75 +	172	14.0	280	3	4	8	15	32	62	99	205	10.3	156	2	3	7	12	21	39	88
ALL AGES	296	13.1	243	2	3	8	15	31	62	99 +	304	10.8	197	2	3	7	12	25	40	85
SUBTOTAL	**508**	**12.6**	**198**	**2**	**3**	**8**	**15**	**29**	**58**	**99 +**	**502**	**10.7**	**186**	**2**	**3**	**7**	**12**	**23**	**40**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	7	18.4	98	3	5	13	23	32	34	34										
55-74	31	11.4	74	2	3	11	15	16	18	49	10	9.4	45	2	2	9	12	20	21	21
75 +	24	10.9	59	1	3	8	14	21	26	33	18	8.8	30	1	2	9	13	19	64	99 +
ALL AGES	63	11.9	72	2	3	11	15	21	27	47	28	9.0	35	2	2	9	13	20	25	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	21.3	507	2	2	16	38	46	46	46	2	30.0	242	19	19	30	41	41	41	41
55-74	38	17.5	307	2	3	13	20	36	56	87	26	11.1	114	2	2	6	15	27	36	38
75 +	38	15.3	325	3	3	11	16	25	71	76	29	7.1	22	2	2	5	11	14	15	19
ALL AGES	79	16.6	315	2	3	11	19	35	64	84	57	9.7	86	2	2	6	13	23	33	41
SUBTOTAL	**142**	**14.5**	**212**	**2**	**3**	**11**	**17**	**27**	**47**	**77**	**85**	**9.5**	**68**	**2**	**2**	**7**	**13**	**21**	**29**	**79**
GRAND TOTAL	**650**	**13.0**	**201**	**2**	**3**	**9**	**16**	**29**	**53**	**99 +**	**587**	**10.6**	**167**	**2**	**2**	**7**	**12**	**23**	**39**	**96**

SENILE DELUSION/DEPRE[illegible] ([illegible]90.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	42	15.4	88	2	4	14	24	28	32	33	9	9.8	48	3	3	7	15	19	21	21
75 +	99	14.8	146	3	4	11	20	30	39	62	45	14.7	309	2	2	7	22	47	71	99 +
ALL AGES	141	15.0	127	3	4	11	21	28	34	61	54	13.9	266	2	2	7	19	39	65	99
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	72	12.7	108	2	3	11	17	22	35	90	13	12.0	68	3	4	9	16	25	31	32
75 +	247	16.5	152	4	5	13	21	32	41	78	77	13.4	302	1	2	7	13	38	60	82
ALL AGES	319	15.6	145	3	5	13	20	30	40	80	90	13.2	267	1	2	7	14	31	57	79
SUBTOTAL	**460**	**15.4**	**140**	**3**	**4**	**13**	**21**	**29**	**37**	**70**	**144**	**13.4**	**267**	**2**	**2**	**7**	**15**	**32**	**58**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	22	14.8	60	5	6	14	20	22	30	38	3	8.0	16	4	4	8	11	12	12	12
75 +	30	17.5	151	4	4	14	26	37	38	44	10	11.9	306	1	2	6	9	39	60	60
ALL AGES	52	16.4	111	4	5	14	21	34	38	44	13	11.0	235	1	3	6	10	26	54	60
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	41	13.6	68	3	4	12	19	23	30	38	3	24.3	1567	1	1	2	53	70	70	70
75 +	68	19.4	265	3	5	16	25	41	57	99	24	18.0	422	1	2	9	20	55	61	74
ALL AGES	109	17.2	198	3	5	14	22	33	43	98	27	18.7	498	1	1	8	20	56	71	74
SUBTOTAL	**161**	**17.0**	**167**	**3**	**5**	**14**	**22**	**34**	**40**	**92**	**40**	**16.2**	**417**	**1**	**2**	**8**	**16**	**55**	**65**	**74**
GRAND TOTAL	**621**	**15.8**	**148**	**3**	**5**	**13**	**21**	**31**	**39**	**73**	**184**	**14.0**	**299**	**1**	**2**	**7**	**15**	**40**	**60**	**83**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	48	12.4	188	2	3	10	13	22	34	84	32	9.0	119	2	2	5	10	25	40	42
75 +	139	11.9	166	2	3	8	13	25	44	99 +	123	7.9	49	2	2	6	11	15	20	67
ALL AGES	187	12.1	169	2	3	9	13	24	44	94	155	8.1	64	2	2	6	11	16	25	55
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	64	13.6	137	2	3	9	17	35	41	92	44	8.8	103	2	3	7	10	14	20	67
75 +	249	11.6	149	2	3	9	15	29	58	99 +	213	10.0	161	2	2	6	10	22	33	79
ALL AGES	313	12.0	147	2	3	9	16	30	48	99 +	257	9.8	150	2	2	6	10	21	32	75
SUBTOTAL	**500**	**12.0**	**156**	**2**	**3**	**9**	**15**	**28**	**45**	**99 +**	**412**	**9.1**	**119**	**2**	**2**	**6**	**10**	**18**	**29**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	7	7.6	24	2	2	8	12	14	14	14	6	14.8	117	2	2	14	24	28	29	29
75 +	23	18.7	491	2	3	11	22	42	77	94	17	7.2	57	1	2	5	8	27	71	99 +
ALL AGES	31	15.9	389	2	3	10	15	35	66	94	23	9.2	80	1	2	6	14	28	50	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	20	16.6	236	2	3	10	20	43	48	52	6	8.5	8	5	5	8	10	13	13	13
75 +	39	15.6	175	4	7	12	21	41	84	99 +	42	9.9	101	2	3	7	13	18	45	99 +
ALL AGES	60	15.9	189	3	4	11	21	42	60	99 +	48	9.8	88	2	3	8	13	18	40	99 +
SUBTOTAL	**91**	**15.9**	**253**	**2**	**4**	**11**	**18**	**41**	**66**	**99 +**	**71**	**9.6**	**84**	**2**	**2**	**7**	**13**	**24**	**37**	**99 +**
GRAND TOTAL	**591**	**12.6**	**172**	**2**	**3**	**9**	**15**	**30**	**47**	**99 +**	**483**	**9.2**	**114**	**2**	**2**	**6**	**11**	**19**	**29**	**82**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	9.7	72	2	2	6	20	21	21	21	2	4.5	13	2	2	4	7	7	7	7
55-74	76	14.1	160	2	3	10	18	34	42	93	52	10.4	77	2	2	8	13	22	36	98
75 +	144	13.8	180	2	4	10	15	28	49	99 +	118	11.1	100	2	3	8	13	25	30	71
ALL AGES	226	13.8	170	2	4	10	16	29	45	99 +	172	10.8	92	2	3	8	13	25	33	90
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	8.0	52	2	2	6	13	16	16	16	1	10.0		10	10	10	10	10	10	10
55-74	73	15.2	271	2	3	9	17	39	54	95	57	12.0	140	2	3	9	16	31	58	99 +
75 +	168	14.0	180	2	3	10	18	30	39	93	168	13.2	228	2	3	9	18	30	62	99 +
ALL AGES	244	14.2	208	2	3	10	18	33	44	94	226	12.9	204	2	3	9	16	30	62	99 +
SUBTOTAL	**470**	**14.0**	**189**	**2**	**3**	**10**	**17**	**30**	**45**	**99**	**398**	**12.0**	**156**	**2**	**3**	**8**	**16**	**25**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	39	14.3	120	3	4	9	21	30	38	41	14	8.7	68	1	1	5	12	21	25	26
75 +	30	16.7	373	3	3	13	18	48	84	99 +	16	10.0	32	4	4	8	14	18	21	23
ALL AGES	69	15.3	229	3	3	12	20	29	41	97	30	9.4	48	1	2	7	14	20	23	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	17.8	85	7	7	18	25	27	27	27										
55-74	28	13.7	85	4	6	12	17	33	42	99 +	18	10.4	68	1	2	8	16	29	70	99 +
75 +	51	12.7	89	3	3	10	18	27	32	45	36	13.9	414	3	3	6	14	46	90	99 +
ALL AGES	83	13.3	86	3	3	11	18	27	34	81	54	12.7	299	2	3	7	14	33	91	99 +
SUBTOTAL	**152**	**14.2**	**151**	**3**	**3**	**11**	**19**	**29**	**38**	**99**	**84**	**11.5**	**211**	**1**	**3**	**7**	**14**	**23**	**55**	**99 +**
GRAND TOTAL	**622**	**14.1**	**178**	**2**	**3**	**10**	**18**	**30**	**41**	**99 +**	**482**	**11.9**	**166**	**2**	**3**	**8**	**15**	**25**	**50**	**99 +**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	5	4.6	14	1	1	5	7	10	10	10	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	5	4.6	14	1	1	5	7	10	10	10	2	6.5	13	4	4	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	13.0		13	13	13	13	13	13	13	1	15.0		15	15	15	15	15	15	15
ALL AGES	1	13.0		13	13	13	13	13	13	13	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**6**	**6.0**	**23**	**1**	**1**	**5**	**10**	**13**	**13**	**13**	**3**	**9.3**	**31**	**4**	**4**	**9**	**13**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**6**	**6.0**	**23**	**1**	**1**	**5**	**10**	**13**	**13**	**13**	**3**	**9.3**	**31**	**4**	**4**	**9**	**13**	**15**	**15**	**15**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	4	8.5	28	3	3	9	13	13	13	13
75 +	3	11.0	117	2	2	8	19	23	23	23										
ALL AGES	4	9.5	87	2	2	6	15	23	23	23	4	8.5	28	3	3	9	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	11.0	98	4	4	11	18	18	18	18										
75 +	1	3.0		3	3	3	3	3	3	3	1	36.0		36	36	36	36	36	36	36
ALL AGES	3	8.3	71	3	3	4	14	18	18	18	1	36.0		36	36	36	36	36	36	36
SUBTOTAL	7	**9.0**	**67**	**2**	**2**	**5**	**15**	**22**	**23**	**23**	5	14.0	172	**3**	**3**	**13**	**19**	**36**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	2	16.0	98	9	9	16	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	3	**17.7**	**56**	**9**	**9**	**21**	**22**	**23**	**23**	**23**										
GRAND TOTAL	10	**11.6**	75	**2**	**2**	**8**	**21**	**23**	**23**	**23**	5	14.0	172	**3**	**3**	**13**	**19**	**36**	**36**	**36**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	24	5.5	36	1	1	4	7	9	16	31	26	3.8	7	1	1	3	5	8	9	11
35-54	100	5.6	16	1	2	5	7	10	13	23	110	4.5	9	1	2	4	6	8	10	15
55-74	57	6.9	31	2	2	5	10	14	18	28	55	7.1	53	1	2	6	8	13	20	42
75 +	8	17.8	402	3	4	7	29	52	56	56	8	8.6	30	3	3	8	12	17	18	18
ALL AGES	191	6.5	42	1	2	5	8	12	17	37	200	5.3	23	1	2	4	7	10	11	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	6	7.0	11	2	2	7	9	11	11	11	7	3.7	8	1	1	2	6	8	8	8
35-54	24	5.5	17	1	2	4	8	10	15	18	24	4.8	5	2	2	4	7	9	9	9
55-74	14	7.3	33	3	3	6	7	17	22	24	7	4.4	5	2	2	3	6	8	8	8
75 +	3	8.3	27	4	4	7	12	14	14	14	2	8.5	5	7	7	8	10	10	10	10
ALL AGES	48	6.4	20	2	2	5	8	13	16	24	41	4.6	7	1	2	4	7	8	9	10
SUBTOTAL	**239**	**6.5**	**38**	**1**	**2**	**5**	**8**	**12**	**17**	**32**	**241**	**5.2**	**20**	**1**	**2**	**4**	**7**	**10**	**10**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	6.4	35	2	2	4	8	16	20	20	13	9.5	128	1	1	4	14	29	29	29
25-34	129	6.6	49	1	1	4	7	16	21	33	157	7.0	68	1	2	4	6	27	28	32
35-54	399	7.2	47	2	2	5	8	15	20	34	397	7.5	64	2	2	4	7	25	29	31
55-74	164	9.5	136	2	2	6	11	18	33	73	198	7.9	59	2	2	5	10	20	28	33
75 +	13	11.6	61	5	6	8	16	22	29	31	15	10.7	49	3	3	7	16	21	22	22
ALL AGES	714	7.7	69	2	2	5	9	16	23	40	780	7.6	64	2	2	4	8	22	28	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	9.8	137	1	1	3	17	29	29	29	5	6.2	52	2	2	4	8	19	19	19
25-34	31	6.1	15	2	2	5	8	11	14	19	35	11.7	120	1	1	6	23	28	29	30
35-54	81	9.0	181	1	2	6	10	17	20	89	101	6.8	53	1	2	4	7	15	28	33
55-74	37	8.5	49	1	2	6	14	20	22	25	64	9.0	82	1	2	5	11	25	30	37
75 +	2	9.0	50	4	4	9	14	14	14	14	9	10.3	98	2	3	7	11	26	35	35
ALL AGES	156	8.3	113	1	2	5	10	18	21	70	214	8.4	76	1	2	5	10	25	29	35
SUBTOTAL	**870**	**7.8**	**77**	**2**	**2**	**5**	**9**	**16**	**22**	**42**	**994**	**7.8**	**66**	**1**	**2**	**4**	**8**	**25**	**28**	**33**
GRAND TOTAL	**1109**	**7.5**	**69**	**1**	**2**	**5**	**9**	**15**	**21**	**40**	**1235**	**7.3**	**58**	**1**	**2**	**4**	**8**	**19**	**28**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	8.3	55	2	2	7	14	17	17	17										
55-74	6	5.8	7	3	3	5	7	10	10	10	6	6.3	24	2	2	5	9	13	14	14
75 +											3	7.3	38	2	2	6	12	14	14	14
ALL AGES	10	6.8	24	2	2	5	10	14	17	17	9	6.7	24	2	2	6	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	2	21.5	761	2	2	21	41	41	41	41
55-74	1	7.0		7	7	53	99 +	99 +	99 +	99 +	1	15.0		15	15	15	15	15	15	15
75 +	2	13.5	13	11	11	13	16	16	16	16	1	19.0		19	19	19	19	19	19	19
ALL AGES	4	8.8	39	1	1	11	37	99 +	99 +	99 +	4	19.3	260	2	2	17	30	41	41	41
SUBTOTAL	**14**	**7.4**	**26**	**1**	**2**	**7**	**12**	**17**	**79**	**99 +**	**13**	**10.5**	**119**	**2**	**2**	**8**	**14**	**23**	**38**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	2	9.5	13	7	7	9	12	12	12	12										
35-54	9	11.8	115	2	2	11	14	28	37	37	8	5.9	13	2	2	5	8	11	13	13
55-74	19	20.4	596	4	5	15	29	97	99 +	99 +	14	19.6	143	5	7	17	26	39	44	45
75 +	6	17.8	148	5	5	13	28	36	37	37	4	25.8	523	4	4	25	45	48	48	48
ALL AGES	37	17.4	359	3	4	13	21	59	98	99 +	26	16.3	197	3	3	11	24	42	46	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	7.0		7	7	7	7	7	7	7
35-54	4	11.3	13	7	7	14	36	99 +	99 +	99 +	5	9.2	58	1	1	12	14	19	19	19
55-74	8	16.5	290	2	3	11	19	45	56	56	12	13.5	60	4	5	11	19	25	28	29
75 +	4	11.5	2	10	10	11	12	13	13	13	1	27.0		27	27	27	27	27	27	27
ALL AGES	17	13.2	146	2	4	11	15	45	82	99 +	19	12.7	67	1	3	12	18	25	28	29
SUBTOTAL	**54**	**16.1**	**291**	**2**	**4**	**12**	**18**	**53**	**98**	**99 +**	**45**	**14.8**	**142**	**2**	**3**	**12**	**21**	**30**	**43**	**48**
GRAND TOTAL	**68**	**14.3**	**248**	**2**	**3**	**11**	**17**	**44**	**99**	**99 +**	**58**	**13.8**	**139**	**2**	**2**	**11**	**19**	**30**	**42**	**48**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	10.5	181	1	1	10	20	20	20	20	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3	2	6.0		6	6	6	6	6	6	6
35-54	8	12.0	78	2	3	10	19	24	25	25	8	15.4	398	1	1	3	29	47	54	54
55-74	27	15.3	165	1	3	14	20	28	45	57	29	13.6	355	2	2	10	12	34	44	97
75 +	8	17.0	98	7	7	13	28	73	99 +	99 +	10	19.4	807	2	4	12	16	58	99	99
ALL AGES	47	14.3	133	1	2	13	21	28	44	99 +	50	14.5	420	1	2	8	14	33	54	99
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	7	6.1	14	2	2	7	9	11	12	12	4	9.3	22	3	3	10	13	14	14	14
55-74	10	16.1	347	2	2	7	36	74	98	99 +	10	10.9	35	4	4	10	14	20	21	21
75 +	4	10.5	3	9	9	10	12	12	12	12	2	15.0	162	6	6	15	24	24	24	24
ALL AGES	22	11.4	175	2	2	7	12	43	71	99 +	16	11.0	39	3	4	10	14	21	23	24
SUBTOTAL	**69**	**13.3**	**148**	**1**	**2**	**11**	**20**	**31**	**55**	**99 +**	**66**	**13.6**	**329**	**2**	**2**	**9**	**14**	**31**	**44**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	3	6.0	61	1	1	2	12	15	15	15
25-34	2	2.5	5	1	1	2	4	4	4	4	12	11.7	40	3	4	14	15	18	23	24
35-54	40	13.5	166	1	2	10	19	23	34	72	37	9.5	29	2	2	10	15	15	16	99 +
55-74	40	14.9	300	2	3	9	17	31	57	85	57	10.6	62	2	3	8	14	21	26	42
75 +	12	14.7	307	2	3	9	14	42	61	64	12	6.0	16	3	3	4	6	14	15	15
ALL AGES	95	13.9	234	2	2	9	17	27	42	79	122	9.7	47	2	3	8	15	16	22	58
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	15.0		15	15	15	15	15	15	15
25-34	2	4.5	25	1	1	4	8	8	8	8	7	9.4	45	2	2	14	15	15	15	15
35-54	10	7.7	45	2	2	5	10	19	23	23	8	12.8	98	3	3	14	15	28	33	33
55-74	30	13.2	114	2	3	11	17	27	33	51	20	16.0	325	1	2	11	18	41	60	75
75 +	6	14.5	138	6	6	15	32	87	99 +	99 +	12	9.4	43	3	3	7	14	21	22	22
ALL AGES	48	11.9	101	2	3	10	16	29	38	99 +	48	12.8	172	2	2	11	15	23	38	75
SUBTOTAL	**143**	**13.2**	**190**	**2**	**3**	**9**	**16**	**27**	**42**	**86**	**170**	**10.6**	**83**	**2**	**3**	**8**	**15**	**19**	**24**	**69**
GRAND TOTAL	**212**	**13.3**	**174**	**2**	**2**	**9**	**18**	**27**	**43**	**99 +**	**236**	**11.4**	**153**	**2**	**2**	**9**	**15**	**21**	**32**	**97**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
25-34	4	1.8		1	1	2	2	2	2	2	6	10.2	156	2	2	4	14	32	34	34
35-54	11	4.3	11	1	1	2	6	9	12	12	19	4.7	11	1	2	4	6	9	12	14
55-74	5	2.4		2	2	2	3	3	3	3	8	7.1	52	1	1	5	9	19	23	23
75 +											2	3.0	2	2	2	3	4	4	4	4
ALL AGES	21	3.2	7	1	1	2	4	7	9	12	36	6.1	43	1	2	4	7	13	20	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	7	7.1	43	2	2	5	8	18	21	21	6	7.8	38	2	2	5	15	16	16	16
55-74	3	2.3	2	1	1	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
75 +											1	49.0		49	49	49	49	49	49	49
ALL AGES	12	5.8	32	1	2	4	7	14	20	21	9	11.2	230	2	2	5	15	36	49	49
SUBTOTAL	**33**	**4.2**	**16**	**1**	**1**	**2**	**5**	**9**	**12**	**21**	**45**	**7.1**	**81**	**1**	**2**	**4**	**8**	**15**	**26**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	5	4.0	3	2	2	4	5	6	6	6	3	2.7	8	1	1	1	5	6	6	6
25-34	29	7.7	49	1	2	4	13	19	21	29	18	4.2	13	1	1	3	4	10	13	15
35-54	63	8.2	89	2	2	5	9	15	30	53	42	5.3	29	1	2	4	5	10	19	27
55-74	22	8.4	75	1	2	4	12	20	27	36	15	7.9	36	2	3	5	12	18	21	22
75 +	4	14.5	79	6	6	12	20	27	27	27	1	8.0		8	8	8	8	8	8	8
ALL AGES	124	8.1	73	2	2	5	10	20	27	43	79	5.5	27	1	2	4	6	12	17	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21	1	9.0		9	9	9	9	9	9	9
25-34	7	9.6	73	1	1	7	19	20	20	20	2	2.0	2	1	1	2	3	3	3	3
35-54	30	7.5	25	2	2	6	10	13	15	25	17	8.1	63	1	2	5	11	24	27	27
55-74	8	6.9	49	2	2	3	10	19	22	22	5	3.0	2	1	1	4	4	4	4	4
75 +											3	20.0	183	7	7	19	30	34	34	34
ALL AGES	46	8.0	38	2	2	6	11	19	21	25	28	8.0	76	1	1	4	10	24	28	34
SUBTOTAL	**170**	**8.1**	**63**	**2**	**2**	**5**	**10**	**20**	**24**	**38**	**107**	**6.2**	**40**	**1**	**2**	**4**	**7**	**13**	**22**	**30**
GRAND TOTAL	**203**	**7.4**	**59**	**1**	**2**	**5**	**9**	**17**	**22**	**37**	**152**	**6.4**	**52**	**1**	**2**	**4**	**7**	**14**	**23**	**34**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	4	1.5	1	1	1	1	2	3	3	3	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	6	1.3	1	1	1	1	1	3	3	3	3	3.0	3	1	1	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	3.3	11	1	1	2	6	7	7	7										
35-54	7	3.3	6	1	1	3	5	7	8	8	3	2.0	1	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	11	3.1	6	1	1	2	5	7	8	8	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	2.5	5	1	1	2	4	4	4	4	2	1.0		1	1	1	1	1	1	1
35-54	3	2.0	1	1	1	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	6	2.2	1	1	1	2	3	4	4	4	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	17	2.8	4	1	1	2	3	7	8	8	5	1.6	1	1	1	1	2	3	3	3
GRAND TOTAL	23	2.4	4	1	1	2	3	5	7	8	8	2.1	2	1	1	2	3	4	4	4

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	3.0		3	3	3	3	3	3	3										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	9.0		9	9	9	9	9	9	9	1	30.0		30	30	30	30	30	30	30
ALL AGES	4	5.8	9	3	3	6	8	9	9	9	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**5**	**8.4**	**43**	**3**	**3**	**8**	**11**	**19**	**19**	**19**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	2	12.5	221	2	2	12	23	23	23	23										
35-54	5	10.8	52	4	4	9	13	23	23	23	9	5.2	6	1	2	5	6	9	9	9
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	9	11.8	54	2	3	10	16	23	23	23	9	5.2	6	1	2	5	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
55-74	2	16.0	242	5	5	16	27	27	27	27										
75 +																				
ALL AGES	3	12.3	163	5	5	5	22	27	27	27	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**12**	**11.9**	**70**	**2**	**3**	**9**	**18**	**24**	**27**	**27**	**11**	**5.3**	**4**	**1**	**3**	**5**	**6**	**8**	**9**	**9**
GRAND TOTAL	**17**	**10.9**	**61**	**2**	**3**	**9**	**15**	**23**	**26**	**27**	**12**	**7.3**	**56**	**1**	**3**	**5**	**7**	**15**	**28**	**30**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	3.5	3	2	2	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
18-24	28	3.5	3	1	1	4	5	5	6	7	21	2.2	2	1	1	2	3	4	5	5
25-34	189	4.5	6	1	2	5	5	6	7	18	95	3.7	8	1	1	3	5	6	8	18
35-54	471	4.9	10	2	2	5	5	6	8	22	291	4.3	16	1	2	3	5	7	9	23
55-74	179	6.8	52	2	2	5	6	12	24	41	140	5.0	14	1	2	4	6	10	12	21
75 +	9	5.0	3	3	3	5	5	8	9	9	13	7.2	34	3	3	4	9	17	20	21
ALL AGES	880	5.1	19	1	2	5	5	7	10	28	561	4.4	14	1	2	3	5	8	10	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	3.0	5	1	1	3	5	5	5	5	9	8.9	50	2	2	6	12	21	22	22
25-34	40	4.5	5	1	1	5	5	7	9	11	19	4.1	21	1	1	3	4	6	15	22
35-54	98	5.3	24	2	3	5	5	6	8	35	86	3.7	6	1	1	3	5	7	8	13
55-74	42	5.0	8	1	2	5	5	9	12	14	45	5.8	14	1	2	5	8	10	12	20
75 +	3	6.0	9	3	3	6	8	9	9	9	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	187	5.0	16	1	2	5	5	7	9	19	161	4.6	14	1	2	3	6	9	11	22
SUBTOTAL	**1067**	**5.1**	**18**	**1**	**2**	**5**	**5**	**7**	**10**	**28**	**722**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17	3	14.7	379	1	1	6	29	37	37	37	5	2.6	2	1	1	2	3	5	5	5
18-24	47	7.1	59	1	2	4	7	22	27	32	117	7.9	57	1	2	5	9	22	23	29
25-34	324	5.7	27	1	2	5	5	9	17	29	912	5.7	24	2	2	5	5	7	20	27
35-54	734	6.2	34	1	2	5	7	12	18	31	2028	5.4	16	2	3	5	5	7	12	26
55-74	288	7.9	55	2	2	5	10	17	26	37	697	5.9	20	2	3	5	6	10	16	27
75 +	24	9.7	120	2	2	6	10	23	36	48	42	5.8	26	1	2	4	5	11	19	26
ALL AGES	1420	6.5	41	1	2	5	7	13	21	32	4102	5.6	20	2	3	5	5	8	15	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	2	5	5	6	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
18-24	13	6.5	44	1	3	5	6	12	25	28	38	4.8	14	1	2	5	5	7	13	22
25-34	81	6.4	33	2	2	5	6	14	19	32	223	5.3	20	2	2	5	5	8	14	28
35-54	164	6.5	37	1	2	4	8	14	22	31	504	6.0	21	2	3	5	6	9	15	28
55-74	87	6.7	33	2	2	5	8	14	23	29	187	6.7	32	2	2	5	7	14	21	31
75 +	14	8.5	94	2	2	5	10	15	34	40	10	6.7	20	3	3	5	8	14	15	15
ALL AGES	361	6.6	37	1	2	5	8	13	21	32	964	5.9	23	2	2	5	6	10	15	28
SUBTOTAL	**1781**	**6.5**	**40**	**1**	**2**	**5**	**7**	**13**	**21**	**32**	**5066**	**5.7**	**20**	**2**	**2**	**5**	**5**	**8**	**15**	**27**
GRAND TOTAL	**2848**	**6.0**	**32**	**1**	**2**	**5**	**6**	**11**	**18**	**31**	**5788**	**5.5**	**20**	**2**	**2**	**5**	**5**	**8**	**15**	**27**

ALCOHOLIC PSYCHOSIS NOS (291.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	9.0	72	3	3	9	15	15	15	15
25-34																				
35-54	2	12.5	221	2	2	12	23	23	23	23	4	2.8		2	2	3	3	3	3	3
55-74	3	8.3	11	6	6	7	11	12	12	12	2	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	5	10.0	66	2	2	7	15	23	23	23	8	7.4	40	2	2	3	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	3.0		3	3	3	3	3	3	3	4	3.0	7	1	1	2	5	7	7	7
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +	1	24.0		24	24	24	24	24	24	24	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	5.8	81	1	1	3	3	22	24	24	7	3.1	7	1	1	2	6	7	7	7
SUBTOTAL	**11**	**7.7**	**71**	**1**	**1**	**3**	**11**	**23**	**24**	**24**	**15**	**5.4**	**28**	**1**	**1**	**3**	**7**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.0	8	1	1	3	5	5	5	5
25-34	3	1.7	1	1	1	1	3	3	3	3	7	2.4	3	1	1	2	4	5	5	5
35-54	17	8.9	78	1	1	7	12	21	29	33	4	8.5	57	1	1	9	15	15	15	15
55-74	6	14.0	293	2	2	6	18	44	47	47	7	13.3	54	3	4	15	19	23	24	24
75 +											2	9.0	98	2	2	9	16	16	16	16
ALL AGES	26	9.2	122	1	1	6	11	22	36	47	22	7.6	52	1	1	4	15	17	22	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	19.0	128	11	11	19	27	27	27	27	1	3.0		3	3	3	3	3	3	3
25-34	3	2.3	2	1	1	3	3	3	3	3	3	7.7	36	2	2	7	12	14	14	14
35-54	4	6.3	37	1	1	4	10	15	15	15	3	5.0	16	1	1	5	8	9	9	9
55-74	2	31.0	1250	6	6	31	56	56	56	56	2	7.0	18	4	4	7	10	10	10	10
75 +																				
ALL AGES	11	12.0	273	1	1	6	14	39	55	56	9	6.1	18	1	1	5	9	12	14	14
SUBTOTAL	**37**	**10.1**	**160**	**1**	**1**	**6**	**12**	**26**	**42**	**56**	**31**	**7.2**	**41**	**1**	**1**	**5**	**13**	**16**	**20**	**24**
GRAND TOTAL	**48**	**9.5**	**140**	**1**	**1**	**5**	**12**	**24**	**34**	**56**	**46**	**6.6**	**37**	**1**	**1**	**4**	**10**	**15**	**17**	**24**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	3.0	2	2	2	3	4	4	4	4
13-17	1	4.0		4	4	4	4	4	4	4	3	6.0	3	5	5	5	7	8	8	8
18-24	4	3.8	12	1	1	2	6	9	9	9	21	3.5	2	1	1	3	4	6	7	7
25-34	15	7.5	224	1	1	2	5	14	48	60	51	4.5	5	1	2	4	6	7	8	11
35-54	15	7.9	141	1	1	4	8	13	40	49	52	5.2	10	1	1	5	7	9	11	15
55-74	5	9.2	34	4	4	6	15	16	16	16	5	5.2	11	2	2	5	8	9	9	9
75 +	2	4.0		4	4	4	4	4	4	4	3	8.0	63	2	2	5	14	17	17	17
ALL AGES	42	7.2	132	1	1	4	7	14	29	60	137	4.7	8	1	2	4	6	8	9	15
B. FEMALE																				
0-12 YRS.	2	9.0	18	6	6	9	12	12	12	12	1	3.0		3	3	3	3	3	3	3
13-17											4	3.0	3	1	1	3	4	5	5	5
18-24	6	3.8	6	1	1	3	6	7	7	7	10	3.7	5	1	1	3	6	7	7	7
25-34	10	4.0	7	1	1	4	4	8	10	10	31	5.2	10	1	2	4	7	10	11	13
35-54	13	7.5	34	1	2	6	13	15	16	16	15	4.7	5	2	2	4	7	8	8	8
55-74	16	7.2	23	2	2	7	10	14	17	18	21	5.2	8	2	2	5	6	10	11	12
75 +	4	8.5	137	2	2	3	15	26	26	26	9	5.7	11	3	3	5	6	11	14	14
ALL AGES	51	6.4	29	1	2	4	10	14	16	26	91	4.9	8	2	2	4	6	9	10	14
SUBTOTAL	**93**	**6.8**	**74**	**1**	**1**	**4**	**9**	**14**	**16**	**55**	**228**	**4.8**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	2.0		2	2	2	2	2	2	2	14	5.1	7	1	1	5	6	8	11	12
18-24	15	4.5	26	1	1	3	5	6	18	22	129	5.3	21	1	1	4	6	8	11	28
25-34	59	8.1	48	1	1	6	13	18	23	30	500	4.9	20	1	2	4	6	8	11	27
35-54	61	8.1	91	1	1	5	9	18	29	53	381	4.7	15	1	2	3	6	9	10	24
55-74	17	10.2	110	1	2	6	12	30	34	35	52	5.5	26	1	2	4	6	10	18	31
75 +	2	26.5	1013	4	4	26	49	49	49	49	3	12.0	43	5	5	13	17	18	18	18
ALL AGES	157	8.1	80	1	1	5	10	19	27	48	1079	4.9	19	1	2	4	6	8	11	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	13	5.4	1	3	3	6	6	7	7	7
18-24	24	6.8	45	1	2	4	7	16	22	31	80	5.1	27	1	2	4	6	8	15	29
25-34	74	10.0	98	2	2	6	14	22	30	48	246	5.3	26	1	2	4	6	9	13	29
35-54	64	9.2	73	1	2	5	12	24	29	33	158	6.1	29	1	2	5	7	11	18	28
55-74	32	10.1	88	1	2	7	13	21	31	43	38	8.7	104	2	2	5	9	24	29	54
75 +	14	9.2	44	3	3	8	13	21	23	23	13	9.2	23	3	5	8	11	16	20	21
ALL AGES	209	9.3	79	2	2	6	13	22	29	41	548	5.9	32	1	2	4	7	10	16	29
SUBTOTAL	**366**	**8.8**	**79**	**1**	**2**	**5**	**12**	**21**	**28**	**43**	**1627**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**28**
GRAND TOTAL	**459**	**8.4**	**79**	**1**	**2**	**5**	**11**	**19**	**27**	**48**	**1855**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**28**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	3	1.7	1	1	1	1	3	3	3	3
13-17	3	12.7	81	3	3	14	19	21	21	21	1	1.0		1	1	1	1	1	1	1
18-24	13	9.2	44	2	3	7	17	19	19	19	4	2.8	5	1	1	2	4	6	6	6
25-34	10	5.1	61	1	1	3	4	16	27	27	5	2.0	1	1	1	2	3	3	3	3
35-54	4	15.8	149	2	2	15	25	30	30	30	7	3.4	5	1	1	3	6	6	6	6
55-74	8	12.1	97	4	4	8	18	29	31	31	16	8.4	117	2	2	4	9	19	36	44
75 +	9	7.0	26	2	2	7	9	15	16	16	12	11.2	120	1	2	8	14	27	38	40
ALL AGES	49	8.9	66	1	2	5	14	21	27	31	48	6.7	80	1	1	3	7	17	24	44
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	6	1.8	3	1	1	1	2	5	5	5
13-17																				
18-24	5	6.2	39	1	1	3	13	13	13	13	1	1.0		1	1	1	1	1	1	1
25-34	6	8.3	59	1	1	5	14	20	21	21	5	2.8	2	1	1	3	4	5	5	5
35-54	15	7.1	26	1	2	6	10	14	18	19	5	5.2	19	1	1	3	8	12	12	12
55-74	17	8.2	64	1	2	5	10	24	28	28	17	5.0	7	1	2	4	6	9	10	11
75 +	16	5.0	7	1	2	5	6	8	11	12	20	7.5	44	1	2	5	10	19	23	24
ALL AGES	60	6.8	36	1	1	5	9	14	20	28	54	5.3	24	1	1	4	7	11	16	24
SUBTOTAL	**109**	**7.7**	**50**	**1**	**2**	**5**	**10**	**19**	**23**	**30**	**102**	**5.9**	**51**	**1**	**1**	**4**	**7**	**13**	**20**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	9	6.8	53	1	1	4	9	19	24	24										
18-24	23	9.2	89	1	1	6	11	27	33	34	7	8.3	113	1	1	2	17	25	26	26
25-34	39	8.1	95	1	1	4	11	29	36	99 +	12	5.6	16	1	2	4	9	11	12	12
35-54	26	8.2	85	1	1	5	9	19	30	42	4	6.3	51	2	2	3	10	17	17	17
55-74	7	9.1	41	3	3	8	12	19	21	21	7	4.6	19	1	1	2	7	12	13	13
75 +	4	8.5	18	4	4	8	12	13	13	13	1	6.0		6	6	6	6	6	6	6
ALL AGES	109	8.3	78	1	1	5	11	22	32	65	31	6.1	39	1	1	3	8	15	21	26
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	4	4.8	9	2	2	4	7	9	9	9	2	4.0	8	2	2	4	6	6	6	6
18-24	7	12.1	324	2	2	4	11	44	52	52	9	3.1	3	1	1	4	4	5	5	5
25-34	25	10.6	139	1	2	7	10	29	38	53	12	5.2	17	1	1	4	7	12	13	13
35-54	17	8.1	32	1	2	6	11	17	20	21	5	13.4	112	1	1	10	21	29	29	29
55-74	23	10.7	55	3	4	8	15	23	26	29	7	8.4	50	1	2	5	11	20	22	22
75 +	8	11.9	33	2	3	12	15	19	21	21	8	7.0	28	2	2	5	9	16	18	18
ALL AGES	84	10.1	90	2	3	7	12	21	29	53	44	6.4	37	1	1	4	9	13	19	29
SUBTOTAL	**193**	**9.1**	**83**	**1**	**2**	**6**	**12**	**21**	**30**	**53**	**75**	**6.3**	**37**	**1**	**1**	**4**	**9**	**13**	**20**	**28**
GRAND TOTAL	**302**	**8.6**	**72**	**1**	**2**	**6**	**11**	**21**	**28**	**47**	**177**	**6.1**	**44**	**1**	**1**	**4**	**8**	**13**	**20**	**37**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34	2	3.0		3	3	3	3	3	3	3										
35-54																				
55-74	3	10.7	115	3	3	6	19	23	23	23	1	11.0		11	11	11	11	11	11	11
75 +	2	2.0		2	2	2	2	2	2	2										
ALL AGES	7	6.0	58	2	2	3	5	20	23	23	2	8.5	13	6	6	8	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	2	7.0	18	4	4	7	10	10	10	10										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8	2	10.5	85	4	4	10	17	17	17	17
55-74	2	7.5	5	6	6	7	9	9	9	9	3	3.0	4	1	1	3	4	5	5	5
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	5	7.4	6	4	4	8	9	10	10	10	7	5.4	31	1	1	4	6	15	17	17
SUBTOTAL	**12**	**6.6**	**34**	**2**	**2**	**5**	**8**	**14**	**22**	**23**	**9**	**6.1**	**27**	**1**	**1**	**5**	**8**	**15**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	7.0	43	1	1	6	12	14	14	14										
18-24	2	5.0		5	5	5	5	5	5	5										
25-34	7	3.3	4	1	1	3	4	6	7	7										
35-54	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
55-74	2	34.0	578	17	17	34	51	51	51	51										
75 +	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
ALL AGES	16	8.0	152	1	1	4	6	17	41	51	3	4.0	13	1	1	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	3	2.7	2	1	1	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	6	5.2	15	1	1	5	8	11	11	11	2	21.5	31	12	12	21	31	31	31	31
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	16.5	481	1	1	16	32	32	32	32	1	2.0		2	2	2	2	2	2	2
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	13	6.2	70	1	1	4	7	15	29	32	5	9.6	163	1	1	2	17	31	31	31
SUBTOTAL	**29**	**7.2**	**112**	**1**	**1**	**4**	**7**	**16**	**33**	**51**	**8**	**7.5**	**105**	**1**	**1**	**3**	**10**	**25**	**31**	**31**
GRAND TOTAL	**41**	**7.0**	**88**	**1**	**1**	**4**	**7**	**15**	**27**	**51**	**17**	**6.8**	**59**	**1**	**1**	**4**	**9**	**16**	**26**	**31**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50Th (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20	2	2.0	2	1	1	2	3	3	3	3
13-17	4	2.3	3	1	1	2	3	5	5	5	4	14.5	694	1	1	2	28	54	54	54
18-24	6	8.0	16	3	3	7	9	14	15	15	1	2.0		2	2	2	2	2	2	2
25-34	9	3.1	6	1	1	2	4	7	9	9	5	2.2	3	1	1	2	3	5	5	5
35-54	18	4.1	14	1	1	3	4	7	13	17	12	6.4	147	1	1	2	4	21	41	44
55-74	51	6.0	28	1	1	5	8	12	19	25	44	7.4	58	1	1	5	8	22	26	30
75 +	40	6.2	21	1	2	5	8	13	16	21	36	5.8	30	1	2	4	6	13	15	31
ALL AGES	129	5.7	23	1	1	4	8	12	16	22	104	6.6	75	1	1	4	7	14	26	49
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	4	1.0		1	1	1	1	1	1	1
13-17	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-24	6	6.7	64	1	1	4	8	21	22	22	3	3.7	1	3	3	3	5	5	5	5
25-34	6	9.2	83	1	1	5	19	22	22	22	5	2.6	2	1	1	2	3	5	5	5
35-54	22	6.7	98	1	1	4	7	13	28	48	17	4.8	14	1	1	3	7	11	13	14
55-74	85	7.5	38	1	2	6	10	16	19	33	80	5.3	37	1	1	3	7	9	12	40
75 +	70	7.0	41	1	1	5	9	15	19	31	98	6.4	19	1	2	5	9	12	16	20
ALL AGES	192	7.2	47	1	1	5	9	16	19	34	208	5.6	25	1	1	4	8	11	13	20
SUBTOTAL	**321**	**6.6**	**38**	**1**	**1**	**5**	**8**	**15**	**19**	**31**	**312**	**5.9**	**42**	**1**	**1**	**4**	**7**	**11**	**16**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.3	124	2	2	11	21	24	24	24										
18-24	15	7.5	55	1	1	4	12	22	23	23	3	9.0	63	3	3	6	15	18	18	18
25-34	29	6.8	56	1	1	5	7	20	21	29	6	6.7	36	1	1	5	8	17	18	18
35-54	27	7.9	77	1	1	5	9	24	28	37	4	4.8	7	2	2	4	7	8	8	8
55-74	29	8.0	34	1	2	8	10	18	22	22	19	7.3	34	1	2	5	11	13	20	25
75 +	22	13.2	419	3	3	7	13	45	99	99 +	14	7.0	21	2	3	6	8	13	18	20
ALL AGES	125	8.7	120	1	1	6	11	22	27	98	46	7.0	28	2	2	6	10	13	19	25
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.0	39	4	4	13	15	16	16	16	2	2.0	2	1	1	2	3	3	3	3
18-24	15	8.4	34	1	2	8	12	17	19	20										
25-34	14	5.0	24	1	1	4	5	11	18	20	8	4.4	14	1	1	4	5	11	13	13
35-54	26	9.5	52	3	3	8	11	21	30	30	15	5.5	14	1	1	6	7	10	13	14
55-74	55	12.2	86	2	5	10	15	24	33	48	28	7.7	34	1	2	6	10	16	20	25
75 +	45	12.2	215	3	4	8	15	21	34	77	46	6.5	18	1	1	6	9	13	15	17
ALL AGES	158	10.7	109	2	3	8	13	21	25	69	99	6.4	22	1	1	5	9	13	16	22
SUBTOTAL	**283**	**9.8**	**115**	**1**	**2**	**7**	**12**	**21**	**26**	**75**	**145**	**6.6**	**24**	**1**	**2**	**5**	**10**	**13**	**16**	**25**
GRAND TOTAL	**604**	**8.1**	**76**	**1**	**2**	**6**	**10**	**18**	**22**	**43**	**457**	**6.1**	**37**	**1**	**1**	**4**	**8**	**12**	**16**	**30**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	2.3	1	1	1	2	3	3	3	3	5	2.0	2	1	1	2	3	4	4	4
18-24	13	5.9	26	1	1	5	9	13	16	17	5	2.2	3	1	1	2	3	5	5	5
25-34	4	3.5	25	1	1	1	6	11	11	11	3	2.7	4	1	1	2	4	5	5	5
35-54	5	7.2	61	1	1	4	12	20	20	20	5	18.0	227	1	1	29	29	29	29	29
55-74	7	7.9	50	2	2	5	14	18	19	19	5	7.8	27	5	5	5	9	17	17	17
75 +	6	7.2	10	2	2	7	8	12	12	12	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	39	6.0	29	1	1	4	9	14	18	20	25	7.0	82	1	1	4	6	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.7	4	1	1	2	4	5	5	5										
25-34	9	7.4	49	1	1	5	12	19	20	20	2	1.5	1	1	1	1	2	2	2	2
35-54	6	2.5	8	1	1	2	2	7	8	8	5	8.0	104	2	2	5	10	26	26	26
55-74	13	12.8	385	2	2	5	11	36	67	74	9	9.2	62	2	2	6	12	22	27	27
75 +	6	8.2	13	4	4	9	11	12	12	12	5	6.6	9	3	3	6	9	11	11	11
ALL AGES	37	8.2	159	1	1	4	10	16	25	74	21	7.6	52	1	2	5	9	19	26	27
SUBTOTAL	**76**	**7.1**	**92**	**1**	**1**	**4**	**10**	**16**	**20**	**62**	**46**	**7.3**	**67**	**1**	**1**	**5**	**8**	**25**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	9.4	80	1	2	7	12	54	93	99 +	2	3.5	13	1	1	3	6	6	6	6
18-24	15	9.3	71	1	3	6	11	25	29	31	6	4.2	7	1	1	4	5	9	9	9
25-34	21	4.8	23	1	1	2	7	10	16	21	7	5.1	38	1	1	2	8	16	17	17
35-54	18	10.5	128	1	2	7	9	26	41	47	3	6.0	13	3	3	5	9	10	10	10
55-74	2	5.0	2	4	4	5	6	6	6	6										
75 +	2	7.0	32	3	3	7	11	11	11	11	1	11.0		11	11	11	11	11	11	11
ALL AGES	69	8.0	73	1	1	6	9	18	32	89	19	5.1	19	1	1	4	8	11	14	17
B. FEMALE																				
0-12 YRS.																				
13-17	6	6.2	34	1	1	4	10	15	16	16										
18-24	11	13.0	120	3	3	10	20	31	35	35	2	5.5	5	4	4	5	7	7	7	7
25-34	20	8.5	48	1	2	7	9	21	25	27	4	2.0	2	1	1	2	3	4	4	4
35-54	5	8.6	64	1	1	5	14	21	21	21	2	2.5	5	1	1	2	4	4	4	4
55-74	8	10.8	16	6	6	10	14	17	17	17	3	14.3	6	12	12	15	16	16	16	16
75 +	4	14.3	144	5	5	10	21	32	32	32	4	12.5	102	4	4	9	19	27	27	27
ALL AGES	54	9.9	65	1	2	8	12	22	28	35	15	7.8	53	1	1	4	12	16	24	27
SUBTOTAL	**123**	**8.9**	**68**	**1**	**2**	**7**	**11**	**21**	**31**	**61**	**34**	**6.3**	**35**	**1**	**1**	**4**	**10**	**15**	**17**	**27**
GRAND TOTAL	**199**	**8.2**	**78**	**1**	**1**	**6**	**10**	**18**	**27**	**60**	**80**	**6.9**	**52**	**1**	**1**	**5**	**9**	**16**	**27**	**29**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
13-17	8	1.3		1	1	1	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
18-24	8	9.6	96	1	1	6	16	25	25	25	4	3.5	4	1	1	3	5	6	6	6
25-34	11	4.5	27	1	1	3	5	12	18	19	7	2.1	2	1	1	2	3	5	5	5
35-54	29	6.6	42	1	1	5	7	16	18	28	21	3.5	6	1	1	3	4	7	9	11
55-74	84	7.5	42	1	2	6	10	15	21	34	84	5.2	19	1	2	4	6	11	13	25
75 +	82	9.4	184	1	2	6	10	16	22	89	119	5.5	18	2	2	4	7	10	13	52
ALL AGES	223	7.8	95	1	1	5	10	16	21	48	240	5.0	17	1	2	4	6	10	12	26
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	3.5	5	2	2	3	5	5	5	5
13-17	2	19.0	512	3	3	19	35	35	35	35	4	1.3		1	1	1	2	2	2	2
18-24	5	12.2	94	2	2	13	18	26	26	26	2	1.5	1	1	1	1	2	2	2	2
25-34	6	7.0	22	1	1	8	10	13	13	13	8	2.4	3	1	1	2	3	5	6	6
35-54	36	6.4	34	1	1	4	9	17	20	22	25	5.5	105	1	1	3	5	10	23	52
55-74	93	8.0	97	1	2	6	9	13	18	65	125	5.8	26	1	2	4	7	12	18	27
75 +	160	7.8	64	1	2	5	10	16	24	57	208	6.9	85	2	2	5	8	13	18	76
ALL AGES	303	7.8	72	1	2	6	10	15	23	53	374	6.2	64	1	2	4	7	12	18	58
SUBTOTAL	**526**	**7.8**	**82**	**1**	**2**	**6**	**10**	**16**	**22**	**58**	**614**	**5.8**	**45**	**1**	**2**	**4**	**7**	**11**	**15**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
25-34	7	11.3	112	2	2	7	21	27	28	33	3	1.7	1	1	1	1	3	3	3	3
35-54	20	8.9	51	2	3	6	11	20	25	28	13	4.4	14	1	1	3	7	10	12	13
55-74	42	9.4	66	1	1	7	13	23	27	35	27	7.9	53	1	1	6	11	15	18	37
75 +	47	10.2	113	1	2	7	11	24	36	51	41	8.1	180	2	2	4	7	11	36	70
ALL AGES	119	9.6	82	1	2	7	12	23	28	46	86	7.1	107	1	1	4	7	13	16	66
B. FEMALE																				
0-12 YRS.																				
13-17											1	71.0		71	71	71	71	71	71	71
18-24											2	7.0	50	2	2	7	12	12	12	12
25-34	9	10.8	394	1	1	5	8	42	63	63	2	15.0	72	9	9	15	21	21	21	21
35-54	10	12.1	159	1	1	8	19	33	36	36	16	5.1	18	1	1	4	7	13	14	14
55-74	59	9.3	66	1	2	7	13	19	31	94	51	7.6	27	1	2	6	12	14	15	20
75 +	77	10.4	175	2	2	7	12	20	35	98	82	7.2	49	2	2	5	8	14	23	83
ALL AGES	155	10.1	142	1	2	7	12	21	35	99	154	7.6	66	1	2	5	10	14	20	70
SUBTOTAL	**274**	**9.9**	**115**	**1**	**2**	**7**	**12**	**23**	**32**	**85**	**240**	**7.5**	**79**	**1**	**2**	**5**	**9**	**14**	**19**	**70**
GRAND TOTAL	**800**	**8.5**	**94**	**1**	**2**	**6**	**10**	**17**	**25**	**62**	**854**	**6.2**	**56**	**1**	**2**	**4**	**7**	**12**	**16**	**59**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	3	3.3	7	1	1	3	5	6	6	6
75 +	2	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	4.3	20	1	1	3	5	12	13	13	4	3.5	4	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	3	9.7	43	4	4	8	15	17	17	17	4	2.5	1	1	1	3	3	3	3	3
75 +	2	2.5	1	2	2	2	3	3	3	3	3	4.0		4	4	4	4	4	4	4
ALL AGES	5	6.8	38	2	2	4	10	17	17	17	9	3.0	1	1	1	3	4	4	4	4
SUBTOTAL	**11**	**5.5**	**26**	**1**	**1**	**3**	**7**	**15**	**17**	**17**	**13**	**3.2**	**1**	**1**	**1**	**3**	**4**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	12.0		12	12	12	12	12	12	12	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	2	8.5	25	5	5	8	12	12	12	12	2	5.5	41	1	1	5	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	11.0	63	5	5	8	17	20	20	20										
75 +											3	18.7	282	7	7	11	31	38	38	38
ALL AGES	3	11.0	63	5	5	8	17	20	20	20	3	18.7	282	7	7	11	31	38	38	38
SUBTOTAL	**5**	**10.0**	**40**	**5**	**5**	**8**	**14**	**20**	**20**	**20**	**5**	**13.4**	**204**	**1**	**1**	**10**	**18**	**38**	**38**	**38**
GRAND TOTAL	**16**	**6.9**	**33**	**1**	**2**	**5**	**10**	**17**	**19**	**20**	**18**	**6.0**	**72**	**1**	**1**	**4**	**6**	**11**	**27**	**38**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	42.0	2	41	41	42	43	43	43	43										
13-17	4	26.8	281	12	12	22	39	50	50	50	1	12.0		12	12	12	12	12	12	12
18-24	17	22.0	311	2	3	20	27	53	62	64	1	8.0		8	8	8	8	8	8	8
25-34	39	14.5	132	1	2	11	22	29	40	46										
35-54	50	17.8	167	2	3	16	26	35	39	62	2	26.0	242	15	15	26	37	37	37	37
55-74	67	15.0	162	3	4	13	19	26	37	73	8	3.8	5	1	1	3	5	7	8	8
75 +	36	16.8	109	3	4	15	24	32	35	43	9	10.6	81	2	2	12	16	24	25	25
ALL AGES	215	16.9	168	2	4	14	23	34	41	66	21	9.4	88	1	2	5	13	24	30	37
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17	4	25.3	90	15	15	24	32	38	38	38										
18-24	11	16.5	213	3	4	7	32	38	39	39	2	28.5	1405	2	2	28	55	55	55	55
25-34	38	18.6	330	2	3	13	21	47	61	85	6	6.5	84	1	1	3	5	23	25	25
35-54	41	20.3	290	5	6	16	27	48	65	99 +	6	8.0	44	1	1	6	14	18	18	18
55-74	108	18.5	196	2	4	16	24	36	49	94	19	12.4	80	2	3	12	15	25	31	35
75 +	92	14.4	116	2	5	12	17	22	41	56	10	8.5	36	3	3	6	11	18	22	22
ALL AGES	295	17.6	204	2	5	14	22	37	49	88	43	10.8	112	1	2	7	14	25	29	55
SUBTOTAL	**510**	**17.3**	**189**	**2**	**4**	**14**	**22**	**35**	**46**	**78**	**64**	**10.3**	**104**	**1**	**2**	**7**	**14**	**25**	**28**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22	1	50.0		50	50	50	50	50	50	50
13-17	8	18.0	156	2	4	13	29	36	38	38	1	10.0		10	10	10	10	10	10	10
18-24	31	18.3	184	2	4	14	25	33	50	62	3	7.3	10	4	4	8	9	10	10	10
25-34	56	15.8	214	1	2	14	21	31	44	99 +	6	9.7	55	3	3	6	14	22	23	23
35-54	54	18.5	238	2	3	16	25	33	60	67	4	8.0	25	4	4	6	11	15	15	15
55-74	58	19.8	296	2	5	15	26	37	60	85	6	13.8	161	1	1	11	18	34	36	36
75 +	37	17.8	180	6	6	14	22	36	39	75	4	27.5	374	3	3	28	40	50	50	50
ALL AGES	245	18.1	223	2	4	14	24	32	51	86	25	14.6	197	2	3	8	19	36	50	50
B. FEMALE																				
0-12 YRS.																				
13-17	2	13.5	13	11	11	16	79	99 +	99 +	99 +										
18-24	15	18.3	266	4	6	13	21	52	57	59	2	5.5	1	5	5	5	6	6	6	6
25-34	38	17.8	175	3	6	14	25	36	49	59	8	7.5	126	2	2	4	5	26	35	35
35-54	31	22.3	350	2	4	18	30	44	51	90	3	9.7	136	1	1	5	18	23	23	23
55-74	58	19.6	220	3	6	15	28	40	48	76	6	12.3	95	5	5	9	14	29	31	31
75 +	68	15.3	71	4	5	14	20	26	31	40	6	11.8	72	4	4	10	20	23	23	23
ALL AGES	212	18.1	187	3	5	14	24	35	49	82	25	9.8	88	1	2	6	14	23	32	35
SUBTOTAL	**457**	**18.1**	**206**	**2**	**4**	**14**	**24**	**34**	**50**	**85**	**50**	**12.2**	**145**	**2**	**3**	**6**	**16**	**31**	**36**	**50**
GRAND TOTAL	**967**	**17.7**	**196**	**2**	**4**	**14**	**23**	**35**	**46**	**83**	**114**	**11.1**	**123**	**2**	**2**	**7**	**14**	**25**	**35**	**52**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
13-17	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
18-24	3	5.7	14	3	3	4	8	10	10	10										
25-34	4	18.5	388	1	1	16	35	41	41	41	1	1.0		1	1	1	1	1	1	1
35-54	5	2.4	1	1	1	2	3	4	4	4	2	5.5	5	4	4	5	7	7	7	7
55-74	15	6.4	15	1	1	6	9	11	14	15	10	13.3	816	1	1	4	10	52	94	94
75 +	9	6.2	66	1	1	3	7	21	24	24	12	4.6	10	1	1	4	6	9	12	12
ALL AGES	38	6.9	71	1	1	4	9	16	27	41	27	7.8	306	1	1	4	7	10	24	94
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											2	10.0	98	3	3	10	17	17	17	17
25-34	4	8.5	11	6	6	8	11	13	13	13	1	1.0		1	1	1	1	1	1	1
35-54	11	9.4	82	2	2	6	12	26	29	29										
55-74	18	9.0	65	1	1	7	13	21	26	28	14	5.6	19	1	1	4	6	14	15	15
75 +	15	6.3	8	1	2	6	8	9	12	13	20	3.9	14	1	1	2	6	10	12	13
ALL AGES	50	8.0	45	1	1	6	9	18	24	29	37	4.8	20	1	1	3	6	13	15	17
SUBTOTAL	**88**	**7.5**	**56**	**1**	**1**	**5**	**9**	**17**	**25**	**37**	**64**	**6.1**	**139**	**1**	**1**	**4**	**7**	**11**	**14**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	24.5	761	5	5	24	44	44	44	44										
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	7	12.1	150	2	2	10	17	33	36	36										
25-34	13	11.4	116	1	2	5	16	30	35	36	2	4.0	18	1	1	3	7	7	7	7
35-54	3	14.0	283	1	1	8	27	33	33	33	1	1.0		1	1	1	1	1	1	1
55-74	13	9.5	15	4	4	9	12	26	84	99 +	3	3.0	4	1	1	3	4	5	5	5
75 +	2	4.5	1	4	4	4	5	5	5	5	4	9.5	46	3	3	8	14	19	19	19
ALL AGES	41	11.7	112	1	2	9	15	34	39	99 +	10	5.6	30	1	1	4	7	14	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	3	8.3	77	1	1	6	15	18	18	18										
18-24	3	9.7	43	4	4	8	15	17	17	17	1	1.0		1	1	1	1	1	1	1
25-34	2	4.5	25	1	1	4	8	8	8	8										
35-54	5	10.6	164	2	2	6	15	33	33	33	1	1.0		1	1	1	1	1	1	1
55-74	8	11.1	46	1	2	12	15	20	22	22	6	11.8	10	7	7	12	13	16	16	16
75 +	3	7.7	21	5	5	5	11	13	13	13	3	5.3	35	1	1	3	10	12	12	12
ALL AGES	24	9.5	60	1	1	7	13	18	25	33	11	8.1	32	1	1	10	13	14	16	16
SUBTOTAL	**65**	**10.9**	**92**	**1**	**2**	**8**	**13**	**28**	**36**	**91**	**21**	**6.9**	**31**	**1**	**1**	**7**	**12**	**14**	**17**	**19**
GRAND TOTAL	**153**	**8.9**	**75**	**1**	**1**	**6**	**12**	**22**	**29**	**44**	**85**	**6.3**	**112**	**1**	**1**	**4**	**7**	**13**	**15**	**68**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1											
13-17											1	2.0		2	2	2	2	2	2	2
18-24											1	2.0		2	2	2	2	2	2	2
25-34	3	1.7	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54											3	2.7	2	1	1	3	4	4	4	4
55-74	4	2.8	3	1	1	3	29	99+	99+	99+	9	13.4	895	2	2	3	5	50	93	93
75 +	3	12.0	169	4	4	5	21	27	27	27	3	12.7	120	2	2	12	21	24	24	24
ALL AGES	11	4.8	57	1	1	3	5	49	93	99+	18	9.6	463	1	1	3	4	20	65	93
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	2	1.0		1	1	1	1	1	1	1											
25-34	2	3.5	5	2	2	3	5	5	5	5											
35-54	2	12.0	8	10	10	12	14	14	14	14											
55-74	3	7.0	39	2	2	5	12	14	14	14	11	4.5	27	1	1	3	6	11	18	19
75 +	4	17.5	224	3	3	15	29	36	36	36	4	5.8	34	1	1	4	10	14	14	14
ALL AGES	13	9.5	106	1	1	5	14	26	34	36	15	4.8	27	1	1	3	6	14	18	19
SUBTOTAL	**24**	**7.4**	**85**	**1**	**1**	**4**	**11**	**27**	**52**	**99+**	**33**	**7.4**	**264**	**1**	**1**	**3**	**6**	**15**	**23**	**93**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34	1	43.0		43	43	43	43	43	43	43											
35-54	2	14.0	242	3	3	14	25	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74	3	16.0	79	9	9	13	23	26	26	26											
75 +	2	11.5	1	11	11	11	12	12	12	12											
ALL AGES	8	17.8	163	3	5	12	25	38	43	43	1	3.0		3	3	3	3	3	3	3
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34	4	5.3	10	2	2	5	8	9	9	9											
35-54	2	8.5	5	7	7	8	10	10	10	10											
55-74	3	11.3	21	7	7	11	15	16	16	16	2	7.5	85	1	1	7	14	14	14	14
75 +	5	13.2	69	3	3	12	21	23	23	23	1	6.0		6	6	6	6	6	6	6
ALL AGES	14	9.9	38	2	3	8	12	20	22	23	3	7.0	43	1	1	6	12	14	14	14
SUBTOTAL	**22**	**12.7**	**95**	**2**	**3**	**10**	**16**	**25**	**33**	**43**	**4**	**6.0**	**33**	**1**	**1**	**4**	**10**	**14**	**14**	**14**
GRAND TOTAL	**46**	**9.9**	**96**	**1**	**1**	**7**	**14**	**26**	**37**	**99+**	**37**	**7.2**	**238**	**1**	**1**	**3**	**6**	**14**	**22**	**93**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54	9	12.9	18	8	8	12	15	19	21	21	1	3.0		3	3	3	3	3	3	3
55-74	21	12.8	423	2	3	6	13	21	57	99	9	11.8	70	3	4	10	16	26	29	29
75 +	22	12.7	84	3	4	10	18	24	35	37	14	13.7	178	2	4	9	15	31	49	54
ALL AGES	53	13.4	218	2	4	9	16	21	37	97	24	12.5	131	3	3	9	14	29	37	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	26.0		26	26	26	26	26	26	26	1	5.0		5	5	5	5	5	5	5
35-54	6	15.7	150	1	1	16	21	34	35	35	1	3.0		3	3	3	3	3	3	3
55-74	17	16.1	161	3	4	13	17	36	48	53	8	10.3	260	2	2	5	7	37	50	50
75 +	27	14.7	280	4	5	9	16	23	42	91	14	10.6	103	2	2	7	15	24	36	39
ALL AGES	51	15.5	215	3	4	12	17	29	38	91	24	9.9	142	2	2	5	11	24	42	50
SUBTOTAL	**104**	**14.4**	**216**	**3**	**4**	**10**	**17**	**26**	**37**	**95**	**48**	**11.2**	**135**	**2**	**3**	**7**	**14**	**27**	**40**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17																				
18-24	1	19.0		19	19	19	19	19	19	19										
25-34	3	19.7	163	5	5	25	28	29	29	29										
35-54	3	9.3	71	4	4	5	15	19	19	19										
55-74	8	21.4	407	8	8	15	22	55	69	69	3	11.7	96	5	5	7	19	23	23	23
75 +	6	14.8	144	4	4	11	25	32	33	33	3	11.3	27	7	7	10	15	17	17	17
ALL AGES	22	17.1	213	4	4	13	24	30	47	69	6	11.5	50	5	5	9	17	22	23	23
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24																				
25-34	1	39.0		39	39	39	39	39	39	39										
35-54	6	22.2	790	3	3	13	21	72	78	78	1	9.0		9	9	9	9	9	9	9
55-74	8	16.0	80	1	3	17	22	27	29	29	1	11.0		11	11	55	99 +	99 +	99 +	99 +
75 +	5	11.8	21	6	6	14	15	17	17	17	3	9.7	53	4	4	7	15	18	18	18
ALL AGES	20	18.0	281	2	4	15	21	34	58	78	6	9.0	26	4	4	9	16	84	99 +	99 +
SUBTOTAL	**42**	**17.5**	**240**	**3**	**4**	**14**	**21**	**30**	**51**	**78**	**12**	**10.3**	**35**	**4**	**5**	**9**	**17**	**38**	**88**	**99 +**
GRAND TOTAL	**146**	**15.3**	**223**	**3**	**4**	**11**	**19**	**28**	**38**	**91**	**60**	**11.0**	**115**	**2**	**3**	**7**	**14**	**25**	**44**	**95**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	2	36.0	8	34	34	38	84	99 +	99 +	99 +										
18-24	3	8.0	28	2	2	10	11	12	12	12										
25-34	1	11.0		11	11	11	11	11	11	11	2	3.5	13	1	1	3	6	6	6	6
35-54	5	11.6	70	4	4	9	14	26	26	26	6	9.2	65	2	2	7	15	21	22	22
55-74	15	11.3	65	1	3	10	18	24	25	25	3	9.7	13	7	7	11	57	99 +	99 +	99 +
75 +	17	18.3	263	2	3	14	25	46	47	47	2	26.0	800	6	6	46	86	99 +	99 +	99 +
ALL AGES	44	15.3	163	2	3	12	21	42	47	99 +	13	11.0	146	1	2	8	20	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	3	14.7	3	13	13	14	16	17	17	17										
13-17	2	12.5	145	4	4	12	21	21	21	21										
18-24	1	54.0		54	54	54	54	54	54	54	1	42.0		42	42	42	42	42	42	42
25-34	8	14.8	170	3	3	12	22	35	36	36										
35-54	9	23.4	275	6	6	16	39	45	49	49	2	9.0	72	3	3	9	15	15	15	15
55-74	21	19.8	199	5	6	17	28	42	51	54	4	12.5	171	4	4	7	20	32	32	32
75 +	22	14.6	392	3	4	8	15	24	57	97	5	11.0	62	4	4	9	15	24	24	24
ALL AGES	64	18.1	278	4	4	13	22	39	51	91	12	13.8	155	3	4	8	19	35	41	42
SUBTOTAL	**108**	**17.0**	**230**	**3**	**4**	**13**	**21**	**39**	**49**	**98**	**25**	**12.3**	**147**	**2**	**3**	**8**	**20**	**45**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	4	46.3	733	22	22	47	88	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
18-24	2	7.5	25	4	4	7	11	11	11	11	3	14.0	79	4	4	17	20	21	21	21
25-34	6	38.3	1907	3	3	17	90	96	97	97	4	17.5	353	3	3	11	29	45	45	45
35-54	6	26.5	294	5	5	30	40	44	44	44	5	41.6	241	28	28	32	58	60	60	60
55-74	9	18.4	141	3	5	17	25	37	41	41	5	14.0	294	2	2	4	25	42	42	42
75 +	7	24.4	504	4	5	15	46	57	58	58	3	17.3	26	14	14	15	21	23	23	23
ALL AGES	34	27.2	641	3	4	19	41	84	95	99 +	22	20.2	323	1	2	16	31	49	58	60
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	41.0		41	41	41	41	41	41	41										
18-24	2	48.0	1922	17	17	48	79	79	79	79										
25-34	8	23.9	291	1	5	17	37	50	52	52	1	29.0		29	29	29	29	29	29	29
35-54	10	16.9	295	2	2	12	21	47	51	51	2	5.5	1	5	5	5	6	6	6	6
55-74	14	20.4	265	2	5	17	27	46	57	60	3	12.3	56	4	4	15	17	18	18	18
75 +	11	30.6	833	3	4	13	55	74	79	80	1	21.0		21	21	60	99 +	99 +	99 +	99 +
ALL AGES	47	23.9	465	2	3	17	41	58	71	80	7	14.0	89	4	4	16	25	79	99 +	99 +
SUBTOTAL	**81**	**25.3**	**534**	**2**	**4**	**17**	**41**	**59**	**82**	**99**	**29**	**18.7**	**269**	**2**	**2**	**16**	**29**	**51**	**60**	**99 +**
GRAND TOTAL	**189**	**20.5**	**377**	**3**	**4**	**14**	**28**	**48**	**60**	**99**	**54**	**15.8**	**217**	**2**	**3**	**13**	**25**	**46**	**86**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.7	8	1	1	1	5	6	6	6										
25-34	10	16.5	40	9	9	15	20	26	29	29	2	1.5	1	1	1	1	2	2	2	2
35-54	16	12.3	77	3	3	11	15	22	33	38										
55-74	36	13.7	73	4	6	12	18	27	28	39	8	5.9	20	1	1	5	10	11	12	12
75 +	41	16.1	212	3	4	10	23	32	42	79	8	10.0	39	4	4	8	18	68	99 +	99 +
ALL AGES	106	14.4	125	3	4	12	18	27	36	60	18	7.2	33	1	1	6	12	19	63	99 +
B. FEMALE																				
0-12 YRS.	2	7.0	18	4	4	7	10	10	10	10										
13-17	1	62.0		62	62	62	62	62	62	62										
18-24	2	13.5	221	3	3	13	24	24	24	24										
25-34	6	15.0	86	6	6	13	17	30	32	32	1	4.0		4	4	4	4	4	4	4
35-54	13	18.9	374	2	2	17	21	41	69	76	3	3.0	4	1	1	3	4	5	5	5
55-74	55	13.8	131	2	5	10	17	34	55	99 +	10	7.7	31	1	1	6	13	15	15	15
75 +	69	16.8	197	4	5	14	21	46	76	99 +	26	10.6	82	3	3	8	12	23	27	44
ALL AGES	148	15.9	194	2	4	12	21	40	62	99 +	40	9.1	66	1	2	6	12	19	23	44
SUBTOTAL	**254**	**15.3**	**164**	**3**	**4**	**12**	**20**	**32**	**48**	**99 +**	**58**	**8.5**	**56**	**1**	**2**	**6**	**12**	**19**	**23**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	7	13.4	93	2	3	13	19	27	29	29										
25-34	4	12.3	117	4	4	8	19	28	28	28										
35-54	8	16.1	154	6	6	13	20	36	42	42	3	17.7	484	3	3	7	34	43	43	43
55-74	22	15.9	117	4	6	12	19	32	41	49	2	7.0	8	5	5	7	9	9	9	9
75 +	10	14.6	94	3	4	12	24	29	32	32	3	11.0	48	7	7	7	16	19	19	19
ALL AGES	52	15.0	107	3	5	12	20	30	35	49	8	12.5	175	3	4	7	14	36	43	43
B. FEMALE																				
0-12 YRS.																				
13-17	3	28.3	215	13	13	30	39	42	42	42										
18-24	2	14.5	113	7	7	14	22	22	22	22										
25-34	8	8.5	32	4	4	6	10	18	21	21										
35-54	5	16.4	182	4	4	8	30	33	33	33	1	8.0		8	8	8	8	8	8	8
55-74	34	17.6	15[illegible]	1	3	16	26	31	51	99 +	7	5.6	28	1	1	4	9	14	15	15
75 +	20	18.7	280	2	5	15	24	55	87	99 +	8	19.8	1035	3	3	10	12	73	99	99 +
ALL AGES	72	17.2	181	2	4	13	26	34	52	99 +	16	12.8	548	1	1	8	11	15	74	99
SUBTOTAL	**124**	**16.3**	**149**	**3**	**4**	**13**	**24**	**31**	**43**	**99 +**	**24**	**12.7**	**410**	**1**	**1**	**8**	**11**	**21**	**60**	**99**
GRAND TOTAL	**378**	**15.6**	**160**	**3**	**4**	**12**	**21**	**32**	**46**	**99 +**	**82**	**9.8**	**158**	**1**	**2**	**7**	**12**	**19**	**30**	**99 +**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	21.5	305	1	2	18	25	50	53	53	1	6.0		6	6	6	6	6	6	6
25-34	6	8.5	17	1	2	9	12	12	12	12										
35-54	7	14.6	51	1	3	14	19	23	24	24										
55-74	5	16.6	177	9	9	10	21	40	40	40	2	6.0		6	6	6	6	6	6	6
75 +	2	2.5	1	2	2	2	3	3	3	3	4	9.8	7	8	8	9	11	14	14	14
ALL AGES	26	14.2	139	1	1	12	18	25	43	53	7	8.1	9	6	6	8	9	13	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
25-34	9	10.0	49	2	2	10	15	20	20	20	3	9.7	91	1	1	8	17	20	20	20
35-54	5	7.6	64	1	1	7	11	21	21	21	2	4.5	1	4	4	4	5	5	5	5
55-74	11	18.3	167	5	6	14	25	39	45	46										
75 +	13	11.2	26	6	6	9	15	20	21	21	3	7.3	6	6	6	6	9	10	10	10
ALL AGES	39	12.4	85	2	3	10	16	21	31	46	9	7.0	31	1	2	6	8	16	20	20
SUBTOTAL	**65**	**13.1**	**106**	**1**	**2**	**11**	**17**	**24**	**36**	**52**	**16**	**7.5**	**20**	**2**	**3**	**6**	**9**	**14**	**18**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	25.0	410	7	7	20	39	53	53	53										
35-54	4	11.3	61	6	6	8	16	23	23	23	[illegible]	26.0		26	26	26	26	26	26	26
55-74	6	31.2	1049	4	4	22	38	87	92	92	[illegible]	5.0		5	5	5	5	5	5	5
75 +	6	16.2	155	4	4	12	26	35	36	36										
ALL AGES	21	20.5	452	3	4	14	27	44	71	92	[illegible]	15.5	221	5	5	26	81	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	33.5	12	30	30	33	36	37	37	37										
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	3	15.7	283	4	4	8	28	35	35	35	1	7.0		7	7	7	7	7	7	7
55-74	6	14.3	89	1	2	13	21	27	28	28	1	8.0		8	8	8	8	8	8	8
75 +	4	11.8	5	9	9	11	13	15	15	15	4	19.5	308	4	4	18	34	38	38	38
ALL AGES	19	16.9	149	1	3	12	29	36	37	37	6	15.5	224	4	4	7	31	37	38	38
SUBTOTAL	**40**	**18.8**	**303**	**2**	**4**	**13**	**28**	**37**	**45**	**92**	**8**	[illegible]	**191**	**4**	**4**	**8**	**33**	**75**	**99+**	**99+**
GRAND TOTAL	**105**	**15.3**	**186**	**2**	**3**	**11**	**20**	**35**	**38**	**71**	**24**	[illegible]	**85**	**2**	**4**	**7**	**11**	**31**	**53**	**99+**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	2	11.0	2	10	10	11	12	12	12	12										
18-24	19	17.0	132	3	4	13	26	35	40	42	4	25.0	450	1	1	26	42	47	47	47
25-34	39	14.6	137	2	3	14	19	27	38	60	8	12.3	106	3	3	9	17	28	33	33
35-54	17	17.5	200	3	4	14	21	39	52	58	10	19.0	380	2	3	10	26	54	55	55
55-74	9	26.4	154	7	10	27	33	44	47	47	1	6.0		6	6	6	6	6	6	6
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	88	16.9	151	3	4	14	22	31	42	59	23	17.1	279	2	3	11	24	48	54	55
B. FEMALE																				
0-12 YRS.																				
13-17	4	46.8	963	21	21	37	65	92	92	92	1	21.0		21	21	21	21	21	21	21
18-24	22	19.5	609	3	5	9	23	89	95	99 +										
25-34	34	15.7	141	2	3	15	21	30	53	99 +	6	14.2	80	1	1	14	21	25	26	26
35-54	37	18.7	218	3	4	15	22	37	46	78	7	15.6	177	4	4	9	28	35	36	36
55-74	19	14.3	51	5	7	14	19	21	29	35										
75 +	1	14.0		14	14	14	14	14	14	14	1	8.0		8	8	8	8	8	8	8
ALL AGES	117	18.2	283	3	4	15	21	39	69	99 +	15	14.9	111	1	4	11	21	33	35	36
SUBTOTAL	**205**	**17.6**	**227**	**3**	**4**	**14**	**21**	**37**	**47**	**95**	**38**	**16.2**	**210**	**1**	**3**	**11**	**21**	**37**	**51**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	34.0	98	27	27	34	41	41	41	41										
13-17	2	47.0	800	27	27	47	67	67	67	67										
18-24	9	13.9	137	3	3	11	22	32	38	38	1	4.0		4	4	4	4	4	4	4
25-34	9	13.9	88	1	2	14	19	27	28	28	4	9.3	53	2	2	9	15	17	17	17
35-54	5	9.8	37	6	6	6	13	20	20	20	1	7.0		7	7	7	7	7	7	7
55-74	6	10.5	30	3	3	11	15	17	17	17	1	6.0		6	6	6	6	6	6	6
75 +	2	5.5	1	5	5	5	6	6	6	6										
ALL AGES	35	15.3	183	3	4	12	21	28	40	67	7	7.7	32	2	2	6	12	16	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	61.0		61	61	61	61	61	61	61										
18-24	3	11.3	21	7	7	11	15	16	16	16										
25-34	11	19.4	184	1	4	17	30	37	46	47										
35-54	16	14.8	183	2	4	11	18	26	49	58	2	8.0	72	2	2	8	14	14	14	14
55-74	2	19.5	61	14	14	19	25	25	25	25	1	34.0		34	34	34	34	34	34	34
75 +											2	6.5	5	5	5	6	8	8	8	8
ALL AGES	33	17.7	215	2	5	15	23	34	56	61	5	12.6	163	2	2	8	19	34	34	34
SUBTOTAL	**68**	**16.5**	**195**	**3**	**4**	**13**	**21**	**30**	**48**	**66**	**12**	**9.8**	**82**	**2**	**2**	**6**	**14**	**22**	**32**	**34**
GRAND TOTAL	**273**	**17.3**	**220**	**3**	**4**	**14**	**21**	**35**	**47**	**92**	**50**	**14.7**	**184**	**2**	**3**	**10**	**18**	**35**	**47**	**55**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17	3	13.7		13	13	14	57	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
18-24	11	15.6	144	3	3	14	18	35	42	43	4	7.5	94	2	2	3	13	22	22	22
25-34	23	15.2	220	1	2	9	26	32	44	61	6	13.0	179	3	3	8	15	37	39	39
35-54	22	17.8	218	1	4	11	26	42	45	46	4	10.3	176	1	1	5	18	30	30	30
55-74	6	10.7	11	6	6	11	14	14	14	14	6	10.8	132	2	2	5	16	30	32	32
75 +	5	21.6	815	3	3	7	36	70	70	70	2	9.0	98	2	2	9	16	16	16	16
ALL AGES-	71	16.3	214	1	3	13	24	40	46	93	23	10.3	117	1	2	5	16	30	34	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	3.0		3	3	3	3	3	3	3
18-24	15	21.6	206	2	5	20	27	44	46	47	1	31.0		31	31	31	31	31	31	31
25-34	21	19.3	666	1	1	9	21	64	84	88	4	7.3	52	2	2	4	11	18	18	18
35-54	39	15.3	187	1	3	10	23	32	38	68	4	4.3	4	2	2	4	6	7	7	7
55-74	15	15.4	118	3	5	11	23	35	36	37	10	8.9	69	1	2	6	11	21	30	30
75 +	4	10.0	37	3	3	10	15	16	16	16	3	7.0	16	3	3	7	10	11	11	11
ALL AGES	95	17.1	274	1	2	13	23	38	46	85	23	8.3	65	1	2	5	11	20	30	31
SUBTOTAL	**166**	**16.8**	**245**	**1**	**3**	**13**	**23**	**38**	**46**	**87**	**46**	**9.3**	**90**	**2**	**2**	**5**	**11**	**29**	**31**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-24	3	24.0	453	1	1	28	39	43	43	43	2	11.5	221	1	1	11	22	22	22	22
25-34	6	21.7	106	5	6	22	27	35	36	36	4	16.5	696	1	1	4	30	56	56	56
35-54	13	18.1	321	2	2	12	24	52	56	57	1	16.0		16	16	16	16	16	16	16
55-74	3	13.7	48	7	7	13	19	21	21	21	2	4.5	1	4	4	4	5	5	5	5
75 +	2	2.0	2	1	1	1	3	3	3	3										
ALL AGES	28	18.7	247	1	2	16	27	42	52	57	9	12.7	314	1	1	5	17	42	56	56
B. FEMALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53										
18-24	4	43.8	90	30	30	46	50	53	53	53										
25-34	8	19.4	357	1	1	14	38	44	44	44	2	5.0	32	1	1	5	9	9	9	9
35-54	7	11.0	84	1	1	9	18	25	26	26	2	4.0	18	1	1	4	7	7	7	7
55-74	8	14.5	118	1	2	12	23	29	31	31	3	5.3	17	3	3	3	8	10	10	10
75 +	1	4.0		4	4	4	4	4	4	4	4	7.0	9	4	4	6	9	11	11	11
ALL AGES	29	20.0	305	1	2	17	32	46	53	53	11	5.6	13	1	1	6	9	10	11	11
SUBTOTAL	**57**	**19.4**	**270**	**1**	**2**	**17**	**30**	**45**	**52**	**57**	**20**	**8.8**	**152**	**1**	**1**	**5**	**9**	**19**	**39**	**56**
GRAND TOTAL	**223**	**17.4**	**254**	**1**	**2**	**13**	**25**	**43**	**48**	**83**	**66**	**9.1**	**108**	**1**	**2**	**5**	**11**	**22**	**31**	**53**

PARANOID SCHIZOPHRENIA (295.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	30.5	481	15	15	30	46	46	46	46										
13-17	47	21.2	384	3	5	13	31	54	74	99+	3	29.3	1637	5	5	7	59	76	76	76
18-24	534	16.1	206	2	3	12	22	34	46	71	75	12.5	134	1	1	10	18	36	44	99+
25-34	1477	15.0	174	2	3	12	20	31	42	67	238	13.3	197	1	2	8	18	32	47	61
35-54	1204	14.6	166	2	3	11	20	31	41	64	185	13.1	201	1	2	9	17	32	46	99+
55-74	197	18.5	273	2	4	14	25	37	56	91	30	12.4	162	1	2	7	18	32	55	99+
75 +	25	14.8	121	1	2	15	22	28	33	40	4	5.3	10	2	2	5	8	9	9	9
ALL AGES	3486	15.3	186	2	3	12	21	32	43	70	535	13.1	192	1	2	8	18	32	47	99+
B. FEMALE																				
0-12 YRS.	2	13.0	98	6	6	13	20	20	20	20										
13-17	18	15.9	135	2	3	17	24	40	76	99+	1	29.0		29	29	29	29	29	29	29
18-24	210	16.3	178	2	4	12	21	33	42	60	14	15.4	216	2	2	10	16	47	48	48
25-34	798	15.5	183	2	3	12	21	32	45	67	87	13.5	171	2	3	9	19	35	40	86
35-54	1175	15.8	157	2	4	13	21	31	40	68	155	12.0	144	1	2	8	17	24	36	65
55-74	658	18.0	158	3	5	16	24	34	45	73	81	15.3	260	1	2	11	22	41	68	99+
75 +	84	16.6	180	3	5	13	20	36	44	71	14	20.9	219	4	5	22	29	46	48	48
ALL AGES	2945	16.3	166	2	4	13	22	33	43	69	352	13.7	184	1	2	9	19	34	44	78
SUBTOTAL	**6431**	**15.8**	**175**	**2**	**3**	**13**	**21**	**32**	**43**	**70**	**887**	**13.3**	**190**	**1**	**2**	**8**	**18**	**33**	**46**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	94.0		94	94	97	99+	99+	99+	99+										
13-17	16	21.8	272	3	4	16	31	51	52	53	1	5.0		5	5	5	5	5	5	5
18-24	206	15.3	201	2	3	10	22	31	44	68	27	17.8	319	1	1	11	30	42	52	75
25-34	654	13.8	158	2	2	11	18	29	38	69	80	16.9	418	1	2	10	19	40	74	95
35-54	511	14.3	160	2	3	11	19	28	38	64	76	18.2	376	2	3	12	22	47	74	98
55-74	73	17.7	179	2	4	14	24	40	45	92	7	21.1	305	1	1	33	34	38	39	39
75 +	8	12.4	109	5	5	10	14	31	36	36	4	15.0	279	5	5	7	24	40	40	40
ALL AGES	1469	14.5	172	2	3	11	19	30	41	71	195	17.6	374	1	3	11	23	42	71	96
B. FEMALE																				
0-12 YRS.																				
13-17	4	15.5	138	3	3	25	44	99+	99+	99+	4	34.0	1631	2	2	23	65	87	87	87
18-24	64	16.7	167	1	4	13	22	32	42	66	3	43.7	1916	14	14	23	76	94	94	94
25-34	249	15.6	182	2	3	12	19	33	44	67	23	13.0	191	1	1	9	16	33	41	53
35-54	335	16.7	150	3	4	14	22	32	41	62	41	13.9	111	2	2	13	20	29	34	44
55-74	151	17.7	133	4	6	16	24	32	36	74	10	14.8	301	2	2	9	18	42	60	60
75 +	14	23.1	535	4	6	19	29	97	99	99+	5	17.8	504	2	2	6	29	56	56	56
ALL AGES	817	16.7	163	2	4	14	22	33	43	75	86	16.0	306	1	2	11	21	34	54	91
SUBTOTAL	**2286**	**15.3**	**169**	**2**	**3**	**12**	**20**	**31**	**41**	**72**	**281**	**17.1**	**353**	**1**	**2**	**11**	**22**	**40**	**58**	**93**
GRAND TOTAL	**8717**	**15.6**	**176**	**2**	**3**	**12**	**21**	**32**	**42**	**70**	**1168**	**14.2**	**232**	**1**	**2**	**9**	**19**	**34**	**48**	**95**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	33.0	532	11	11	31	50	57	57	57										
13-17	20	23.5	508	3	4	17	29	53	78	95	1	29.0		29	29	29	29	29	29	29
18-24	51	17.3	171	2	5	13	24	39	46	99	13	14.0	153	1	2	8	23	35	36	36
25-34	42	14.6	110	1	4	12	21	30	37	43	7	8.9	48	1	1	7	13	20	21	21
35-54	11	13.0	224	1	1	5	24	37	43	44	2	7.5	41	3	3	7	12	12	12	12
55-74	5	15.2	65	1	1	18	19	21	21	21	4	15.8	105	6	6	13	23	30	30	30
75 +																				
ALL AGES	132	17.3	216	1	3	14	22	36	44	96	27	13.0	114	1	3	11	20	30	35	36
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	11	34.2	864	3	3	30	53	80	93	94										
18-24	39	21.6	218	5	7	17	33	44	52	60	4	10.5	87	2	2	8	17	23	23	23
25-34	47	13.8	91	3	3	12	19	24	36	43	9	5.4	8	2	2	5	7	10	10	10
35-54	37	15.6	100	3	6	14	18	30	36	43	10	7.5	28	2	2	7	9	15	21	21
55-74	13	18.7	359	3	3	13	18	56	62	64	3	7.0	13	3	3	8	9	10	10	10
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	149	18.2	228	3	4	14	23	37	49	70	26	7.2	27	2	2	6	9	12	21	23
SUBTOTAL	**281**	**17.8**	**221**	**3**	**4**	**14**	**23**	**37**	**46**	**86**	**53**	**10.2**	**78**	**2**	**3**	**7**	**13**	**24**	**30**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	56.8	270	43	43	52	69	79	79	79										
13-17	12	17.7	89	4	5	18	26	30	32	32	1	21.0		21	21	21	21	21	21	21
18-24	15	18.9	206	1	3	17	25	43	48	50	9	26.2	683	4	4	16	49	66	77	77
25-34	23	10.9	83	2	3	7	15	27	31	35	4	6.3	84	1	1	2	11	20	20	20
35-54	10	10.8	70	1	2	10	14	23	31	31										
55-74	3	17.7	55	10	10	18	23	25	25	25	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	67	16.9	227	2	4	14	23	35	46	76	15	18.9	510	1	1	8	21	50	70	77
B. FEMALE																				
0-12 YRS.																				
13-17	5	32.2	458	7	7	35	47	61	61	61										
18-24	11	19.9	334	4	5	12	27	52	59	60	3	17.7	195	4	4	17	28	32	32	32
25-34	14	15.2	90	6	8	11	21	24	38	42	1	13.0		13	13	13	13	13	13	13
35-54	11	11.2	55	1	2	11	14	23	24	24	5	10.4	74	1	1	9	17	22	22	22
55-74	6	12.2	13	8	8	11	15	18	18	18	4	17.8	631	2	2	7	33	55	55	55
75 +	3	22.0	169	14	14	15	31	37	37	37	2	14.0	128	6	6	14	22	22	22	22
ALL AGES	50	17.1	187	4	6	12	21	39	47	61	15	14.5	204	1	2	11	21	32	49	55
SUBTOTAL	**117**	**17.0**	**208**	**3**	**4**	**12**	**22**	**37**	**46**	**67**	**30**	**16.7**	**350**	**1**	**1**	**10**	**21**	**49**	**55**	**77**
GRAND TOTAL	**398**	**17.6**	**216**	**3**	**4**	**13**	**22**	**37**	**46**	**75**	**83**	**12.5**	**184**	**1**	**2**	**8**	**16**	**29**	**41**	**70**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	9.8	70	1	1	10	17	17	17	17										
35-54	3	8.3	37	2	2	9	13	14	14	14	1	22.0		22	22	22	22	22	22	22
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	7	9.1	49	1	1	9	16	17	17	17	2	15.0	98	8	8	15	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.0	50	2	2	7	12	12	12	12										
25-34	14	8.1	18	2	2	8	10	14	16	17	1	3.0		3	3	3	3	3	3	3
35-54	11	8.7	38	2	2	7	13	17	22	22	2	13.5	313	1	1	13	26	26	26	26
55-74	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	29	8.1	25	2	2	7	11	14	17	22	4	7.8	148	1	1	2	14	26	26	26
SUBTOTAL	**36**	**8.3**	**29**	**2**	**2**	**7**	**11**	**16**	**17**	**22**	**6**	**10.2**	**122**	**1**	**1**	**5**	**22**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	6	10.5	16	4	4	12	13	14	14	14	1	29.0		29	29	29	29	29	29	29
55-74											1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	7	9.3	24	2	2	12	13	14	14	14	2	20.0	162	11	11	20	29	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	3	15.7	344	3	3	7	29	37	37	37										
18-24	2	6.5	25	3	3	6	10	10	10	10										
25-34	5	6.2	5	3	3	7	8	9	9	9										
35-54	9	12.7	186	3	3	7	13	35	47	47										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	20	11.0	131	3	3	7	11	27	42	47										
SUBTOTAL	**27**	**10.6**	**101**	**3**	**3**	**7**	**13**	**17**	**38**	**47**	**2**	**20.0**	**162**	**11**	**11**	**20**	**29**	**29**	**29**	**29**
GRAND TOTAL	**63**	**9.3**	**59**	**2**	**2**	**7**	**12**	**17**	**19**	**46**	**8**	**12.6**	**132**	**1**	**1**	**9**	**24**	**28**	**29**	**29**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	69.0		69	69	69	69	69	69	69										
13-17	9	26.3	516	2	3	18	47	60	62	62	1	8.0		8	8	8	8	8	8	8
18-24	196	15.4	203	1	3	12	21	34	44	96	31	14.2	268	1	2	7	19	38	42	76
25-34	609	13.1	148	1	2	9	17	28	38	59	88	14.5	167	1	3	11	20	34	41	57
35-54	469	14.5	126	2	3	11	20	29	35	55	95	12.7	209	1	1	6	19	33	42	68
55-74	128	16.7	167	2	5	14	21	34	40	66	16	18.8	177	3	4	13	31	38	40	41
75 +	6	15.8	274	6	6	9	14	45	49	49	3	3.0	12	1	1	4	53	99 +	99 +	99 +
ALL AGES	1418	14.4	154	2	3	11	19	30	39	63	234	13.9	195	1	2	8	20	36	42	73
B. FEMALE																				
0-12 YRS.																				
13-17	10	15.0	60	4	5	15	23	57	96	99 +										
18-24	108	17.9	236	3	5	14	23	37	61	90	13	17.4	285	3	3	8	26	48	50	50
25-34	449	16.0	209	2	3	12	21	35	41	76	60	16.0	291	1	1	9	23	44	55	71
35-54	680	15.0	162	2	3	12	20	31	42	62	91	14.7	163	1	3	10	23	33	45	79
55-74	365	17.6	150	4	6	15	23	34	47	62	53	15.8	259	2	2	10	21	37	45	82
75 +	38	15.8	141	2	3	14	20	27	41	60	5	4.6	5	2	2	5	8	91	99 +	99 +
ALL AGES	1650	16.0	178	2	4	13	21	34	44	68	222	15.3	222	1	2	10	23	36	49	87
SUBTOTAL	**3068**	**15.3**	**167**	**2**	**3**	**12**	**20**	**32**	**42**	**67**	**456**	**14.6**	**208**	**1**	**2**	**9**	**21**	**35**	**46**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	9	18.0	242	1	4	12	22	43	54	54										
18-24	108	14.2	138	1	2	11	20	30	36	64	9	18.2	553	3	3	6	23	59	74	74
25-34	307	14.1	148	2	4	11	19	27	37	82	23	18.9	290	1	2	13	31	46	51	57
35-54	228	14.1	127	2	3	12	20	26	36	52	21	13.1	150	1	1	11	20	33	40	42
55-74	47	15.9	138	4	6	12	22	28	32	71	3	26.3	187	18	18	30	71	99 +	99 +	99 +
75 +	5	17.6	44	11	11	15	22	28	28	28										
ALL AGES	705	14.3	139	2	3	12	20	27	36	64	56	17.0	271	1	2	13	25	42	54	98
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	53	13.5	114	2	2	11	20	26	43	98										
25-34	150	14.4	162	1	2	11	21	33	40	54	18	8.7	56	2	2	6	12	22	26	27
35-54	202	15.7	226	2	3	11	19	33	45	72	23	11.6	96	2	2	8	15	31	33	36
55-74	105	19.1	226	3	5	16	24	37	41	86	8	12.9	268	1	1	7	15	41	51	51
75 +	12	19.4	270	4	5	13	27	48	54	55										
ALL AGES	524	15.9	199	2	3	12	21	33	43	73	49	10.7	107	2	2	7	14	26	31	51
SUBTOTAL	**1229**	**15.0**	**165**	**2**	**3**	**12**	**20**	**29**	**39**	**71**	**105**	**14.1**	**201**	**2**	**2**	**10**	**19**	**38**	**46**	**85**
GRAND TOTAL	**4297**	**15.2**	**166**	**2**	**3**	**12**	**20**	**31**	**41**	**69**	**561**	**14.5**	**206**	**1**	**2**	**9**	**20**	**36**	**45**	**76**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	41.0	845	8	8	39	62	77	77	77										
13-17	39	24.9	339	6	9	21	32	61	97	99+										
18-24	232	17.6	276	2	3	13	24	38	53	99+	30	15.7	120	2	3	15	24	34	38	99+
25-34	530	15.6	190	2	3	12	21	35	44	83	82	17.7	175	2	3	16	24	38	47	86
35-54	495	16.4	180	3	4	14	21	32	47	65	76	18.1	266	2	3	12	28	42	61	92
55-74	97	21.1	237	4	6	18	25	42	56	75	8	12.5	198	3	3	8	12	36	46	46
75 +	5	11.2	66	1	1	9	19	20	20	20	1	9.0		9	9	9	9	9	9	9
ALL AGES	1402	16.9	214	2	4	13	23	36	48	86	197	17.3	201	2	3	14	24	38	49	99+
B. FEMALE																				
0-12 YRS.	2	51.0	32	47	47	51	55	55	55	55										
13-17	21	29.2	511	4	5	25	43	63	72	81	2	16.0	338	3	3	16	29	29	29	29
18-24	197	20.0	281	2	4	16	28	42	49	88	28	16.0	278	3	3	13	21	50	72	99+
25-34	686	16.6	185	2	4	14	22	35	44	93	85	18.4	267	3	3	13	24	38	55	79
35-54	1158	18.3	209	3	5	15	24	36	49	72	118	18.8	253	2	4	14	26	42	49	70
55-74	433	20.9	229	3	6	17	28	43	53	74	47	17.2	172	4	5	14	22	32	55	99+
75 +	29	22.9	370	4	6	19	31	58	87	99+	1	18.0		18	18	18	18	18	18	18
ALL AGES	2526	18.6	219	3	5	15	24	38	50	81	281	18.1	243	3	4	14	24	40	53	81
SUBTOTAL	**3928**	**18.0**	**217**	**2**	**4**	**14**	**24**	**37**	**49**	**83**	**478**	**17.7**	**228**	**2**	**3**	**14**	**24**	**38**	**53**	**94**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	17	31.1	656	7	8	25	42	73	86	92	4	51.0	2435	4	4	51	93	98	98	98
18-24	135	17.0	208	2	3	13	22	35	39	81	13	17.3	267	2	4	10	25	38	56	60
25-34	358	15.8	165	2	4	13	21	31	41	71	36	15.2	123	2	2	14	22	31	34	44
35-54	303	15.3	139	3	4	13	20	30	37	60	33	13.4	114	2	3	10	19	32	34	40
55-74	51	17.1	135	3	6	16	21	34	47	99	7	16.3	213	4	4	9	25	40	43	43
75 +	1	14.0		14	14	14	14	14	14	14	2	23.5	61	18	18	23	29	29	29	29
ALL AGES	865	16.2	173	3	4	13	21	32	41	73	95	16.6	267	2	2	12	24	33	42	94
B. FEMALE																				
0-12 YRS.											1	44.0		44	44	44	44	44	44	44
13-17	19	33.3	894	2	3	28	62	74	84	93										
18-24	126	19.1	312	2	3	15	26	39	55	97	11	18.4	360	2	3	13	19	50	66	67
25-34	420	16.7	177	3	4	14	23	33	44	69	24	18.2	259	3	4	13	27	37	48	69
35-54	495	18.4	207	3	4	15	25	37	48	70	60	15.4	122	2	3	13	22	31	35	48
55-74	202	20.1	179	4	6	18	26	35	47	65	17	14.8	154	2	3	11	21	36	40	41
75 +	17	25.4	283	3	7	21	40	47	58	63	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	1279	18.5	218	3	4	15	25	36	49	75	115	16.2	182	2	3	12	23	35	39	68
SUBTOTAL	**2144**	**17.5**	**204**	**3**	**4**	**14**	**23**	**34**	**46**	**74**	**210**	**16.4**	**219**	**2**	**3**	**12**	**24**	**34**	**40**	**77**
GRAND TOTAL	**6072**	**17.8**	**213**	**3**	**4**	**14**	**24**	**36**	**48**	**81**	**688**	**17.3**	**225**	**2**	**3**	**13**	**24**	**37**	**48**	**86**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	5	25.8	657	4	4	14	42	67	67	67										
18-24	25	14.7	282	1	2	11	18	35	48	79	2	10.0	128	2	2	10	18	18	18	18
25-34	35	14.7	198	1	3	10	19	35	51	53	8	8.3	85	2	2	4	9	24	30	30
35-54	26	17.2	168	1	2	17	23	32	42	56	6	14.2	297	1	1	6	29	41	42	42
55-74	6	18.7	65	6	7	18	27	28	28	28	3	1.7		1	1	2	2	2	2	2
75 +																				
ALL AGES	98	16.6	234	1	2	12	20	35	53	73	19	9.3	141	1	1	3	10	30	37	42
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25	1	6.0		6	6	6	6	6	6	6
13-17	6	28.2	312	6	7	27	34	56	58	58										
18-24	14	15.9	119	2	5	13	23	29	37	39	2	14.0	72	8	8	14	20	20	20	20
25-34	36	14.4	144	2	3	11	16	29	38	60	11	6.5	28	2	2	5	7	16	18	18
35-54	53	14.3	201	2	4	10	18	29	48	76	11	14.3	374	1	1	5	19	43	64	66
55-74	35	18.3	226	3	4	16	25	37	38	83	17	7.8	82	1	1	5	10	18	31	37
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	145	16.1	192	3	4	13	22	32	40	77	44	9.1	138	1	1	5	11	20	30	66
SUBTOTAL	**243**	**16.3**	**208**	**2**	**3**	**13**	**22**	**34**	**46**	**77**	**63**	**9.1**	**138**	**1**	**1**	**5**	**11**	**22**	**32**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	3	27.3	68	18	18	32	32	32	32	32										
18-24	13	24.9	247	3	5	23	36	47	56	58	1	15.0		15	15	15	15	15	15	15
25-34	13	10.3	85	2	3	6	16	27	29	29										
35-54	12	15.3	194	1	2	10	23	37	46	48	2	2.5	1	2	2	2	3	3	3	3
55-74	2	17.5	1	17	17	17	18	18	18	18										
75 +																				
ALL AGES	44	17.5	187	2	3	15	25	35	45	58	3	6.7	52	2	2	3	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	43.0	18	40	40	43	46	46	46	46										
18-24	12	13.0	52	3	4	13	18	22	25	26										
25-34	22	18.1	170	4	5	15	23	36	45	56	1	3.0		3	3	3	3	3	3	3
35-54	28	17.3	124	1	2	17	25	33	36	42	2	2.5	1	2	2	2	3	3	3	3
55-74	9	14.3	55	4	4	18	19	21	21	21	2	12.5	25	9	9	12	16	16	16	16
75 +	2	30.5	421	16	16	30	45	45	45	45										
ALL AGES	75	17.5	141	3	4	16	22	35	41	53	5	6.6	35	2	2	3	11	16	16	16
SUBTOTAL	**119**	**17.5**	**157**	**3**	**3**	**16**	**24**	**35**	**43**	**57**	**8**	**6.6**	**36**	**2**	**2**	**3**	**12**	**16**	**16**	**16**
GRAND TOTAL	**362**	**16.7**	**191**	**2**	**3**	**14**	**22**	**35**	**44**	**66**	**71**	**8.8**	**127**	**1**	**1**	**4**	**11**	**21**	**30**	**61**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	24.0	741	1	1	30	70	99+	99+	99+										
13-17	63	21.9	270	3	4	18	31	47	56	97	4	23.5	230	11	11	28	57	99+	99+	99+
18-24	220	14.0	163	2	3	10	19	31	40	64	38	12.9	203	1	1	9	18	31	43	69
25-34	353	14.4	179	1	2	11	19	35	44	63	86	15.3	267	1	2	10	19	42	53	72
35-54	254	13.9	154	1	2	10	18	30	37	62	70	15.5	271	1	2	10	19	38	56	75
55-74	53	17.5	222	1	2	14	24	37	56	99	23	10.7	136	2	3	6	9	29	41	44
75 +	5	18.0	132	2	2	17	28	30	30	30	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	952	14.9	182	2	3	11	19	34	44	68	223	14.5	243	1	2	9	19	40	50	75
B. FEMALE																				
0-12 YRS.	4	19.5	74	12	12	17	26	31	31	31										
13-17	44	20.3	395	2	3	13	33	51	73	99+	2	7.5	61	2	2	7	13	13	13	13
18-24	148	14.1	155	2	3	11	19	31	40	99+	22	13.4	410	1	1	6	20	31	65	89
25-34	343	14.9	141	2	3	12	20	29	37	52	64	9.0	67	1	1	7	11	21	27	36
35-54	365	14.6	145	2	3	12	19	30	40	78	66	15.0	226	2	2	11	19	33	50	77
55-74	168	17.5	250	3	4	13	21	34	52	77	30	11.0	118	2	2	9	14	17	19	62
75 +	18	23.8	518	4	6	15	31	63	74	81	8	20.3	591	4	5	11	46	90	99+	99+
ALL AGES	1090	15.5	178	2	3	12	20	31	44	78	192	12.3	194	1	2	9	15	26	36	85
SUBTOTAL	**2042**	**15.2**	**181**	**2**	**3**	**12**	**20**	**32**	**44**	**75**	**415**	**13.5**	**220**	**1**	**2**	**9**	**17**	**34**	**48**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	58.7	640	43	43	45	77	88	88	88										
13-17	33	23.8	492	1	3	19	43	64	98	99+	2	15.5	421	1	1	15	30	30	30	30
18-24	121	15.3	212	1	3	12	20	31	48	74	13	15.8	163	1	1	13	21	39	40	40
25-34	174	12.8	92	2	3	10	19	24	30	45	28	13.1	116	3	4	9	15	32	40	41
35-54	130	12.0	79	2	3	10	16	24	29	41	24	15.0	240	2	4	9	20	29	45	75
55-74	28	15.0	275	3	4	9	15	34	43	83	1	6.0		6	6	6	6	6	6	6
75 +	2	8.5	85	2	2	8	15	15	15	15	1	3.0		3	3	3	3	3	3	3
ALL AGES	491	14.4	174	2	3	11	19	29	42	80	69	14.1	166	1	3	10	18	31	40	69
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	18	22.8	290	3	4	24	32	41	58	68										
18-24	64	14.0	184	2	3	10	16	30	43	75	6	13.3	226	1	1	8	16	39	42	42
25-34	140	13.2	105	2	3	11	18	26	34	50	15	13.5	322	1	1	9	20	29	59	69
35-54	120	16.1	161	2	4	13	22	33	40	64	25	10.7	100	1	2	10	14	18	27	50
55-74	51	17.3	241	2	3	14	22	44	57	99+	6	19.2	814	3	3	8	13	71	77	77
75 +	7	13.4	141	7	7	8	15	35	39	39										
ALL AGES	401	15.2	161	2	3	12	20	31	42	71	52	12.8	244	1	2	9	14	26	[illegible]	77
SUBTOTAL	**892**	**14.7**	**170**	**2**	**3**	**11**	**20**	**30**	**42**	**76**	**121**	**13.6**	**197**	**1**	**2**	**10**	**16**	**30**	[illegible]	**76**
GRAND TOTAL	**2934**	**15.0**	**179**	**2**	**3**	**11**	**20**	**32**	**43**	**75**	**536**	**13.5**	**215**	**1**	**2**	**9**	**17**	**32**	[illegible]	**76**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	82.0		82	82	82	82	82	82	82										
13-17	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
18-24	11	17.2	124	1	3	20	25	31	37	38	4	8.0	30	1	1	8	12	14	14	14
25-34	23	8.6	77	1	1	3	14	22	27	28	4	9.3	130	1	1	5	16	26	26	26
35-54	36	15.7	178	2	3	14	18	33	61	99 +	8	8.1	41	1	2	6	13	18	19	19
55-74	13	13.6	56	1	2	14	20	23	23	23	10	6.8	46	1	1	3	9	17	23	23
75 +											5	8.2	34	2	2	9	12	16	16	16
ALL AGES	85	14.4	183	1	2	13	20	28	40	94	32	7.8	43	1	1	6	11	17	23	26
B. FEMALE																				
0-12 YRS.																				
13-17	5	20.8	72	9	9	23	25	32	32	32	1	2.0		2	2	2	2	2	2	2
18-24	13	15.1	130	3	4	13	21	33	38	39	1	4.0		4	4	4	4	4	4	4
25-34	30	12.6	109	2	3	9	18	29	34	41	9	11.2	54	1	3	10	15	23	25	25
35-54	50	13.5	90	1	3	13	18	26	35	40	10	7.1	37	2	2	5	10	17	21	21
55-74	51	15.5	88	3	4	14	21	28	35	42	7	5.7	12	3	3	5	6	12	13	13
75 +	9	20.9	279	3	4	18	27	49	55	55	6	15.0	706	1	1	5	8	63	69	69
ALL AGES	158	14.7	109	2	4	13	20	29	36	42	34	9.1	145	1	2	6	10	20	24	69
SUBTOTAL	**243**	**14.6**	**134**	**2**	**3**	**13**	**20**	**28**	**37**	**69**	**66**	**8.5**	**94**	**1**	**2**	**6**	**10**	**19**	**23**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	6	28.3	523	6	6	25	39	62	65	65										
18-24	7	23.4	304	1	3	20	36	49	51	51	4	12.8	43	7	7	11	17	22	22	22
25-34	16	8.4	44	1	1	6	14	19	20	20										
35-54	14	14.5	116	1	2	13	22	30	35	37	3	5.7	32	1	1	4	10	12	12	12
55-74	7	16.4	143	7	7	16	21	36	40	40	4	6.0	19	2	2	5	9	12	12	12
75 +	1	20.0		20	20	20	20	20	20	20	3	4.7	12	1	1	5	7	8	8	8
ALL AGES	52	16.1	194	1	2	13	21	38	40	65	14	7.6	33	1	1	6	12	14	20	22
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	2	43.0	882	22	22	43	64	64	64	64										
18-24	7	14.3	108	4	4	16	17	31	34	34										
25-34	7	15.7	88	3	3	17	23	27	28	28	3	12.0	156	2	2	8	21	26	26	26
35-54	15	10.3	52	1	1	8	14	23	24	24	2	9.0	18	6	6	9	12	12	12	12
55-74	21	20.5	346	3	4	14	27	43	61	82	3	13.3	88	3	3	16	20	21	21	21
75 +	6	14.0	114	6	6	9	22	31	32	32	3	23.7	1283	1	1	5	50	65	65	65
ALL AGES	58	16.7	220	3	4	13	23	33	43	81	12	14.1	319	1	2	7	18	38	61	65
SUBTOTAL	**110**	**16.4**	**206**	**1**	**3**	**13**	**22**	**36**	**42**	**72**	**26**	**10.6**	**168**	**1**	**1**	**7**	**12**	**22**	**34**	**65**
GRAND TOTAL	**353**	**15.2**	**156**	**1**	**3**	**13**	**20**	**30**	**39**	**68**	**92**	**9.1**	**114**	**1**	**2**	**6**	**11**	**20**	**25**	**67**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.5	145	1	1	9	18	18	18	18										
18-24	4	14.3	112	5	5	11	22	29	29	29	2	4.5	25	1	1	4	8	8	8	8
25-34	16	10.8	72	2	3	7	15	25	29	31	2	5.5	25	2	2	5	9	9	9	9
35-54	17	14.9	152	2	4	10	20	34	42	46	5	12.6	173	2	2	11	17	35	35	35
55-74	11	15.7	93	3	4	17	20	28	35	36	4	7.0	45	1	1	5	12	16	16	16
75 +	4	17.0	317	2	2	12	29	42	42	42										
ALL AGES	54	13.8	115	2	3	12	18	31	36	46	13	8.5	86	1	1	8	11	20	32	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	3	21.0	363	10	10	10	35	43	43	43	1	3.0		3	3	3	3	3	3	3
25-34	18	16.6	236	1	3	14	20	31	53	67	3	6.3	23	1	1	8	9	10	10	10
35-54	61	15.0	158	2	3	14	21	27	30	78	15	15.8	390	2	2	7	16	56	64	67
55-74	48	13.2	85	2	3	12	16	22	36	41	9	8.4	70	1	2	6	11	22	28	28
75 +	3	6.0	1	5	5	6	7	7	7	7	1	11.0		11	11	11	11	11	11	11
ALL AGES	134	14.5	140	2	3	13	20	28	32	70	29	11.9	235	1	2	7	12	27	57	67
SUBTOTAL	**188**	**14.3**	**132**	**2**	**3**	**13**	**19**	**29**	**35**	**59**	**42**	**10.9**	**187**	**1**	**2**	**7**	**11**	**27**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	11	8.6	25	2	3	8	12	16	18	18	1	2.0		2	2	2	2	2	2	2
35-54	15	12.4	164	1	1	5	23	32	38	40	6	11.6	81	2	2	10	21	24	24	24
55-74	6	14.3	238	2	3	9	12	42	45	45	3	4.7	8	3	3	3	7	8	8	8
75 +																				
ALL AGES	34	11.4	118	1	2	9	13	28	38	45	10	8.7	63	2	2	6	11	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.7	111	1	1	9	19	22	22	22	1	1.0		1	1	1	1	1	1	1
25-34	4	17.3	139	5	5	16	27	31	31	31	1	8.0		8	8	8	8	8	8	8
35-54	23	14.2	149	3	4	10	18	31	43	54	3	10.0	117	1	1	7	18	22	22	22
55-74	13	15.8	104	4	5	15	19	28	39	42	7	9.6	79	1	1	8	13	25	27	27
75 +	2	9.5	25	6	6	9	13	13	13	13	1	14.0		14	14	14	14	14	14	14
ALL AGES	45	14.5	122	3	4	13	18	29	38	54	13	9.2	68	1	1	8	14	23	26	27
SUBTOTAL	**79**	**13.2**	**120**	**2**	**3**	**10**	**17**	**29**	**39**	**51**	**23**	**9.0**	**62**	**1**	**1**	**8**	**13**	**22**	**25**	**27**
GRAND TOTAL	**267**	**14.0**	**128**	**2**	**3**	**12**	**18**	**29**	**36**	**53**	**65**	**10.2**	**143**	**1**	**1**	**7**	**12**	**24**	**30**	**65**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	71	24.9	266	3	5	24	32	50	57	95	4	26.8	358	1	1	30	40	45	45	45
13-17	232	23.4	441	2	3	18	34	62	85	99 +	17	20.3	485	1	1	11	42	55	58	60
18-24	286	12.7	161	1	2	9	17	28	34	88	43	10.8	209	1	1	6	12	30	36	77
25-34	537	12.0	106	1	2	9	17	25	32	48	94	13.4	209	1	2	8	17	36	45	69
35-54	1019	13.5	116	2	3	11	18	27	34	53	142	12.2	129	1	2	8	18	29	35	48
55-74	756	17.4	164	3	4	15	22	34	44	62	126	13.4	164	1	2	9	19	30	37	62
75 +	257	19.4	206	3	4	16	26	39	51	80	48	8.5	54	2	2	7	9	16	21	39
ALL AGES	3158	15.6	176	2	3	12	21	32	42	71	474	12.7	171	1	2	8	16	32	40	55
B. FEMALE																				
0-12 YRS.	45	29.1	412	4	5	25	38	62	82	99 +	2	36.5	85	30	30	36	43	43	43	43
13-17	441	22.3	327	2	4	18	31	51	63	99 +	42	19.0	427	1	1	12	32	50	77	99 +
18-24	457	13.2	124	1	2	11	18	30	37	53	100	10.3	130	1	1	6	14	26	39	47
25-34	1203	13.2	137	1	2	10	18	28	37	58	195	10.5	132	1	2	6	14	25	38	54
35-54	2017	14.3	130	2	3	12	19	28	35	58	392	12.8	169	2	2	8	16	29	37	64
55-74	1729	18.7	183	3	5	16	24	36	46	68	319	11.1	97	2	3	8	15	24	31	47
75 +	633	19.7	189	3	5	17	26	40	48	65	129	10.6	83	2	2	8	14	22	30	44
ALL AGES	6525	16.4	174	2	3	14	22	33	43	66	1179	11.8	142	1	2	8	16	28	37	55
SUBTOTAL	**9683**	**16.1**	**176**	**2**	**3**	**13**	**21**	**33**	**43**	**67**	**1653**	**12.0**	**152**	**1**	**2**	**8**	**16**	**29**	**38**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	99	34.5	443	2	7	33	45	62	83	96	11	36.6	1050	1	5	26	70	83	88	88
13-17	365	27.4	412	3	5	24	42	63	80	99 +	36	29.7	850	1	1	21	57	81	87	99 +
18-24	334	14.0	167	2	2	10	19	30	40	68	29	7.8	71	1	1	4	12	25	27	27
25-34	785	13.5	109	2	3	11	19	27	33	51	89	8.6	88	1	1	5	10	23	29	43
35-54	1041	14.6	122	2	3	12	20	28	36	60	134	10.2	112	1	2	6	13	24	33	48
55-74	470	18.3	175	3	4	15	25	35	44	68	64	10.6	122	2	2	7	13	22	26	69
75 +	152	17.4	221	4	5	14	22	34	42	83	26	10.0	126	1	2	7	11	21	29	57
ALL AGES	3246	17.0	205	2	3	13	22	36	45	81	389	12.3	246	1	2	7	14	28	45	82
B. FEMALE																				
0-12 YRS.	32	33.4	493	5	9	30	46	67	90	99 +	5	21.8	134	9	10	22	40	94	99 +	99 +
13-17	478	26.6	423	2	4	24	41	59	75	99 +	56	32.4	764	1	2	34	56	82	94	99 +
18-24	542	16.2	203	2	3	13	22	34	45	78	55	11.9	151	1	2	7	15	36	42	97
25-34	1285	15.4	166	2	3	12	21	32	42	66	136	9.8	101	1	2	6	14	22	32	49
35-54	1543	15.9	144	3	4	13	21	31	40	65	192	11.8	138	1	3	7	16	28	37	68
55-74	901	19.6	183	4	6	17	26	38	47	68	140	10.2	76	2	3	8	13	23	30	38
75 +	352	19.8	169	4	6	17	27	39	50	67	62	11.3	63	3	4	9	16	22	27	93
ALL AGES	5133	17.8	205	2	4	14	24	37	48	78	646	12.9	200	2	2	8	16	32	49	99
SUBTOTAL	**8379**	**17.5**	**205**	**2**	**4**	**14**	**24**	**37**	**47**	**80**	**1035**	**12.6**	**219**	**1**	**2**	**7**	**15**	**30**	**49**	**86**
GRAND TOTAL	**18062**	**16.7**	**192**	**2**	**3**	**14**	**22**	**35**	**45**	**74**	**2688**	**12.3**	**176**	**1**	**2**	**8**	**16**	**29**	**41**	**77**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	24.6	331	1	6	23	29	48	70	72	1	28.0		28	28	28	28	28	28	28
13-17	67	21.0	361	2	3	17	29	58	75	99 +	4	21.3	242	8	8	17	32	43	43	43
18-24	118	12.2	107	1	2	10	17	23	38	71	18	12.4	181	1	1	7	18	33	43	48
25-34	282	12.9	144	2	2	10	17	26	34	66	40	10.5	83	1	2	7	14	27	29	35
35-54	660	13.9	116	2	3	11	19	27	31	50	105	13.3	167	2	3	10	16	30	37	65
55-74	683	19.8	183	4	6	17	26	38	48	70	111	15.6	120	1	3	14	23	30	41	66
75 +	248	23.1	226	4	6	20	31	43	52	76	44	14.6	108	2	3	11	23	28	34	41
ALL AGES	2069	17.0	178	2	4	14	23	34	44	71	323	14.0	136	1	3	11	20	29	37	46
B. FEMALE																				
0-12 YRS.	12	11.8	54	1	2	13	15	20	26	27	1	4.0		4	4	4	4	4	4	4
13-17	125	17.7	257	3	4	13	22	39	55	99	4	7.0	33	2	2	5	11	15	15	15
18-24	229	14.3	186	2	3	10	18	29	37	74	33	14.0	150	1	1	9	22	33	37	43
25-34	799	13.8	130	2	3	11	18	28	36	63	140	12.5	149	1	2	9	15	28	41	60
35-54	1731	15.0	130	2	4	12	20	29	36	62	309	14.4	181	2	2	11	19	31	39	62
55-74	1880	20.2	189	4	6	17	26	37	47	75	281	15.3	131	2	4	12	21	32	38	51
75 +	670	22.6	224	4	7	20	30	43	51	84	122	16.4	195	2	3	13	22	32	43	76
ALL AGES	5446	17.6	176	3	4	15	23	34	44	68	890	14.6	161	2	3	11	20	31	39	58
SUBTOTAL	**7515**	**17.4**	**178**	**2**	**4**	**14**	**23**	**34**	**44**	**69**	**1213**	**14.4**	**155**	**2**	**3**	**11**	**20**	**30**	**39**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	28.5	431	6	8	27	35	51	76	96	2	17.5	545	1	1	17	34	34	34	34
13-17	73	19.3	219	4	5	15	26	44	52	90	8	33.0	934	1	2	34	47	78	91	91
18-24	160	16.8	209	2	3	13	23	36	43	62	18	16.2	161	1	2	13	25	36	41	43
25-34	458	14.4	149	2	3	11	19	29	38	60	40	11.4	147	1	2	5	18	32	34	50
35-54	826	14.5	135	2	3	12	20	29	35	72	77	11.3	80	1	2	9	16	25	30	40
55-74	394	19.6	183	4	6	16	26	39	49	63	49	15.3	144	2	4	11	22	32	44	45
75 +	84	19.4	190	4	6	15	26	37	44	74	13	17.0	146	4	4	14	26	37	39	40
ALL AGES	2016	16.2	167	2	4	13	22	33	43	67	207	13.9	168	1	2	10	20	33	40	49
B. FEMALE																				
0-12 YRS.	4	38.0	1298	19	19	21	57	92	92	92	1	59.0		59	59	59	59	59	59	59
13-17	139	20.2	330	2	4	16	28	53	81	99 +	10	21.6	464	2	3	14	34	55	69	69
18-24	293	17.7	253	2	3	13	23	42	53	86	43	14.8	214	2	3	10	18	31	55	65
25-34	1017	15.1	169	2	3	12	20	31	43	71	118	12.2	169	1	2	8	17	30	36	99
35-54	1641	16.6	164	3	4	14	22	33	42	68	183	12.2	111	2	2	9	17	27	32	56
55-74	1003	20.3	216	4	6	17	27	40	51	83	108	12.6	87	2	3	11	17	24	31	45
75 +	300	21.6	188	5	7	19	28	39	52	71	44	19.9	275	4	6	17	22	42	58	77
ALL AGES	4397	17.6	197	3	4	14	23	35	47	76	507	13.4	158	2	2	10	18	28	36	67
SUBTOTAL	**6413**	**17.2**	**187**	**3**	**4**	**14**	**23**	**35**	**45**	**74**	**714**	**13.6**	**160**	**2**	**2**	**10**	**18**	**30**	**38**	**62**
GRAND TOTAL	**13928**	**17.3**	**182**	**2**	**4**	**14**	**23**	**34**	**44**	**71**	**1927**	**14.1**	**157**	**2**	**2**	**10**	**19**	**30**	**39**	**59**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	40.3	717	11	11	38	60	74	74	74										
13-17	24	18.6	344	2	4	13	23	47	89	99 +	1	15.0		15	15	15	15	15	15	15
18-24	157	16.3	128	2	4	14	21	35	40	55	23	16.7	195	1	2	15	23	38	45	53
25-34	364	14.7	148	2	3	12	19	30	37	63	31	12.3	113	2	3	7	20	29	36	38
35-54	484	13.8	118	2	3	11	19	29	34	55	56	12.3	169	2	2	9	15	25	44	62
55-74	233	17.3	132	4	6	15	22	32	44	56	32	19.1	342	2	3	12	25	48	64	70
75 +	20	20.8	213	2	3	15	31	42	46	48	6	8.8	27	4	4	8	12	16	17	17
ALL AGES	1286	15.3	140	2	3	13	21	31	39	59	149	14.3	197	2	2	10	17	35	42	64
B. FEMALE																				
0-12 YRS.	2	16.5	13	14	14	16	19	19	19	19										
13-17	32	21.8	323	5	5	14	31	53	62	67	2	5.5	41	1	1	5	10	10	10	10
18-24	155	19.9	263	2	4	16	27	43	52	76	15	15.5	179	1	2	11	26	41	41	41
25-34	485	15.7	170	2	4	13	20	30	41	74	44	10.4	66	2	3	8	13	21	25	41
35-54	1014	15.1	127	3	4	12	20	28	36	58	92	11.7	74	1	2	10	17	24	27	75
55-74	616	18.4	159	4	6	16	24	34	43	69	52	17.6	249	2	3	12	26	39	47	79
75 +	62	19.4	147	5	7	17	27	37	50	94	10	13.2	72	3	4	12	18	25	31	31
ALL AGES	2366	16.6	159	3	5	14	22	32	42	66	215	13.1	128	1	2	10	18	28	38	60
SUBTOTAL	**3652**	**16.2**	**151**	**3**	**4**	**13**	**21**	**31**	**41**	**63**	**364**	**13.6**	**156**	**2**	**2**	**10**	**18**	**30**	**41**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	34.0	129	22	22	32	42	49	49	49										
13-17	6	20.5	49	11	11	20	28	28	28	28										
18-24	78	18.6	232	2	3	16	26	36	41	84	6	10.5	114	3	3	5	16	29	30	30
25-34	167	14.7	125	2	3	12	20	29	37	55	10	16.6	148	1	2	14	27	34	40	40
35-54	179	15.0	177	2	3	11	21	32	40	68	12	11.8	75	3	4	10	16	23	32	34
55-74	67	16.7	155	3	5	14	21	31	41	63	7	11.7	41	3	4	10	17	20	21	21
75 +	7	17.4	344	4	4	11	19	49	57	57	1	13.0		13	13	13	13	13	13	13
ALL AGES	508	15.9	170	2	3	13	22	34	39	64	36	12.9	92	3	3	11	17	28	33	40
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12	1	8.0		8	8	8	8	8	8	8
13-17	10	37.2	804	4	9	25	66	76	77	77	1	1.0		1	1	1	1	1	1	1
18-24	36	18.5	108	5	9	16	23	32	39	53	6	13.2	248	1	1	6	21	40	42	42
25-34	142	16.7	151	2	4	14	23	35	38	57	11	14.4	114	3	3	14	24	30	30	30
35-54	249	17.2	176	3	4	14	21	35	41	80	11	12.7	132	2	3	11	16	30	40	41
55-74	126	17.5	160	3	4	16	22	32	40	67	8	20.0	526	4	5	13	19	59	75	75
75 +	22	17.8	62	6	9	17	23	32	60	99 +	2	16.0	200	6	6	16	26	26	26	26
ALL AGES	586	17.6	173	3	4	15	22	34	41	76	40	14.5	206	2	3	10	20	30	41	75
SUBTOTAL	**1094**	**16.8**	**172**	**2**	**4**	**14**	**22**	**34**	**40**	**68**	**76**	**13.7**	**152**	**2**	**3**	**11**	**18**	**29**	**38**	**66**
GRAND TOTAL	**4746**	**16.3**	**157**	**2**	**4**	**13**	**21**	**32**	**41**	**64**	**440**	**13.6**	**156**	**2**	**2**	**10**	**18**	**30**	**40**	**65**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.0	722	12	12	31	50	50	50	50										
13-17	11	22.8	276	3	5	17	36	47	53	54										
18-24	42	10.5	49	2	3	9	15	22	25	26	8	14.8	197	3	3	9	26	36	37	37
25-34	107	14.7	141	2	4	12	18	26	31	66	18	9.6	52	2	2	8	15	19	24	27
35-54	191	14.3	102	2	3	13	21	29	33	45	28	13.2	60	4	6	12	17	25	30	32
55-74	101	21.9	343	3	4	17	31	47	59	92	16	19.3	172	4	5	16	20	43	47	49
75 +	19	20.8	247	4	5	12	34	44	52	56	2	42.5	761	23	23	62	90	99 +	99 +	99 +
ALL AGES	473	16.2	181	2	4	13	21	32	44	59	72	14.6	137	2	3	12	19	32	42	91
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15	1	20.0		20	20	20	20	20	20	20
13-17	10	21.8	271	3	3	23	31	44	47	47	6	21.7	165	4	5	21	30	39	40	40
18-24	47	13.9	146	1	3	10	18	33	41	58	6	4.7	11	2	2	4	5	10	11	11
25-34	181	15.9	139	2	4	13	21	31	39	59	21	10.0	45	2	3	7	14	21	22	24
35-54	384	15.7	145	3	4	13	21	31	41	63	60	13.2	178	2	3	11	17	23	32	84
55-74	271	20.4	209	4	6	17	27	39	49	70	44	20.0	255	3	5	17	24	34	49	91
75 +	61	22.3	242	4	6	19	30	42	51	99	6	16.2	106	3	3	18	21	30	31	31
ALL AGES	955	17.5	174	3	4	14	23	35	45	65	144	15.0	185	2	3	12	20	29	37	88
SUBTOTAL	**1428**	**17.1**	**175**	**3**	**4**	**14**	**22**	**34**	**44**	**64**	**216**	**14.9**	**167**	**2**	**3**	**12**	**19**	**30**	**39**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	16.2	189	4	4	15	25	37	37	37										
18-24	26	17.5	213	3	3	12	28	41	43	48	1	13.0		13	13	13	13	13	13	13
25-34	87	16.0	165	2	3	12	22	39	43	57	13	13.0	137	1	1	9	18	31	38	40
35-54	134	15.7	100	2	3	14	22	31	35	58	7	12.4	123	1	1	11	20	29	31	31
55-74	35	20.5	222	3	3	17	29	38	52	62	6	15.5	19	9	9	15	18	22	22	22
75 +	7	24.7	80	13	14	23	34	34	34	34	2	12.5	113	5	5	12	20	20	20	20
ALL AGES	294	16.7	147	2	3	14	23	35	40	56	29	13.3	95	1	1	11	18	28	31	40
B. FEMALE																				
0-12 YRS.	2	10.0	32	6	6	10	14	14	14	14										
13-17	14	26.9	320	7	8	24	32	51	69	74	1	34.0		34	34	34	34	34	34	34
18-24	43	16.3	195	1	3	12	23	34	49	58	3	9.3	71	4	4	5	15	19	19	19
25-34	143	16.8	222	2	3	13	22	35	45	75	13	13.1	98	2	4	10	16	28	36	38
35-54	224	16.0	189	3	4	13	20	31	50	73	18	12.5	135	2	3	8	13	35	40	41
55-74	105	20.5	208	5	6	17	28	41	51	66	14	13.9	106	2	5	12	19	40	85	99 +
75 +	16	24.3	162	4	8	22	36	39	46	49	1	47.0		47	47	47	47	47	47	47
ALL AGES	547	17.6	208	3	4	14	23	37	49	73	50	14.0	134	2	3	10	18	38	41	99 +
SUBTOTAL	**841**	**17.3**	**187**	**3**	**4**	**14**	**23**	**36**	**44**	**67**	**79**	**13.7**	**120**	**1**	**3**	**10**	**18**	**32**	**40**	**84**
GRAND TOTAL	**2269**	**17.2**	**179**	**3**	**4**	**14**	**23**	**35**	**44**	**65**	**295**	**14.6**	**154**	**2**	**3**	**11**	**19**	**30**	**39**	**90**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	26.0	18	23	23	29	82	99+	99+	99+												
13-17	8	27.3	447	1	2	27	39	59	65	65	2	43.0	2312	9	9	43	77	77	77	77
18-24	40	22.1	344	4	6	16	28	42	57	95	4	27.0	294	12	12	25	41	46	46	46
25-34	103	18.0	257	2	4	14	24	32	51	88	13	10.5	108	1	1	8	13	28	34	36
35-54	148	16.2	138	3	4	14	22	29	39	71	21	13.0	105	1	2	9	20	28	33	38
55-74	49	17.3	126	2	6	15	22	28	38	62	7	12.1	129	1	2	10	15	31	35	35
75 +	9	21.1	513	1	2	12	28	56	75	75	3	11.3	45	7	7	8	16	19	19	19
ALL AGES	359	18.0	208	2	4	15	24	34	45	90	50	14.5	203	1	2	10	20	35	38	77
B. FEMALE																						
0-12 YRS.	1	30.0		30	30	30	30	30	30	30												
13-17	13	32.9	551	5	8	34	51	69	71	72	2	32.0	722	13	13	32	51	51	51	51
18-24	45	18.5	152	7	8	17	21	37	41	71	6	11.5	36	3	3	10	13	24	25	25
25-34	170	14.4	109	2	4	12	19	30	33	50	23	13.7	158	2	3	12	18	28	40	59
35-54	386	16.0	133	3	5	13	21	31	37	53	41	14.4	172	2	3	9	20	30	40	63
55-74	239	19.5	207	4	6	15	25	37	44	78	16	15.2	55	2	6	14	21	25	27	28
75 +	27	21.4	250	1	3	20	31	43	55	61	3	20.0	67	11	11	22	26	27	27	27
ALL AGES	881	17.2	165	3	5	14	23	33	40	65	91	14.7	147	2	3	12	20	29	36	61
SUBTOTAL	**1240**	**17.4**	**179**	**3**	**5**	**14**	**23**	**34**	**41**	**71**	**141**	**14.6**	**166**	**1**	**3**	**12**	**20**	**29**	**37**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	25.0	50	20	20	25	30	30	30	30												
13-17	11	29.3	299	6	7	34	40	53	55	55	2	20.5	421	6	6	35	84	99+	99+	99+
18-24	36	14.3	151	2	2	10	22	33	39	46	3	14.0	147	1	1	16	23	25	25	25
25-34	56	15.0	130	4	4	12	18	32	40	56	2	47.5	145	39	39	47	56	56	56	56
35-54	88	14.1	132	1	2	12	20	30	36	85	4	5.5	6	4	4	5	7	9	9	9
55-74	38	20.5	305	4	5	18	27	48	76	99+	2	10.0	50	5	5	10	15	15	15	15
75 +	4	24.8	107	12	12	25	32	37	37	37	1	8.0		8	8	8	8	8	8	8
ALL AGES	235	16.4	179	2	4	12	22	35	43	81	14	16.3	272	2	4	9	32	56	89	99+
B. FEMALE																						
0-12 YRS.	1	70.0		70	70	85	99+	99+	99+	99+												
13-17	14	36.2	277	12	14	40	54	58	89	99+												
18-24	30	15.9	228	1	3	11	24	30	34	75	3	10.0	19	5	5	12	13	13	13	13
25-34	101	16.3	175	3	4	13	20	34	41	67	9	19.7	353	3	4	12	26	50	64	64
35-54	175	16.2	202	3	4	13	21	29	38	98	13	13.9	102	1	1	10	23	26	30	31
55-74	81	19.2	147	4	5	17	25	31	40	67	5	19.0	274	6	6	9	31	45	45	45
75 +	9	18.6	246	2	4	13	23	46	51	51												
ALL AGES	411	17.6	209	3	4	14	24	34	47	98	30	16.1	190	1	4	12	25	37	63	99+
SUBTOTAL	**646**	**17.2**	**197**	**2**	**4**	**14**	**23**	**34**	**46**	**97**	**44**	**16.2**	**209**	**1**	**4**	**11**	**25**	**44**	**71**	**99+**
GRAND TOTAL	**1886**	**17.3**	**186**	**3**	**4**	**14**	**23**	**34**	**42**	**75**	**185**	**15.0**	**175**	**1**	**3**	**12**	**22**	**31**	**46**	**91**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	38.0	364	22	23	30	51	69	72	72										
13-17	19	33.2	315	1	2	36	43	56	60	62	4	46.3	697	8	8	55	64	66	66	66
18-24	49	13.7	95	1	2	12	20	29	32	38	11	19.8	360	2	2	14	36	48	54	55
25-34	141	13.1	144	1	2	9	18	30	40	53	27	17.3	171	3	4	13	24	35	47	52
35-54	150	15.4	166	1	4	12	20	32	42	62	39	15.6	278	2	3	7	25	42	45	75
55-74	64	15.6	158	2	3	14	19	31	41	59	11	20.4	263	1	1	22	34	41	47	48
75 +	11	29.1	223	9	11	28	41	50	51	51										
ALL AGES	441	16.0	185	1	3	12	21	36	44	61	92	18.5	296	2	2	12	28	45	52	71
B. FEMALE																				
0-12 YRS.	3	22.3	435	7	7	14	38	46	46	46										
13-17	31	22.0	438	2	3	19	30	50	60	95	3	15.0	117	6	6	12	23	27	27	27
18-24	65	14.6	145	2	4	11	17	32	42	57	10	16.0	286	1	2	11	14	44	59	59
25-34	194	14.3	145	1	3	12	19	29	36	78	29	13.4	75	3	4	12	15	23	29	44
35-54	369	15.0	93	3	5	13	20	28	32	44	79	12.6	132	1	2	9	17	32	37	50
55-74	214	20.2	248	4	7	16	25	41	57	95	37	14.6	217	3	4	11	16	34	49	71
75 +	29	22.8	185	6	7	21	32	40	44	65	6	21.5	272	4	5	15	33	47	49	49
ALL AGES	905	16.5	169	2	4	14	21	32	42	75	164	13.8	152	2	3	11	16	31	42	58
SUBTOTAL	**1346**	**16.3**	**175**	**2**	**4**	**13**	**21**	**32**	**43**	**68**	**256**	**15.5**	**207**	**2**	**3**	**11**	**20**	**37**	**46**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	37.7	729	8	8	44	57	61	61	61	1	6.0		6	6	6	6	6	6	6
13-17	28	20.3	213	3	5	16	32	73	99 +	99 +	10	54.0	952	3	11	55	80	91	99	99
18-24	47	17.5	170	2	4	15	23	38	44	49	4	28.8	510	5	5	28	47	54	54	54
25-34	122	13.6	101	1	2	12	20	26	30	50	15	11.0	72	1	2	8	18	20	28	31
35-54	141	17.1	160	2	4	15	21	35	42	61	19	13.4	82	3	3	11	20	28	29	29
55-74	43	14.9	92	1	2	15	20	27	32	41	5	9.8	96	1	1	7	15	26	26	26
75 +	2	16.5	85	10	10	16	23	23	23	23										
ALL AGES	386	16.2	146	2	3	14	21	33	42	67	54	20.9	521	2	3	11	27	54	78	98
B. FEMALE																				
0-12 YRS.	2	29.5	841	9	9	29	50	50	50	50										
13-17	17	24.2	333	2	3	20	35	54	62	64	3	31.7	305	15	15	40	75	99 +	99 +	99 +
18-24	56	17.6	215	2	3	15	24	34	49	74	8	15.5	117	2	3	15	25	29	29	29
25-34	131	15.1	113	3	4	13	20	31	38	66	9	16.1	176	1	3	13	22	38	42	42
35-54	189	16.9	193	2	3	13	23	37	46	66	21	14.0	104	2	3	12	18	29	35	41
55-74	76	19.3	166	3	4	17	27	37	49	92	5	11.8	18	8	8	11	13	19	19	19
75 +	7	16.0	102	3	4	19	24	27	28	28										
ALL AGES	478	17.2	175	3	4	15	23	36	46	69	46	15.6	131	2	3	13	21	32	43	99 +
SUBTOTAL	**864**	**16.7**	**164**	**2**	**3**	**14**	**22**	**35**	**43**	**69**	**100**	**18.5**	**344**	**2**	**3**	**11**	**25**	**44**	**64**	**99 +**
GRAND TOTAL	**2210**	**16.5**	**169**	**2**	**4**	**14**	**22**	**33**	**43**	**68**	**356**	**16.3**	**248**	**2**	**3**	**11**	**21**	**40**	**50**	**80**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	33.4	251	8	13	31	40	57	63	63										
13-17	33	22.1	361	3	3	17	35	49	57	76										
18-24	40	11.6	115	1	1	9	15	27	33	52	2	4.5	13	2	2	4	7	7	7	7
25-34	80	11.8	113	2	2	8	15	26	35	50	12	8.0	47	3	3	5	11	20	21	21
35-54	105	11.3	100	2	3	9	15	22	25	55	15	10.2	159	1	1	3	14	22	41	47
55-74	57	16.4	137	4	5	14	20	29	41	58	18	5.6	15	1	1	5	7	12	14	14
75 +	9	23.4	434	7	7	12	41	57	62	62	5	6.4	18	4	4	5	7	14	14	14
ALL AGES	332	14.3	168	2	3	11	18	29	42	62	52	7.5	65	1	1	5	9	17	21	46
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26	1	7.0		7	7	7	7	7	7	7
13-17	65	20.1	466	1	2	13	28	57	83	99 +	2	2.0	2	1	1	2	3	3	3	3
18-24	42	14.2	166	1	2	11	18	31	39	57	13	18.9	177	1	2	21	29	33	40	42
25-34	98	13.3	154	1	2	9	19	29	42	58	41	14.7	239	2	2	8	21	41	50	58
35-54	247	13.5	145	2	3	10	18	30	36	76	72	15.4	122	3	4	12	24	31	32	48
55-74	175	18.2	204	2	4	15	23	38	50	70	37	12.7	109	2	2	10	17	31	36	39
75 +	48	17.5	234	2	3	14	25	30	36	96	11	15.1	71	4	5	16	20	25	30	31
ALL AGES	676	15.7	204	2	3	12	20	34	44	79	177	14.7	147	2	3	11	21	31	40	50
SUBTOTAL	**1008**	**15.2**	**194**	**2**	**3**	**11**	**20**	**33**	**44**	**77**	**229**	**13.1**	**136**	**1**	**2**	**9**	**20**	**31**	**37**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	26.5	230	4	9	22	35	47	58	61										
13-17	47	26.8	385	3	6	22	39	57	73	99 +										
18-24	71	15.4	217	1	2	10	22	33	54	59	13	14.2	96	1	3	12	19	27	36	38
25-34	141	14.3	130	2	3	11	21	29	36	54	16	9.6	70	1	1	9	14	18	27	31
35-54	131	14.3	132	2	3	12	20	29	38	54	22	15.3	89	2	3	15	25	28	29	29
55-74	39	16.1	79	3	5	15	23	28	32	36	3	2.3	1	2	2	2	3	3	3	3
75 +	13	13.2	119	1	2	12	18	31	37	38	3	13.3	104	7	7	8	21	25	25	25
ALL AGES	455	16.2	185	2	3	13	22	34	44	63	57	12.7	87	1	2	12	18	26	29	38
B. FEMALE																				
0-12 YRS.	3	24.7	150	11	11	28	33	35	35	35										
13-17	53	27.7	526	5	6	22	37	72	79	92	2	7.5	25	4	4	11	78	99 +	99 +	99 +
18-24	103	14.9	150	2	3	12	20	28	41	64	3	6.0	49	1	1	3	11	14	14	14
25-34	179	14.6	175	2	3	12	20	33	44	99 +	14	13.5	96	2	3	13	21	28	30	31
35-54	233	16.8	179	2	3	14	23	35	41	66	17	12.6	157	1	1	7	22	34	36	36
55-74	92	19.4	182	5	6	15	26	35	47	68	13	9.8	92	1	1	5	12	29	31	31
75 +	44	19.7	134	7	8	16	25	34	40	62	3	15.7	21	12	12	14	19	21	21	21
ALL AGES	707	17.4	205	2	3	14	23	35	45	80	52	11.8	103	1	2	8	21	29	34	98
SUBTOTAL	**1162**	**16.9**	**198**	**2**	**3**	**14**	**23**	**35**	**44**	**74**	**109**	**12.2**	**96**	**1**	**2**	**11**	**20**	**28**	**31**	**63**
GRAND TOTAL	**2170**	**16.1**	**197**	**2**	**3**	**13**	**22**	**34**	**44**	**76**	**338**	**12.8**	**123**	**1**	**2**	**9**	**20**	**30**	**34**	**50**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	22.3	1015	2	2	6	46	59	59	59	1	1.0		1	1	1	1	1	1	1
18-24	10	9.9	60	1	1	11	18	19	20	20	1	4.0		4	4	4	4	4	4	4
25-34	12	8.8	67	1	2	6	11	23	26	27	6	7.8	88	2	2	3	10	24	26	26
35-54	25	10.4	57	2	2	9	16	20	24	29	10	18.0	202	1	1	14	31	39	43	43
55-74	18	21.2	130	5	7	20	29	38	40	40	5	32.4	1282	1	1	35	49	89	89	89
75 +	6	7.5	16	3	3	7	9	14	14	14										
ALL AGES	74	12.9	126	1	2	9	19	29	34	54	23	17.1	433	1	1	10	30	37	59	89
B. FEMALE																				
0-12 YRS.	2	40.5	3121	1	1	40	80	80	80	80	4	11.3	233	1	1	5	20	34	34	34
13-17	8	31.9	834	2	4	24	47	78	89	89	6	33.0	194	14	15	30	49	49	49	49
18-24	4	19.5	266	8	8	13	30	43	43	43	5	6.8	18	2	2	8	10	12	12	12
25-34	28	13.0	137	2	2	10	17	32	37	50	4	18.8	376	2	2	18	35	38	38	38
35-54	41	15.1	211	2	3	11	20	33	59	99 +	16	23.8	561	4	5	18	29	47	83	98
55-74	43	14.3	71	2	4	14	18	24	29	42	15	9.9	59	1	3	8	14	16	28	32
75 +	11	23.5	692	1	3	15	29	61	92	95	7	12.0	9	8	8	12	14	16	17	17
ALL AGES	137	16.6	264	2	3	12	20	35	48	96	57	16.9	288	2	3	12	23	37	48	95
SUBTOTAL	**211**	**15.3**	**218**	**1**	**3**	**11**	**20**	**32**	**43**	**91**	**80**	**17.0**	**323**	**1**	**2**	**11**	**26**	**37**	**48**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	34.0	364	12	12	45	73	99 +	99 +	99 +	4	32.3	383	7	7	34	47	53	53	53
13-17	10	23.4	332	1	3	21	35	50	61	61	3	32.0	199	17	17	34	42	45	45	45
18-24	12	20.6	242	5	5	16	26	42	58	61	2	9.0	32	5	5	9	13	13	13	13
25-34	16	19.1	243	2	4	13	30	39	50	55	1	34.0		34	34	34	34	34	34	34
35-54	21	15.1	281	1	2	6	28	40	54	57	6	12.2	113	1	1	11	23	24	24	24
55-74	16	22.8	276	2	6	17	30	53	55	55	3	8.0	27	5	5	5	12	14	14	14
75 +	2	9.0	32	5	5	9	13	13	13	13	1	29.0		29	29	29	29	29	29	29
ALL AGES	80	19.9	269	1	4	13	30	50	56	88	20	20.2	238	1	3	17	31	43	49	53
B. FEMALE																				
0-12 YRS.	4	23.5	494	1	1	21	41	50	50	50	2	22.0	8	20	20	22	24	24	24	24
13-17	15	21.2	364	4	6	12	28	48	67	73	2	33.5	1301	8	8	33	59	59	59	59
18-24	13	10.9	68	1	2	8	18	22	24	25	3	26.3	415	3	3	36	39	40	40	40
25-34	26	9.5	95	1	1	7	13	19	25	47	4	6.8	12	4	4	5	9	12	12	12
35-54	43	18.6	325	1	3	13	25	36	52	96	10	9.4	86	1	1	7	12	23	32	32
55-74	32	22.0	262	1	2	19	34	48	51	52	13	12.5	48	4	5	9	20	22	22	22
75 +	17	18.9	171	1	2	19	23	28	48	59	3	9.0	21	4	4	10	12	13	13	13
ALL AGES	150	17.5	252	1	2	13	24	37	49	73	37	13.5	151	2	3	9	20	30	39	59
SUBTOTAL	**230**	**18.3**	**260**	**1**	**2**	**13**	**27**	**43**	**52**	**77**	**57**	**15.8**	**190**	**2**	**3**	**11**	**22**	**36**	**44**	**59**
GRAND TOTAL	**441**	**16.9**	**240**	**1**	**3**	**13**	**22**	**36**	**50**	**89**	**137**	**16.5**	**267**	**1**	**2**	**11**	**23**	**36**	**47**	**90**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	2	23.0	968	1	1	22	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	2	36.0	968	14	14	36	58	58	58	58	1	10.0		10	10	10	10	10	10	10
ALL AGES	4	22.3	592	3	3	14	36	58	58	58	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**6**	**22.5**	**551**	**1**	**1**	**14**	**45**	**57**	**58**	**58**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54											1	22.0		22	22	22	22	22	22	22
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	46.5	2665	10	10	46	83	83	83	83										
75 +	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
ALL AGES	5	23.2	1125	4	4	10	29	83	83	83	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**21.7**	**912**	**4**	**4**	**10**	**14**	**76**	**83**	**83**	**3**	**9.3**	**121**	**3**	**3**	**3**	**17**	**22**	**22**	**22**
GRAND TOTAL	**12**	**22.1**	**665**	**1**	**2**	**12**	**30**	**65**	**80**	**83**	**4**	**9.5**	**80**	**3**	**3**	**7**	**16**	**22**	**22**	**22**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	7.4	10	2	2	8	9	10	10	10										
25-34	14	8.4	87	1	1	5	10	23	32	34	2	8.0	18	5	5	8	11	11	11	11
35-54	26	10.1	54	2	3	7	14	21	28	29	2	8.0		8	8	8	8	8	8	8
55-74	9	11.8	56	2	2	11	19	22	24	24										
75 +	2	18.5	481	3	3	18	34	34	34	34										
ALL AGES	56	10.0	67	1	2	7	13	22	29	34	4	8.0	6	5	5	8	10	11	11	11
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	2	12.0	8	10	10	12	14	14	14	14										
25-34	10	10.0	39	2	3	9	12	20	21	21	2	16.0		16	16	16	16	16	16	16
35-54	41	16.3	345	2	4	9	20	37	56	93	4	12.8	47	6	6	11	18	22	22	22
55-74	33	11.5	44	2	3	11	16	20	25	29	5	15.2	333	3	3	7	22	47	47	47
75 +	24	14.5	54	2	3	14	19	24	27	29	3	9.7	13	7	7	8	12	14	14	14
ALL AGES	112	13.7	158	2	4	11	17	25	29	82	14	13.4	122	3	5	11	16	24	42	47
SUBTOTAL	**168**	**12.5**	**129**	**2**	**3**	**10**	**16**	**24**	**29**	**69**	**18**	**12.2**	**100**	**4**	**5**	**9**	**14**	**20**	**37**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	2	4.5	5	3	3	4	6	6	6	6										
25-34	10	11.7	63	2	4	10	14	24	29	29	6	7.5	45	1	1	6	10	18	19	19
35-54	14	13.0	42	3	6	13	18	21	24	25	2	11.0	200	1	1	11	21	21	21	21
55-74	18	19.2	289	1	2	18	21	35	59	75	1	5.0		5	5	5	5	5	5	5
75 +	6	20.7	566	8	8	9	22	63	68	68										
ALL AGES	51	15.5	197	2	3	14	19	27	35	75	9	8.0	57	1	1	5	12	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0	8	2	2	4	6	6	6	6	1	8.0		8	8	8	8	8	8	8
25-34	4	8.0	13	5	5	7	10	13	13	13										
35-54	17	15.8	118	2	3	11	27	30	30	30	4	5.8	13	1	1	6	8	10	10	10
55-74	19	16.6	107	5	6	15	19	25	40	52	4	14.3	131	5	5	10	21	31	31	31
75 +	11	14.4	105	3	3	14	17	30	37	38	6	21.7	185	7	7	20	35	38	38	38
ALL AGES	53	14.7	106	3	4	13	20	29	30	52	15	14.5	146	2	5	9	24	35	37	38
SUBTOTAL	**104**	**15.1**	**149**	**2**	**3**	**13**	**20**	**29**	**34**	**71**	**24**	**12.1**	**118**	**1**	**1**	**9**	**16**	**31**	**36**	**38**
GRAND TOTAL	**272**	**13.5**	**138**	**2**	**3**	**11**	**18**	**26**	**30**	**73**	**42**	**12.1**	**109**	**1**	**3**	**9**	**14**	**29**	**36**	**47**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	14.5	61	9	9	14	20	20	20	20
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											3	10.0	91	1	1	9	17	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	23.5	265	12	12	23	35	35	35	35	1	8.0		8	8	8	8	8	8	8
75 +	6	11.8	49	3	3	13	18	19	19	19										
ALL AGES	8	14.8	99	3	3	14	18	30	35	35	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**8**	**14.8**	**99**	**3**	**3**	**14**	**18**	**30**	**35**	**35**	**4**	**9.5**	**62**	**1**	**1**	**8**	**14**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74	1	27.0		27	27	27	27	27	27	27										
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	3	20.3	156	6	6	27	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	36.0		36	36	36	36	36	36	36										
75 +	5	22.0	138	10	11	21	41	94	99 +	99 +										
ALL AGES	6	24.3	145	10	11	24	40	88	99 +	99 +										
SUBTOTAL	**9**	**23.0**	**132**	**6**	**8**	**25**	**36**	**70**	**99 +**	**99 +**										
GRAND TOTAL	**17**	**19.1**	**129**	**3**	**5**	**18**	**28**	**39**	**76**	**99 +**	**4**	**9.5**	**62**	**1**	**1**	**8**	**14**	**20**	**20**	**20**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	**2**	**9.0**	**128**	**1**	**1**	**9**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.5	13	1	1	3	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**3**	**8.7**	**85**	**1**	**1**	**6**	**16**	**19**	**19**	**19**										
GRAND TOTAL	**5**	**8.8**	**75**	**1**	**1**	**6**	**17**	**19**	**19**	**19**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	2	7	7	8	9	9	9	9										
35-54	6	10.3	45	3	3	10	14	20	21	21	1	14.0		14	14	14	14	14	14	14
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	2	14.5	313	2	2	14	27	27	27	27										
ALL AGES	11	11.2	60	2	3	9	15	23	27	27	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	14.4	35	9	9	12	19	23	23	23	1	16.0		16	16	16	16	16	16	16
55-74	5	5.0	8	1	1	5	7	8	8	8	1	20.0		20	20	20	20	20	20	20
75 +	2	8.0	2	7	7	8	9	9	9	9	1	19.0		19	19	19	19	19	19	19
ALL AGES	12	9.4	37	1	3	8	11	19	22	23	3	18.3	6	15	16	19	20	20	20	20
SUBTOTAL	**23**	**10.3**	**46**	**2**	**3**	**9**	**13**	**21**	**24**	**27**	**4**	**17.3**	**5**	**14**	**14**	**17**	**19**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	16.5	221	6	6	16	27	27	27	27	1	40.0		40	40	40	40	40	40	40
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	14.5	127	4	4	13	24	27	27	27	1	40.0		40	40	40	40	40	40	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	13.3	180	3	3	8	21	33	33	33										
55-74	4	16.3	154	4	4	16	27	28	28	28	1	5.0		5	5	5	5	5	5	5
75 +	5	23.4	124	14	14	21	28	42	42	42										
ALL AGES	13	18.1	146	3	4	16	26	35	41	42	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**17**	**17.2**	**137**	**3**	**4**	**16**	**26**	**32**	**39**	**42**	**2**	**22.5**	**613**	**5**	**5**	**22**	**40**	**40**	**40**	**40**
GRAND TOTAL	**40**	**13.2**	**95**	**2**	**3**	**10**	**21**	**27**	**30**	**42**	**6**	**19.0**	**134**	**5**	**6**	**17**	**20**	**38**	**40**	**40**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	19	8.1	58	2	3	5	9	17	28	35	2	6.0	2	5	5	6	7	7	7	7
25-34	50	11.9	67	2	3	10	18	25	27	33	8	11.0	96	4	4	7	15	28	31	31
35-54	67	12.2	93	2	2	8	15	28	33	41	5	17.2	106	2	2	18	26	27	27	27
55-74	34	11.8	51	3	3	10	16	26	27	28	3	7.3	26	2	2	8	11	12	12	12
75 +	17	16.9	77	3	7	15	24	28	30	31	5	7.6	2	6	6	8	9	9	9	9
ALL AGES	189	11.9	77	2	2	10	17	26	28	36	23	10.7	68	2	3	8	13	26	28	31
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	2	8	8	9	10	10	10	10										
18-24	5	5.0	8	2	2	5	7	9	9	9										
25-34	50	11.1	52	1	2	10	15	20	26	34	2	2.0	2	1	1	2	3	3	3	3
35-54	90	13.2	102	2	3	11	17	27	31	54	4	4.5	12	1	1	4	7	8	8	8
55-74	110	15.6	94	3	4	13	20	29	35	46	18	14.7	332	2	2	8	14	50	61	62
75 +	62	21.3	353	2	4	15	29	46	63	92	8	8.0	20	2	2	8	11	14	15	15
ALL AGES	319	15.1	150	2	4	12	20	29	39	63	32	10.9	210	1	2	7	11	24	57	62
SUBTOTAL	**508**	**13.9**	**125**	**2**	**3**	**11**	**19**	**28**	**34**	**56**	**55**	**10.8**	**148**	**2**	**2**	**7**	**12**	**26**	**30**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	2.3		2	2	2	3	3	3	3										
18-24	5	12.8	134	3	3	10	18	32	32	32										
25-34	48	13.0	94	3	4	10	18	26	34	46	2	7.5	1	7	7	7	8	8	8	8
35-54	68	12.8	84	2	2	11	16	30	32	36	7	18.6	445	1	3	12	17	56	65	65
55-74	21	17.5	233	2	2	12	26	46	49	51	5	7.6	19	2	2	9	11	12	12	12
75 +	14	20.9	264	3	4	17	25	44	60	65	1	17.0		17	17	17	17	17	17	17
ALL AGES	160	13.9	128	2	3	11	18	31	34	51	15	13.3	229	1	2	11	14	18	53	65
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	36	14.5	147	3	3	11	20	31	42	54	1	2.0		2	2	2	2	2	2	2
35-54	54	17.6	82	4	6	15	25	31	33	34	6	7.7	13	2	2	8	10	12	12	12
55-74	70	19.1	169	4	6	16	25	35	42	64	9	18.1	222	3	4	13	25	40	50	50
75 +	41	19.0	97	3	6	21	27	30	33	42	5	15.4	152	5	5	11	22	36	36	36
ALL AGES	202	17.8	128	3	5	16	25	31	37	59	21	13.7	150	2	3	10	19	30	42	50
SUBTOTAL	**362**	**16.1**	**131**	**2**	**4**	**13**	**22**	**31**	**35**	**56**	**36**	**13.6**	**176**	**2**	**2**	**10**	**15**	**25**	**46**	**65**
GRAND TOTAL	**870**	**14.8**	**129**	**2**	**3**	**12**	**20**	**29**	**34**	**56**	**91**	**11.9**	**159**	**2**	**2**	**8**	**13**	**26**	**36**	**64**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	14.0		14	14	14	14	14	14	14
13-17																				
18-24	2	17.5	481	2	2	17	33	33	33	33	1	24.0		24	24	24	24	24	24	24
25-34	9	12.2	42	4	5	14	17	21	22	22	2	1.5	1	1	1	1	2	2	2	2
35-54	7	9.1	28	2	2	8	14	16	16	16	2	3.0	2	2	2	3	4	4	4	4
55-74	8	11.5	29	4	5	11	15	19	20	20	3	8.0	7	6	6	7	10	11	11	11
75 +																				
ALL AGES	26	11.6	51	2	4	10	16	20	24	33	9	7.9	55	1	1	6	12	20	24	24
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	36.0		36	36	36	36	36	36	36										
25-34	12	13.1	167	1	1	9	14	38	41	42	3	5.3	2	4	4	6	6	6	6	6
35-54	15	10.9	38	1	2	10	15	16	23	25	3	15.7	201	6	6	9	26	32	32	32
55-74	8	12.1	99	3	3	13	23	72	99 +	99 +	10	7.2	22	3	3	6	9	14	19	19
75 +	3	18.0	52	12	12	16	23	26	26	26	3	19.3	164	11	11	13	29	34	34	34
ALL AGES	40	12.8	100	1	3	12	16	33	39	99 +	20	10.2	76	3	3	7	11	25	33	34
SUBTOTAL	**66**	**12.3**	**81**	**2**	**3**	**11**	**16**	**26**	**36**	**90**	**29**	**9.5**	**68**	**2**	**2**	**7**	**11**	**22**	**32**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
25-34	4	11.0	49	2	2	11	15	19	19	19										
35-54	5	13.0	139	1	1	14	19	31	31	31	2	5.5	25	2	2	5	9	9	9	9
55-74	8	9.9	57	2	2	8	14	22	25	25	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	18	10.9	67	1	2	10	15	23	29	31	4	7.0	31	2	2	6	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	30.0	50	25	25	30	35	35	35	35										
18-24	4	26.8	295	4	4	28	37	46	46	46	1	15.0		15	15	15	15	15	15	15
25-34	9	14.0	183	3	4	7	17	38	44	44	3	2.7	2	1	1	3	4	4	4	4
35-54	15	16.1	152	1	2	16	24	34	40	42	6	2.8	4	1	1	2	5	5	5	5
55-74	7	20.1	133	7	7	22	28	35	37	37	5	10.0	89	2	2	7	16	25	25	25
75 +	3	23.7	6	22	22	22	26	27	27	27	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	40	18.7	159	2	4	19	27	36	43	46	17	6.1	40	1	1	4	7	15	21	25
SUBTOTAL	**58**	**16.3**	**141**	**2**	**3**	**13**	**25**	**33**	**40**	**46**	**21**	**6.3**	**36**	**1**	**1**	**4**	**8**	**14**	**19**	**25**
GRAND TOTAL	**124**	**14.2**	**111**	**2**	**3**	**12**	**20**	**31**	**36**	**59**	**50**	**8.1**	**57**	**1**	**2**	**6**	**11**	**17**	**25**	**34**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	7.0	8	5	5	7	9	9	9	9	3	7.0	48	3	3	3	12	15	15	15
18-24	8	18.5	351	1	3	13	22	50	61	61	1	1.0		1	1	1	1	1	1	1
25-34	10	11.3	103	3	3	6	22	27	30	30	1	4.0		4	4	4	4	4	4	4
35-54	6	5.0	26	2	2	3	5	14	15	15	2	1.0		1	1	1	1	1	1	1
55-74	9	13.2	367	1	1	5	14	46	61	61	6	13.3	83	3	3	13	23	24	24	24
75 +	1	5.0		5	5	5	5	5	5	5	4	6.0	1	5	5	6	7	7	7	7
ALL AGES	36	11.9	206	1	2	6	16	25	51	61	17	7.8	53	1	1	5	12	21	24	24
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	14.0		14	14	14	14	14	14	14	2	1.0		1	1	1	1	1	1	1
18-24	3	9.7	57	3	3	8	15	18	18	18	2	2.5	5	1	1	2	4	4	4	4
25-34	11	6.3	11	1	2	7	8	11	12	12	4	2.3	3	1	1	2	3	5	5	5
35-54	7	8.3	34	1	2	7	11	17	19	19	14	4.9	9	1	1	5	8	8	10	10
55-74	2	10.0	18	7	7	10	13	13	13	13	12	6.8	21	1	2	6	10	14	14	14
75 +	4	10.8	137	2	2	6	18	28	28	28	5	14.8	64	10	10	11	17	29	29	29
ALL AGES	29	8.1	36	1	1	7	11	16	19	28	39	6.2	30	1	1	5	9	12	14	29
SUBTOTAL	**65**	**10.2**	**132**	**1**	**2**	**7**	**11**	**23**	**28**	**61**	**56**	**6.6**	**38**	**1**	**1**	**5**	**10**	**14**	**21**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17											1	1.0		1	1	1	1	1	1	1
18-24	2	9.5	145	1	1	9	18	18	18	18	1	1.0		1	1	1	1	1	1	1
25-34	5	8.8	66	1	1	7	15	20	20	20	5	8.8	133	1	1	5	12	29	29	29
35-54	9	11.3	78	1	1	10	20	24	25	25	2	9.5	85	3	3	9	16	16	16	16
55-74	5	9.2	30	5	5	7	13	18	18	18	7	9.3	226	1	1	4	7	36	43	43
75 +	1	17.0		17	17	17	17	17	17	17	6	6.0	23	2	2	5	7	14	15	15
ALL AGES	22	10.4	57	1	1	9	18	21	23	25	22	7.5	107	1	1	4	7	20	35	43
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	4	13.5	79	2	2	15	20	21	21	21	2	7.5	41	3	3	7	12	12	12	12
25-34	4	11.3	84	5	5	7	16	25	25	25										
35-54	11	9.7	59	1	1	10	15	21	23	23	4	2.8	2	1	1	3	4	4	4	4
55-74	9	12.0	50	5	5	10	17	23	25	25	8	8.5	21	2	3	8	12	15	15	15
75 +	2	6.5	1	6	6	6	7	7	7	7	10	4.9	6	1	2	5	6	8	10	10
ALL AGES	30	10.9	54	2	2	9	17	22	25	25	24	6.0	15	1	2	5	8	12	14	15
SUBTOTAL	**52**	**10.7**	**54**	**1**	**2**	**9**	**17**	**21**	**24**	**25**	**46**	**6.7**	**58**	**1**	**1**	**4**	**8**	**15**	**19**	**43**
GRAND TOTAL	**117**	**10.4**	**97**	**1**	**2**	**7**	**14**	**22**	**25**	**61**	**102**	**6.7**	**46**	**1**	**1**	**5**	**8**	**14**	**19**	**36**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	6.3	11	4	4	5	9	10	10	10	3	1.7	1	1	1	1	3	3	3	3
55-74	2	5.0	8	3	3	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
75 +	1	9.0		9	9	9	9	9	9	9	3	7.0	36	1	1	7	11	13	13	13
ALL AGES	8	5.5	9	1	2	5	8	10	10	10	9	3.7	16	1	1	3	4	11	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24											2	3.5	1	3	3	3	4	4	4	4
25-34	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-54	2	5.5	13	3	3	5	8	8	8	8	2	5.0	18	2	2	5	8	8	8	8
55-74	2	8.5	61	3	3	8	14	14	14	14	3	3.3	2	2	2	4	4	4	4	4
75 +	2	5.5	41	1	1	5	10	10	10	10	6	7.7	48	2	2	6	10	19	20	20
ALL AGES	8	5.6	21	1	1	4	9	13	14	14	14	5.4	25	2	2	3	8	11	18	20
SUBTOTAL	**16**	**5.6**	**14**	**1**	**1**	**4**	**8**	**10**	**13**	**14**	**23**	**4.7**	**22**	**1**	**1**	**3**	**6**	**11**	**15**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	9.3	185	1	1	2	19	25	25	25	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	12.0	242	1	1	12	23	23	23	23	2	4.0	18	1	1	4	7	7	7	7
55-74											1	8.0		8	8	8	8	8	8	8
75 +	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
ALL AGES	3	8.7	153	1	1	2	18	23	23	23	4	5.3	9	1	1	6	7	8	8	8
SUBTOTAL	**6**	**9.0**	**136**	**1**	**1**	**2**	**23**	**25**	**25**	**25**	**6**	**3.8**	**11**	**1**	**1**	**3**	**7**	**8**	**8**	**8**
GRAND TOTAL	**22**	**6.5**	**45**	**1**	**1**	**4**	**9**	**17**	**24**	**25**	**29**	**4.6**	**18**	**1**	**1**	**3**	**7**	**10**	**13**	**20**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	14.7	184	4	4	10	25	30	30	30										
25-34	6	18.5	181	6	6	13	28	40	41	41	2	9.0	2	8	8	9	10	10	10	10
35-54	16	15.4	197	3	4	10	18	38	50	55	3	8.3	41	1	1	12	12	12	12	12
55-74	2	15.5	113	8	8	15	23	23	23	23	2	2.5	5	1	1	2	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	28	15.5	170	3	4	10	22	36	42	55	9	6.0	21	1	1	4	10	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	14	10.6	36	2	3	10	12	19	22	23	2	5.5	13	3	3	5	8	8	8	8
35-54	23	11.4	87	1	2	9	17	21	28	41	3	6.3	26	1	1	7	10	11	11	11
55-74	10	11.6	70	2	2	10	14	25	27	27	9	5.8	13	1	1	7	8	10	10	10
75 +	5	14.8	78	4	4	17	21	26	26	26	7	9.7	39	2	2	11	15	18	18	18
ALL AGES	52	11.6	65	2	2	10	17	22	26	41	22	7.0	23	1	1	7	10	13	17	18
SUBTOTAL	**80**	**13.0**	**103**	**2**	**3**	**10**	**18**	**26**	**34**	**51**	**31**	**6.7**	**22**	**1**	**1**	**7**	**10**	**12**	**16**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	9.5	62	1	1	9	16	18	18	18										
25-34	8	10.4	27	2	3	12	14	16	17	17	1	2.0		2	2	2	2	2	2	2
35-54	10	15.0	119	2	3	13	27	31	34	34	3	4.3	13	1	1	4	7	8	8	8
55-74	4	9.8	35	2	2	11	14	15	15	15	4	14.5	347	1	1	8	27	41	41	41
75 +	5	14.4	109	3	3	13	24	27	27	27	2	13.5	113	6	6	13	21	21	21	21
ALL AGES	31	12.3	73	2	2	13	16	27	27	34	10	10.0	160	1	1	5	14	31	41	41
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	6.3	10	3	3	7	8	9	9	9	1	7.0		7	7	7	7	7	7	7
35-54	11	13.6	185	2	3	10	14	34	50	51										
55-74	13	17.9	233	5	6	13	22	33	57	63	4	16.0	206	3	3	13	27	34	34	34
75 +	10	14.3	83	2	4	12	17	29	31	31	4	4.8	8	1	1	5	7	7	7	7
ALL AGES	38	14.4	160	2	3	10	18	27	43	63	10	9.1	109	1	1	6	7	27	34	34
SUBTOTAL	**69**	**13.5**	**119**	**2**	**3**	**11**	**17**	**27**	**31**	**61**	**20**	**9.6**	**127**	**1**	**1**	**6**	**11**	**28**	**37**	**41**
GRAND TOTAL	**149**	**13.2**	**110**	**2**	**3**	**11**	**17**	**27**	**31**	**55**	**51**	**7.8**	**64**	**1**	**1**	**6**	**10**	**17**	**21**	**41**

PSYCHOGEN PARANOID PSYCH (298.4)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	49.0		49	49	49	49	49	49	49										
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	2	32.5	545	16	16	32	49	49	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	5	12.0	7	9	9	12	13	16	16	16	1	21.0		21	21	21	21	21	21	21
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	8	13.6	39	9	9	12	14	24	28	28	2	13.5	113	6	6	13	21	21	21	21
SUBTOTAL	**10**	**17.4**	**154**	**9**	**9**	**12**	**16**	**38**	**49**	**49**	**2**	**13.5**	**113**	**6**	**6**	**13**	**21**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**11**	**16.3**	**151**	**5**	**7**	**12**	**16**	**36**	**48**	**49**	**3**	**10.0**	**93**	**3**	**3**	**6**	**17**	**21**	**21**	**21**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	18	12.7	129	1	1	9	21	27	32	36										
18-24	63	10.7	82	1	2	9	14	27	30	36	8	3.8	9	1	1	2	6	8	9	9
25-34	55	10.3	74	1	2	7	16	24	29	33	6	11.2	77	3	3	8	22	22	22	22
35-54	43	7.3	18	2	2	7	10	14	15	16	6	3.0	6	1	1	2	5	7	7	7
55-74	16	8.0	50	1	1	5	13	18	23	25	14	5.6	20	1	2	4	8	10	16	18
75 +	5	11.2	42	5	5	11	16	20	20	20	3	4.0	3	2	2	5	5	5	5	5
ALL AGES	200	9.9	67	1	2	7	14	21	28	34	38	5.5	28	1	1	4	7	10	20	22
B. FEMALE																					
0-12 YRS.	2	11.0	8	9	9	11	13	13	13	13	1	1.0		1	1	1	1	1	1	1
13-17	23	14.3	188	2	3	8	20	25	40	67										
18-24	58	11.6	119	1	2	7	16	29	36	42	7	4.6	6	1	1	4	6	8	9	9
25-34	78	9.2	44	1	3	8	12	16	22	34	3	7.0	31	1	1	8	11	12	12	12
35-54	115	9.7	61	2	3	8	12	20	24	39	10	8.2	52	1	1	5	14	19	21	21
55-74	33	10.0	41	3	3	10	13	20	22	24	13	9.3	61	1	1	6	14	21	26	27
75 +	23	10.5	68	1	2	7	14	21	29	37	5	23.2	1528	3	3	8	93	99	99 +	99 +
ALL AGES	332	10.3	75	2	3	8	13	22	26	40	39	9.6	226	1	1	5	12	20	60	99 +
SUBTOTAL	**532**	**10.2**	**71**	**2**	**2**	**8**	**14**	**22**	**27**	**37**	**77**	**7.6**	**131**	**1**	**1**	**5**	**9**	**18**	**22**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	1	5.0		5	5	5	5	5	5	5
13-17	10	7.9	33	2	2	7	13	15	17	17										
18-24	39	11.1	87	1	2	8	15	25	29	40	5	6.2	38	1	1	4	11	15	15	15
25-34	59	8.5	60	1	1	7	12	16	22	43	4	8.8	68	2	2	6	15	20	20	20
35-54	32	9.6	50	2	3	9	11	20	27	31	2	7.0	8	5	5	7	9	9	9	9
55-74	4	5.8	9	1	1	7	8	8	8	8	3	6.0	9	3	3	6	8	9	9	9
75 +	5	10.2	24	6	6	7	15	16	16	16	3	4.0	1	3	3	4	5	5	5	5
ALL AGES	150	9.5	60	1	2	8	12	20	25	40	18	6.4	25	1	1	5	9	14	18	20
B. FEMALE																					
0-12 YRS.	4	18.0	823	3	3	4	33	61	61	61										
13-17	18	11.9	158	1	2	5	20	29	37	43										
18-24	45	13.2	183	2	3	9	20	24	48	61	2	15.0	288	3	3	15	27	27	27	27
25-34	69	10.3	110	1	2	8	14	23	32	56	8	6.4	18	2	2	6	8	13	15	15
35-54	69	9.9	88	1	1	7	13	25	31	40	7	8.0	85	1	1	6	10	24	27	27
55-74	27	11.0	116	1	1	9	15	27	37	43	8	6.5	39	2	2	4	7	17	21	21
75 +	11	11.2	67	2	4	9	12	24	31	32	1	15.0		15	15	15	15	15	15	15
ALL AGES	243	11.1	127	1	2	8	14	25	34	59	26	7.8	56	1	2	6	8	20	27	27
SUBTOTAL	**393**	**10.5**	**102**	**1**	**2**	**8**	**14**	**23**	**29**	**53**	**44**	**7.3**	**42**	**1**	**2**	**5**	**9**	**16**	**23**	**27**
GRAND TOTAL	**925**	**10.3**	**84**	**1**	**2**	**6**	**14**	**22**	**28**	**44**	**121**	**7.5**	**98**	**1**	**1**	**5**	**9**	**18**	**22**	**95**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	24.3	167	6	9	21	33	44	46	46	5	5.4	86	1	1	1	7	22	22	22
13-17	52	17.1	318	2	3	12	20	34	65	86	16	5.3	76	1	1	2	5	21	29	31
18-24	114	12.5	136	1	1	9	17	27	38	58	33	7.4	34	1	2	6	10	17	20	22
25-34	151	11.3	106	1	1	9	15	23	32	53	48	6.9	59	1	1	4	9	16	19	43
35-54	158	9.7	92	1	1	7	14	21	30	47	66	5.5	26	1	1	4	7	13	16	26
55-74	182	9.0	63	1	2	6	12	19	25	40	138	7.7	113	1	2	5	7	17	30	54
75 +	164	11.7	170	2	2	7	13	27	38	58	190	8.9	94	1	2	6	10	19	28	49
ALL AGES	829	11.2	129	1	2	8	15	24	35	55	496	7.7	82	1	1	5	9	17	23	46
B. FEMALE																				
0-12 YRS.	8	11.6	94	1	1	12	18	25	28	28	5	11.6	135	1	1	7	23	26	26	26
13-17	36	21.7	480	1	1	14	34	53	64	92	6	28.2	1403	2	2	11	45	92	97	97
18-24	102	12.5	157	1	3	9	14	27	35	68	23	8.1	44	1	1	6	13	17	23	24
25-34	203	12.4	115	1	2	10	16	25	32	56	45	6.2	69	1	1	4	6	12	30	38
35-54	278	10.0	83	1	2	8	14	21	27	43	83	6.9	54	1	1	4	8	20	23	35
55-74	338	11.1	106	1	2	8	15	22	31	55	171	7.7	103	1	2	5	9	16	23	97
75 +	300	11.4	140	2	2	8	14	25	36	61	273	8.2	137	1	2	5	8	15	26	78
ALL AGES	1265	11.6	127	1	2	8	15	25	33	59	606	8.0	121	1	2	5	8	17	25	80
SUBTOTAL	**2094**	**11.4**	**129**	**1**	**2**	**8**	**15**	**24**	**34**	**57**	**1102**	**7.8**	**104**	**1**	**1**	**5**	**9**	**17**	**25**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	29.2	415	1	2	35	44	53	56	56	1	22.0		22	22	22	22	22	22	22
13-17	36	21.8	307	2	3	16	32	43	59	62	4	14.0	150	3	3	11	23	30	30	30
18-24	98	11.1	89	1	2	9	16	24	25	47	27	6.9	47	1	1	3	11	20	21	22
25-34	135	11.8	144	2	2	9	16	24	29	79	32	6.4	35	1	2	5	7	11	21	30
35-54	128	11.7	89	1	2	9	16	25	29	45	35	6.7	35	1	2	5	7	12	20	30
55-74	92	15.1	158	3	3	12	21	33	46	87	33	6.8	79	2	2	5	8	12	15	52
75 +	62	13.8	125	2	3	12	17	26	40	56	53	7.2	31	2	2	6	9	15	17	29
ALL AGES	561	13.4	146	2	3	10	18	28	40	59	185	7.1	46	1	2	5	8	16	21	30
B. FEMALE																				
0-12 YRS.	3	36.3	937	3	3	43	58	63	63	63	4	23.8	545	4	4	21	43	50	50	50
13-17	18	21.7	379	1	3	12	42	57	81	99 +	2	28.5	613	11	11	28	46	46	46	46
18-24	86	14.5	200	1	2	11	17	26	56	63	14	13.1	284	1	1	7	16	49	51	51
25-34	152	13.6	172	2	3	9	18	28	38	73	26	8.1	47	2	2	5	10	18	22	27
35-54	173	12.6	127	1	2	10	17	26	37	63	32	7.3	105	1	1	4	7	16	30	52
55-74	139	12.2	115	2	3	10	15	24	34	44	60	5.9	19	1	2	5	7	12	19	91
75 +	119	14.6	221	3	4	11	18	31	60	99 +	67	8.8	44	2	2	8	11	18	21	34
ALL AGES	690	13.7	171	2	3	10	17	28	41	89	205	8.4	83	1	2	6	10	18	26	51
SUBTOTAL	**1251**	**13.5**	**161**	**2**	**3**	**10**	**18**	**28**	**41**	**78**	**390**	**7.8**	**65**	**1**	**2**	**5**	**9**	**17**	**22**	**51**
GRAND TOTAL	**3345**	**12.2**	**142**	**1**	**2**	**9**	**16**	**26**	**36**	**63**	**1492**	**7.8**	**94**	**1**	**2**	**5**	**9**	**17**	**24**	**53**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	20	12.6	433	1	1	8	19	99+	99+	99+	6	3.5	8	1	1	3	4	8	9	9
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	12.4	414	1	1	9	19	99+	99+	99+	6	3.5	8	1	1	3	4	8	9	9
B. FEMALE																				
0-12 YRS.	5	2.2	3	1	1	2	5	90	99+	99+	2	2.5	5	1	1	2	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	2.2	3	1	1	2	5	90	99+	99+	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**26**	**10.5**	**347**	**1**	**1**	**5**	**19**	**99+**	**99+**	**99+**	**8**	**3.3**	**6**	**1**	**1**	**3**	**4**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	12.8	346	1	1	2	23	45	46	46										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	12.8	346	1	1	2	23	45	46	46										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**10**	**11.9**	**315**	**1**	**1**	**2**	**16**	**44**	**46**	**46**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**36**	**10.9**	**329**	**1**	**1**	**4**	**18**	**96**	**99+**	**99+**	**10**	**3.2**	**5**	**1**	**1**	**3**	**4**	**7**	**9**	**9**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	43	27.2	447	4	4	29	43	62	75	99+	2	19.0	128	11	11	19	27	27	27	27
13-17	2	46.5	1513	19	19	74	93	99+	99+	99+										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	45	28.1	475	4	4	30	45	72	82	99+	2	19.0	128	11	11	19	27	27	27	27
B. FEMALE																				
0-12 YRS.	6	29.5	383	8	8	29	49	53	53	53	2	71.5	1405	45	45	71	98	98	98	98
13-17	2	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	33.4	323	8	8	40	47	52	53	53	2	71.5	1405	45	45	71	98	98	98	98
SUBTOTAL	**53**	**28.9**	**449**	**4**	**4**	**30**	**46**	**66**	**78**	**99+**	**4**	**45.3**	**1424**	**11**	**11**	**36**	**71**	**98**	**98**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	32.7	664	3	4	40	60	99+	99+	99+	5	47.2	1671	3	3	45	88	90	90	90
13-17	2	46.5	85	40	40	46	53	53	53	53	1	18.0		18	18	18	18	18	18	18
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	34.1	615	3	4	40	54	99+	99+	99+	6	42.3	1482	3	4	31	87	90	90	90
B. FEMALE																				
0-12 YRS.	6	42.5	253	27	27	39	55	66	67	67										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	42.5	253	27	27	39	55	66	67	67										
SUBTOTAL	**26**	**36.0**	**534**	**4**	**7**	**40**	**54**	**95**	**99+**	**99+**	**6**	**42.3**	**1482**	**3**	**4**	**31**	**87**	**90**	**90**	**90**
GRAND TOTAL	**79**	**31.2**	**484**	**4**	**4**	**31**	**50**	**75**	**99+**	**99+**	**10**	**43.5**	**1301**	**3**	**7**	**36**	**87**	**94**	**98**	**98**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	35.8	493	9	11	35	70	97	99 +	99 +	7	10.3	101	1	2	7	13	28	31	31
13-17	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	31.8	492	9	10	30	62	94	99 +	99 +	8	9.4	93	1	2	7	11	26	31	31
B. FEMALE																				
0-12 YRS.	4	52.3	221	36	36	50	63	72	72	72	3	15.3	206	3	3	12	26	31	31	31
13-17	2	6.0	18	3	3	6	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	36.8	714	3	4	41	54	70	72	72	3	15.3	206	3	3	12	26	31	31	31
SUBTOTAL	**12**	**34.3**	**555**	**4**	**8**	**36**	**58**	**78**	**96**	**99 +**	**11**	**11.0**	**114**	**1**	**2**	**7**	**14**	**31**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	37.3	504	4	5	40	44	64	85	89	6	14.5	485	3	3	5	11	54	59	59
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	37.3	504	4	5	40	44	64	85	89	6	14.5	485	3	3	5	11	54	59	59
B. FEMALE																				
0-12 YRS.	4	51.8	82	39	39	53	58	61	61	61										
13-17	2	21.0	242	10	10	21	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	41.5	354	10	12	45	56	60	61	61										
SUBTOTAL	**18**	**38.7**	**434**	**5**	**7**	**41**	**51**	**59**	**78**	**89**	**6**	**14.5**	**485**	**3**	**3**	**7**	**47**	**92**	**99 +**	**99 +**
GRAND TOTAL	**30**	**37.0**	**465**	**4**	**8**	**39**	**52**	**71**	**88**	**99 +**	**17**	**12.2**	**227**	**2**	**3**	**7**	**15**	**51**	**84**	**99 +**

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	18.4	595	1	1	3	40	56	58	58	7	3.0	8	1	1	2	4	8	9	9
13-17	18	14.1	246	1	1	5	28	41	43	44	10	1.6		1	1	1	2	3	3	3
18-24	29	5.7	30	1	1	3	8	13	20	21	25	2.7	8	1	1	2	3	6	8	14
25-34	96	6.5	39	1	1	4	9	17	20	25	65	2.7	4	1	1	2	3	6	7	10
35-54	175	6.0	66	1	1	3	8	12	17	38	171	3.0	12	1	1	2	3	5	9	21
55-74	90	6.8	53	1	1	4	9	15	22	36	105	3.9	13	1	1	3	4	8	10	21
75 +	25	7.6	52	1	2	4	12	16	25	26	39	3.2	6	1	1	3	4	6	7	15
ALL AGES	440	6.9	72	1	1	4	9	16	23	42	422	3.1	11	1	1	2	4	6	8	19
B. FEMALE																				
0-12 YRS.	9	19.1	247	1	1	23	31	40	43	43	3	33.3	2680	1	1	6	71	93	93	93
13-17	26	6.5	118	1	1	2	5	19	40	41	24	1.8	1	1	1	2	3	3	3	3
18-24	63	5.8	38	1	1	4	7	14	21	27	52	2.3	3	1	1	2	3	5	5	9
25-34	170	7.5	53	1	1	5	10	16	22	34	138	3.2	8	1	1	3	4	5	7	16
35-54	281	6.9	53	1	1	4	9	17	22	36	295	3.0	4	1	1	3	4	5	7	11
55-74	256	7.1	70	1	1	4	9	17	21	45	253	3.7	10	1	1	3	4	7	9	19
75 +	88	6.8	84	1	1	4	7	14	19	51	117	4.1	15	1	1	3	5	9	11	20
ALL AGES	893	7.1	65	1	1	4	9	17	22	42	882	3.4	17	1	1	3	4	6	8	16
SUBTOTAL	**1333**	**7.0**	**67**	**1**	**1**	**4**	**9**	**17**	**22**	**42**	**1304**	**3.3**	**15**	**1**	**1**	**2**	**4**	**6**	**8**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	53.1	967	7	12	55	82	92	93	93	3	2.3	2	1	1	3	3	3	3	3
13-17	17	20.9	353	2	3	17	31	51	61	65	6	10.3	293	1	1	4	6	41	45	45
18-24	43	14.0	168	2	3	11	21	29	39	61	12	3.1	10	1	1	2	3	9	10	10
25-34	119	11.1	119	1	2	8	15	26	34	56	42	4.5	31	1	1	3	5	10	14	32
35-54	163	10.5	105	1	2	8	13	22	29	56	62	5.5	47	1	1	3	6	12	23	33
55-74	74	8.6	64	2	2	6	11	18	27	39	37	3.3	5	1	1	2	4	8	9	9
75 +	12	7.5	20	2	3	7	10	14	17	17	11	3.5	7	1	1	4	4	8	10	10
ALL AGES	435	11.7	160	1	2	[illegible]	15	26	37	62	173	4.6	37	1	1	3	5	10	14	33
B. FEMALE																				
0-12 YRS.	6	31.7	1170	2	2	23	38	90	96	96	2	3.5	1	3	3	3	4	4	4	4
13-17	14	17.1	445	1	1	14	24	32	70	81	10	2.1	1	1	1	2	3	4	4	4
18-24	81	10.0	90	1	1	7	12	23	26	51	26	3.9	23	1	1	2	4	10	17	21
25-34	209	9.5	71	1	2	7	14	19	24	46	66	5.4	40	1	1	4	7	10	18	35
35-54	299	10.9	106	1	2	8	15	23	27	52	120	6.1	49	1	1	3	7	15	22	37
55-74	201	11.6	117	1	2	9	16	25	32	58	96	5.3	25	1	1	3	7	13	16	25
75 +	63	10.2	90	2	2	7	13	23	34	94	36	4.8	13	1	1	4	6	9	14	16
ALL AGES	873	10.9	111	1	2	8	15	23	29	55	356	5.4	33	1	1	3	6	13	17	28
SUBTOTAL	**1308**	**11.1**	**129**	**1**	**2**	**8**	**15**	**24**	**31**	**58**	**529**	**5.1**	**35**	**1**	**1**	**3**	**6**	**11**	**16**	**32**
GRAND TOTAL	**2641**	**9.1**	**101**	**1**	**1**	**6**	**12**	**21**	**27**	**53**	**1833**	**3.8**	**22**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	3.9	5	1	2	4	5	6	8	11	9	2.6	5	1	1	2	3	6	8	8
13-17	17	6.1	146	1	1	2	6	9	37	52	17	3.4	11	1	1	2	5	9	11	12
18-24	25	4.0	11	1	1	3	6	8	11	13	20	3.1	4	1	1	3	4	5	8	10
25-34	38	4.3	10	1	1	3	6	10	12	13	22	3.0	7	1	1	2	4	7	9	11
35-54	42	4.6	14	1	1	3	6	11	13	14	36	3.3	25	1	1	2	4	5	6	31
55-74	16	4.0	11	1	1	3	4	9	12	14	23	4.7	54	1	1	2	5	9	23	35
75 +	6	13.0	187	1	1	7	26	33	34	34	7	3.3	2	2	2	3	4	6	6	6
ALL AGES	167	4.7	32	1	1	3	6	10	13	33	134	3.4	19	1	1	2	4	6	9	32
B. FEMALE																				
0-12 YRS.	26	3.7	8	1	1	3	5	8	10	12	15	3.4	7	1	1	2	5	9	9	9
13-17	54	6.2	61	1	1	4	7	11	21	45	46	2.9	9	1	1	2	4	5	7	19
18-24	66	6.2	65	1	1	4	7	14	22	44	61	3.0	7	1	1	2	4	6	9	12
25-34	122	8.8	116	1	1	4	11	24	37	48	66	4.1	13	1	1	3	5	7	13	18
35-54	155	7.0	95	1	1	4	8	14	20	54	92	4.0	14	1	1	3	5	8	10	21
55-74	59	5.9	32	1	1	3	9	15	17	25	60	4.7	44	1	1	3	6	8	9	47
75 +	8	3.5	7	1	1	2	5	8	9	9	27	4.2	18	1	1	3	6	8	14	20
ALL AGES	490	6.9	80	1	1	4	8	15	24	46	367	3.8	17	1	1	3	5	7	10	19
SUBTOTAL	**657**	**6.3**	**69**	**1**	**1**	**4**	**7**	**14**	**21**	**46**	**501**	**3.7**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	16.3	391	3	3	7	31	39	39	39	2	6.5	13	4	4	6	9	9	9	9
13-17	17	11.4	132	2	3	8	14	25	39	46	4	5.0	21	1	1	4	8	11	11	11
18-24	16	7.4	39	1	1	5	13	16	18	19	5	4.0	4	2	2	4	5	7	7	7
25-34	27	6.7	40	1	1	5	9	16	21	25	13	3.5	11	1	1	2	3	8	13	14
35-54	38	7.2	52	1	1	5	8	17	23	34	22	4.3	13	1	1	4	5	7	12	18
55-74	12	14.2	160	1	2	9	25	35	37	37	13	3.5	18	1	1	2	4	9	15	16
75 +	3	3.7		3	3	4	4	4	4	4	3	6.0	4	4	4	6	7	8	8	8
ALL AGES	116	8.6	80	1	1	6	10	22	26	41	62	4.1	13	1	1	3	6	8	12	18
B. FEMALE																				
0-12 YRS.	8	33.8	489	2	2	40	50	57	59	59	4	26.5	1050	1	1	17	50	71	71	71
13-17	28	8.8	90	1	1	7	10	16	29	48	10	12.6	568	1	1	3	7	51	77	77
18-24	42	12.2	177	1	3	6	20	37	49	99 +	16	3.8	8	1	1	3	5	9	10	11
25-34	107	11.0	184	1	2	6	14	30	46	99 +	31	3.8	14	1	1	3	4	6	9	22
35-54	107	9.0	73	2	2	7	12	18	25	45	44	4.3	13	1	1	3	6	10	11	15
55-74	46	7.7	48	1	2	5	9	21	23	30	34	4.9	15	1	2	4	7	10	14	17
75 +	6	11.3	73	2	2	12	19	21	21	21	14	7.9	145	1	1	3	5	29	30	30
ALL AGES	344	10.4	141	1	2	6	13	26	38	84	153	5.7	92	1	1	3	5	11	21	70
SUBTOTAL	**460**	**10.0**	**125**	**1**	**2**	**6**	**13**	**24**	**35**	**69**	**215**	**5.3**	**69**	**1**	**1**	**3**	**5**	**10**	**16**	**44**
GRAND TOTAL	**1117**	**7.8**	**96**	**1**	**1**	**4**	**9**	**18**	**28**	**52**	**716**	**4.2**	**33**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	4	15.3	599	2	2	3	28	52	52	52	1	5.0		5	5	5	5	5	5	5
18-24	3	4.0	3	2	2	5	5	5	5	5										
25-34	11	13.7	213	1	1	13	16	36	50	51	2	4.5	25	1	1	4	8	8	8	8
35-54	8	5.9	3	3	3	6	7	8	8	8	5	10.0	87	2	2	5	19	22	22	22
55-74	3	4.3	2	3	3	5	5	5	5	5										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	30	10.3	163	2	2	5	13	25	51	52	9	7.6	54	1	1	5	10	20	22	22
B. FEMALE																				
0-12 YRS.	4	10.3	39	4	4	9	14	19	19	19										
13-17	4	14.3	104	5	5	11	20	29	29	29	1	3.0		3	3	3	3	3	3	3
18-24	7	8.7	68	1	1	5	12	23	25	25	1	5.0		5	5	5	5	5	5	5
25-34	14	14.0	77	3	3	12	18	29	31	32	9	6.6	36	1	2	4	9	16	21	21
35-54	18	15.6	120	1	2	14	27	31	34	35	4	4.5	20	1	1	3	7	11	11	11
55-74	10	12.3	88	2	2	10	16	27	30	30	7	7.3	74	1	1	4	10	22	25	25
75 +											2	6.0	2	5	5	6	7	7	7	7
ALL AGES	57	13.3	89	2	3	11	18	29	31	35	24	6.2	36	1	1	4	8	13	22	25
SUBTOTAL	**87**	**12.3**	**114**	**2**	**2**	**9**	**16**	**29**	**32**	**52**	**33**	**6.5**	**41**	**1**	**1**	**4**	**8**	**19**	**22**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	20.3	208	3	3	21	32	35	35	35										
13-17	5	24.2	525	11	11	16	28	65	65	65										
18-24	2	23.5	85	17	17	23	30	30	30	30	1	25.0		25	25	25	25	25	25	25
25-34	12	14.5	137	1	1	11	25	31	33	33										
35-54	15	12.8	63	2	4	11	19	21	28	30	1	1.0		1	1	1	1	1	1	1
55-74	1	16.0		16	16	16	16	16	16	16										
75 +											2	4.0		4	4	4	4	4	4	4
ALL AGES	39	16.2	155	1	3	14	21	30	34	65	4	8.5	123	1	1	4	15	25	25	25
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	23.0	162	14	14	23	32	32	32	32
13-17	6	12.7	126	3	3	7	27	27	27	27										
18-24	11	24.3	306	7	7	22	31	52	62	63	1	3.0		3	3	3	3	3	3	3
25-34	32	16.3	171	1	3	13	21	36	47	50	4	7.5	12	3	3	8	10	11	11	11
35-54	35	15.5	92	2	4	16	20	29	33	39	7	14.7	320	2	3	8	15	46	54	54
55-74	22	14.5	77	2	3	13	17	28	32	36	2	6.0	18	3	3	6	9	9	9	9
75 +	2	8.5	85	2	2	8	15	15	15	15	1	10.0		10	10	10	10	10	10	10
ALL AGES	109	16.0	140	2	3	14	21	31	39	55	17	12.0	167	2	3	9	12	29	46	54
SUBTOTAL	**148**	**16.1**	**141**	**1**	**3**	**14**	**21**	**30**	**36**	**63**	**21**	**11.3**	**155**	**2**	**2**	**8**	**12**	**28**	**42**	**54**
GRAND TOTAL	**235**	**14.7**	**134**	**2**	**3**	**12**	**20**	**30**	**35**	**54**	**54**	**8.4**	**88**	**1**	**2**	**5**	**10**	**21**	**25**	**53**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4										
13-17	4	23.8	159	7	7	25	33	37	37	37										
18-24	6	38.7	659	1	4	37	49	76	79	79	1	8.0		8	8	8	8	8	8	8
25-34	8	20.8	604	1	1	16	26	61	75	75	1	6.0		6	6	6	6	6	6	6
35-54	19	14.5	157	2	3	10	24	34	39	41										
55-74	4	9.5	63	3	3	7	14	21	21	21										
75 +	2	4.5	1	4	4	4	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	45	18.3	343	1	2	10	28	41	55	79	3	6.7	1	6	6	6	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24	5	11.8	35	6	6	9	17	20	20	20										
25-34	17	16.4	180	2	3	11	27	31	45	52	1	5.0		5	5	5	5	5	5	5
35-54	10	10.8	41	1	3	12	15	18	20	20	1	16.0		16	16	16	16	16	16	16
55-74	6	12.2	127	2	2	9	15	31	33	33										
75 +	6	19.3	449	4	4	12	22	56	60	60	1	5.0		5	5	5	5	5	5	5
ALL AGES	45	14.7	157	2	4	11	20	29	38	60	3	8.7	39	5	5	5	13	16	16	16
SUBTOTAL	**90**	**16.5**	**250**	**2**	**2**	**10**	**25**	**35**	**49**	**77**	**6**	**7.7**	**17**	**5**	**5**	**6**	**8**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	25.4	510	4	5	19	35	62	69	69										
13-17	6	21.0	172	7	7	20	32	38	39	39										
18-24	6	21.5	367	2	3	16	46	89	99 +	99 +										
25-34	20	19.2	514	4	5	12	21	43	80	99	1	16.0		16	16	16	16	16	16	16
35-54	15	22.7	599	4	6	13	23	50	85	97										
55-74	12	12.7	60	3	4	12	16	26	28	28	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	66	19.8	395	4	5	14	25	46	73	99 +	2	13.0	18	10	10	13	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	25	30	30	33	37	37	37	37										
18-24	10	18.4	152	4	5	16	26	36	43	43	1	1.0		1	1	1	1	1	1	1
25-34	23	22.6	297	7	8	17	29	64	82	99 +	3	6.3	26	1	1	7	10	11	11	11
35-54	16	13.8	106	2	3	11	23	34	77	99 +	3	19.7	163	5	5	25	28	29	29	29
55-74	9	21.6	334	4	6	17	28	51	65	65										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	61	19.7	223	4	4	16	28	40	68	99 +	7	11.3	128	1	1	7	21	28	29	29
SUBTOTAL	**127**	**19.8**	**308**	**4**	**5**	**15**	**26**	**44**	**69**	**99 +**	**9**	**11.7**	**98**	**1**	**1**	**10**	**18**	**27**	**29**	**29**
GRAND TOTAL	**217**	**18.4**	**287**	**2**	**4**	**14**	**25**	**40**	**62**	**99 +**	**15**	**10.1**	**66**	**1**	**1**	**7**	**15**	**25**	**28**	**29**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	61	24.0	345	3	6	21	35	45	68	99+	4	28.0	1429	1	1	13	49	84	84	84
13-17	165	21.0	344	2	3	14	35	49	66	99+	15	23.1	664	1	1	14	38	53	81	90
18-24	118	7.7	51	1	1	5	11	19	24	28	21	3.8	12	1	1	2	4	10	11	13
25-34	199	8.6	73	1	1	5	11	21	26	42	39	5.8	68	1	1	3	6	16	19	46
35-54	288	9.7	67	1	2	8	13	20	25	37	82	7.5	63	1	1	5	9	17	26	40
55-74	119	11.1	93	1	2	9	14	21	26	52	57	4.9	15	1	1	4	6	10	13	20
75 +	38	12.8	164	2	3	8	19	34	52	99+	25	6.8	37	1	1	5	9	15	18	25
ALL AGES	988	12.3	164	1	2	8	17	29	40	74	243	7.5	122	1	1	4	8	16	26	55
B. FEMALE																				
0-12 YRS.	44	26.1	287	5	7	22	37	50	62	99+	1	5.0		5	5	5	5	5	5	5
13-17	390	19.9	322	2	3	14	30	44	56	84	36	15.2	267	1	1	7	28	45	57	99+
18-24	268	8.7	66	1	1	6	12	19	24	39	55	5.1	30	1	1	4	6	7	11	30
25-34	480	9.4	64	1	2	7	13	21	25	40	144	6.1	38	1	1	4	8	14	21	29
35-54	657	9.4	61	1	2	8	13	19	25	36	273	5.9	33	1	2	4	7	12	18	28
55-74	324	10.6	75	1	2	8	14	21	29	40	202	5.7	22	1	2	4	7	11	13	28
75 +	99	11.7	119	2	3	7	16	26	34	56	89	7.7	142	1	2	5	9	12	18	83
ALL AGES	2262	11.7	136	1	2	8	15	26	37	57	800	6.4	58	1	1	4	7	13	20	41
SUBTOTAL	**3250**	**11.9**	**144**	**1**	**2**	**8**	**15**	**27**	**38**	**61**	**1043**	**6.7**	**72**	**1**	**1**	**4**	**7**	**14**	**21**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	112	34.1	434	8	10	33	46	76	99	99+	3	18.3	462	4	4	8	34	43	43	43
13-17	337	24.7	426	2	4	21	37	56	80	99+	32	31.8	764	1	2	33	59	90	98	99+
18-24	269	11.4	101	1	2	8	16	25	32	45	34	11.2	188	1	1	4	18	26	44	58
25-34	458	10.6	83	1	2	8	15	22	27	42	50	7.1	44	1	1	5	8	17	25	28
35-54	555	10.2	73	1	2	8	14	22	26	38	67	7.7	53	1	1	5	10	18	23	35
55-74	117	11.1	71	2	3	8	15	22	28	42	41	7.7	78	2	2	5	7	18	27	46
75 +	21	15.1	114	3	5	12	22	32	36	40	11	8.8	60	3	3	6	12	19	28	29
ALL AGES	1869	14.6	219	1	2	10	21	34	46	91	238	11.5	237	1	2	5	13	30	46	92
B. FEMALE																				
0-12 YRS.	62	32.9	482	7	9	30	53	68	88	99+	2	4.0		4	4	4	4	4	4	4
13-17	503	24.2	418	2	3	19	38	57	67	99+	52	27.5	573	1	3	23	52	76	99+	99+
18-24	402	11.4	100	1	2	8	16	24	32	46	45	7.0	57	1	1	4	8	20	24	29
25-34	741	12.0	115	1	2	9	16	26	33	51	93	8.0	67	1	2	6	10	16	25	44
35-54	779	11.7	99	1	2	9	16	24	30	48	151	7.6	56	1	2	6	9	16	24	40
55-74	296	14.4	180	2	3	10	19	29	38	80	62	7.7	82	1	2	6	9	15	19	62
75 +	73	15.3	155	4	5	13	19	30	37	77	32	8.5	163	3	3	6	8	11	13	77
ALL AGES	2856	14.8	205	1	2	10	20	34	45	82	437	10.1	170	1	2	6	11	24	43	90
SUBTOTAL	**4725**	**14.7**	**211**	**1**	**2**	**10**	**20**	**34**	**45**	**86**	**675**	**10.6**	**193**	**1**	**2**	**6**	**11**	**28**	**44**	**91**
GRAND TOTAL	**7975**	**13.6**	**185**	**1**	**2**	**9**	**18**	**31**	**42**	**77**	**1718**	**8.2**	**124**	**1**	**1**	**5**	**9**	**18**	**30**	**73**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3	2	4.0	18	1	1	4	7	7	7	7
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	1.0		1	1	1	1	1	1	1	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	4	2.8	3	1	1	2	1	5	5	5	6	3.8	6	1	1	4	6	7	7	7
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	4.0		4	4	4	4	4	4	4	3	2.3	3	1	1	2	3	4	4	4
35-54	2	5.5	25	[illegible]	2	5	9	9	9	9	3	3.7	2	2	2	4	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2	2	3.5	13	1	1	3	6	6	6	6
75 +	1	3.0		3	3	3	3	3	3	3	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	6	4.3	8	2	2	3	6	9	9	9	11	3.7	5	1	1	4	5	7	8	8
SUBTOTAL	10	3.7	6	1	1	3	5	7	9	9	17	3.8	5	1	1	4	5	7	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES											3	4.3	13	1	1	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
35-54	1	2.0		2	2	2	2	2	2	2	4	3.0	5	1	1	2	4	6	6	6
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	3.3	3	2	2	3	4	5	5	5	6	3.7	4	1	1	4	5	6	6	6
SUBTOTAL	3	3.3	3	2	2	3	4	5	5	5	9	3.9	6	1	1	4	5	7	8	8
GRAND TOTAL	13	3.6	5	1	1	3	5	7	9	9	26	3.8	5	1	1	4	5	7	8	8

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES							
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	2	4.5	1	4	4	4	5	5	5	5											
25-34																					
35-54	1	12.0		12	12	12	12	12	12	12											
55-74																					
75 +																					
ALL AGES	3	7.0	19	4	4	5	10	12	12	12											
SUBTOTAL	**3**	**7.0**	**19**	**4**	**4**	**5**	**10**	**12**	**12**	**12**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	1	5.0		5	5	5	5	5	5	5											
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	5.0		5	5	5	5	5	5	5											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	1	6.0		6	6	6	6	6	6	6											
25-34	2	10.0		10	10	10	10	10	10	10											
35-54	3	12.3	48	7	7	10	17	20	20	20											
55-74																					
75 +																					
ALL AGES	6	10.5	25	6	6	10	10	19	20	20											
SUBTOTAL	**7**	**9.7**	**25**	**5**	**5**	**10**	**10**	**18**	**20**	**20**											
GRAND TOTAL	**10**	**8.9**	**23**	**4**	**4**	**8**	**10**	**16**	**20**	**20**											

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	1	37.0		37	37	37	37	37	37	37	1	47.0		47	47	47	47	47	47	47
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	2	30.0	98	23	23	30	37	37	37	37	2	25.0	968	3	3	25	47	47	47	47
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	9.0		9	9	9	9	9	9	9										
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54											1	34.0		34	34	34	34	34	34	34
55-74	6	18.0	72	9	9	15	25	30	31	31	4	4.8	8	3	3	4	6	9	9	9
75 +																						
ALL AGES	7	16.7	72	9	9	13	23	30	31	31	7	8.6	130	2	2	4	8	29	34	34
SUBTOTAL	**9**	**19.7**	**99**	**9**	**9**	**18**	**26**	**35**	**37**	**37**	**9**	**12.2**	**272**	**2**	**2**	**4**	**15**	**42**	**47**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24											1	7.0		7	7	7	7	7	7	7
25-34	4	23.8	196	8	8	23	34	41	41	41										
35-54	4	21.5	1273	3	3	4	40	75	75	75										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	32.0		32	32	32	32	32	32	32	1	27.0		27	27	27	27	27	27	27
ALL AGES	10	21.7	539	3	3	13	32	58	75	75	2	17.0	200	7	7	17	27	27	27	27
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	24.0		24	24	24	24	24	24	24										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	5	11.4	97	3	3	8	16	28	28	28										
55-74	2	15.5	85	9	9	15	22	22	22	22	1	5.0		5	5	5	5	5	5	5
75 +																						
ALL AGES	9	14.0	76	3	4	12	22	26	28	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**19**	**18.1**	**317**	**3**	**3**	**12**	**27**	**37**	**60**	**75**	**3**	**13.0**	**148**	**5**	**5**	**7**	**22**	**27**	**27**	**27**
GRAND TOTAL	**28**	**18.6**	**242**	**3**	**4**	**13**	**26**	**35**	**44**	**75**	**12**	**12.4**	**225**	**2**	**2**	**5**	**18**	**38**	**46**	**47**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX										
A. MALE										
0-12 YRS.	2	22.5	85	16	16	22	29	29	29	29
13-17	2	3.5	13	1	1	3	6	6	6	6
18-24	2	11.0	98	4	4	11	18	18	18	18
25-34	3	4.3	18	1	1	3	7	9	9	9
35-54	2	14.0	18	11	11	14	17	17	17	17
55-74	4	19.0	73	7	7	21	25	26	26	26
75 +	1	46.0		46	46	46	46	46	46	46
ALL AGES	16	14.8	150	1	1	13	21	29	41	46
B. FEMALE										
0-12 YRS.	2	2.0		2	2	2	2	2	2	2
13-17	4	15.5	595	1	1	4	28	52	52	52
18-24	10	4.2	28	1	1	2	5	13	18	18
25-34	10	12.5	111	1	1	11	18	27	35	35
35-54	21	11.2	78	3	4	7	14	24	32	36
55-74	12	15.3	164	1	2	10	27	33	34	34
75 +	3	11.3	17	7	7	12	14	15	15	15
ALL AGES	62	11.1	120	1	2	7	15	29	34	50
SUBTOTAL	**78**	**11.8**	**128**	**1**	**1**	**8**	**18**	**29**	**35**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)										
A. MALE										
0-12 YRS.										
13-17	1	6.0		6	6	6	6	6	6	6
18-24	2	24.0	98	17	17	24	31	31	31	31
25-34	7	7.7	33	1	1	6	14	15	15	15
35-54	9	10.6	50	3	3	8	17	20	20	20
55-74	4	15.5	113	3	3	16	24	27	27	27
75 +	1	12.0		12	12	12	12	12	12	12
ALL AGES	24	11.5	69	2	3	10	16	22	28	31
B. FEMALE										
0-12 YRS.										
13-17	5	10.6	107	3	3	6	16	28	28	28
18-24	5	7.6	8	5	5	7	10	11	11	11
25-34	21	10.9	81	2	2	9	16	24	32	33
35-54	29	13.7	122	1	1	11	20	32	35	42
55-74	20	16.3	121	4	6	13	23	31	39	45
75 +	5	17.2	128	2	2	16	26	31	31	31
ALL AGES	85	13.3	105	2	2	11	18	31	33	44
SUBTOTAL	**109**	**12.9**	**97**	**2**	**3**	**11**	**17**	**30**	**32**	**43**
GRAND TOTAL	**187**	**12.5**	**108**	**1**	**2**	**10**	**17**	**29**	**33**	**46**

TYPE OF PATIENT (1)	HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX										
A. MALE										
0-12 YRS.										
13-17										
18-24	1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2
55-74										
75 +										
ALL AGES	3	2.0		2	2	2	2	2	2	2
B. FEMALE										
0-12 YRS.										
13-17	3	21.7	559	7	7	9	39	49	49	49
18-24	3	2.3	6	1	1	1	4	5	5	5
25-34	3	4.0	1	3	3	4	5	5	5	5
35-54	12	6.2	39	2	2	4	7	15	23	24
55-74	3	5.0	1	4	4	5	6	6	6	6
75 +	4	11.5	56	5	5	10	17	21	21	21
ALL AGES	28	7.8	95	1	2	5	8	19	26	49
SUBTOTAL	**31**	**7.3**	**88**	**1**	**2**	**5**	**7**	**17**	**24**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)										
A. MALE										
0-12 YRS.										
13-17										
18-24										
25-34	3	6.3	2	5	5	7	7	7	7	7
35-54	1	3.0		3	3	3	3	3	3	3
55-74	3	10.7	15	7	7	10	14	15	15	15
75 +										
ALL AGES	7	7.7	15	3	3	7	9	14	15	15
B. FEMALE										
0-12 YRS.	1	4.0		4	4	4	4	4	4	4
13-17	2	3.0		3	3	3	3	3	3	3
18-24	1	4.0		4	4	4	4	4	4	4
25-34	5	10.6	61	3	3	8	17	22	22	22
35-54	8	12.8	335	1	2	6	11	44	57	57
55-74	6	5.7	21	3	3	4	5	14	15	15
75 +										
ALL AGES	23	8.8	138	2	[illegible]	4	8	17	34	57
SUBTOTAL	**30**	**8.6**	**107**	**3**	**3**	**5**	**8**	**15**	**22**	**57**
GRAND TOTAL	**61**	**7.9**	**97**	**1**	**2**	**5**	**8**	**15**	**23**	**56**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	6.2	124	1	1	2	6	13	36	46	6	1.5	1	1	1	1	2	3	3	3
13-17	20	4.5	73	1	1	2	4	7	24	40	6	1.8	2	1	1	2	2	4	4	4
18-24	19	3.9	14	1	1	3	5	10	13	13	9	1.4	1	1	1	1	2	3	3	3
25-34	21	5.9	32	1	1	3	8	17	18	18	13	4.2	12	1	1	3	6	10	12	12
35-54	38	7.6	42	1	1	6	10	17	20	29	24	3.5	9	1	1	2	5	8	11	11
55-74	29	9.6	203	2	2	5	8	27	30	72	25	7.4	36	1	2	6	10	13	17	30
75 +	19	7.7	73	1	2	5	9	18	30	37	20	9.6	139	1	2	6	11	16	37	56
ALL AGES	162	6.8	82	1	1	4	8	15	24	45	103	5.3	47	1	1	3	7	11	13	42
B. FEMALE																				
0-12 YRS.	10	4.5	34	1	1	3	4	13	20	20	13	1.8	1	1	1	2	2	3	4	4
13-17	41	6.3	77	1	1	3	7	18	29	38	23	1.8	1	1	1	1	2	3	4	5
18-24	33	3.7	30	1	1	2	4	8	16	28	30	1.6	1	1	1	1	2	3	5	5
25-34	38	6.5	50	1	1	4	8	13	21	35	27	5.7	245	1	1	2	3	6	23	83
35-54	49	7.0	41	1	1	5	13	15	18	24	26	2.9	10	1	1	1	4	9	11	12
55-74	34	5.2	17	1	2	4	6	12	15	19	39	6.2	119	1	1	4	6	10	17	69
75 +	34	8.5	267	1	2	4	8	14	20	97	59	9.0	98	1	2	5	10	22	34	49
ALL AGES	239	6.2	75	1	1	4	7	14	20	35	217	5.1	87	1	1	2	5	10	19	56
SUBTOTAL	**401**	**6.4**	**79**	**1**	**1**	**4**	**8**	**14**	**21**	**39**	**320**	**5.2**	**74**	**1**	**1**	**3**	**5**	**11**	**16**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	8.6	66	2	2	4	16	21	23	23	4	3.5	11	1	1	3	6	8	8	8
13-17	49	9.7	159	1	1	6	11	20	43	63	11	7.2	210	1	1	2	5	27	48	50
18-24	58	5.2	29	1	1	3	8	14	18	22	28	2.1	2	1	1	1	3	4	5	6
25-34	93	6.2	50	1	1	4	8	14	21	39	35	4.1	35	1	1	2	4	8	14	34
35-54	77	5.7	46	1	1	3	7	15	20	33	29	2.5	3	1	1	2	4	5	6	6
55-74	24	8.3	205	1	1	5	9	13	32	73	18	8.6	53	1	1	7	12	19	24	26
75 +	9	9.1	47	1	2	8	14	20	22	22	16	6.1	10	1	2	6	9	12	69	99 +
ALL AGES	321	6.8	74	1	1	4	8	16	22	43	141	4.4	37	1	1	3	5	10	15	54
B. FEMALE																				
0-12 YRS.	5	10.8	184	1	1	6	17	34	34	34	2	3.0		3	3	3	3	3	3	3
13-17	43	8.7	241	1	1	4	7	21	52	72	28	5.6	54	1	1	3	5	19	25	28
18-24	65	6.6	76	1	1	3	8	19	26	44	23	1.9	1	1	1	1	3	3	4	4
25-34	91	8.2	91	1	1	5	11	19	24	54	43	3.3	10	1	1	2	4	6	10	16
35-54	77	9.0	108	1	1	5	12	24	32	48	38	3.4	11	1	1	2	3	8	10	17
55-74	18	11.9	174	2	3	6	17	30	45	52	23	6.6	29	1	1	5	9	14	18	24
75 +	18	8.5	52	2	3	7	9	19	27	31	27	5.6	10	2	2	5	8	9	13	13
ALL AGES	317	8.4	116	1	1	4	10	21	31	55	184	4.2	20	1	1	3	5	9	14	25
SUBTOTAL	**638**	**7.6**	**95**	**1**	**1**	**4**	**9**	**18**	**25**	**51**	**325**	**4.3**	**27**	**1**	**1**	**3**	**5**	**9**	**14**	**29**
GRAND TOTAL	**1039**	**7.1**	**90**	**1**	**1**	**4**	**8**	**17**	**23**	**46**	**645**	**4.7**	**51**	**1**	**1**	**3**	**5**	**10**	**15**	**36**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	30TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	30.0		30	30	30	30	30	30	30												
18-24	2	9.5	61	4	4	9	15	15	15	15												
25-34	3	10.0	84	2	2	8	17	20	20	20		1	15.0		15	15	15	15	15	15	15	
35-54	9	5.2	17	1	1	3	8	12	12	12		4	4.0	3	2	2	4	5	6	6	6	
55-74	3	7.7	82	1	1	4	14	18	18	18												
75 +	1	17.0		17	17	17	17	17	17	17												
ALL AGES	19	8.7	65	1	1	6	14	19	25	30		5	6.2	27	2	2	5	8	15	15	15	
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	3	6.7	12	3	3	7	9	10	10	10												
35-54	4	13.8	90	3	3	13	20	26	26	26		1	6.0		6	6	6	6	6	6	6	
55-74	5	5.2	14	1	1	6	8	10	10	10		1	7.0		7	7	7	7	7	7	7	
75 +												1	5.0		5	5	5	5	5	5	5	
ALL AGES	12	8.4	48	1	2	7	11	18	25	26		3	6.0	1	5	5	6	7	7	7	7	
SUBTOTAL	**31**	**8.6**	**57**	**1**	**2**	**7**	**12**	**19**	**26**	**30**		**8**	**6.1**	**16**	**2**	**2**	**5**	**7**	**13**	**15**	**15**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	2	14.5	265	3	3	14	26	26	26	26												
18-24	3	18.0	169	5	5	18	28	31	31	31		1	1.0		1	1	1	1	1	1	1	
25-34	4	10.5	39	4	4	10	15	18	18	18		1	19.0		19	19	19	19	19	19	19	
35-54	9	12.3	121	1	1	12	16	30	36	36		4	1.8	1	1	1	2	2	3	3	3	
55-74	7	20.3	73	6	7	25	27	28	28	28												
75 +	2	8.0	50	3	3	8	13	13	13	13												
ALL AGES	27	14.6	101	2	3	13	24	28	32	36		6	4.5	51	1	1	2	3	17	19	19	
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	14.0		14	14	14	14	14	14	14												
25-34	2	20.0		20	20	20	20	20	20	20												
35-54	1	11.0		11	11	11	11	11	11	11												
55-74	1	5.0		5	5	5	5	5	5	5												
75 +	1	10.0		10	10	10	10	10	10	10		1	2.0		2	2	2	2	2	2	2	
ALL AGES	6	13.3	36	5	5	12	20	20	20	20		1	2.0		2	2	2	2	2	2	2	
SUBTOTAL	**33**	**14.4**	**87**	**2**	**3**	**13**	**20**	**27**	**31**	**36**		**7**	**4.1**	**44**	**1**	**1**	**2**	**3**	**16**	**19**	**19**	
GRAND TOTAL	**64**	**11.6**	**79**	**1**	**2**	**10**	**18**	**26**	**29**	**35**		**15**	**5.2**	**27**	**1**	**1**	**3**	**6**	**15**	**18**	**19**	

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	45.3	321	26	26	55	80	99+	99+	99+										
13-17	9	19.6	382	1	1	18	23	50	66	66										
18-24	5	3.6	6	2	2	3	4	8	8	8										
25-34	13	12.8	167	1	1	5	22	29	40	43	3	10.7	48	4	4	10	16	18	18	18
35-54	13	9.3	26	4	4	7	12	17	20	21										
55-74	4	16.8	87	8	8	15	24	28	28	28										
75 +	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	48	14.5	221	1	2	10	21	37	61	99+	4	8.5	52	2	2	7	14	18	18	18
B. FEMALE																				
0-12 YRS.	3	42.3	490	21	21	41	59	65	65	65										
13-17	8	22.1	948	3	3	10	24	75	95	95										
18-24	8	9.6	109	1	1	7	12	27	33	33	1	9.0		9	9	9	9	9	9	9
25-34	15	15.1	151	5	6	11	17	28	47	54	2	11.5	41	7	7	11	16	16	16	16
35-54	36	9.8	46	1	2	8	13	18	20	36	3	3.7	1	3	3	3	5	5	5	5
55-74	18	12.5	56	6	6	10	16	23	30	33	1	4.0		4	4	4	4	4	4	4
75 +	2	9.5	113	2	2	9	17	17	17	17										
ALL AGES	90	13.4	190	2	3	9	16	26	36	83	7	6.7	22	3	3	6	12	75	99+	99+
SUBTOTAL	**138**	**13.8**	**199**	**1**	**3**	**10**	**17**	**28**	**46**	**96**	**11**	**7.4**	**29**	**2**	**3**	**6**	**13**	**43**	**92**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25	1	3.0		3	3	3	3	3	3	3
13-17	5	30.4	1309	2	3	26	90	99	99+	99+										
18-24	11	11.3	43	3	3	13	18	19	20	20										
25-34	23	10.0	46	2	3	7	14	17	23	31	1	3.0		3	3	3	3	3	3	3
35-54	19	12.7	105	1	3	10	17	26	37	43	1	3.0		3	3	3	3	3	3	3
55-74	5	29.6	237	10	10	27	36	53	53	53										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	65	14.3	199	3	3	11	18	31	45	98	3	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	34.7	566	18	18	43	81	99+	99+	99+										
13-17	18	27.1	745	2	4	13	46	87	95	99+										
18-24	13	11.9	54	2	3	11	16	21	27	29	1	22.0		22	22	22	22	22	22	22
25-34	35	14.8	141	1	2	12	24	39	43	99+	2	9.0		9	9	9	9	9	9	9
35-54	39	12.1	74	3	4	9	15	25	29	41	3	8.7	65	3	3	5	15	18	18	18
55-74	17	14.4	105	4	4	12	21	31	35	36	2	3.5	5	2	2	3	5	5	5	5
75 +	2	4.0		4	4	4	4	4	4	4										
ALL AGES	127	15.7	223	2	4	12	22	38	54	99+	8	9.1	53	2	2	7	14	21	22	22
SUBTOTAL	**192**	**15.2**	**215**	**2**	**4**	**11**	**20**	**35**	**51**	**99+**	**11**	**7.5**	**44**	**2**	**2**	**5**	**9**	**20**	**22**	**22**
GRAND TOTAL	**330**	**14.6**	**208**	**2**	**3**	**10**	**18**	**32**	**49**	**99+**	**22**	**7.4**	**35**	**2**	**3**	**5**	**10**	**19**	**49**	**99+**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	56.0	450	41	41	71	93	99+	99+	99+										
13-17	17	38.9	497	4	7	41	58	71	73	73										
18-24	10	16.1	101	1	3	18	24	29	30	30	1	4.0		4	4	4	4	4	4	4
25-34	9	15.8	270	2	4	8	19	44	54	54	1	2.0		2	2	2	2	2	2	2
35-54	12	13.1	188	1	1	7	21	32	43	45	1	4.0		4	4	4	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	51	24.2	451	1	3	19	41	64	72	99+	3	3.3	2	2	2	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	5	8.6	12	5	5	7	11	14	14	14										
18-24	4	22.5	860	4	4	10	40	66	66	66	3	25.0	931	4	4	11	48	60	60	60
25-34	7	15.4	164	1	2	13	19	37	41	41	1	34.0		34	34	34	34	34	34	34
35-54	9	16.9	268	3	4	10	19	46	53	53	2	11.0	18	8	8	11	14	14	14	14
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	27	15.4	241	3	4	10	15	40	55	66	6	21.8	460	4	4	12	34	57	60	60
SUBTOTAL	**78**	**21.2**	**390**	**2**	**3**	**14**	**33**	**55**	**69**	**92**	**9**	**15.7**	**371**	**2**	**3**	**8**	**19**	**50**	**60**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	33.4	809	5	5	20	64	64	64	64										
13-17	8	39.0	689	2	3	43	61	67	68	68										
18-24	14	18.8	299	4	6	12	24	33	63	72	4	11.3	71	3	3	11	18	20	20	20
25-34	8	15.5	237	3	3	7	28	39	43	43										
35-54	7	12.6	216	1	1	7	15	38	44	44	1	5.0		5	5	5	5	5	5	5
55-74	2	8.5	85	2	2	8	15	15	15	15										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	45	21.7	448	2	3	14	29	64	66	72	5	10.0	62	3	3	5	18	20	20	20
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	2	6.0	2	5	5	6	7	7	7	7										
18-24	4	14.3	15	9	9	15	17	18	[illegible]	18										
25-34	5	16.8	163	3	3	22	25	32	[illegible]	32										
35-54	7	20.0	390	2	2	21	23	53	60	60	3	10.3	109	2	2	7	18	22	22	22
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	20	17.3	188	2	3	17	22	32	46	60	3	10.3	109	2	2	7	18	22	22	22
SUBTOTAL	**65**	**20.4**	**366**	**2**	**3**	**14**	**27**	**57**	**65**	**71**	**8**	**10.1**	**67**	**2**	**2**	**6**	**18**	**21**	**22**	**22**
GRAND TOTAL	**143**	**20.8**	**378**	**2**	**3**	**14**	**30**	**56**	**66**	**75**	**17**	**13.1**	**222**	**2**	**2**	**7**	**18**	**32**	**51**	**60**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	9	13.0	117	1	1	10	21	29	33	33	2	3.0	8	1	1	2	5	5	5	5
18-24	14	7.5	20	1	3	7	9	12	17	19	3	2.0	3	1	1	1	3	4	4	4
25-34	4	5.0	11	1	1	5	7	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54	5	6.8	20	2	2	6	9	14	14	14	3	6.3	10	3	3	7	8	9	9	9
55-74																						
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	33	8.4	51	1	2	7	10	19	23	33	9	3.7	8	1	1	3	5	8	9	9
B. FEMALE																						
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
13-17	4	4.5	8	2	2	4	7	7	7	7	1	1.0		1	1	1	1	1	1	1
18-24	2	5.0	8	3	3	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	4	6.3	43	1	1	4	10	16	16	16	1	4.0		4	4	4	4	4	4	4
35-54	5	20.0	215	5	5	12	34	39	39	39										
55-74																						
75 +																						
ALL AGES	16	9.8	119	1	2	6	12	30	37	39	4	2.8	4	1	1	2	4	5	5	5
SUBTOTAL	**49**	**8.9**	**71**	**1**	**2**	**7**	**11**	**20**	**32**	**39**	**13**	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	10	14.5	269	2	2	8	36	68	97	99 +										
18-24	14	8.6	26	1	2	9	12	15	17	18	1	7.0		7	7	7	7	7	7	7
25-34	12	9.4	47	2	2	8	14	19	22	23	2	1.0		1	1	1	1	1	1	1
35-54	9	12.9	149	1	1	11	23	32	36	36	3	5.7	12	2	2	6	8	9	9	9
55-74	3	9.7	13	7	7	8	12	14	14	14										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	50	11.3	105	1	2	10	15	27	42	99	6	4.3	12	1	1	4	7	9	9	9
B. FEMALE																						
0-12 YRS.	1	93.0		93	93	93	93	93	93	93										
13-17	5	18.0	146	3	3	20	27	33	33	33										
18-24	2	21.5	545	5	5	21	38	38	38	38										
25-34	4	14.5	212	4	4	9	23	36	36	36										
35-54	3	8.3	17	6	6	6	11	13	13	13	1	3.0		3	3	3	3	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +																						
ALL AGES	15	20.6	548	3	4	10	31	38	79	93	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**65**	**13.5**	**214**	**2**	**2**	**10**	**17**	**35**	**43**	**99**	**8**	**4.1**	**9**	**1**	**1**	**3**	**6**	**8**	**9**	**9**
GRAND TOTAL	**114**	**11.5**	**157**	**1**	**2**	**8**	**14**	**30**	**38**	**95**	**21**	**3.7**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**9**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	8.3	71	3	3	4	14	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	2	36.0	162	27	27	36	45	45	45	45										
18-24	2	35.5	1513	8	8	35	63	63	63	63										
25-34	5	8.6	13	3	3	11	11	11	11	11										
35-54	3	10.0	171	1	1	4	20	25	25	25	1	2.0		2	2	2	2	2	2	2
55-74	1	16.0		16	16	16	16	16	16	16	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	13	17.8	332	1	3	11	25	49	60	63	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**16**	**16.1**	**287**	**2**	**3**	**11**	**21**	**43**	**58**	**63**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	23.0	19	20	20	21	26	28	28	28										
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	2	23.0	338	10	10	23	36	36	36	36	3	10.7	119	2	2	7	19	23	23	23
35-54	4	11.0	53	3	3	11	17	19	19	19	1	4.0		4	4	4	4	4	4	4
55-74	1	5.0		5	5	5	5	5	5	5	1	40.0		40	40	40	40	40	40	40
75 +																				
ALL AGES	11	16.9	103	3	4	19	22	31	36	36	5	15.2	261	2	2	7	27	40	40	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.5	5	9	9	10	12	12	12	12	1	3.0		3	3	3	3	3	3	3
35-54	5	17.8	120	4	4	17	27	31	31	31										
55-74	2	44.0	128	36	36	44	52	52	52	52	1	5.0		5	5	5	5	5	5	5
75 +	2	15.5	221	5	5	15	26	26	26	26										
ALL AGES	11	20.8	223	4	5	17	30	42	51	52	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**22**	**18.9**	**157**	**4**	**5**	**18**	**26**	**36**	**43**	**52**	**7**	**12.0**	**204**	**2**	**2**	**5**	**19**	**37**	**40**	**40**
GRAND TOTAL	**38**	**17.7**	**208**	**3**	**3**	**13**	**26**	**36**	**49**	**63**	**9**	**9.9**	**170**	**2**	**2**	**4**	**11**	**33**	**40**	**40**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	6.0		6	6	6	6	6	6	6	2	3.0	8	1	1	2	5	5	5	5
25-34	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
35-54	3	8.7	113	2	2	3	16	21	21	21	4	4.0	10	1	1	3	6	8	8	8
55-74	1	9.0		9	9	9	9	9	9	9										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	8	5.9	44	2	2	3	7	17	21	21	8	3.5	6	1	1	3	5	7	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	37.5	1405	11	11	37	64	64	64	64	2	4.0	18	1	1	4	7	7	7	7
18-24	5	13.8	161	2	2	8	27	28	28	28	2	2.0	2	1	1	2	3	3	3	3
25-34	11	6.4	27	1	1	7	9	14	18	18	4	5.5	22	1	1	4	8	12	12	12
35-54	15	6.1	42	1	1	4	8	10	23	27	2	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	35	9.2	145	1	1	6	10	27	28	64	11	4.8	15	1	1	4	6	11	12	12
SUBTOTAL	**43**	**8.6**	**126**	**1**	**2**	**5**	**10**	**22**	**28**	**64**	**19**	**4.3**	**10**	**1**	**1**	**4**	**5**	**10**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	4.7	16	1	1	4	8	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	3	3.3	7	1	1	3	5	6	6	6	2	3.5	13	1	1	3	6	6	6	6
35-54	4	4.3	12	1	1	3	7	9	9	9	2	1.0		1	1	1	1	1	1	1
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	10	4.1	10	1	1	3	6	9	9	9	6	2.3	5	1	1	1	4	6	6	6
B. FEMALE																				
0-12 YRS.											1	83.0		83	83	83	83	83	83	83
13-17	6	20.3	185	5	5	20	27	40	42	42										
18-24	10	5.3	28	1	1	3	7	13	18	18										
25-34	14	7.9	46	1	1	6	13	19	20	20	3	6.3	58	1	1	3	12	15	15	15
35-54	17	8.9	53	1	2	7	13	22	24	24	6	5.5	14	1	1	5	8	11	11	11
55-74	2	8.0	98	1	1	8	15	15	15	15	1	6.0		6	6	6	6	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	49	9.2	77	1	1	7	15	22	24	42	12	12.0	517	1	1	5	9	35	76	83
SUBTOTAL	**59**	**8.4**	**68**	**1**	**1**	**6**	**12**	**20**	**24**	**41**	**18**	**8.8**	**358**	**1**	**1**	**4**	**6**	**14**	**56**	**83**
GRAND TOTAL	**102**	**8.4**	**93**	**1**	**1**	**6**	**10**	**20**	**27**	**53**	**37**	**6.5**	**179**	**1**	**1**	**4**	**6**	**11**	**14**	**83**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	8.8	24	3	3	9	13	13	13	13										
35-54	4	2.5	1	1	1	3	3	3	3	3										
55-74	2	12.5	181	3	3	12	22	22	22	22										
75 +																				
ALL AGES	12	6.1	42	1	1	3	9	16	21	22										
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3										
18-24	9	14.8	318	1	1	7	19	46	53	53	2	1.0		1	1	1	1	1	1	1
25-34	5	8.4	85	1	1	5	13	24	24	24	1	1.0		1	1	1	1	1	1	1
35-54	6	8.0	38	2	2	5	13	17	18	18										
55-74	1	3.0		3	3	3	3	3	3	3	2	7.5	13	5	5	7	10	10	10	10
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	24	10.6	158	1	2	5	13	25	41	53	5	3.6	16	1	1	1	6	10	10	10
SUBTOTAL	**36**	**9.1**	**122**	**1**	**1**	**4**	**13**	**23**	**32**	**53**	**5**	**3.6**	**16**	**1**	**1**	**1**	**6**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	7.3	61	3	3	4	11	19	19	19										
18-24	9	4.9	21	1	1	4	6	12	16	16										
25-34	15	6.5	29	1	1	6	11	14	17	18										
35-54	6	16.5	491	1	1	7	19	56	60	60										
55-74	4	2.5	1	2	2	2	3	4	4	4										
75 +																				
ALL AGES	38	7.3	106	1	1	4	8	17	19	60										
B. FEMALE																				
0-12 YRS.																				
13-17	3	13.3	179	2	2	10	23	28	28	28										
18-24	11	11.0	113	1	1	6	19	27	33	34	3	2.3	1	2	2	2	3	3	3	3
25-34	19	15.4	407	2	2	10	17	32	65	90	2	12.0	200	2	2	12	22	22	22	22
35-54	10	8.3	120	2	2	5	7	25	38	38	7	9.0	49	4	4	6	10	21	24	24
55-74	4	12.0	87	1	1	12	19	22	22	22	1	3.0		3	3	3	3	3	3	3
75 +											2	8.5	85	2	2	8	15	15	15	15
ALL AGES	47	12.4	230	1	2	6	16	28	35	90	15	7.6	53	2	2	5	10	22	23	24
SUBTOTAL	**85**	**10.2**	**177**	**1**	**1**	**5**	**13**	**22**	**34**	**79**	**15**	**7.6**	**53**	**2**	**2**	**5**	**10**	**22**	**23**	**24**
GRAND TOTAL	**121**	**9.8**	**161**	**1**	**1**	**5**	**13**	**22**	**34**	**69**	**20**	**6.6**	**45**	**1**	**1**	**4**	**9**	**18**	**23**	**24**

ANTISOCIAL PERSONALITY (301.7)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	7	4.3	4	2	2	5	6	7	7	7	1	1.0		1	1	1	1	1	1	1
18-24	21	4.9	23	1	1	3	6	13	17	17	1	8.0		8	8	8	8	8	8	8
25-34	12	5.0	26	1	1	3	6	13	18	19										
35-54	7	8.4	102	1	1	3	18	24	24	24	3	3.3	5	1	1	4	5	5	5	5
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +																					
ALL AGES	49	5.5	32	1	1	3	6	16	19	24	5	3.8	9	1	1	4	6	8	8	8
B. FEMALE																					
0-12 YRS.																					
13-17	5	23.8	1203	1	1	10	37	84	84	84											
18-24	5	3.6	7	1	1	3	4	8	8	8											
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54																					
55-74																					
75 +																					
ALL AGES	11	12.9	593	1	1	3	9	47	81	84	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**60**	**6.8**	**135**	**1**	**1**	**3**	**7**	**17**	**22**	**78**	**6**	**3.5**	**8**	**1**	**1**	**3**	**5**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	6	7.3	44	1	1	6	7	19	20	20	3	4.7	9	2	2	4	7	8	8	8
18-24	29	6.9	50	1	1	4	11	18	24	24	1	3.0		3	3	3	3	3	3	3
25-34	30	6.4	47	1	1	4	8	19	23	27	4	7.8	52	1	1	7	14	15	15	15
35-54	20	4.9	16	1	1	3	7	11	14	15	2	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	86	6.2	40	1	1	4	7	17	21	26	12	4.6	23	1	1	3	6	14	15	15
B. FEMALE																					
0-12 YRS.																					
13-17	3	21.7	708	2	2	11	42	52	52	52											
18-24	2	9.5	113	2	2	9	17	17	17	17											
25-34	5	14.2	246	1	1	7	29	34	34	34	1	5.0		5	5	5	5	5	5	5
35-54	1	35.0		35	35	35	35	35	35	35	2	3.0		3	3	3	3	3	3	3
55-74	1	4.0		4	4	4	4	4	4	4											
75 +	1	11.0		11	11	11	11	11	11	11											
ALL AGES	13	15.8	269	1	1	11	29	38	49	52	3	3.7	1	3	3	3	5	5	5	5
SUBTOTAL	**99**	**7.5**	**78**	**1**	**1**	**4**	**9**	**19**	**26**	**44**	**15**	**4.4**	**19**	**1**	**1**	**3**	**5**	**13**	**14**	**15**
GRAND TOTAL	**159**	**7.2**	**99**	**1**	**1**	**4**	**8**	**18**	**24**	**50**	**21**	**4.1**	**15**	**1**	**1**	**3**	**5**	**10**	**14**	**15**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	27.3	383	2	10	75	99+	99+	99+	99+	1	46.0		46	46	46	46	46	46	46
13-17	33	22.2	239	2	6	22	34	48	92	99+	5	25.2	429	2	2	24	40	54	54	54
18-24	44	8.2	87	1	1	5	8	23	30	39	8	5.8	16	2	2	5	8	12	13	13
25-34	57	10.0	135	1	1	6	12	21	40	56	5	3.2	11	1	1	2	4	9	9	9
35-54	30	9.2	92	1	1	7	14	20	33	39	1	9.0		9	9	9	9	9	9	9
55-74	7	6.3	17	2	2	4	9	12	13	13	2	10.5	145	2	2	10	19	19	19	19
75 +	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
ALL AGES	176	11.9	164	1	1	7	18	35	49	99+	23	11.6	220	1	2	6	12	38	49	54
B. FEMALE																				
0-12 YRS.	4	54.8	1350	12	12	57	85	92	92	92										
13-17	58	25.4	529	2	3	19	36	71	90	99+	6	15.7	467	1	1	2	41	45	46	46
18-24	118	10.9	113	1	2	8	14	22	44	66	6	12.7	102	3	3	11	20	27	28	28
25-34	187	10.5	138	1	1	7	14	26	37	70	11	12.0	120	1	2	9	16	30	37	38
35-54	110	11.4	120	1	1	7	16	27	38	44	4	2.5	1	1	1	3	3	3	3	3
55-74	10	13.9	87	1	4	13	17	28	35	35	5	6.4	53	1	1	3	9	19	19	19
75 +	2	25.5	221	15	15	25	36	36	36	36	1	1.0		1	1	1	1	1	1	1
ALL AGES	489	13.1	215	1	1	8	17	32	45	94	33	10.5	153	1	1	6	16	30	41	46
SUBTOTAL	**665**	**12.8**	**201**	**1**	**1**	**8**	**17**	**34**	**46**	**99+**	**56**	**10.9**	**178**	**1**	**1**	**6**	**14**	**35**	**44**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	17.7	257	6	6	11	30	36	36	36	1	38.0		38	38	38	38	38	38	38
13-17	18	25.5	568	2	2	23	42	59	79	87	2	2.5	1	2	2	2	3	3	3	3
18-24	62	8.4	86	1	1	5	10	21	31	40	8	4.4	8	1	1	4	6	8	9	9
25-34	83	7.2	53	1	1	4	10	15	26	31	7	8.3	198	1	1	3	5	33	40	40
35-54	46	10.6	170	1	1	7	14	22	28	78	3	3.3	7	1	1	3	5	6	6	6
55-74	7	8.3	14	3	3	8	12	13	13	13	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	219	9.9	151	1	1	6	13	27	32	70	22	6.9	113	1	1	4	6	18	39	40
B. FEMALE																				
0-12 YRS.	5	54.4	1406	14	14	41	92	98	98	98										
13-17	52	22.5	406	2	3	18	38	93	99+	99+	1	6.0		6	6	6	6	6	6	6
18-24	111	11.6	141	1	1	7	17	29	41	75	7	6.3	27	1	1	7	8	14	16	16
25-34	193	10.3	127	1	2	7	13	25	33	65	17	4.9	17	1	1	3	7	11	14	16
35-54	154	13.2	221	1	2	8	16	34	47	71	17	6.6	40	1	1	4	9	19	20	20
55-74	7	8.6	37	4	4	5	12	19	20	20	1	3.0		3	3	3	3	3	3	3
75 +	4	13.0	23	6	6	14	16	17	17	17										
ALL AGES	526	13.0	221	1	2	8	16	34	48	99+	43	5.8	26	1	1	4	8	14	17	20
SUBTOTAL	**745**	**12.1**	**202**	**1**	**2**	**7**	**15**	**30**	**43**	**98**	**65**	**6.2**	**54**	**1**	**1**	**4**	**7**	**14**	**20**	**40**
GRAND TOTAL	**1410**	**12.4**	**202**	**1**	**1**	**8**	**16**	**32**	**44**	**99+**	**121**	**8.4**	**116**	**1**	**1**	**4**	**9**	**20**	**38**	**48**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	3	17.0	183	3	3	18	27	30	30	30	1	1.0		1	1	1	1	1	1	1
13-17	6	38.7	1379	1	1	31	68	93	96	96										
18-24	13	10.0	171	1	1	7	9	28	45	49	3	4.0	9	1	1	4	6	7	7	7
25-34	15	5.7	30	1	1	4	8	13	18	20	6	6.7	81	1	1	3	9	22	24	24
35-54	3	25.0	883	4	4	12	47	59	59	59	1	1.0		1	1	1	1	1	1	1
55-74	3	15.7	33	9	9	18	19	20	20	20	1	4.0		4	4	4	4	4	4	4
75 +	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	44	14.2	395	1	1	7	18	37	62	96	13	4.9	40	1	1	4	6	12	22	24
B. FEMALE																					
0-12 YRS.																					
13-17	7	21.4	328	4	4	16	38	47	48	48	2	3.5	1	3	3	3	4	4	4	4
18-24	16	9.1	77	1	1	6	15	31	77	99 +	1	8.0		8	8	8	8	8	8	8
25-34	24	14.7	504	1	1	6	13	54	78	80	2	3.0	8	1	1	3	5	5	5	5
35-54	14	11.0	54	2	4	8	17	23	25	25	2	10.5	25	7	7	10	14	14	14	14
55-74	4	7.5	2	6	6	7	8	9	9	9	1	3.0		3	3	3	3	3	3	3
75 +											3	10.3	83	2	2	9	17	20	20	20
ALL AGES	65	12.8	256	1	1	7	16	33	56	97	11	6.9	33	1	2	5	9	16	20	20
SUBTOTAL	**109**	**13.4**	**309**	**1**	**1**	**7**	**16**	**35**	**59**	**98**	**24**	**5.8**	**37**	**1**	**1**	**4**	**8**	**15**	**21**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	63.0		63	63	81	99 +	99 +	99 +	99 +	1	8.0		8	8	8	8	8	8	8
13-17	9	10.9	245	1	1	6	12	37	50	50	1	1.0		1	1	1	1	1	1	1
18-24	15	8.0	65	1	1	6	11	15	28	32	4	2.5	6	1	1	2	4	6	6	6
25-34	20	9.6	97	1	1	6	14	20	31	42	4	6.3	19	2	2	6	10	11	11	11
35-54	11	6.6	32	1	1	6	11	43	92	99 +	7	2.1	2	1	1	2	3	4	4	4
55-74	5	11.4	27	3	3	13	14	17	17	17										
75 +																					
ALL AGES	61	9.9	136	1	1	7	13	23	55	99 +	17	3.5	10	1	1	2	5	9	10	11
B. FEMALE																					
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	14	17.6	285	2	4	10	22	48	53	55	1	49.0		49	49	49	49	49	49	49
18-24	12	6.7	30	1	1	6	9	15	18	19	3	8.0	49	3	3	5	13	16	16	16
25-34	22	9.0	50	1	2	6	15	20	21	21	5	4.6	25	1	1	3	7	13	13	13
35-54	11	8.4	26	1	1	10	14	41	91	99 +	9	11.6	154	1	1	9	18	70	99 +	99 +
55-74	8	12.4	246	1	1	5	20	39	43	43	1	64.0		64	64	64	64	64	64	64
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	67	10.7	122	1	1	8	14	22	43	92	21	13.0	297	1	1	6	18	53	78	99 +
SUBTOTAL	**128**	**10.3**	**128**	**1**	**1**	**7**	**14**	**22**	**47**	**99 +**	**38**	**8.7**	**189**	**1**	**1**	**4**	**9**	**31**	**57**	**99 +**
GRAND TOTAL	**237**	**11.7**	**213**	**1**	**1**	**7**	**15**	**30**	**50**	**99 +**	**62**	**7.6**	**130**	**1**	**1**	**4**	**9**	**19**	**43**	**95**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	23.0		23	23	23	23	23	23	23										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
SUBTOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**										
GRAND TOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**										

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	39.0		39	39	39	39	39	39	39										
25-34	1	8.0		8	8	8	8	8	8	8	2	7.5	85	1	1	7	14	14	14	14
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	17.3	356	5	5	8	31	39	39	39	2	7.5	85	1	1	7	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**17.3**	**356**	**5**	**5**	**8**	**31**	**39**	**39**	**39**	**2**	**7.5**	**85**	**1**	**1**	**7**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	91.0		91	91	91	91	91	91	91	1	39.0		39	39	39	39	39	39	39
18-24																				
25-34	5	4.8	7	2	2	4	6	9	9	9	2	13.0	200	3	3	13	23	23	23	23
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	8	20.1	921	2	3	7	23	74	91	91	3	21.7	323	3	3	23	35	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**8**	**20.1**	**921**	**2**	**3**	**7**	**23**	**74**	**91**	**91**	**3**	**21.7**	**323**	**3**	**3**	**23**	**35**	**39**	**39**	**39**
GRAND TOTAL	**11**	**19.4**	**715**	**2**	**3**	**8**	**28**	**60**	**88**	**91**	**5**	**16.0**	**244**	**1**	**1**	**14**	**27**	**39**	**39**	**39**

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.5	1	5	5	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**3**	**5.3**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	23.0	98	16	16	23	30	30	30	30										
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.0	98	16	16	23	30	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**23.0**	**98**	**16**	**16**	**23**	**30**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.5	61	4	4	9	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**9.5**	**61**	**4**	**4**	**9**	**15**	**15**	**15**	**15**										
GRAND TOTAL	**4**	**16.3**	**111**	**4**	**4**	**15**	**23**	**30**	**30**	**30**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18	2	57.0	1800	27	27	57	87	87	87	87
25-34	5	5.4	22	1	1	3	10	11	11	11	14	7.6	36	1	1	7	14	16	16	16
35-54	3	13.0	67	6	6	11	19	22	22	22	12	9.6	82	1	1	6	14	21	30	32
55-74											2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	9	9.3	53	1	1	10	13	20	22	22	30	11.5	264	1	1	7	14	22	32	87
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	7	8.1	8	2	3	9	9	10	10	10
25-34	3	11.3	58	6	6	8	17	20	20	20	44	9.2	29	2	6	9	9	10	12	41
35-54											41	7.3	10	1	2	9	9	9	10	12
55-74	1	32.0		32	32	32	32	32	32	32	3	7.7	5	5	5	9	9	9	9	9
75 +																				
ALL AGES	5	14.0	140	4	4	5	23	32	32	32	95	8.3	18	2	2	9	9	9	10	30
SUBTOTAL	**14**	**11.0**	**80**	**1**	**2**	**9**	**18**	**23**	**30**	**32**	**125**	**9.0**	**79**	**1**	**2**	**9**	**9**	**12**	**16**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**15**	**10.5**	**79**	**1**	**2**	**8**	**16**	**22**	**29**	**32**	**125**	**9.0**	**79**	**1**	**2**	**9**	**9**	**12**	**16**	**52**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	27.5	685	9	9	27	46	46	46	46										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	27.5	685	9	9	27	46	46	46	46										
GRAND TOTAL	2	27.5	685	9	9	27	46	46	46	46										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	23	2.3	4	1	1	2	3	5	7	9	16	2.7	3	1	1	2	4	5	6	6
55-74	33	3.2	5	1	1	3	4	6	6	12	40	2.7	2	1	1	2	4	4	5	8
75 +	1	2.0		2	2	2	2	2	2	2	5	1.8	1	1	1	2	2	3	3	3
ALL AGES	60	2.8	4	1	1	2	4	5	6	12	62	2.6	2	1	1	2	4	4	5	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	60	2.8	4	1	1	2	4	5	6	12	62	2.6	2	1	1	2	4	4	5	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	2	2.0	2	1	1	2	3	3	3	3										
75 +																				
ALL AGES	3	7.7	97	1	1	3	15	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	7.7	97	1	1	3	15	19	19	19										
GRAND TOTAL	63	3.0	9	1	1	2	4	6	7	18	62	2.6	2	1	1	2	4	4	5	8

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	4	13.5	162	3	3	9	21	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**11.2**	**148**	**2**	**2**	**9**	**15**	**32**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24											1	3.0		3	3	3	3	3	3	3
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	16.0	338	3	3	16	29	29	29	29	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54											1	11.0		11	11	11	11	11	11	11
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	2	11.0	72	5	5	11	17	17	17	17	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**4**	**13.5**	**145**	**3**	**3**	**11**	**23**	**29**	**29**	**29**	**3**	**5.7**	**21**	**3**	**3**	**3**	**9**	**11**	**11**	**11**
GRAND TOTAL	**9**	**12.2**	**130**	**2**	**2**	**9**	**20**	**31**	**32**	**32**	**3**	**5.7**	**21**	**3**	**3**	**3**	**9**	**11**	**11**	**11**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**2**	**9.5**	**145**	**1**	**1**	**9**	**18**	**18**	**18**	**18**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	3	8.0	109	1	1	3	16	20	20	20
13-17	25	3.1	35	1	1	1	2	4	17	29	44	2.6	44	1	1	1	2	3	4	45
18-24	133	4.2	26	1	1	2	4	10	20	22	70	3.6	29	1	1	2	4	6	11	31
25-34	504	5.0	36	1	1	3	6	11	22	26	277	4.6	41	1	1	3	4	7	24	31
35-54	1072	5.9	45	1	1	4	6	14	22	31	618	4.8	37	1	1	3	5	7	21	31
55-74	419	6.4	50	1	2	4	6	16	24	31	322	5.3	35	1	1	4	5	10	21	31
75 +	33	5.5	20	1	1	5	7	13	15	18	46	6.0	110	1	2	4	6	11	13	72
ALL AGES	2187	5.7	42	1	1	3	6	13	22	30	1380	4.8	40	1	1	3	5	8	21	31
B. FEMALE																				
0-12 YRS.																				
13-17	22	3.2	14	1	1	2	4	9	12	16	22	6.5	168	1	1	1	2	34	40	44
18-24	33	5.9	48	1	1	3	6	15	21	31	37	3.5	18	1	1	2	4	6	15	21
25-34	160	5.5	48	1	1	3	6	19	23	30	79	4.7	37	1	1	3	5	10	22	31
35-54	262	5.8	42	1	2	4	6	13	23	30	142	5.0	42	1	1	3	5	9	23	32
55-74	106	7.7	69	1	1	4	7	23	28	33	95	5.2	36	1	1	3	6	10	19	32
75 +	7	6.7	61	2	2	5	6	20	24	24	12	4.3	11	1	1	4	5	10	12	12
ALL AGES	590	6.0	48	1	1	3	6	16	24	31	387	4.9	43	1	1	3	5	10	21	33
SUBTOTAL	**2777**	**5.7**	**44**	**1**	**1**	**3**	**6**	**14**	**22**	**30**	**1767**	**4.8**	**41**	**1**	**1**	**3**	**5**	**9**	**21**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	4.7	30	1	1	2	9	11	11	11	2	13.0	242	2	2	13	24	24	24	24
13-17	39	8.4	137	1	1	3	7	30	36	41	31	14.8	169	1	1	12	26	32	34	46
18-24	270	7.5	65	1	1	5	7	22	26	32	234	11.7	116	1	1	6	22	28	30	42
25-34	1111	6.6	50	1	1	5	6	18	25	30	829	12.0	106	1	2	7	21	28	30	39
35-54	1920	6.7	45	1	2	6	6	13	23	30	1556	9.3	82	1	2	5	14	25	28	31
55-74	569	7.9	59	2	2	6	8	20	26	35	704	8.5	76	2	2	5	10	23	28	32
75 +	46	8.7	39	1	2	7	11	19	23	27	66	10.1	146	2	2	5	12	28	30	72
ALL AGES	3958	6.9	51	1	2	6	6	17	24	31	3422	10.0	93	1	2	5	15	26	29	35
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	21	5.5	59	1	1	2	6	16	27	30	22	19.7	514	1	1	9	35	47	65	84
18-24	101	6.4	52	1	1	5	6	19	23	35	82	13.0	128	1	1	8	22	29	32	41
25-34	339	6.9	48	1	2	5	6	17	26	30	321	10.5	102	1	2	5	21	27	30	36
35-54	550	6.6	50	1	1	5	6	14	25	34	453	9.8	94	1	2	5	17	26	30	34
55-74	169	7.5	51	1	2	5	8	17	27	31	249	10.5	123	1	2	5	16	27	30	37
75 +	19	7.3	48	2	3	5	7	14	26	32	24	8.1	75	1	1	4	11	24	30	31
ALL AGES	1199	6.8	50	1	1	5	6	16	25	32	1152	10.5	115	1	2	5	21	27	30	38
SUBTOTAL	**5157**	**6.9**	**51**	**1**	**2**	**5**	**6**	**17**	**24**	**31**	**4574**	**10.1**	**99**	**1**	**2**	**5**	**17**	**26**	**29**	**36**
GRAND TOTAL	**7934**	**6.5**	**48**	**1**	**1**	**5**	**6**	**16**	**23**	**31**	**6341**	**8.6**	**89**	**1**	**1**	**4**	**11**	**24**	**29**	**35**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	13.0	150	2	2	8	20	33	37	37	2	15.0	288	3	3	15	27	27	27	27
13-17	95	27.1	310	1	4	28	35	43	55	84	77	23.7	229	1	3	28	33	42	45	61
18-24	437	16.1	131	1	2	17	28	29	31	37	344	15.5	125	1	2	16	27	29	31	38
25-34	1741	14.1	120	2	2	9	26	29	30	35	1307	15.4	120	2	2	16	27	29	30	37
35-54	3395	13.8	116	2	3	8	25	28	30	35	2393	14.8	127	2	3	12	27	29	30	37
55-74	1158	14.1	113	2	3	10	24	29	31	35	1078	14.8	121	2	3	13	26	29	31	39
75 +	61	14.3	95	2	3	14	22	28	30	35	59	15.2	131	2	3	14	24	29	30	54
ALL AGES	6895	14.3	121	2	3	9	25	29	31	36	5260	15.1	127	2	2	14	27	29	30	39
B. FEMALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6	2	14.5	365	1	1	14	28	28	28	28
13-17	50	25.7	247	1	3	29	38	44	45	62	49	23.7	216	1	3	28	30	43	47	57
18-24	137	16.8	140	2	3	20	28	30	32	47	116	16.4	146	2	2	16	28	31	35	42
25-34	519	13.3	114	1	3	8	25	28	30	34	403	13.7	117	1	2	11	23	28	30	37
35-54	836	14.2	115	2	3	10	25	29	30	36	679	14.6	122	2	3	10	26	29	31	38
55-74	407	16.6	111	2	4	17	27	29	31	37	355	15.3	125	2	3	14	26	29	32	42
75 +	30	13.6	94	1	3	11	23	30	31	99 +	32	12.1	121	1	2	7	21	28	33	37
ALL AGES	1981	14.9	123	2	3	11	26	29	31	41	1636	14.9	128	2	2	12	26	29	31	41
SUBTOTAL	**8876**	**14.4**	**123**	**2**	**3**	**10**	**26**	**29**	**31**	**37**	**6896**	**15.1**	**126**	**2**	**2**	**14**	**27**	**29**	**31**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	17.5	290	8	8	9	26	43	43	43	5	23.6	202	3	3	26	31	42	42	42
13-17	477	28.3	232	3	6	28	42	45	49	77	343	26.0	200	3	5	28	34	44	50	58
18-24	831	18.4	126	2	3	21	28	30	33	45	747	18.6	137	2	3	21	28	31	37	42
25-34	2204	16.5	119	2	3	19	27	29	31	37	1910	16.9	128	2	3	20	27	30	32	42
35-54	2292	15.0	110	2	3	13	24	28	30	38	1629	14.3	119	2	3	10	25	29	30	42
55-74	583	15.6	125	3	3	13	25	30	32	41	482	13.5	103	2	3	10	22	28	30	38
75 +	41	13.8	95	2	3	11	22	28	30	35	47	13.1	112	2	2	12	21	29	35	41
ALL AGES	6432	17.0	136	2	3	18	27	30	34	46	5163	16.6	137	2	3	18	27	30	35	43
B. FEMALE																				
0-12 YRS.	2	11.0	2	10	10	11	12	12	12	12										
13-17	259	27.6	205	4	7	28	37	43	46	71	200	26.7	187	3	6	28	36	43	47	61
18-24	318	18.9	121	2	3	22	28	30	35	42	327	18.0	133	2	3	21	28	30	35	43
25-34	767	15.9	122	2	3	17	26	29	31	39	686	16.5	121	2	3	18	27	29	31	42
35-54	687	15.2	121	2	3	14	25	29	32	41	589	14.8	120	2	3	14	24	29	31	39
55-74	263	17.7	145	2	3	16	28	32	35	48	239	16.0	127	2	3	14	26	30	34	43
75 +	21	13.7	134	1	2	9	26	28	34	41	29	14.0	116	1	2	10	23	27	31	40
ALL AGES	2317	17.6	147	2	3	19	28	31	36	46	2070	17.1	142	2	3	20	27	30	36	45
SUBTOTAL	**8749**	**17.1**	**141**	**2**	**3**	**18**	**27**	**30**	**35**	**46**	**7233**	**16.7**	**140**	**2**	**3**	**18**	**27**	**30**	**35**	**41**
GRAND TOTAL	**17625**	**15.8**	**132**	**2**	**3**	**14**	**26**	**29**	**32**	**43**	**14129**	**15.9**	**134**	**2**	**3**	**15**	**27**	**29**	**32**	**42**

OPIOID TYPE DEPENDENCE (304.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	14	5.1	16	1	2	3	7	12	14	14	27	7.3	73	1	1	4	6	27	29	29
25-34	111	10.3	83	2	2	5	16	27	28	33	123	10.1	104	2	3	5	14	27	32	42
35-54	122	10.7	89	2	2	6	17	28	29	34	100	9.4	98	1	2	5	11	26	28	44
55-74	11	7.9	33	3	3	6	10	18	20	20	5	10.6	56	3	3	10	13	23	23	23
75 +											3	4.7	4	3	3	4	6	7	7	7
ALL AGES	259	10.1	80	2	2	6	15	27	29	33	258	9.5	96	1	2	5	11	27	29	43
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
18-24	19	9.3	64	1	2	6	13	19	27	32	13	10.2	216	1	3	5	8	27	51	56
25-34	101	10.4	124	1	2	5	13	30	36	41	87	8.8	95	1	1	5	9	27	29	41
35-54	59	10.9	106	1	2	5	21	28	29	36	40	10.0	94	2	2	5	12	28	31	34
55-74	9	12.4	93	3	3	10	18	28	28	28	12	9.8	118	1	1	4	21	27	27	27
75 +	1	7.0		7	7	7	7	7	7	7	2	11.0	98	4	4	11	18	18	18	18
ALL AGES	191	10.5	108	1	2	5	15	28	32	40	155	9.3	103	1	1	5	10	27	29	42
SUBTOTAL	**450**	**10.2**	**93**	**2**	**2**	**6**	**15**	**28**	**30**	**38**	**413**	**9.4**	**99**	**1**	**2**	**5**	**10**	**27**	**29**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											4	11.3	191	3	3	5	19	32	32	32
18-24	28	13.6	199	1	1	7	25	32	37	55	26	9.1	74	1	2	5	15	24	24	25
25-34	240	11.5	89	2	2	7	21	25	28	35	202	11.2	86	2	3	7	21	25	28	36
35-54	234	12.2	84	3	3	9	20	27	29	34	142	11.7	102	2	3	6	21	28	30	40
55-74	11	11.5	86	2	4	8	17	28	28	28	6	9.7	37	5	5	8	8	21	22	22
75 +											2	15.5	113	8	8	15	23	23	23	23
ALL AGES	513	11.9	93	2	2	8	21	27	29	35	382	11.3	90	2	3	6	21	25	29	39
B. FEMALE																				
0-12 YRS.																				
13-17	4	12.5	76	6	6	9	18	25	25	25	2	2.5	5	1	1	2	4	4	4	4
18-24	25	11.7	111	1	2	8	21	29	33	35	27	11.7	71	4	4	7	19	25	27	28
25-34	199	11.4	101	1	2	7	17	28	33	40	128	12.7	106	2	3	8	21	28	31	45
35-54	106	13.6	102	3	3	9	22	29	31	36	63	11.7	78	3	4	8	20	26	28	33
55-74	23	15.4	122	1	2	13	26	29	33	34	14	11.0	74	2	3	8	12	28	28	28
75 +	3	27.3	28	22	22	28	31	32	32	32	2	16.0	162	7	7	16	25	25	25	25
ALL AGES	360	12.5	104	2	2	8	21	28	32	38	236	12.1	93	3	3	8	20	28	29	39
SUBTOTAL	**873**	**12.1**	**99**	**2**	**2**	**8**	**21**	**28**	**31**	**37**	**618**	**11.6**	**91**	**2**	**3**	**7**	**21**	**26**	**29**	**39**
GRAND TOTAL	**1323**	**11.5**	**97**	**2**	**2**	**7**	**20**	**28**	**30**	**37**	**1031**	**10.7**	**96**	**2**	**2**	**6**	**17**	**27**	**29**	**41**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	6.7	41	2	2	4	11	14	14	14	7	15.1	170	4	4	6	27	33	34	34
25-34	12	11.3	104	1	2	8	17	29	31	31	8	12.5	124	1	2	8	23	28	29	29
35-54	14	11.2	88	1	1	9	15	28	31	32	11	15.8	118	6	6	14	20	34	39	40
55-74	10	12.3	84	3	3	10	18	27	27	27	8	5.5	17	1	2	4	7	12	14	14
75 +	2	8.0	72	2	2	8	14	14	14	14										
ALL AGES	41	11.0	82	1	2	8	14	27	29	32	34	12.5	113	2	3	7	21	29	33	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	4	4.5	4	3	3	4	6	7	7	7
25-34	28	19.0	75	6	8	20	26	29	33	34	22	8.9	79	2	3	5	9	24	31	33
35-54	25	19.3	110	3	6	22	28	32	33	34	38	13.4	109	3	4	10	21	28	37	42
55-74	20	16.0	104	3	4	17	24	29	32	34	26	18.5	174	3	4	17	28	33	44	50
75 +	3	18.3	27	13	13	19	22	23	23	23	6	13.5	79	2	2	16	21	21	21	21
ALL AGES	77	18.1	92	4	5	21	27	30	33	34	96	13.4	125	3	3	9	21	29	33	46
SUBTOTAL	**118**	**15.6**	**101**	**2**	**4**	**13**	**25**	**29**	**32**	**34**	**130**	**13.2**	**120**	**3**	**3**	**8**	**21**	**29**	**33**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24	4	12.8	138	2	2	10	22	28	28	28	10	16.7	286	2	2	10	24	43	55	55
25-34	41	10.4	70	1	2	7	17	21	26	34	41	11.7	122	2	3	6	14	30	38	42
35-54	44	16.8	144	3	3	15	26	36	43	99+	25	12.4	110	2	4	8	22	28	32	42
55-74	23	19.7	138	2	3	21	29	31	39	44	13	18.3	166	5	6	15	28	41	43	43
75 +	2	21.0	162	12	12	21	30	30	30	30	2	25.0	32	21	21	25	29	29	29	29
ALL AGES	115	15.3	130	2	3	13	23	30	39	68	91	13.7	143	2	4	9	22	30	42	50
B. FEMALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24	10	14.8	185	3	3	10	25	36	44	44	7	4.1	5	1	1	4	5	7	8	8
25-34	49	13.7	107	2	3	9	23	28	30	33	58	12.6	87	2	3	9	21	26	29	36
35-54	83	15.2	101	2	3	13	25	29	30	35	73	17.9	153	1	4	17	27	33	38	56
55-74	46	20.4	210	5	7	17	27	34	41	82	39	16.2	119	3	4	13	25	30	31	46
75 +	17	17.2	75	4	4	18	23	28	30	31	3	9.7	55	1	1	14	14	14	14	14
ALL AGES	205	16.1	134	2	3	15	24	29	31	53	181	15.1	126	2	3	13	25	30	34	45
SUBTOTAL	**320**	**15.8**	**133**	**2**	**3**	**14**	**24**	**29**	**34**	**55**	**272**	**14.6**	**133**	**2**	**3**	**10**	**23**	**30**	**35**	**45**
GRAND TOTAL	**438**	**15.8**	**122**	**2**	**3**	**14**	**24**	**29**	**33**	**45**	**402**	**14.2**	**127**	**2**	**3**	**10**	**23**	**29**	**35**	**44**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	9	11.6	117	3	3	5	23	28	30	30	4	8.5	6	6	6	8	10	12	12	12
18-24	180	12.2	100	1	3	7	21	28	30	34	155	13.4	97	2	3	12	22	28	28	35
25-34	483	13.3	104	2	3	10	21	28	30	34	497	14.0	107	2	3	12	22	28	30	41
35-54	162	14.3	95	3	3	14	22	28	29	33	177	15.0	102	2	3	15	22	28	31	42
55-74	5	20.4	135	1	1	23	27	32	32	32	4	12.8	114	2	2	13	22	22	22	22
75 +	3	18.7	262	1	1	22	30	33	33	33										
ALL AGES	842	13.3	102	2	3	9	21	28	30	34	838	14.1	102	2	3	13	22	28	30	41
B. FEMALE																				
0-12 YRS.																				
13-17	8	7.3	15	1	2	7	9	13	14	14	3	11.7	205	1	1	6	22	28	28	28
18-24	139	9.9	72	2	2	6	17	24	28	30	120	11.1	94	2	3	6	20	27	29	35
25-34	311	11.1	84	2	3	6	20	27	28	30	247	10.6	90	2	3	6	17	27	29	37
35-54	45	14.3	77	3	3	14	21	25	29	31	51	11.4	93	2	3	7	21	23	28	42
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	504	11.0	80	2	3	6	20	25	28	30	421	10.8	93	2	3	6	18	27	29	37
SUBTOTAL	**1346**	**12.4**	**96**	**2**	**3**	**8**	**21**	**28**	**29**	**32**	**1259**	**13.0**	**101**	**2**	**3**	**9**	**22**	**28**	**30**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	8.5	61	3	3	8	14	14	14	14										
13-17	19	21.3	276	2	3	19	31	43	54	63	14	19.7	208	2	4	25	31	36	43	45
18-24	334	15.6	114	2	3	17	25	29	30	39	297	17.8	100	2	3	21	23	29	32	42
25-34	939	15.4	103	2	3	17	23	28	30	35	796	16.5	107	2	3	17	24	29	31	42
35-54	445	14.8	87	2	3	17	22	28	28	30	291	15.4	104	3	3	15	23	28	30	42
55-74	8	13.8	83	3	4	10	23	26	27	27	8	14.1	55	4	5	12	21	24	25	25
75 +																				
ALL AGES	1747	15.4	101	2	3	17	23	28	30	35	1406	16.5	108	2	3	18	23	29	31	42
B. FEMALE																				
0-12 YRS.																				
13-17	24	19.6	273	1	3	14	35	44	45	45	13	25.2	327	1	2	28	43	49	50	50
18-24	198	14.2	96	2	2	13	23	28	29	31	173	14.4	129	2	3	11	22	29	35	47
25-34	372	13.1	95	2	3	9	21	28	29	34	298	14.3	125	2	3	10	24	29	31	42
35-54	88	14.5	97	2	4	12	21	28	30	37	58	14.4	102	2	3	14	22	28	30	41
55-74	2	16.5	85	10	10	16	23	23	23	23	1	10.0		10	10	10	10	10	10	10
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	685	13.8	103	2	3	11	22	28	30	37	543	14.6	130	2	3	12	23	29	32	48
SUBTOTAL	**2432**	**14.9**	**103**	**2**	**3**	**15**	**23**	**28**	**30**	**36**	**1949**	**16.0**	**114**	**2**	**3**	**15**	**23**	**29**	**31**	**42**
GRAND TOTAL	**3778**	**14.0**	**102**	**2**	**3**	**12**	**22**	**28**	**29**	**34**	**3208**	**14.8**	**112**	**2**	**3**	**14**	**23**	**28**	**31**	**42**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											3	20.3	228	3	3	28	29	30	30	30
13-17	58	28.9	222	4	9	33	42	46	52	96	41	25.6	129	3	4	29	31	40	43	46
18-24	26	21.1	143	3	3	27	30	31	34	42	29	19.7	152	1	2	25	29	30	41	42
25-34	43	20.5	90	3	5	22	28	30	31	38	29	17.0	91	4	4	18	26	29	30	31
35-54	6	21.7	47	9	10	23	27	28	28	28	8	17.3	125	4	4	18	28	30	30	30
55-74																				
75 +																				
ALL AGES	133	24.3	171	3	6	26	32	42	45	65	110	21.0	137	3	4	24	29	32	41	45
B. FEMALE																				
0-12 YRS.																				
13-17	10	19.0	157	4	4	18	29	36	36	36	14	22.2	128	2	2	29	30	31	32	33
18-24	6	22.5	59	14	14	23	29	31	31	31	9	20.8	142	3	3	22	30	35	38	38
25-34	6	16.3	125	1	1	19	25	28	28	28	10	13.3	116	3	3	7	22	29	30	30
35-54	4	20.0	139	3	3	24	28	28	28	28	5	19.6	253	2	2	28	31	36	36	36
55-74																				
75 +																				
ALL AGES	26	19.3	116	3	4	22	28	31	36	36	38	19.2	144	2	3	22	30	31	35	38
SUBTOTAL	**159**	**23.5**	**164**	**3**	**5**	**25**	**31**	**42**	**43**	**57**	**148**	**20.6**	**136**	**2**	**3**	**23**	**29**	**32**	**38**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29	1	2.0		2	2	2	2	2	2	2
13-17	182	28.3	243	2	7	28	40	45	50	71	197	27.5	195	2	6	28	36	44	49	61
18-24	111	21.4	138	2	4	24	28	32	42	52	113	23.8	151	4	5	24	30	40	44	57
25-34	89	17.9	124	1	2	22	28	30	31	40	89	19.8	120	2	3	21	28	30	39	42
35-54	30	20.8	77	4	5	23	28	30	32	33	31	20.3	102	3	5	22	28	31	33	42
55-74											2	10.5	41	6	6	10	15	15	15	15
75 +																				
ALL AGES	413	23.7	192	2	3	25	30	42	45	63	433	24.3	171	2	5	26	31	42	45	56
B. FEMALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-17	64	31.3	291	3	5	35	43	51	58	61	67	30.2	149	6	12	30	36	45	49	66
18-24	26	18.3	120	3	4	22	28	30	32	34	34	21.6	143	3	4	26	29	32	42	44
25-34	37	19.4	96	2	3	22	26	30	30	31	27	21.6	96	4	6	25	29	30	33	40
35-54	9	18.9	110	2	5	22	27	32	34	34	3	21.0	16	17	17	21	24	25	25	25
55-74																				
75 +																				
ALL AGES	136	24.7	231	2	4	25	35	45	51	59	132	25.9	149	4	6	28	31	41	45	60
SUBTOTAL	**549**	**23.9**	**204**	**2**	**4**	**25**	**30**	**42**	**46**	**63**	**565**	**24.7**	**165**	**3**	**5**	**27**	**31**	**42**	**45**	**57**
GRAND TOTAL	**708**	**23.8**	**195**	**2**	**4**	**25**	**30**	**42**	**46**	**62**	**713**	**23.8**	**164**	**3**	**5**	**26**	**30**	**41**	**44**	**56**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	1.0		1	1	1	1	1	1	1	2	5.5	41	1	1	5	10	10	10	10
18-24	11	18.3	149	1	1	22	29	31	34	34	13	10.8	69	1	1	11	17	22	24	25
25-34	19	12.1	122	1	1	6	22	29	30	30	20	18.2	172	2	3	22	30	34	36	37
35-54	2	13.5	265	2	2	13	25	25	25	25	7	22.6	179	4	4	26	29	39	41	41
55-74																						
75 +																						
ALL AGES	33	13.9	138	1	1	11	26	29	30	34	42	16.0	152	1	2	14	27	31	36	41
B. FEMALE																						
0-12 YRS.																						
13-17	1	53.0		53	53	53	53	53	53	53	1	21.0		21	21	21	21	21	21	21
18-24	14	13.9	123	1	1	10	26	28	30	31	10	17.7	205	2	2	16	28	37	45	45
25-34	16	16.9	123	2	3	20	27	29	30	31	17	14.4	138	1	2	9	28	30	32	32
35-54	1	4.0		4	4	4	4	4	4	4	4	11.3	133	3	3	7	19	28	28	28
55-74	3	11.7	201	2	2	5	22	28	28	28	2	32.0	72	26	26	32	38	38	38	38
75 +																						
ALL AGES	35	15.9	162	1	2	14	27	29	31	53	34	16.2	159	2	3	14	28	31	37	45
SUBTOTAL	**68**	**14.9**	**150**	**1**	**2**	**12**	**26**	**29**	**31**	**50**	**76**	**16.1**	**153**	**2**	**2**	**14**	**27**	**31**	**36**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	5	30.0	242	5	5	30	42	44	44	44	6	11.8	178	1	1	6	22	33	34	34
18-24	25	21.6	80	2	6	23	28	30	32	32	46	21.5	112	3	4	26	29	31	33	42
25-34	50	18.9	126	2	3	22	29	30	32	36	68	17.1	144	1	1	19	28	31	33	38
35-54	21	16.1	118	2	2	20	27	29	30	31	16	18.4	142	2	5	21	29	29	36	39
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																						
ALL AGES	103	19.3	125	2	3	22	28	30	32	43	136	18.5	137	1	2	22	28	31	34	40
B. FEMALE																						
0-12 YRS.																						
13-17	1	55.0		55	55	55	55	55	55	55	5	22.4	110	5	5	24	30	32	32	32
18-24	19	17.5	153	1	3	21	27	32	36	38	26	12.5	90	2	3	9	21	27	28	29
25-34	36	17.5	120	3	4	17	27	30	34	43	47	15.8	139	1	2	15	28	30	32	34
35-54	10	24.7	100	4	9	25	30	36	41	41	9	20.4	129	5	5	21	29	34	35	35
55-74	3	24.7	202	9	9	28	35	37	37	37										
75 +																						
ALL AGES	69	19.4	148	3	3	21	28	33	38	53	87	15.6	128	2	2	14	27	30	32	35
SUBTOTAL	**172**	**19.3**	**135**	**2**	**3**	**22**	**28**	**31**	**35**	**44**	**223**	**17.4**	**134**	**1**	**2**	**20**	**28**	**30**	**33**	**39**
GRAND TOTAL	**240**	**18.1**	**141**	**2**	**2**	**21**	**28**	**30**	**33**	**45**	**299**	**17.1**	**138**	**1**	**2**	**20**	**28**	**30**	**33**	**40**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24																				
25-34											1	13.0		13	13	13	13	13	13	13
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**2**	**43.5**	**5**	**42**	**42**	**43**	**45**	**45**	**45**	**45**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	33.8	368	5	5	42	45	45	45	45	4	46.8	177	29	29	49	57	60	60	60
18-24	8	13.3	240	2	2	4	22	38	45	45	3	11.7	111	2	2	10	20	23	23	23
25-34	2	13.5	265	2	2	13	25	25	25	25	4	4.3		4	4	4	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	14	19.1	330	2	2	14	40	45	45	45	11	21.7	482	2	3	10	40	56	60	60
B. FEMALE																				
0-12 YRS.																				
13-17	7	19.0	347	1	1	9	35	43	45	45	1	8.0		8	8	8	8	8	8	8
18-24											2	5.5	1	5	5	5	6	6	6	6
25-34											4	8.5	71	3	3	5	13	21	21	21
35-54																				
55-74																				
75 +																				
ALL AGES	7	19.0	347	1	1	9	35	43	45	45	7	7.6	37	3	3	6	8	18	21	21
SUBTOTAL	**21**	**19.1**	**317**	**1**	**1**	**9**	**36**	**45**	**45**	**45**	**18**	**16.2**	**347**	**2**	**3**	**6**	**23**	**51**	**58**	**60**
GRAND TOTAL	**23**	**21.2**	**339**	**1**	**2**	**22**	**41**	**45**	**45**	**45**	**19**	**16.1**	**326**	**2**	**3**	**6**	**22**	**50**	**57**	**60**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.0	288	19	19	31	43	43	43	43										
13-17	2	21.5	613	4	4	21	39	39	39	39	2	37.5	85	31	31	37	44	44	44	44
18-24	2	12.5	145	4	4	12	21	21	21	21	5	11.2	153	1	1	5	23	27	27	27
25-34	6	15.3	186	3	3	10	32	32	32	32	9	6.9	45	1	1	4	10	19	21	21
35-54	10	5.5	60	2	2	3	5	17	27	27	7	13.9	259	1	1	4	26	39	41	41
55-74											6	10.7	95	1	1	7	16	27	28	28
75 +																				
ALL AGES	22	12.6	185	2	2	5	21	34	41	43	29	12.2	167	1	1	5	21	30	41	44
B. FEMALE																				
0-12 YRS.																				
13-17	3	25.0	399	3	3	30	39	42	42	42	1	25.0		25	25	25	25	25	25	25
18-24	2	8.5	113	1	1	8	16	16	16	16	3	5.3	3	4	4	5	6	7	7	7
25-34	10	11.9	80	3	3	8	19	25	28	28	8	10.0	93	1	2	5	19	24	24	24
35-54	14	14.6	163	1	2	13	24	33	38	39	14	11.7	109	3	4	5	21	29	29	29
55-74	2	25.0	128	17	17	25	33	33	33	33	4	9.3	114	1	1	5	15	25	25	25
75 +	1	14.0		14	14	14	14	14	14	14	4	19.3	92	5	5	23	25	26	26	26
ALL AGES	32	15.0	147	1	2	14	24	32	38	42	34	11.7	100	2	3	6	24	26	29	29
SUBTOTAL	**54**	**14.0**	**161**	**2**	**2**	**8**	**24**	**32**	**39**	**43**	**63**	**12.0**	**127**	**1**	**1**	**6**	**22**	**28**	**30**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	4	34.0	541	3	3	37	50	58	58	58	8	20.4	327	3	4	17	29	49	57	57
18-24	10	13.2	119	1	1	10	25	29	30	30	6	12.2	81	3	3	10	22	23	23	23
25-34	12	16.9	171	2	3	12	29	35	40	41	16	10.7	140	2	2	7	10	30	38	42
35-54	9	17.1	185	2	2	24	29	31	32	32	5	5.2	30	2	2	3	6	15	15	15
55-74	4	9.3	61	4	4	6	14	21	21	21	2	13.0	32	9	9	13	17	17	17	17
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	40	17.8	224	2	2	13	29	37	46	58	38	12.3	158	2	3	7	17	29	37	57
B. FEMALE																				
0-12 YRS.																				
13-17	3	41.7	4	41	41	42	42	42	42	42	3	34.0	127	21	21	40	41	41	41	41
18-24	5	25.2	95	12	12	28	31	38	38	38	4	4.5	26	1	1	2	7	12	12	12
25-34	20	9.0	64	1	2	5	12	22	26	29	10	13.4	117	3	3	8	22	29	30	30
35-54	11	16.9	150	2	3	20	28	31	34	34	9	13.7	379	2	2	5	13	49	59	59
55-74	3	24.0	156	10	10	28	32	34	34	34	4	20.3	204	6	6	20	32	35	35	35
75 +	1	33.0		33	33	33	33	33	33	33	1	7.0		7	7	7	7	7	7	7
ALL AGES	43	16.8	172	2	3	12	28	35	41	42	31	15.0	226	2	2	7	27	37	41	59
SUBTOTAL	**83**	**17.3**	**194**	**2**	**2**	**12**	**29**	**35**	**42**	**55**	**69**	**13.5**	**188**	**2**	**3**	**7**	**22**	**32**	**41**	**59**
GRAND TOTAL	**137**	**16.0**	**183**	**2**	**2**	**12**	**28**	**34**	**42**	**50**	**132**	**12.8**	**158**	**1**	**2**	**7**	**22**	**30**	**39**	**57**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
13-17	6	29.2	565	1	1	33	39	62	65	65	2	32.0	18	29	29	32	35	35	35	35
18-24	9	17.4	161	1	2	22	29	30	30	30	10	8.2	116	1	1	4	5	28	29	29
25-34	59	10.3	88	3	3	6	18	27	28	34	62	10.5	101	2	3	5	16	27	30	41
35-54	38	15.6	124	2	2	17	28	30	31	33	61	11.4	96	3	3	6	21	25	29	37
55-74	1	31.0		31	31	31	31	31	31	31	3	4.0	1	3	3	4	5	5	5	5
75 +																				
ALL AGES	114	13.7	148	2	3	7	24	30	33	48	139	10.9	101	2	3	5	21	28	30	38
B. FEMALE																				
0-12 YRS.																				
13-17	5	19.8	180	10	10	10	34	35	35	35	4	24.5	194	4	4	29	32	35	35	35
18-24	5	3.2	1	2	2	3	4	4	4	4	15	7.9	86	1	2	4	10	29	29	29
25-34	46	11.5	112	2	3	5	21	30	31	32	52	7.3	53	1	3	5	8	15	26	38
35-54	17	11.0	89	2	3	7	20	27	29	30	27	10.2	115	3	3	5	12	29	33	42
55-74																				
75 +											2	20.0	450	5	5	20	35	35	35	35
ALL AGES	73	11.4	109	2	3	5	20	30	32	35	100	9.1	94	2	3	5	9	29	31	40
SUBTOTAL	**187**	**12.8**	**133**	**2**	**3**	**7**	**22**	**30**	**32**	**38**	**239**	**10.1**	**100**	**2**	**3**	**5**	**14**	**28**	**31**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	23	33.8	163	9	17	35	39	50	57	61	3	2.3	2	1	1	3	3	3	3	3
18-24	18	24.3	101	4	7	27	32	35	35	35	14	19.3	231	1	3	20	27	42	42	42
25-34	86	18.2	108	2	3	21	28	29	30	32	49	14.5	173	2	3	7	27	35	42	42
35-54	48	15.1	97	2	4	15	23	29	30	35	44	13.0	143	3	3	6	24	31	35	42
55-74	7	19.3	82	9	9	17	26	33	34	34	3	13.3	192	3	3	8	24	29	29	29
75 +	1	35.0		35	35	35	35	35	35	35										
ALL AGES	183	20.1	141	2	4	21	29	34	36	53	113	14.1	169	2	3	7	26	32	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	9	36.3	16	33	33	35	37	43	45	45	2	24.5	85	18	18	24	31	31	31	31
18-24	13	17.0	112	4	4	18	28	30	30	30	11	11.9	173	2	3	5	21	33	39	40
25-34	34	18.7	145	3	4	22	28	32	34	45	32	6.6	59	2	3	4	5	18	30	31
35-54	19	20.6	138	2	3	24	29	33	37	39	18	11.3	152	4	4	5	14	31	38	42
55-74	2	12.0	162	3	3	12	21	21	21	21	2	3.0	2	2	2	3	4	4	4	4
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	78	20.9	150	3	4	24	30	35	38	45	65	9.3	110	2	3	4	6	30	31	42
SUBTOTAL	**261**	**20.3**	**145**	**3**	**4**	**22**	**29**	**34**	**36**	**49**	**178**	**12.4**	**151**	**2**	**3**	**5**	**24**	**31**	**41**	**42**
GRAND TOTAL	**448**	**17.2**	**153**	**2**	**3**	**18**	**28**	**33**	**35**	**45**	**417**	**11.1**	**122**	**2**	**3**	**5**	**18**	**29**	**32**	**42**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	14	35.4	550	2	4	34	45	74	80	82	18	27.4	242	3	5	28	44	45	50	53
18-24	44	18.7	170	2	2	21	29	33	35	52	37	21.5	252	1	1	28	31	42	46	51
25-34	66	16.4	126	1	3	19	27	29	29	42	54	16.8	211	1	3	8	28	39	42	44
35-54	35	14.3	105	1	2	13	23	29	30	31	15	12.3	172	2	3	6	17	37	41	42
55-74	1	28.0		28	28	28	28	28	28	28										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	161	18.3	194	1	3	20	28	31	36	71	124	19.2	237	1	2	17	30	42	45	52
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	14	28.3	194	3	9	29	37	48	48	48	12	30.6	190	3	4	32	41	45	46	46
18-24	28	13.1	102	2	3	9	22	28	30	31	23	11.8	211	2	3	4	23	33	44	49
25-34	36	14.1	105	3	3	11	26	28	29	32	61	13.4	170	2	3	5	27	33	38	42
35-54	19	15.4	118	2	3	10	27	29	30	30	11	8.4	52	3	3	5	11	21	25	25
55-74	4	24.5	40	15	15	27	28	28	28	28	5	14.8	99	3	3	21	22	24	24	24
75 +	1	28.0		28	28	28	28	28	28	28	1	8.0		8	8	8	8	8	8	8
ALL AGES	103	16.8	146	3	3	14	28	30	36	48	113	14.4	194	2	3	5	28	34	42	47
SUBTOTAL	**264**	**17.7**	**175**	**2**	**3**	**16**	**28**	**31**	**36**	**58**	**237**	**16.9**	**222**	**2**	**3**	**8**	**29**	**41**	**43**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	62	29.7	349	3	8	29	35	48	69	93	29	21.3	358	3	3	20	37	44	54	62
18-24	69	18.5	149	2	3	22	28	32	35	49	60	17.7	235	1	2	14	29	42	42	52
25-34	86	18.6	115	2	3	22	28	29	32	99 +	92	16.2	214	2	3	6	29	42	42	42
35-54	42	16.8	109	2	4	19	27	29	31	33	36	11.5	152	1	2	4	24	30	33	42
55-74											4	15.0	330	3	3	7	25	42	42	42
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	259	20.9	203	2	3	23	28	34	42	93	223	16.4	233	2	3	6	29	42	42	53
B. FEMALE																				
0-12 YRS.																				
13-17	29	36.6	420	1	12	34	55	68	91	99 +	21	13.3	345	2	3	4	13	47	53	58
18-24	31	18.4	300	1	2	18	28	33	47	78	27	9.4	151	2	2	4	8	31	42	42
25-34	45	19.0	111	2	3	23	28	29	30	36	61	11.1	142	2	3	5	17	29	38	43
35-54	17	18.9	232	2	2	18	32	38	45	49	15	15.4	253	1	2	5	29	42	44	45
55-74	5	12.6	164	3	3	4	25	29	29	29	8	17.6	120	3	3	20	27	28	28	28
75 +	2	22.5	41	18	18	22	27	27	27	27	1	3.0		3	3	3	3	3	3	3
ALL AGES	129	22.6	294	2	2	25	29	40	58	93	133	11.9	186	2	2	5	22	33	42	51
SUBTOTAL	**388**	**21.5**	**232**	**2**	**3**	**24**	**29**	**36**	**48**	**92**	**356**	**14.8**	**217**	**2**	**2**	**5**	**28**	**41**	**42**	**53**
GRAND TOTAL	**652**	**20.0**	**211**	**2**	**3**	**22**	**28**	**34**	**43**	**82**	**593**	**15.6**	**221**	**2**	**3**	**6**	**28**	**41**	**42**	**50**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.0	338	4	4	17	30	30	30	30										
13-17	22	30.1	177	5	10	29	35	50	52	54	4	12.3	296	2	2	4	22	38	38	38
18-24	17	19.3	108	1	2	22	28	28	29	30	11	17.9	118	2	2	21	26	30	32	32
25-34	37	14.6	154	1	1	8	28	29	30	31	29	12.3	117	1	1	7	25	28	29	30
35-54	22	10.4	106	1	2	5	20	28	28	28	23	14.7	178	1	2	5	28	29	34	42
55-74	3	15.7	99	8	8	12	23	27	27	27	4	17.0	230	3	3	15	29	35	35	35
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	103	17.9	183	1	2	20	28	30	38	52	72	14.1	146	1	2	9	27	29	32	41
B. FEMALE																				
0-12 YRS.																				
13-17	14	27.9	116	7	16	29	34	42	44	44	2	7.0	8	5	5	7	9	9	9	9
18-24	12	10.0	117	1	1	5	17	28	28	28	4	2.5	3	1	1	2	4	5	5	5
25-34	21	15.1	176	1	2	6	29	33	34	35	21	10.4	82	1	1	6	19	23	27	28
35-54	12	24.3	283	3	3	27	41	45	49	50	16	17.1	193	1	1	17	28	35	40	42
55-74	4	13.5	158	2	2	12	24	28	28	28	8	16.5	121	1	3	16	27	29	30	30
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	64	18.4	206	2	3	18	29	40	42	49	51	12.7	128	1	1	7	23	28	30	42
SUBTOTAL	**167**	**18.1**	**190**	**1**	**2**	**19**	**28**	**34**	**42**	**51**	**123**	**13.5**	**138**	**1**	**2**	**7**	**26**	**28**	**31**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	25	26.9	120	10	17	28	30	35	48	61	15	25.5	245	2	4	25	40	43	49	51
18-24	6	17.7	182	3	3	19	30	32	32	32	15	16.1	200	1	1	10	27	35	42	45
25-34	30	14.1	146	1	1	10	28	29	30	33	28	18.1	138	1	3	21	29	31	32	35
35-54	12	16.9	116	2	5	13	28	30	30	30	14	9.0	166	1	2	4	7	25	43	48
55-74	3	13.3	198	2	2	9	24	29	29	29	7	7.7	62	1	1	6	14	20	21	21
75 +																				
ALL AGES	76	19.0	162	2	2	21	29	31	34	57	79	16.6	193	1	1	14	28	36	43	50
B. FEMALE																				
0-12 YRS.																				
13-17	14	37.1	263	13	16	36	46	72	93	99 +	10	19.2	193	1	1	21	32	35	36	36
18-24	4	19.8	221	5	5	19	32	35	35	35	7	24.3	91	12	12	22	33	36	36	36
25-34	21	16.2	187	1	1	13	28	32	37	41	18	15.1	103	2	4	12	21	29	33	35
35-54	13	17.3	235	1	3	7	29	37	47	49	9	15.0	183	2	3	7	28	35	39	39
55-74	2	24.0	648	6	6	24	42	42	42	42	5	15.6	183	2	2	10	29	32	32	32
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	55	22.1	293	1	2	27	34	42	59	98	49	17.3	140	2	3	14	28	34	36	39
SUBTOTAL	**131**	**20.3**	**218**	**1**	**2**	**23**	**30**	**36**	**44**	**77**	**128**	**16.9**	**171**	**1**	**2**	**14**	**28**	**35**	**39**	**49**
GRAND TOTAL	**298**	**19.0**	**205**	**1**	**2**	**20**	**29**	**35**	**42**	**63**	**251**	**15.2**	**158**	**1**	**2**	**12**	**27**	**31**	**36**	**45**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	1.5	1	1	1	1	2	3	4	5	13	1.2		1	1	1	1	2	2	2
13-17	123	2.0	22	1	1	1	1	2	4	35	188	2.2	38	1	1	1	1	3	5	41
18-24	140	2.7	34	1	1	1	2	4	12	34	138	1.9	23	1	1	1	1	2	4	30
25-34	210	4.8	60	1	1	2	5	14	28	33	110	2.5	18	1	1	1	2	4	7	25
35-54	345	6.1	59	1	1	4	6	16	28	34	168	3.3	27	1	1	2	3	6	10	30
55-74	86	5.5	48	1	1	3	6	10	28	31	100	3.0	12	1	1	2	4	6	8	20
75 +	20	3.9	8	1	1	3	5	8	10	11	14	2.4	1	1	1	2	3	4	5	5
ALL AGES	941	4.6	50	1	1	2	5	9	26	33	731	2.6	24	1	1	1	2	4	7	29
B. FEMALE																				
0-12 YRS.	6	1.0		1	1	1	1	1	1	1	10	1.1		1	1	1	1	2	2	2
13-17	113	1.5	5	1	1	1	1	2	3	17	154	2.2	25	1	1	1	1	3	6	36
18-24	71	2.3	15	1	1	1	2	5	7	24	71	2.8	47	1	1	1	1	3	26	35
25-34	76	5.7	58	1	1	3	6	18	26	32	62	2.2	8	1	1	1	2	4	7	18
35-54	99	6.0	68	1	1	4	6	20	27	39	83	2.5	15	1	1	1	3	4	8	25
55-74	44	3.8	30	1	1	2	6	7	8	36	33	3.8	28	1	1	2	5	7	13	29
75 +	8	2.9	4	1	1	2	4	6	7	7	12	3.3	29	1	1	2	3	9	18	20
ALL AGES	417	3.7	38	1	1	1	4	7	19	29	425	2.5	24	1	1	1	2	4	7	30
SUBTOTAL	**1358**	**4.3**	**46**	**1**	**1**	**2**	**5**	**9**	**21**	**33**	**1156**	**2.5**	**25**	**1**	**1**	**1**	**2**	**4**	**7**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	2	1.0		1	1	1	1	1	1	1
13-17	96	10.2	172	1	1	3	18	29	32	55	54	10.9	266	1	1	2	9	42	50	55
18-24	146	9.0	104	1	1	4	14	27	29	39	51	7.9	120	1	1	2	10	28	29	43
25-34	230	8.9	96	1	1	5	11	28	30	36	94	6.3	83	1	1	2	5	27	28	30
35-54	207	7.4	55	1	1	5	9	20	25	30	105	6.7	73	1	1	3	6	26	28	32
55-74	53	9.1	67	1	2	6	12	21	27	36	45	6.0	58	1	1	4	6	9	29	34
75 +	10	10.7	63	2	3	7	20	21	21	21	7	2.0	1	1	1	2	3	3	3	3
ALL AGES	745	8.7	93	1	1	5	11	27	29	38	358	7.2	109	1	1	3	6	28	29	43
B. FEMALE																				
0-12 YRS.	2	15.0	338	2	2	15	28	28	28	28										
13-17	85	11.6	219	1	1	4	20	36	48	84	53	8.2	204	1	1	1	6	38	45	53
18-24	63	9.1	166	1	1	3	12	29	32	64	44	4.2	53	1	1	1	3	14	28	30
25-34	107	7.9	96	1	1	4	8	25	30	42	59	5.7	69	1	1	2	6	23	28	30
35-54	97	6.9	69	1	1	3	8	19	29	35	58	6.2	113	1	1	2	5	20	27	61
55-74	37	8.8	61	1	1	5	12	23	25	28	30	7.3	88	1	1	4	6	22	28	40
75 +	8	7.1	80	1	1	3	10	22	27	27	6	2.3	1	1	1	2	3	4	4	4
ALL AGES	399	8.7	126	1	1	4	11	28	31	54	250	6.2	106	1	1	2	5	22	28	46
SUBTOTAL	**1144**	**8.7**	**104**	**1**	**1**	**4**	**11**	**27**	**30**	**42**	**608**	**6.8**	**108**	**1**	**1**	**2**	**6**	**27**	**29**	**45**
GRAND TOTAL	**2502**	**6.3**	**78**	**1**	**1**	**3**	**6**	**21**	**28**	**36**	**1764**	**4.0**	**57**	**1**	**1**	**1**	**3**	**7**	**24**	**41**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	11.0		11	11	11	11	11	11	11
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	3	6.7	14	4	4	5	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	3.3	3	2	2	3	4	5	5	5
SUBTOTAL	**2**	**5.5**	**25**	**2**	**2**	**5**	**9**	**9**	**9**	**9**	**6**	**5.0**	**10**	**2**	**2**	**4**	**5**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**3**	**4.3**	**17**	**2**	**2**	**2**	**7**	**9**	**9**	**9**	**7**	**5.4**	**10**	**2**	**2**	**5**	**7**	**10**	**11**	**11**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	13.2	224	1	1	7	21	38	38	38	18	18.8	280	1	1	12	31	42	42	42
18-24	11	9.3	133	1	1	3	18	29	31	31	5	10.6	167	1	1	2	23	28	28	28
25-34	9	12.4	125	1	1	7	21	27	31	31	6	16.8	121	5	5	14	29	31	31	31
35-54	3	18.0	91	8	8	19	25	27	27	27	3	28.0		28	28	28	28	28	28	28
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	29	11.7	130	1	1	7	21	30	32	38	33	17.5	216	1	1	15	30	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	5	21.2	324	1	1	33	35	35	35	35	5	10.4	335	1	1	2	14	43	43	43
18-24	2	8.0	72	2	2	8	14	14	14	14	2	11.0	18	8	8	11	14	14	14	14
25-34	2	29.5	5	28	28	29	31	31	31	31	3	2.0	3	1	1	1	3	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	9	20.1	232	1	1	28	33	35	35	35	10	8.0	169	1	1	3	8	28	43	43
SUBTOTAL	**38**	**13.7**	**161**	**1**	**1**	**7**	**27**	**32**	**35**	**38**	**43**	**15.3**	**217**	**1**	**1**	**8**	**29**	**41**	**42**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	78	14.4	213	1	2	6	28	29	46	61	14	16.8	237	1	1	9	29	41	43	44
18-24	22	13.8	112	1	1	12	25	29	31	32	6	7.2	80	1	1	4	7	23	25	25
25-34	21	16.5	147	1	2	19	28	31	31	32	3	21.0	412	3	3	17	36	43	43	43
35-54	8	13.8	148	1	1	9	28	28	28	28	4	11.0	99	1	1	9	18	24	24	24
55-74																				
75 +																				
ALL AGES	129	14.6	178	1	1	9	28	30	33	57	27	14.3	198	1	1	7	25	39	43	44
B. FEMALE																				
0-12 YRS.																				
13-17	23	16.0	129	2	3	14	26	30	35	42	8	17.0	211	1	1	13	28	38	42	42
18-24	12	7.1	35	1	1	6	10	15	20	21	5	11.8	182	1	1	3	26	28	28	28
25-34	8	17.5	137	3	3	19	28	29	30	30	4	16.8	132	1	1	19	25	28	28	28
35-54	4	10.3	14	7	7	10	13	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	47	13.5	109	1	2	12	22	29	30	42	18	14.7	168	1	1	13	28	28	37	42
SUBTOTAL	**176**	**14.3**	**159**	**1**	**2**	**10**	**27**	**29**	**32**	**54**	**45**	**14.4**	**184**	**1**	**1**	**9**	**26**	**30**	**42**	**44**
GRAND TOTAL	**214**	**14.2**	**159**	**1**	**1**	**9**	**27**	**30**	**33**	**52**	**88**	**14.9**	**196**	**1**	**1**	**8**	**28**	**38**	**42**	**44**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.6	28	1	1	7	11	15	15	15	1	1.0		1	1	1	1	1	1	1
18-24	9	4.0	47	1	1	2	3	15	22	22	5	1.0		1	1	1	1	1	1	1
25-34	2	6.5	41	2	2	6	11	11	11	11	2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	16	5.4	38	1	1	2	8	15	20	22	8	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
SUBTOTAL	**19**	**4.7**	**35**	**1**	**1**	**2**	**6**	**13**	**19**	**22**	**11**	**1.1**		**1**	**1**	**1**	**1**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	10.4	73	1	2	6	19	22	25	25	2	3.0	2	2	2	3	4	4	4	4
18-24	9	4.0	20	1	1	2	5	12	13	13	5	1.2		1	1	1	1	2	2	2
25-34	3	4.3	13	1	1	4	7	8	8	8	2	2.5	5	1	1	2	4	4	4	4
35-54	2	6.5	5	5	5	6	8	8	8	8										
55-74																				
75 +																				
ALL AGES	26	7.2	49	1	1	5	10	20	22	25	9	1.9	2	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	4	1.3		1	1	1	1	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	4.5	5	3	3	4	6	6	6	6	1	17.0		17	17	17	17	17	17	17
35-54																				
55-74																				
75 +																				
ALL AGES	7	2.1	4	1	1	1	3	5	6	6	2	9.5	113	2	2	9	17	17	17	17
SUBTOTAL	**33**	**6.1**	**44**	**1**	**1**	**4**	**8**	**18**	**21**	**25**	**11**	**3.3**	**22**	**1**	**1**	**2**	**3**	**9**	**16**	**17**
GRAND TOTAL	**52**	**5.6**	**40**	**1**	**1**	**3**	**7**	**16**	**21**	**25**	**22**	**2.2**	**12**	**1**	**1**	**1**	**2**	**4**	**9**	**17**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
18-24	2	8.5	113	1	1	8	16	16	16	16	1	1.0		1	1	1	1	1	1	1
25-34	6	8.2	90	3	3	4	9	25	27	27	3	3.3	3	2	2	3	4	5	5	5
35-54	3	3.7	2	2	2	4	5	5	5	5	2	3.0	8	1	1	2	5	5	5	5
55-74											1	8.0		8	8	8	8	8	8	8
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	12	6.5	59	1	1	4	7	19	26	27	9	3.9	6	1	1	4	5	7	8	8
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	2	2.5	5	1	1	2	4	4	4	[illegible]										
25-34	6	9.3	199	2	2	4	5	35	38	38	5	9.2	149	1	1	4	15	30	30	30
35-54	3	7.0	21	2	2	8	10	11	11	11	2	17.5	221	7	7	17	28	28	28	28
55-74	1	19.0		19	19	19	19	19	19	19	2	10.0	8	8	8	10	12	12	12	12
75 +	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
ALL AGES	13	8.2	103	1	2	4	9	23	35	38	10	10.9	104	1	1	8	12	29	30	30
SUBTOTAL	**25**	**7.4**	**79**	**1**	**1**	**4**	**8**	**19**	**30**	**38**	**19**	**7.6**	**67**	**1**	**1**	**5**	**8**	**22**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	2	3.5	1	3	3	3	4	4	4	4	2	3.0	8	1	1	3	5	5	5	5
25-34	8	10.6	124	1	1	6	19	28	29	29	2	9.0	50	4	4	9	14	14	14	14
35-54	7	12.7	91	4	4	9	21	27	28	28	4	2.5	6	1	1	2	4	6	6	6
55-74	1	8.0		8	8	8	8	8	8	8	4	11.3	45	6	6	9	16	21	21	21
75 +																					
ALL AGES	18	10.5	91	1	2	7	13	27	29	29	12	6.6	37	1	1	5	9	16	20	21
B. FEMALE																					
0-12 YRS.																					
13-17											2	2.5	5	1	1	2	4	4	4	4
18-24	4	4.8	18	1	1	3	7	11	11	11	4	10.3	294	1	1	2	19	36	36	36
25-34	9	8.9	81	1	1	5	15	24	25	25	8	11.8	73	1	1	11	18	23	25	25
35-54	12	12.9	145	1	2	7	22	31	36	37	11	7.7	75	1	1	5	9	24	24	24
55-74	11	14.4	116	3	3	13	21	32	34	34	5	11.0	96	1	1	10	21	21	21	21
75 +																					
ALL AGES	36	11.4	110	1	2	7	19	28	33	37	30	9.3	95	1	1	6	18	24	25	36
SUBTOTAL	**54**	**11.1**	**102**	**1**	**2**	**7**	**18**	**28**	**31**	**37**	**42**	**8.5**	**79**	**1**	**1**	**5**	**12**	**22**	**25**	**36**
GRAND TOTAL	**79**	**9.9**	**97**	**1**	**1**	**5**	**14**	**27**	**30**	**38**	**61**	**8.2**	**74**	**1**	**1**	**5**	**11**	**22**	**26**	**35**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	17.3	168	3	3	21	26	28	28	28
25-34	11	9.4	137	1	1	4	18	29	30	30	10	8.1	75	1	2	4	9	22	30	30
35-54	11	8.8	126	1	2	4	10	28	37	38	4	10.5	48	4	4	9	15	20	20	20
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	24	8.8	116	1	1	4	9	29	32	38	18	10.1	79	2	3	6	14	26	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	10	8.8	108	1	1	3	21	25	27	27	7	3.4	5	1	1	3	6	6	6	6
35-54	1	3.0		3	3	3	3	3	3	3	2	17.0	338	4	4	17	30	30	30	30
55-74	2	15.5	61	10	10	15	21	21	21	21	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	15	8.3	91	1	1	3	18	23	26	27	10	6.4	73	1	1	4	6	18	30	30
SUBTOTAL	**39**	**8.6**	**104**	**1**	**1**	**4**	**11**	**25**	**30**	**38**	**28**	**8.8**	**77**	**1**	**2**	**5**	**10**	**26**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	3	10.0	31	5	5	9	14	16	16	16	4	16.3	103	4	4	17	24	27	27	27
25-34	30	11.7	174	1	2	6	20	31	32	59	12	4.9	13	2	2	4	6	10	13	14
35-54	13	8.5	41	3	3	7	10	21	23	23	6	5.7	26	1	1	4	9	13	14	14
55-74																				
75 +																				
ALL AGES	47	10.5	126	1	3	6	12	23	32	59	22	7.2	47	1	2	5	9	17	24	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	5	7.4	22	3	3	5	12	13	13	13	2	11.0	50	6	6	11	16	16	16	16
25-34	31	10.0	63	2	2	7	15	21	23	36	5	13.2	79	4	4	14	17	27	27	27
35-54	14	9.5	35	2	3	8	14	18	20	21	6	9.2	77	2	2	4	20	21	21	21
55-74	1	17.0		17	17	17	17	17	17	17	1	24.0		24	24	24	24	24	24	24
75 +																				
ALL AGES	52	9.7	49	2	3	7	14	19	22	36	14	11.9	74	2	3	10	20	24	26	27
SUBTOTAL	**99**	**10.1**	**84**	**2**	**3**	**7**	**14**	**22**	**27**	**48**	**36**	**9.0**	**62**	**1**	**2**	**6**	**14**	**22**	**26**	**27**
GRAND TOTAL	**138**	**9.7**	**89**	**1**	**2**	**6**	**14**	**23**	**29**	**40**	**64**	**8.9**	**68**	**1**	**2**	**6**	**14**	**22**	**27**	**30**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	4	2.3	6	1	1	1	4	6	6	6
18-24	37	8.2	86	1	1	3	10	26	27	28	42	10.0	108	1	1	4	16	27	29	32
25-34	121	10.2	95	1	1	6	21	27	28	29	100	13.7	123	1	1	14	24	28	30	31
35-54	44	13.2	117	1	2	9	22	28	29	38	30	9.2	94	1	1	3	21	24	26	28
55-74																				
75 +																				
ALL AGES	203	10.4	100	1	1	6	22	27	28	30	176	11.8	117	1	1	5	23	28	29	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	3	5.0	19	2	2	3	8	10	10	10
18-24	41	6.2	44	1	1	4	6	21	21	28	18	7.7	88	1	1	3	14	24	26	26
25-34	61	8.4	68	1	1	5	13	22	28	29	34	12.0	130	1	1	5	23	30	31	31
35-54	15	11.6	150	2	2	5	19	23	40	46	12	17.0	139	1	1	21	26	30	31	31
55-74																				
75 +																				
ALL AGES	118	8.0	71	1	1	5	9	21	27	34	67	11.4	123	1	1	5	22	29	30	31
SUBTOTAL	**321**	**9.5**	**91**	**1**	**1**	**5**	**17**	**25**	**28**	**30**	**243**	**11.7**	**118**	**1**	**1**	**5**	**23**	**28**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	8	10.4	112	1	2	5	19	27	28	28	5	9.0	88	2	2	6	13	25	25	25
18-24	75	11.8	113	1	1	8	23	28	30	34	32	11.9	106	1	2	8	19	28	33	35
25-34	145	12.2	103	1	2	9	21	28	30	36	93	13.2	128	1	1	10	24	28	31	41
35-54	60	13.1	92	2	2	11	22	27	28	31	32	14.9	114	2	2	16	24	30	31	33
55-74																				
75 +																				
ALL AGES	288	12.2	104	1	2	9	22	28	29	35	163	13.1	118	1	1	10	24	28	31	35
B. FEMALE																				
0-12 YRS.																				
13-17	7	14.3	530	1	1	8	10	55	66	66	7	26.3	378	5	5	29	44	50	51	51
18-24	51	9.7	98	1	1	5	15	26	30	39	16	11.4	104	1	1	7	21	28	29	30
25-34	95	10.5	82	1	2	7	16	23	27	41	45	11.8	116	1	1	6	24	27	28	32
35-54	22	14.7	99	3	4	12	24	28	29	29	5	13.0	164	3	3	5	27	27	27	27
55-74																				
75 +																				
ALL AGES	175	11.0	104	1	2	7	18	25	29	46	73	13.2	152	1	1	7	25	28	32	50
SUBTOTAL	**463**	**11.7**	**105**	**1**	**2**	**8**	**21**	**27**	**29**	**36**	**236**	**13.1**	**129**	**1**	**1**	**8**	**24**	**28**	**31**	**46**
GRAND TOTAL	**784**	**10.8**	**101**	**1**	**1**	**6**	**21**	**27**	**28**	**35**	**479**	**12.4**	**123**	**1**	**1**	**6**	**23**	**28**	**30**	**35**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24	2	14.5	365	1	1	14	28	28	28	28										
25-34	6	5.7	37	1	1	3	8	16	17	17	4	12.8	159	1	1	10	22	30	30	30
35-54	3	1.3		1	1	1	2	2	2	2	2	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	13	5.4	66	1	1	2	5	19	26	28	6	9.2	127	1	1	4	14	28	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	4	29.3	523	1	1	29	44	57	57	57
18-24	2	1.0		1	1	1	1	1	1	1	2	9.5	61	4	4	9	15	15	15	15
25-34	5	2.0	1	1	1	2	3	3	3	3	4	8.3	72	3	3	4	13	21	21	21
35-54	3	3.7	14	1	1	2	6	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	11	2.2	4	1	1	1	3	5	8	8	11	15.5	309	1	1	5	25	42	56	57
SUBTOTAL	**24**	**3.9**	**39**	**1**	**1**	**2**	**3**	**9**	**20**	**28**	**17**	**13.2**	**245**	**1**	**1**	**5**	**22**	**32**	**48**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	2.3	6	1	1	1	4	5	5	5	3	24.0	507	1	1	25	41	46	46	46
18-24	10	5.8	36	1	1	3	7	16	19	19	8	12.8	205	1	1	6	23	36	38	38
25-34	15	11.5	97	3	3	7	21	26	29	30	7	13.9	149	1	1	14	26	30	30	30
35-54	4	29.5	468	3	3	29	43	56	56	56	3	9.3	185	1	1	2	19	25	25	25
55-74																				
75 +																				
ALL AGES	32	11.1	160	1	2	5	17	29	30	56	21	14.2	207	1	1	10	26	33	42	46
B. FEMALE																				
0-12 YRS.																				
13-17	4	3.0	3	1	1	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
18-24	8	10.5	105	2	2	6	15	28	31	31	2	3.5	13	1	1	3	6	6	6	6
25-34	17	13.2	175	2	2	8	21	35	41	43	2	15.5	313	3	3	15	28	28	28	28
35-54	6	13.7	121	2	2	12	25	28	28	28	1	22.0		22	22	22	22	22	22	22
55-74																				
75 +																				
ALL AGES	35	11.5	133	2	2	7	17	31	35	43	6	10.2	138	1	1	4	22	27	28	28
SUBTOTAL	**67**	**11.3**	**144**	**1**	**2**	**6**	**18**	**30**	**32**	**54**	**27**	**13.3**	**189**	**1**	**1**	**6**	**25**	**30**	**39**	**46**
GRAND TOTAL	**91**	**9.4**	**126**	**1**	**1**	**4**	**11**	**28**	**31**	**51**	**44**	**13.3**	**204**	**1**	**1**	**5**	**25**	**30**	**40**	**57**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	2	3.0	8	1	1	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	5	6.0	73	1	1	2	9	21	21	21	3	1.7		1	1	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.7	119	4	4	9	21	25	25	25	1	1.0		1	1	1	1	1	1	1
25-34	3	16.0	21	12	12	15	19	21	21	21	1	43.0		43	43	43	43	43	43	43
35-54	2	4.5	25	1	1	4	8	8	8	8	3	2.7	4	1	1	2	4	5	5	5
55-74	2	43.0	338	30	30	43	56	56	56	56	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	10	18.1	262	1	2	13	25	43	[illegible]	56	6	10.7	267	1	1	3	12	40	43	43
SUBTOTAL	**15**	**14.1**	**223**	**1**	**1**	**9**	**21**	**30**	**49**	**56**	**9**	**7.7**	**187**	**1**	**1**	**2**	**7**	**31**	**43**	**43**
GRAND TOTAL	**16**	**13.6**	**213**	**1**	**1**	**8**	**21**	**29**	**48**	**56**	**12**	**6.4**	**142**	**1**	**1**	**2**	**4**	**21**	**40**	**43**

Total U.S. January - December 1987

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	31.5	1201	7	7	56	89	99 +	99 +	99 +	2	3.0	8	1	1	3	5	5	5	5
13-17	36	23.3	326	1	2	26	34	44	49	77	26	21.5	322	1	1	20	41	42	45	49
18-24	52	8.7	80	1	1	5	13	24	28	36	30	8.9	138	1	1	3	21	28	35	38
25-34	120	11.1	116	1	1	5	21	28	31	35	55	16.8	182	1	2	14	29	37	39	40
35-54	61	10.3	89	1	1	5	20	26	28	33	26	10.7	168	1	1	3	25	30	33	42
55-74	6	12.3	90	4	4	10	20	25	26	26	6	18.5	295	2	2	14	35	41	42	42
75 +	2	10.0	50	5	5	10	15	15	15	15	2	5.0		5	5	5	5	5	5	5
ALL AGES	279	12.2	153	1	1	6	21	29	34	54	147	14.7	211	1	1	5	28	38	42	44
B. FEMALE																						
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	17	23.2	522	1	1	12	47	56	62	64	9	13.1	278	1	1	4	21	42	42	42
18-24	35	10.1	105	1	1	6	18	29	31	33	8	15.0	245	1	1	10	26	38	43	43
25-34	66	10.0	127	1	2	4	16	28	32	51	27	16.4	259	1	1	7	30	42	43	43
35-54	41	10.9	105	1	1	8	14	29	33	37	20	12.0	173	1	1	7	16	36	39	42
55-74	6	7.0	36	3	3	5	7	18	19	19	7	15.9	107	1	2	15	24	29	30	30
75 +	3	4.3	18	1	1	3	7	9	9	9	7	8.9	48	4	4	7	9	21	24	24
ALL AGES	169	11.5	166	1	1	5	17	31	35	56	78	14.0	200	1	1	7	25	41	42	43
SUBTOTAL	**448**	**11.9**	**159**	**1**	**1**	**6**	**20**	**30**	**34**	**56**	**225**	**14.4**	**208**	**1**	**1**	**7**	**27**	**38**	**42**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	78	21.1	435	1	1	17	30	48	66	95	19	15.1	203	1	2	8	31	38	71	99 +
18-24	98	10.5	126	1	1	6	15	26	30	55	23	10.0	104	1	2	4	16	29	31	35
25-34	135	10.0	82	1	2	6	15	26	29	36	33	10.5	111	1	1	5	21	27	29	30
35-54	77	10.4	78	1	2	7	16	22	28	38	24	12.3	147	1	1	5	24	31	33	36
55-74	3	9.0	52	1	1	11	14	15	15	15	1	10.0		10	10	10	10	10	10	10
75 +	1	6.0		6	6	6	6	6	6	6	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	393	12.4	182	1	2	8	18	29	37	66	102	11.5	133	1	1	5	22	30	32	70
B. FEMALE																						
0-12 YRS.	2	5.5	25	2	2	5	9	9	9	9										
13-17	42	25.0	363	1	2	19	41	57	58	59	16	16.9	399	1	1	4	35	49	51	52
18-24	44	10.5	124	1	2	6	16	27	35	49	13	8.6	71	2	2	5	13	20	28	30
25-34	78	11.9	97	1	2	9	18	28	30	37	20	7.0	61	1	1	4	8	16	24	32
35-54	48	11.6	122	1	1	7	19	29	37	99 +	13	10.5	79	1	2	6	19	23	27	28
55-74	13	16.0	110	1	2	20	24	28	29	29	7	7.6	44	1	1	6	9	19	21	21
75 +	4	9.5	12	5	5	10	12	13	13	13	1	8.0		8	8	54	99 +	99 +	99 +	99 +
ALL AGES	231	14.1	179	1	2	10	21	32	44	59	70	10.3	148	1	1	5	16	30	44	90
SUBTOTAL	**624**	**13.1**	**180**	**1**	**2**	**8**	**18**	**30**	**39**	**59**	**172**	**11.0**	**139**	**1**	**1**	**5**	**21**	**30**	**35**	**88**
GRAND TOTAL	**1072**	**12.6**	**171**	**1**	**1**	**7**	**19**	**30**	**37**	**58**	**397**	**12.9**	**181**	**1**	**1**	**6**	**24**	**35**	**42**	**50**

PSYCHOGEN MUSCULSKEL DIS (306.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	3.7	4	2	2	3	5	6	6	6	2	4.5	13	2	2	4	7	7	7	7
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	6	2.8	3	1	1	2	3	6	6	6	4	4.3	6	2	2	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	2.5	1	2	2	2	3	3	3	3
18-24											1	3.0		3	3	3	3	3	3	3
25-34	5	2.6	7	1	1	1	4	7	7	7	3	4.3	17	2	2	2	7	9	9	9
35-54	8	6.9	82	2	2	4	6	22	29	29	6	6.2	38	1	1	4	7	17	18	18
55-74	2	7.5	41	3	3	7	12	12	12	12	3	6.7	20	2	2	7	10	11	11	11
75 +	1	17.0		17	17	17	17	17	17	17	1	8.0		8	8	8	8	8	8	8
ALL AGES	17	5.9	54	1	1	3	6	16	25	29	16	5.4	20	1	2	4	8	11	16	18
SUBTOTAL	**23**	**5.1**	**42**	**1**	**1**	**3**	**6**	**13**	**21**	**29**	**20**	**5.2**	**17**	**1**	**2**	**4**	**7**	**10**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34											1	24.0		24	24	24	24	24	24	24
35-54	4	5.0	6	3	3	5	7	8	8	8	1	4.0		4	4	4	4	4	4	4
55-74	4	7.8	56	3	3	4	12	19	19	19	1	25.0		25	25	25	25	25	25	25
75 +																				
ALL AGES	8	6.4	29	3	3	4	7	16	19	19	4	14.0	147	3	3	14	24	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	2.3	2	1	1	3	3	3	3	3	3	5.0	13	2	2	4	8	9	9	9
35-54	6	7.3	138	1	1	2	6	28	31	31	3	2.3	3	1	1	2	3	4	4	4
55-74	4	5.8	11	1	1	6	8	9	9	9	3	3.7	4	2	2	3	5	6	6	6
75 +																				
ALL AGES	13	5.7	65	1	1	3	6	13	28	31	9	3.7	6	1	1	3	5	8	9	9
SUBTOTAL	**21**	**6.0**	**49**	**1**	**1**	**3**	**6**	**13**	**24**	**31**	**13**	**6.8**	**66**	**1**	**2**	**4**	**7**	**24**	**25**	**25**
GRAND TOTAL	**44**	**5.5**	**45**	**1**	**1**	**3**	**6**	**12**	**22**	**31**	**33**	**5.8**	**36**	**1**	**2**	**4**	**7**	**12**	**23**	**25**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7	8	1	1	1	5	6	6	6	2	2.0	2	1	1	2	3	3	3	3
13-17	9	3.1	8	1	1	3	4	8	9	9	10	2.2	5	1	1	1	2	6	8	8
18-24	3	3.7	21	1	1	1	7	9	9	9	11	1.8	1	1	1	1	3	4	4	4
25-34	10	1.6		1	1	2	2	2	2	2	14	1.9	1	1	1	2	2	3	4	4
35-54	16	2.1	1	1	1	2	3	4	5	5	32	2.2	1	1	1	2	3	4	4	6
55-74	11	2.6	3	1	1	2	4	5	6	6	19	2.8	5	1	1	3	3	5	8	10
75 +	1	5.0		5	5	5	5	5	5	5	7	2.7	2	1	1	2	4	5	5	5
ALL AGES	53	2.5	4	1	1	2	3	5	6	9	95	2.3	2	1	1	2	3	4	5	9
B. FEMALE																				
0-12 YRS.	6	2.5	4	1	1	2	3	6	6	6	3	1.3		1	1	1	2	2	2	2
13-17	10	3.3	7	1	1	3	4	7	10	10	8	1.8		1	1	2	2	3	3	3
18-24	15	2.6	5	1	1	2	4	7	7	7	6	1.7	1	1	1	1	2	4	4	4
25-34	17	4.4	17	1	1	3	6	12	13	13	12	1.8	1	1	1	1	2	3	4	4
35-54	34	2.5	4	1	1	2	3	5	7	10	39	2.7	3	1	1	2	3	5	7	8
55-74	34	3.2	4	1	2	3	4	5	6	10	50	3.0	5	1	1	2	4	5	7	14
75 +	10	4.4	9	2	2	3	6	9	11	11	28	3.5	6	1	1	3	5	6	9	12
ALL AGES	126	3.2	6	1	1	2	4	6	10	13	146	2.7	5	1	1	2	3	5	6	12
SUBTOTAL	**179**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**9**	**12**	**241**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	3.7	4	2	2	3	5	6	6	6	3	1.3		1	1	1	2	2	2	2
25-34	2	2.0	2	1	1	1	3	3	3	3	5	3.4	4	2	2	2	5	6	6	6
35-54	6	2.0		1	1	2	2	3	3	3	11	1.9	2	1	1	2	2	4	5	5
55-74	13	3.2	4	1	1	3	4	6	8	8	5	2.2	2	1	1	2	3	4	4	4
75 +	3	3.0	1	2	2	3	4	4	4	4	7	4.0	8	1	1	3	7	8	8	8
ALL AGES	28	2.8	3	1	1	2	4	5	6	8	32	2.6	4	1	1	2	3	5	8	8
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	4	5.3	12	1	1	5	8	9	9	9	2	22.0	882	1	1	22	43	43	43	43
18-24	1	1.0		1	1	1	1	1	1	1	3	2.3	3	1	1	2	3	4	4	4
25-34	7	5.9	14	2	2	7	9	11	11	11	10	3.9	31	1	1	1	6	13	18	18
35-54	15	6.4	44	1	1	4	9	11	23	27	26	2.6	2	1	1	2	4	5	5	6
55-74	14	6.0	40	1	1	3	8	17	21	22	32	2.6	3	1	1	2	3	5	5	8
75 +	10	6.1	51	2	2	3	6	17	25	25	26	3.3	11	1	1	2	4	6	11	16
ALL AGES	52	5.9	35	1	1	4	8	11	21	27	99	3.3	24	1	1	2	4	5	8	31
SUBTOTAL	**80**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**26**	**131**	**3.1**	**19**	**1**	**1**	**2**	**4**	**5**	**8**	**23**
GRAND TOTAL	**259**	**3.5**	**13**	**1**	**1**	**2**	**4**	**8**	**10**	**22**	**372**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	2.8	1	1	1	3	4	4	4	4	2	2.5	5	1	1	2	4	4	4	4
35-54	3	2.0	1	1	1	2	3	3	3	3	6	4.3	11	1	1	3	6	10	10	10
55-74	6	6.8	25	2	2	5	10	14	15	15	9	4.4	8	1	1	4	7	8	9	9
75 +	2	3.5	1	3	3	3	4	4	4	4	5	5.2	45	1	1	2	7	17	17	17
ALL AGES	17	4.2	13	1	1	3	4	9	13	15	22	4.4	15	1	1	3	6	9	13	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	4	3.8	4	1	1	4	5	6	6	6	3	3.3	2	2	2	4	4	4	4	4
35-54	7	2.0	2	1	1	1	3	4	4	4	10	3.8	5	1	1	3	5	7	8	8
55-74	8	4.1	4	1	1	4	5	7	8	8	7	5.1	13	1	1	5	6	11	12	12
75 +	3	5.3	1	5	5	5	6	6	6	6	4	4.3		4	4	4	5	5	5	5
ALL AGES	24	3.5	4	1	1	4	5	6	7	8	25	4.1	6	1	1	4	5	6	9	12
SUBTOTAL	**41**	**3.8**	**7**	**1**	**1**	**4**	**4**	**7**	**9**	**15**	**47**	**4.2**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
25-34	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
35-54	4	2.0	1	1	1	2	3	3	3	3	7	3.3	7	1	1	3	3	8	9	9
55-74	3	5.7	6	3	3	6	7	8	8	8	10	2.0	1	1	1	2	2	4	4	4
75 +																				
ALL AGES	9	3.8	5	1	1	3	6	7	8	8	19	2.8	5	1	1	2	4	6	8	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	3	3.3	7	1	1	3	5	6	6	6
35-54	4	3.5	9	2	2	2	5	8	8	8	6	3.8	18	1	1	2	4	11	12	12
55-74	3	4.0	1	3	3	4	5	5	5	5	11	4.6	8	2	2	4	6	9	10	10
75 +	1	4.0		4	4	4	4	4	4	4	2	5.0		5	5	5	5	5	5	5
ALL AGES	9	3.8	4	2	2	4	4	7	8	8	22	4.3	9	1	1	4	5	9	11	12
SUBTOTAL	**18**	**3.8**	**4**	**1**	**2**	**3**	**5**	**7**	**8**	**8**	**41**	**3.6**	**7**	**1**	**1**	**3**	**4**	**8**	**10**	**12**
GRAND TOTAL	**59**	**3.8**	**6**	**1**	**1**	**3**	**5**	**7**	**8**	**15**	**88**	**3.9**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	2	6.0	18	3	3	6	9	9	9	9										
GRAND TOTAL	2	6.0	18	3	3	6	9	9	9	9										

PSYCHOGENIC GI DISEASE (306.4)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	8.8	64	1	1	8	15	18	18	18	3	3.3	17	1	1	1	6	8	8	8
13-17	2	3.0	8	1	1	3	5	5	5	5	3	4.3	11	2	2	3	7	8	8	8
18-24	3	4.3	3	3	3	4	5	6	6	6										
25-34	3	3.7	9	1	1	3	6	7	7	7	7	5.6	27	1	1	3	10	14	14	14
35-54	3	4.3	11	2	2	3	7	8	8	8	4	4.8	6	2	2	4	6	8	8	8
55-74	6	5.7	7	1	1	6	8	8	8	8	7	4.3	9	1	1	4	6	9	10	10
75 +	5	7.4	36	2	2	6	11	17	17	17	4	3.8	8	2	2	3	5	8	8	8
ALL AGES	26	5.7	21	1	1	5	8	13	17	18	28	4.5	12	1	1	3	7	10	12	14
B. FEMALE																				
0-12 YRS.	5	4.6	28	2	2	2	6	14	14	14	4	4.8	23	2	2	3	34	99 +	99 +	99 +
13-17	5	5.8	23	2	2	4	8	14	14	14	3	11.3	235	2	2	3	22	29	29	29
18-24	8	4.1	9	1	1	4	5	9	10	10	9	1.9	1	1	1	2	3	3	3	3
25-34	8	5.0	11	1	1	4	7	10	11	11	15	3.6	6	1	2	3	5	5	10	11
35-54	7	5.0	14	2	2	3	8	11	11	11	14	4.9	11	1	2	4	7	8	13	14
55-74	9	4.1	3	2	2	4	6	6	6	6	17	4.2	4	1	2	4	5	7	8	9
75 +	3	3.7	4	2	2	3	5	6	6	6	4	3.8	7	1	1	3	6	7	7	7
ALL AGES	45	4.6	11	1	2	3	6	10	12	14	66	4.2	17	1	1	3	5	7	12	88
SUBTOTAL	**71**	**5.0**	**15**	**1**	**1**	**4**	**6**	**10**	**14**	**18**	**94**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	3.0	2	2	2	3	4	4	4	4
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	2	5.0	32	1	1	5	9	9	9	9										
35-54	7	9.1	98	3	3	6	8	26	31	31	4	6.5	6	4	4	6	8	10	10	10
55-74	7	4.6	6	1	1	5	6	8	8	8	6	6.3	12	3	3	6	8	12	12	12
75 +											2	10.0	18	7	7	10	13	13	13	13
ALL AGES	18	6.4	43	1	1	5	8	9	22	31	15	6.2	11	2	3	6	8	12	13	13
B. FEMALE																				
0-12 YRS.	2	8.5	5	7	7	8	10	10	10	10	1	2.0		2	2	2	2	2	2	2
13-17	5	8.8	25	2	2	8	13	15	15	15	3	4.0	12	2	2	2	7	8	8	8
18-24	4	19.8	480	4	4	11	33	52	52	52	2	5.0	2	4	4	5	6	6	6	6
25-34	4	4.0	5	2	2	3	5	7	7	7	7	5.9	23	2	2	4	9	14	15	15
35-54	16	7.6	26	1	2	7	10	16	19	20	11	7.7	41	2	2	6	9	18	23	24
55-74	12	10.6	370	2	2	4	6	34	65	70	14	5.2	18	1	2	4	7	9	16	18
75 +	8	4.3	10	1	1	3	7	9	9	9	9	4.9	5	1	1	6	7	7	7	7
ALL AGES	51	8.6	138	1	2	6	8	16	20	70	47	5.7	20	2	2	4	7	10	15	24
SUBTOTAL	**69**	**8.0**	**114**	**1**	**2**	**6**	**8**	**15**	**21**	**67**	**62**	**5.8**	**18**	**2**	**2**	**5**	**7**	**11**	**14**	**23**
GRAND TOTAL	**140**	**6.5**	**65**	**1**	**2**	**5**	**8**	**12**	**16**	**54**	**156**	**4.9**	**17**	**1**	**2**	**4**	**7**	**10**	**13**	**29**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.7	10	2	2	7	8	8	8	8										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	7	5.3	10	2	2	5	8	10	10	10	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34																				
35-54	2	3.0	8	1	1	2	5	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74											1	6.0		6	6	6	6	6	6	6
75 +											1	65.0		65	65	65	65	65	65	65
ALL AGES	4	4.3	12	1	1	3	7	9	9	9	4	19.8	909	3	3	5	35	65	65	65
SUBTOTAL	**11**	**4.9**	**10**	**1**	**1**	**5**	**8**	**9**	**10**	**10**	**5**	**16.2**	**747**	**2**	**2**	**5**	**21**	**65**	**65**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54											1	4.0		4	4	4	4	4	4	4
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24											1	3.0		3	3	3	3	3	3	3
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	3	4.0	3	3	3	3	5	6	6	6
SUBTOTAL	**2**	**6.5**	**1**	**6**	**6**	**6**	**7**	**7**	**7**	**7**	**5**	**3.8**	**2**	**3**	**3**	**3**	**4**	**6**	**6**	**6**
GRAND TOTAL	**13**	**5.2**	**8**	**1**	**1**	**5**	**7**	**9**	**10**	**10**	**10**	**10.0**	**375**	**2**	**2**	**4**	**6**	**36**	**65**	**65**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	27.5	1105	4	4	27	51	51	51	51										
SUBTOTAL	**2**	**27.5**	**1105**	**4**	**4**	**27**	**51**	**51**	**51**	**51**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**3**	**24.0**	**589**	**4**	**4**	**17**	**42**	**51**	**51**	**51**										

Total U.S. January - December 1987

PSYCHOGENIC SENSORY DIS (306.7)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	9.5	41	5	5	9	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	3	6.7	44	1	1	5	12	14	14	14										
GRAND TOTAL	4	6.0	31	1	1	4	9	14	14	14	1	3.0		3	3	3	3	3	3	3

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	5	4.0	7	1	1	3	6	8	8	8	3	2.7	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	3	18.3	428	4	4	9	34	42	42	42	1	3.0		3	3	3	3	3	3	3
55-74	2	10.5	181	1	1	10	20	20	20	20	2	2.0		2	2	2	2	2	2	2
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	15.3	198	1	2	9	21	38	42	42	5	2.2	1	1	1	2	3	3	3	3
SUBTOTAL	**12**	**10.6**	**144**	**1**	**1**	**6**	**15**	**28**	**40**	**42**	**8**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	4.8	4	2	2	5	6	7	7	7	3	1.7	1	1	1	1	3	3	3	3
55-74	2	4.0	2	3	3	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	6	4.5	4	2	2	4	6	7	7	7	4	2.3	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
25-34	2	3.0	8	1	1	3	5	5	5	5	1	7.0		7	7	7	7	7	7	7
35-54	4	8.8	136	1	1	4	16	26	26	26	3	4.7	1	4	4	4	6	6	6	6
55-74											2	2.5	1	2	2	2	3	3	3	3
75 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	7	6.3	79	1	1	3	6	22	26	26	9	4.8	3	2	2	4	6	7	7	7
SUBTOTAL	**13**	**5.5**	**41**	**1**	**1**	**4**	**6**	**11**	**23**	**26**	**13**	**4.0**	**4**	**1**	**1**	**4**	**6**	**7**	**7**	**7**
GRAND TOTAL	**25**	**7.9**	**94**	**1**	**1**	**5**	**8**	**22**	**30**	**42**	**21**	**3.4**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**7**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.5	13	4	4	6	9	9	9	9	2	3.5	5	2	2	3	5	5	5	5
13-17	4	11.8	189	2	2	6	20	32	32	32										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	3.5	1	3	3	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	3	2.7		2	2	3	3	3	3	3										
55-74	2	2.5	5	1	1	2	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	13	6.2	66	1	2	4	5	14	29	32	5	2.2	3	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	8.0	3	6	6	9	9	9	9	9	2	9.0	72	3	3	9	15	15	15	15
35-54	6	10.5	139	1	1	4	23	27	28	28	5	3.0	2	2	2	3	4	5	5	5
55-74	4	12.3	217	2	2	6	21	34	34	34	5	5.6	11	3	3	5	7	11	11	11
75 +	2	5.0		5	5	5	5	5	5	5										
ALL AGES	17	8.8	97	1	1	5	9	27	32	34	13	4.9	15	2	2	3	5	12	14	15
SUBTOTAL	**30**	**7.6**	**83**	**1**		**4**	**9**	**25**	**32**	**34**	**18**	**4.2**	**12**	**1**	**1**	**3**	**5**	**9**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	3	3.7	14	1	1	2	6	6	8	8										
35-54	4	13.0	264	1	1	7	22	37	37	37	2	2.5	5	1	1	2	4	4	4	4
55-74	3	9.3	17	7	7	7	12	14	14	14	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	11	8.6	103	1	1	7	[illegible]	23	36	37	4	2.5	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
25-34	5	5.8	33	3	3	3	7	16	16	16	1	8.0		8	8	8	8	8	8	8
35-54	6	9.5	50	2	2	9	15	19	19	19	7	12.1	164	3	3	5	19	34	37	37
55-74	7	6.9	46	3	3	4	6	19	22	22	1	3.0		3	3	3	3	3	3	3
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	20	8.0	55	1	2	4	14	20	23	25	11	9.5	112	3	3	5	9	28	36	37
SUBTOTAL	**31**	**8.2**	**70**	**1**	**2**	**5**	**12**	**20**	**25**	**37**	**15**	**7.6**	**91**	**1**	**2**	**4**	**7**	**22**	**33**	**37**
GRAND TOTAL	**61**	**7.9**	**75**	**1**	**2**	**4**	[illegible]	[illegible]	**30**	**37**	**33**	**5.7**	**50**	**1**	**1**	**3**	**5**	**12**	**21**	**37**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	98.0		98	98	98	98	98	98	98
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	52.0	4232	6	6	52	98	98	98	98
SUBTOTAL	2	3.5	1	3	3	3	4	4	4	4	3	37.3	2765	6	6	8	75	98	98	98
GRAND TOTAL	3	3.3	1	3	3	3	4	4	4	4	4	29.0	2119	4	4	7	53	98	98	98

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	4	76	99+	99+	99+										
13-17	3	33.7	713	5	5	38	53	58	58	58	1	47.0		47	47	47	47	47	47	47
18-24	1	57.0		57	57	57	57	57	57	57	2	40.0	200	30	30	40	50	50	50	50
25-34											3	2.3	3	1	1	2	3	4	4	4
35-54											3	20.3	428	6	6	11	36	44	44	44
55-74	2	5.5	5	4	4	5	7	7	7	7										
75 +																				
ALL AGES	8	21.9	619	2	3	7	57	83	99+	99+	9	21.7	436	1	1	11	45	49	50	50
B. FEMALE																				
0-12 YRS.	12	27.1	484	4	6	40	89	99+	99+	99+	17	36.2	801	2	3	31	58	80	83	84
13-17	114	33.0	546	1	3	33	52	74	84	99+	71	24.5	432	2	4	19	40	54	59	92
18-24	70	24.1	522	1	2	18	38	62	76	81	53	16.5	366	2	2	7	27	51	65	99
25-34	41	21.0	360	1	3	16	29	48	60	87	26	17.2	225	2	3	10	33	40	41	44
35-54	26	27.6	671	1	2	22	43	86	94	99+	23	12.3	167	1	2	9	13	30	41	58
55-74	2	46.5	181	37	37	46	56	56	56	56	2	11.5	13	9	9	11	14	14	14	14
75 +	1	5.0		5	5	5	5	5	5	5	5	8.8	41	5	5	6	11	20	20	20
ALL AGES	266	28.0	535	1	3	24	46	67	84	99+	197	20.4	412	2	3	11	32	52	60	92
SUBTOTAL	**274**	**27.8**	**537**	**1**	**3**	**24**	**46**	**67**	**85**	**99+**	**206**	**20.5**	**409**	**2**	**3**	**11**	**33**	**51**	**59**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	22.8	379	2	2	38	86	99+	99+	99+										
13-17	3	61.0	172	49	49	67	87	99+	99+	99+										
18-24											5	20.8	320	4	4	18	35	46	46	46
25-34	3	35.3	2589	4	4	51	97	99+	99+	99+	1	8.0		8	8	8	8	8	8	8
35-54											1	21.0		21	21	21	21	21	21	21
55-74	2	10.5	145	2	2	10	19	19	19	19	1	3.0		3	3	3	3	3	3	3
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	14	31.1	885	2	3	41	94	99+	99+	99+	8	17.0	235	3	3	13	26	41	46	46
B. FEMALE																				
0-12 YRS.	5	42.6	1104	2	2	44	65	88	88	88	10	26.7	561	1	2	23	52	58	59	59
13-17	91	36.4	580	3	4	40	57	81	99+	99+	56	35.2	583	2	4	35	58	78	94	99+
18-24	105	32.5	694	2	3	28	54	80	90	99+	30	19.4	272	1	2	16	37	43	53	99+
25-34	102	28.1	364	3	4	28	43	57	63	86	24	19.9	331	2	3	12	31	46	55	68
35-54	44	26.0	262	4	6	24	40	45	53	63	27	16.3	327	1	2	7	23	47	55	59
55-74	8	18.0	288	1	2	13	27	46	51	51	2	11.5	113	4	4	11	19	19	19	19
75 +											4	12.8	9	9	9	13	15	16	16	16
ALL AGES	355	31.2	528	2	4	30	48	67	86	99+	153	24.9	472	2	3	20	42	60	75	99+
SUBTOTAL	**369**	**31.2**	**539**	**2**	**4**	**30**	**49**	**68**	**89**	**99+**	**161**	**24.5**	**462**	**2**	**3**	**19**	**41**	**59**	**73**	**99+**
GRAND TOTAL	**643**	**29.8**	**537**	**2**	**3**	**29**	**48**	**68**	**89**	**99+**	**367**	**22.3**	**433**	**2**	**3**	**14**	**37**	**56**	**65**	**99+**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	12.7	253	1	2	5	16	38	49	54	2	2.5	1	2	2	2	3	3	3	3
13-17	6	3.2	4	1	1	3	5	6	6	6	1	1.0		1	1	1	1	1	1	1
18-24	6	14.3	172	2	2	12	28	29	29	29										
25-34											2	4.5	1	4	4	4	5	5	5	5
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
ALL AGES	30	11.4	181	1	2	5	21	31	39	54	6	3.7	4	1	1	3	5	7	7	7
B. FEMALE																				
0-12 YRS.	3	4.0	9	1	1	4	6	7	7	7										
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											2	10.0	98	3	3	10	17	17	17	17
35-54	2	17.0	162	8	8	17	26	26	26	26	1	3.0		3	3	3	3	3	3	3
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	5	9.2	96	1	1	7	12	26	26	26	5	5.0	46	1	1	3	7	17	17	17
SUBTOTAL	**35**	**11.1**	**166**	**1**	**2**	**5**	**19**	**29**	**38**	**54**	**11**	**4.3**	**21**	**1**	**1**	**3**	**5**	**11**	**16**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	12.5	194	2	3	8	13	36	47	48	7	10.1	61	3	3	8	15	22	23	23
13-17	9	17.1	221	2	2	11	29	39	45	45										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54											2	7.0	2	6	6	7	8	8	8	8
55-74																				
75 +																				
ALL AGES	23	13.3	185	2	3	8	18	33	46	48	9	9.4	48	3	3	8	14	20	23	23
B. FEMALE																				
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5										
13-17	2	5.5	1	5	5	5	6	6	6	6										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54																				
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	6	8.2	32	4	4	6	10	18	19	19										
SUBTOTAL	**29**	**12.3**	**154**	**2**	**3**	**7**	**15**	**30**	**45**	**48**	**9**	**9.4**	**48**	**3**	**3**	**8**	**14**	**20**	**23**	**23**
GRAND TOTAL	**64**	**11.6**	**160**	**1**	**2**	**6**	**16**	**29**	**41**	**53**	**20**	**6.6**	**38**	**1**	**1**	**4**	**8**	**16**	**20**	**23**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	5	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	1.8	4	1	1	1	1	6	6	6	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**2.4**	**6**	**1**	**1**	**1**	**5**	**6**	**6**	**6**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**7**	**2.4**	**6**	**1**	**1**	**1**	**5**	**6**	**6**	**6**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	1.3		1	1	1	2	2	2	2	6	2.5	5	1	1	2	2	7	7	7
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	4.5	1	4	4	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74											2	6.0	8	4	4	6	8	8	8	8
75 +																				
ALL AGES	10	1.9	2	1	1	1	2	4	5	5	9	3.3	7	1	1	2	5	8	8	8
B. FEMALE																				
0-12 YRS.	8	11.6	680	1	1	2	5	55	76	76	3	1.7		1	1	2	2	2	2	2
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54	2	9.5	145	1	1	9	18	18	18	18	1	4.0		4	4	4	4	4	4	4
55-74	3	3.7	8	2	2	2	6	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	14	9.1	391	1	1	2	6	24	64	76	7	2.1	1	1	1	2	3	4	4	4
SUBTOTAL	**24**	**6.1**	**235**	**1**	**1**	**2**	**4**	**8**	**35**	**76**	**16**	**2.8**	**4**	**1**	**1**	**2**	**3**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES	3	6.0	21	1	1	7	9	10	10	10	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	2	15.0	288	3	3	15	27	27	27	27	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**9.6**	**107**	**1**	**1**	**7**	**14**	**27**	**27**	**27**	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**29**	**6.7**	**210**	**1**	**1**	**2**	**5**	**15**	**29**	**76**	**19**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**8**	**8**

EATING DISORDERS NEC/NOS (307.5)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	6.8	135	1	1	2	4	27	36	37	8	16.3	395	2	2	4	31	48	54	54
13-17	11	23.7	317	1	5	22	29	54	59	59	5	9.0	55	2	2	5	15	20	20	20
18-24	4	18.0	383	1	1	15	34	40	40	40										
25-34	4	15.3	186	3	3	12	26	33	33	33	9	6.1	63	1	1	2	8	20	23	23
35-54	3	34.3	48	30	30	31	39	42	42	42	2	3.5	1	3	3	3	4	4	4	4
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +	2	22.5	685	4	4	22	41	41	41	41										
ALL AGES	36	17.3	277	1	1	10	30	41	48	59	25	9.6	170	1	1	4	14	29	38	54
B. FEMALE																				
0-12 YRS.	15	17.9	199	1	1	18	29	32	42	46	13	19.1	735	1	2	4	37	80	96	99 +
13-17	115	24.1	259	2	3	25	38	45	51	78	20	21.0	281	2	3	17	31	46	51	55
18-24	156	25.4	214	2	4	28	36	45	57	99 +	36	22.7	179	2	3	28	30	37	39	52
25-34	67	30.1	237	3	5	31	39	47	53	72	18	15.7	162	2	2	12	28	30	36	40
35-54	46	31.5	341	2	4	31	41	50	68	92	16	10.8	178	1	2	4	15	37	39	40
55-74	8	20.8	169	2	3	26	31	34	34	34	4	21.8	1045	1	1	8	40	70	70	70
75 +	3	15.0	175	5	5	10	25	30	30	30	7	4.4	18	1	1	3	6	12	13	13
ALL AGES	410	26.0	253	2	4	28	37	46	54	95	114	18.1	285	2	2	12	30	40	51	86
SUBTOTAL	**446**	**25.3**	**260**	**2**	**3**	**27**	**36**	**46**	**53**	**92**	**139**	**16.5**	**276**	**1**	**2**	**9**	**29**	**38**	**49**	**80**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56	1	71.0		71	71	71	71	71	71	71
13-17	5	40.2	451	17	17	43	59	64	64	64	2	2.0	2	1	1	2	3	3	3	3
18-24	6	13.7	89	3	3	12	23	25	25	25	2	4.0	2	3	3	4	5	5	5	5
25-34	13	17.5	380	1	1	5	29	45	59	62	4	14.8	493	1	1	5	27	48	48	48
35-54	8	23.5	705	1	1	17	30	67	83	83	3	33.7	583	6	6	44	49	51	51	51
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +	1	59.0		59	59	59	59	59	59	59										
ALL AGES	36	22.8	494	1	2	19	32	59	63	83	12	20.3	643	1	1	5	46	57	69	71
B. FEMALE																				
0-12 YRS.	12	18.0	311	1	2	12	28	46	55	57	4	20.8	589	5	5	10	34	57	57	57
13-17	116	30.6	451	3	4	30	44	61	69	99	35	23.9	353	2	2	19	39	47	50	75
18-24	231	28.1	269	3	6	29	39	50	60	83	57	27.6	268	4	6	30	40	45	47	99
25-34	160	25.0	283	3	4	25	36	46	57	99	52	25.5	375	2	3	27	39	46	56	88
35-54	86	30.3	176	7	10	33	41	43	48	86	27	27.5	457	4	4	29	40	47	58	98
55-74	11	11.5	296	1	2	5	8	38	58	60	7	16.7	241	1	1	12	30	39	41	41
75 +	2	14.0	72	8	8	14	20	20	20	20	5	7.8	12	4	4	7	10	13	13	13
ALL AGES	618	27.5	306	3	5	28	40	51	61	98	187	25.2	345	2	4	26	39	47	52	96
SUBTOTAL	**654**	**27.3**	**313**	**3**	**5**	**28**	**40**	**51**	**62**	**97**	**199**	**24.9**	**361**	**2**	**3**	**25**	**39**	**47**	**53**	**95**
GRAND TOTAL	**1100**	**26.5**	**292**	**2**	**4**	**28**	**38**	**48**	**59**	**95**	**338**	**21.5**	**340**	**2**	**2**	**19**	**34**	**46**	**52**	**93**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	34.0		34	34	34	34	34	34	34
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	34.0		34	34	34	34	34	34	34
B. FEMALE																				
0-12 YRS.	2	47.5	2813	10	10	47	85	85	85	85										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	47.5	2813	10	10	47	85	85	85	85										
SUBTOTAL	**2**	**47.5**	**2813**	**10**	**10**	**47**	**85**	**85**	**85**	**85**	**1**	**34.0**		**34**	**34**	**34**	**34**	**34**	**34**	**34**
GRAND TOTAL	**3**	**32.3**	**2100**	**2**	**2**	**10**	**66**	**85**	**85**	**85**	**3**	**12.3**	**354**	**1**	**1**	**2**	**26**	**34**	**34**	**34**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	25.0	769	8	8	10	45	57	57	57	3	34.7	671	12	12	29	54	63	63	63
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	19.3	642	2	2	9	33	57	57	57	3	34.7	671	12	12	29	54	63	63	63
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**5**	**15.8**	**543**	**2**	**2**	**8**	**22**	**57**	**57**	**57**	**4**	**26.3**	**729**	**1**	**1**	**20**	**46**	**63**	**63**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	16.6	175	3	3	16	33	75	99+	99+	2	50.0	242	39	39	50	61	61	61	61
13-17											1	29.0		29	29	29	29	29	29	29
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	16.6	175	3	3	16	33	75	99+	99+	3	43.0	268	29	29	39	55	61	61	61
B. FEMALE																				
0-12 YRS.	4	14.5	90	5	5	13	21	27	27	27	2	44.0	162	35	35	44	53	53	53	53
13-17	2	32.0	882	11	11	32	53	53	53	53										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	20.3	313	5	5	13	27	50	53	53	2	44.0	162	35	35	44	53	53	53	53
SUBTOTAL	**14**	**18.2**	**218**	**3**	**4**	**16**	**31**	**53**	**88**	**99+**	**5**	**43.4**	**175**	**29**	**29**	**39**	**55**	**61**	**61**	**61**
GRAND TOTAL	**19**	**17.6**	**278**	**2**	**3**	**11**	**29**	**55**	**78**	**99+**	**9**	**35.8**	**442**	**1**	**5**	**35**	**55**	**62**	**63**	**63**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	3.8	15	1	1	3	4	9	14	14	1	2.0		2	2	2	2	2	2	2
13-17	9	5.7	21	1	1	5	9	13	13	13	6	1.8	2	1	1	1	2	4	4	4
18-24	7	2.1	2	1	1	2	3	4	4	4	10	2.4	3	1	1	2	3	5	7	7
25-34	19	3.8	7	1	1	3	5	9	10	10	33	3.1	4	1	1	3	4	5	8	9
35-54	24	2.8	7	1	1	2	3	5	10	12	32	2.8	3	1	1	2	4	5	8	8
55-74	9	5.3	57	1	1	3	5	17	25	25	13	3.9	6	1	1	3	5	7	9	10
75 +	1	3.0		3	3	3	3	3	3	3	3	4.0	1	3	3	4	5	5	5	5
ALL AGES	79	3.7	15	1	1	3	4	9	12	22	98	2.9	4	1	1	2	4	6	7	10
B. FEMALE																				
0-12 YRS.	12	3.8	8	1	1	3	5	8	11	11	4	2.8		2	2	3	3	3	3	3
13-17	28	3.9	14	1	1	3	5	6	8	21	14	3.2	4	1	1	3	4	6	8	8
18-24	22	2.6	4	1	1	2	3	6	7	8	29	2.2	1	1	1	2	3	4	4	5
25-34	63	3.0	5	1	1	3	4	6	7	12	88	3.4	5	1	1	3	5	6	7	12
35-54	80	4.6	29	1	1	4	5	8	12	35	130	3.7	6	1	1	3	5	7	9	12
55-74	39	4.8	35	1	1	3	6	9	17	33	51	3.7	7	1	1	3	5	8	9	10
75 +	8	3.6	10	1	1	2	6	9	9	9	11	4.5	9	1	2	3	6	9	10	10
ALL AGES	252	3.9	19	1	1	3	4	7	9	21	327	3.5	5	1	1	3	4	7	9	11
SUBTOTAL	**331**	**3.9**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**22**	**425**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	7.3	35	3	3	5	12	14	14	14	1	1.0		1	1	1	1	1	1	1
13-17	2	8.5	41	4	4	8	13	13	13	13										
18-24	1	3.0		3	3	3	3	3	3	3	3	3.7	21	1	1	1	7	9	9	9
25-34	14	8.1	93	1	2	4	10	29	30	30	6	2.7	1	1	1	3	3	4	4	4
35-54	21	5.7	21	1	2	4	7	11	16	21	9	5.1	18	1	1	3	9	12	12	12
55-74	9	7.4	51	1	1	6	8	20	24	24	3	3.7	5	1	1	5	5	5	5	5
75 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	50	6.9	44	1	2	4	9	14	24	30	24	3.8	10	1	1	3	5	9	11	12
B. FEMALE																				
0-12 YRS.	6	10.5	322	1	1	4	5	43	47	47	2	4.0	8	2	2	4	6	6	6	6
13-17	11	5.5	24	1	1	4	10	13	14	14	4	3.3	4	1	1	3	5	6	6	6
18-24	7	5.1	20	1	1	3	7	13	14	14	19	3.7	12	1	1	2	4	9	13	14
25-34	36	4.8	11	1	2	4	5	8	12	18	30	4.1	7	1	1	3	5	9	10	11
35-54	51	6.5	36	1	2	4	8	15	20	28	46	4.1	11	1	1	3	5	8	9	20
55-74	26	5.9	21	1	2	5	7	11	16	22	26	4.7	7	1	1	4	6	9	10	11
75 +	8	9.6	113	2	3	6	9	27	35	35	13	5.2	13	2	2	5	6	9	14	15
ALL AGES	145	6.2	39	1	2	4	7	14	18	36	140	4.2	10	1	1	3	5	8	10	15
SUBTOTAL	**195**	**6.3**	**42**	**1**	**2**	**4**	**7**	**14**	**20**	**33**	**164**	**4.2**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**15**
GRAND TOTAL	**526**	**4.8**	**28**	**1**	**1**	**3**	**5**	**9**	**14**	**29**	**589**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.7	10	2	2	7	8	8	8	8	2	3.5	5	2	2	3	5	5	5	5
13-17	3	3.7	14	1	1	2	6	8	8	8										
18-24	1	6.0		6	6	6	6	6	6	6	3	1.3		1	1	1	2	2	2	2
25-34	3	16.0	127	3	3	22	23	23	23	23	1	2.0		2	2	2	2	2	2	2
35-54	2	2.0	2	1	1	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74	4	13.0	355	1	1	5	24	41	41	41	6	4.8	9	1	1	5	6	9	9	9
75 +	4	12.5	169	1	1	9	21	31	31	31	4	3.5	3	2	2	3	5	6	6	6
ALL AGES	20	9.4	124	1	1	6	10	27	36	41	17	3.5	5	1	1	3	5	6	8	9
B. FEMALE																				
0-12 YRS.	6	5.0	11	2	2	5	8	9	9	9	3	7.3	45	3	3	4	12	15	15	15
13-17	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											2	4.0	18	1	1	4	7	7	7	7
35-54	3	4.7	10	1	1	6	7	7	7	7	2	1.0		1	1	1	1	1	1	1
55-74	4	6.0	39	1	1	4	10	15	15	15	5	7.0	20	4	4	4	10	14	14	14
75 +	6	5.0	13	1	1	4	7	11	11	11	6	6.8	23	3	3	5	7	15	16	16
ALL AGES	20	5.1	14	1	1	4	7	10	13	15	19	5.7	22	1	1	4	7	15	16	16
SUBTOTAL	**40**	**7.3**	**71**	**1**	**1**	**5**	**8**	**18**	**27**	**41**	**36**	**4.7**	**15**	**1**	**1**	**4**	**6**	**9**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	1.7		1	1	2	2	2	2	2
25-34	3	8.7	36	2	2	10	13	14	14	14										
35-54	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
55-74	5	8.0	44	2	2	5	14	17	17	17	3	25.3	977	3	3	12	49	61	61	61
75 +	7	13.1	153	1	1	12	16	34	38	38	7	3.4	4	1	1	4	5	6	6	6
ALL AGES	16	9.9	90	1	1	8	14	17	32	38	14	7.7	243	1	1	3	5	17	51	61
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	11.0		11	11	11	11	11	11	11
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	5.0		5	5	5	5	5	5	5	4	1.8		1	1	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2	10	3.6	4	1	1	3	6	6	6	6
75 +	10	7.9	43	2	2	6	9	17	25	25	6	5.3	1	4	4	5	6	7	7	7
ALL AGES	13	7.3	36	2	2	5	9	13	23	25	23	3.8	7	1	1	3	6	6	8	11
SUBTOTAL	**29**	**8.8**	**64**	**1**	**2**	**5**	**12**	**17**	**26**	**38**	**37**	**5.3**	**95**	**1**	**1**	**3**	**5**	**7**	**12**	**61**
GRAND TOTAL	**69**	**7.9**	**68**	**1**	**1**	**5**	**9**	**17**	**25**	**40**	**73**	**5.0**	**55**	**1**	**1**	**4**	**6**	**9**	**14**	**51**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	11.8	269	1	1	5	22	36	36	36										
18-24	5	2.8		2	2	3	3	3	3	3	3	1.3		1	1	1	2	2	2	2
25-34	5	4.2	8	2	2	4	5	9	9	9	5	1.6	2	1	1	1	2	4	4	4
35-54	13	4.5	10	1	1	4	7	8	10	10	25	2.5	5	1	1	2	3	5	8	10
55-74	5	2.2	1	1	1	3	3	3	3	3	12	1.9	1	1	1	2	2	4	4	4
75 +											4	2.0	1	1	1	2	3	3	3	3
ALL AGES	32	4.7	40	1	1	3	6	8	10	36	49	2.1	3	1	1	2	3	4	5	10
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	6	6.2	44	2	2	3	8	18	19	19	3	13.0	397	1	1	2	27	36	36	36
18-24	7	3.3	7	1	1	3	4	8	9	9	4	1.3		1	1	1	2	2	2	2
25-34	20	5.5	35	1	1	4	7	12	20	26	12	2.7	3	1	1	2	3	6	7	7
35-54	22	4.1	9	1	1	3	6	9	10	10	41	4.6	34	1	1	3	4	13	21	24
55-74	14	3.9	8	1	1	3	6	9	9	9	25	2.9	4	1	1	2	3	7	7	8
75 +	5	3.4	7	1	1	3	5	7	7	7	7	2.6	3	1	1	2	4	5	5	5
ALL AGES	74	4.5	18	1	1	3	6	9	10	24	93	3.8	29	1	1	2	4	7	18	31
SUBTOTAL	**106**	**4.5**	**25**	**1**	**1**	**3**	**6**	**9**	**10**	**30**	**142**	**3.3**	**20**	**1**	**1**	**2**	**3**	**6**	**8**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
18-24	2	5.5	41	1	1	5	10	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	4	2.8	5	1	1	2	4	6	6	6	5	2.2	2	1	1	2	3	4	4	4
35-54	7	4.7	8	1	1	5	7	8	8	8	4	7.3	38	1	1	7	12	14	14	14
55-74	1	4.0		4	4	4	4	4	4	4	2	2.0		2	2	2	2	2	2	2
75 +											2	6.0	32	2	2	6	10	10	10	10
ALL AGES	15	4.4	9	1	1	4	7	8	9	10	15	3.9	17	1	1	2	4	11	13	14
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.0	4	2	2	6	6	6	6	6	3	4.3	3	3	3	4	5	6	6	6
18-24	7	16.4	248	1	2	11	27	41	44	44	5	1.2		1	1	1	2	2	2	2
25-34	13	8.7	170	1	1	5	8	22	45	50	9	3.4	5	1	1	3	5	7	7	7
35-54	16	3.4	2	1	2	3	5	6	6	6	18	3.3	5	1	1	3	5	6	8	10
55-74	9	4.3	25	1	1	2	5	13	14	14	18	7.8	64	1	1	4	10	22	24	25
75 +	3	6.0	1	5	5	6	7	7	7	7	3	5.0	9	2	2	5	7	8	8	8
ALL AGES	52	6.9	93	1	1	4	6	14	29	50	56	4.7	28	1	1	3	5	10	20	25
SUBTOTAL	**67**	**6.3**	**75**	**1**	**1**	**4**	**7**	**12**	**21**	**49**	**71**	**4.5**	**26**	**1**	**1**	**3**	**5**	**10**	**18**	**24**
GRAND TOTAL	**173**	**5.2**	**45**	**1**	**1**	**3**	**6**	**9**	**14**	**42**	**213**	**3.7**	**22**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
SUBTOTAL	**5**	**3.0**	**7**	**1**	**1**	**2**	**5**	**7**	**7**	**7**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17																				
18-24																				
25-34																				
35-54	2	7.5	61	2	2	7	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	7.3	31	2	2	7	11	13	13	13										
SUBTOTAL	**3**	**7.3**	**31**	**2**	**2**	**7**	**11**	**13**	**13**	**13**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**8**	**4.6**	**18**	**1**	**1**	**3**	**7**	**11**	**13**	**13**	**4**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	2	3.0	8	1	1	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											4	2.8	2	2	2	2	4	5	5	5
55-74																				
75 +																				
ALL AGES											4	2.8	2	2	2	2	4	5	5	5
SUBTOTAL	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**	**4**	**2.8**	**2**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.5	13	1	1	3	6	6	6	6
25-34																				
35-54	2	6.5	61	1	1	6	12	12	12	12										
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	3	8.0	37	1	1	11	12	12	12	12	2	3.5	13	1	1	3	6	6	6	6
SUBTOTAL	**4**	**6.8**	**30**	**1**	**1**	**7**	**11**	**12**	**12**	**12**	**2**	**3.5**	**13**	**1**	**1**	**3**	**6**	**6**	**6**	**6**
GRAND TOTAL	**6**	**5.5**	**24**	**1**	**1**	**4**	**11**	**12**	**12**	**12**	**6**	**3.0**	**4**	**1**	**1**	**2**	**5**	**6**	**6**	**6**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.0	450	4	4	19	34	34	34	34	3	11.0	73	2	2	12	17	19	19	19
13-17	4	10.5	38	2	2	12	15	16	16	16	4	9.3	192	1	1	3	17	30	30	30
18-24	3	10.7	59	2	2	13	16	17	17	17	1	5.0		5	5	5	5	5	5	5
25-34	18	11.3	240	1	1	6	15	30	52	63	4	1.8		1	1	2	2	2	2	2
35-54	12	4.4	38	1	1	2	5	14	20	21	7	4.0	10	1	1	4	6	9	10	10
55-74	3	7.0	3	5	5	8	8	8	8	8	3	2.3	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	42	9.3	140	1	1	5	13	18	35	63	22	5.3	50	1	1	2	5	14	23	30
B. FEMALE																				
0-12 YRS.	4	6.3	25	2	2	6	10	12	12	12	2	5.0	18	2	2	5	8	8	8	8
13-17	24	19.6	543	2	2	9	36	46	66	96	9	10.6	308	1	1	4	11	39	56	56
18-24	13	4.7	14	1	1	4	6	11	13	13	4	2.0	1	1	1	2	3	3	3	3
25-34	22	9.2	66	2	2	6	15	17	26	37	14	4.1	12	1	1	3	7	10	11	11
35-54	29	7.1	49	1	1	4	11	20	21	25	23	2.2	1	1	1	2	3	3	4	6
55-74	11	6.9	28	1	1	5	12	14	15	15	14	3.1	4	1	1	2	4	7	7	7
75 +	3	5.7	2	4	4	6	7	7	7	7	4	4.5	9	3	3	3	6	9	9	9
ALL AGES	106	10.0	179	1	2	5	12	21	38	72	70	4.0	47	1	1	2	3	8	10	48
SUBTOTAL	**148**	**9.8**	**167**	**1**	**1**	**5**	**12**	**21**	**37**	**64**	**92**	**4.3**	**48**	**1**	**1**	**2**	**4**	**9**	**12**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	25.9	336	4	4	29	44	61	93	99 +	1	4.0		4	4	4	4	4	4	4
13-17	7	15.0	237	2	2	5	28	37	39	39	1	22.0		22	22	22	22	22	22	22
18-24	4	5.3	51	1	1	2	9	16	16	16	5	1.8	1	1	1	2	2	3	3	3
25-34	14	10.4	89	1	2	7	19	22	29	31	6	7.2	117	1	1	3	6	27	29	29
35-54	27	9.4	97	1	1	7	14	23	30	44	6	7.7	65	1	1	4	18	18	18	18
55-74	4	12.8	15	8	8	12	15	18	18	18	2	2.0	2	1	1	2	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	68	13.1	174	1	1	8	19	37	44	91	22	5.9	64	1	1	2	5	19	25	29
B. FEMALE																				
0-12 YRS.	6	34.3	245	11	13	34	42	55	57	57										
13-17	23	20.7	313	1	2	15	34	50	54	59	3	4.0	7	1	1	5	6	6	6	6
18-24	19	14.5	166	1	1	10	24	35	38	39	4	4.8	18	1	1	3	7	11	11	11
25-34	43	8.4	89	1	2	5	11	20	34	99 +	19	6.3	44	2	2	4	8	14	23	29
35-54	41	10.4	136	1	2	6	16	26	36	53	19	3.4	11	1	1	2	3	9	13	13
55-74	7	12.7	134	4	4	8	15	33	37	37	3	3.3	6	2	2	2	5	6	6	6
75 +	4	13.0	65	3	3	14	19	20	20	20	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	143	13.2	187	1	2	7	19	36	45	61	51	4.6	24	1	1	3	5	11	13	29
SUBTOTAL	**211**	**13.2**	**181**	**1**	**2**	**7**	**19**	**36**	**44**	**74**	**73**	**5.0**	**36**	**1**	**1**	**3**	**5**	**12**	**18**	**29**
GRAND TOTAL	**359**	**11.8**	**177**	**1**	**1**	**7**	**15**	**31**	**42**	**63**	**165**	**4.6**	**42**	**1**	**1**	**3**	**4**	**10**	**16**	**30**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											2	2.0		2	2	2	2	2	2	2
35-54											2	2.5	1	2	2	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	4	2.3		2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	4	2.8	1	2	2	3	3	4	4	4	4	2.3	3	1	1	2	3	5	5	5
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	7	2.6	2	1	1	2	4	5	5	5	6	2.7	3	1	1	2	5	5	5	5
SUBTOTAL	**8**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**10**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	1	3	3	3	3
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	4	2.3	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	10.0		10	10	10	10	10	10	10										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	3	7.0	27	1	1	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**5.2**	**21**	**1**	**1**	**4**	**10**	**10**	**10**	**10**	**5**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**4**
GRAND TOTAL	**13**	**3.5**	**10**	**1**	**1**	**2**	**4**	**10**	**10**	**10**	**15**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	5	2.2	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	4	11.5	190	3	3	5	19	32	32	32	2	2.5	1	2	2	2	3	3	3	3
35-54	9	2.8	6	1	1	2	3	7	9	9	8	1.8	1	1	1	1	2	4	4	4
55-74	1	7.0		7	7	7	7	7	7	7	5	3.0	7	1	1	2	5	7	7	7
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	20	4.5	47	1	1	3	4	8	20	32	18	2.1	2	1	1	1	3	4	6	7
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	1.0		1	1	1	1	1	1	1
13-17	8	5.4	13	1	1	5	7	11	12	12	3	4.3	7	2	2	4	6	7	7	7
18-24	4	2.3		2	2	2	3	3	3	3	6	3.0	4	1	1	3	5	5	5	5
25-34	11	4.9	15	1	1	3	6	11	14	14	10	3.4	6	1	1	3	4	7	9	9
35-54	18	4.7	22	1	1	3	5	12	16	18	13	2.5	2	1	1	2	3	4	5	5
55-74	5	8.2	141	1	1	3	12	29	29	29	5	3.2	1	2	2	3	4	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	47	5.0	28	1	1	3	6	12	15	29	40	3.0	3	1	1	3	4	5	6	9
SUBTOTAL	**67**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**31**	**58**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	2.0		2	2	2	2	2	2	2
25-34	7	4.9	8	1	1	5	7	9	9	9	3	1.7	1	1	1	1	3	3	3	3
35-54	12	4.7	18	1	1	3	6	12	14	14	5	6.2	39	1	1	5	8	17	17	17
55-74	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	21	7.5	138	1	1	5	8	12	33	56	12	3.7	19	1	1	2	4	9	16	17
B. FEMALE																				
0-12 YRS.																				
13-17	2	7.5	41	3	3	7	12	12	12	12	2	2.0		2	2	2	2	2	2	2
18-24	4	9.3	33	2	2	9	13	16	16	16	2	7.0	72	1	1	7	13	13	13	13
25-34	4	6.0	23	1	1	6	10	11	11	11	3	2.7	8	1	1	1	5	6	6	6
35-54	12	8.8	104	1	1	4	14	24	33	34	9	3.0	3	1	1	3	4	5	6	6
55-74	2	9.0	8	7	7	9	11	11	11	11	5	5.0	4	3	3	5	6	8	8	8
75 +																				
ALL AGES	24	8.3	61	1	1	7	12	16	24	34	21	3.7	9	1	1	3	5	7	10	13
SUBTOTAL	**45**	**7.9**	**95**	**1**	**1**	**5**	**11**	**15**	**23**	**56**	**33**	**3.7**	**12**	**1**	**1**	**3**	**5**	**7**	**12**	**17**
GRAND TOTAL	**112**	**6.1**	**59**	**1**	**1**	**3**	**8**	**13**	**18**	**42**	**91**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**7**	**15**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	13.5	115	1	2	12	23	32	38	99 +	3	4.0	7	2	2	3	6	7	7	7
13-17	207	10.7	107	1	1	7	14	26	32	47	19	6.3	81	1	1	3	5	20	30	36
18-24	278	5.6	37	1	1	4	7	11	17	30	37	3.9	18	1	1	2	5	8	13	22
25-34	268	5.9	49	1	1	4	7	12	19	38	39	5.0	39	1	1	3	6	12	22	27
35-54	319	6.4	34	1	1	5	8	14	18	28	59	4.7	19	1	1	3	6	12	15	17
55-74	83	8.2	56	1	2	6	11	17	20	44	22	5.1	17	1	1	4	6	11	15	17
75 +	37	11.0	138	3	4	7	11	22	44	55	18	5.6	8	1	2	5	8	10	11	11
ALL AGES	1220	7.3	60	1	1	5	9	16	23	42	197	4.9	27	1	1	3	6	11	15	26
B. FEMALE																				
0-12 YRS.	27	15.1	217	1	3	11	20	30	48	68	2	1.0		1	1	1	75	99 +	99 +	99 +
13-17	555	12.3	185	1	1	8	17	31	41	99	41	10.8	140	1	1	6	16	31	35	43
18-24	490	6.4	53	1	1	4	9	15	21	29	73	4.3	12	1	1	3	6	9	11	19
25-34	594	6.8	47	1	1	5	9	15	21	35	85	4.4	33	1	1	3	4	9	11	35
35-54	578	6.9	40	1	1	5	10	15	20	31	117	5.4	32	1	1	3	7	12	14	33
55-74	159	10.7	85	1	2	8	15	22	30	42	47	4.4	9	1	1	3	5	10	11	13
75 +	66	11.9	89	1	2	10	14	25	31	43	22	5.2	6	2	2	5	7	9	10	11
ALL AGES	2469	8.5	88	1	1	5	11	20	28	46	387	5.4	39	1	1	3	6	11	18	36
SUBTOTAL	**3689**	**8.1**	**79**	**1**	**1**	**5**	**10**	**19**	**26**	**44**	**584**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**16**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	15.3	141	2	2	13	26	29	36	38	3	8.0	37	4	4	5	12	15	15	15
13-17	194	13.7	203	1	2	9	18	34	48	95	12	12.8	766	1	1	3	8	43	91	99
18-24	354	7.5	76	1	1	5	9	17	23	47	32	5.7	93	1	1	2	4	13	34	43
25-34	557	7.9	56	1	1	6	11	17	23	38	66	5.3	31	1	1	3	7	13	19	24
35-54	450	8.3	60	1	1	6	12	19	23	32	40	5.6	36	1	1	4	7	12	18	30
55-74	88	9.3	62	1	2	8	12	18	26	41	16	5.5	13	1	1	5	8	11	13	14
75 +	22	11.9	99	1	2	9	16	25	34	42	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	1680	8.8	83	1	1	6	12	20	26	47	171	6.1	91	1	1	3	7	13	19	42
B. FEMALE																				
0-12 YRS.	25	20.2	283	1	1	15	31	52	53	54	1	42.0		42	42	42	42	42	42	42
13-17	395	15.3	214	2	2	11	20	37	46	80	21	4.7	8	2	2	3	6	9	11	12
18-24	471	9.5	100	1	1	7	13	22	30	46	35	5.7	41	1	1	3	7	17	22	25
25-34	655	8.2	62	1	1	6	11	18	24	39	53	6.6	42	1	1	4	9	16	21	30
35-54	571	8.9	69	1	2	7	12	20	25	41	77	6.3	91	1	1	4	7	12	16	65
55-74	117	11.0	72	2	3	9	15	24	29	39	21	6.7	11	2	2	6	9	11	12	13
75 +	27	9.2	46	1	2	7	15	17	20	30	8	8.4	19	2	3	8	12	14	15	15
ALL AGES	2261	10.2	107	1	2	7	13	23	31	52	216	6.4	58	1	1	4	8	13	18	34
SUBTOTAL	**3941**	**9.6**	**98**	**1**	**1**	**6**	**13**	**21**	**29**	**49**	**387**	**6.2**	**73**	**1**	**1**	**4**	**8**	**13**	**19**	**40**
GRAND TOTAL	**7630**	**8.8**	**91**	**1**	**1**	**6**	**12**	**20**	**28**	**48**	**971**	**5.6**	**50**	**1**	**1**	**3**	**7**	**12**	**17**	**36**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.0	18	1	1	4	7	7	7	7										
13-17	12	8.2	39	1	1	6	11	17	22	23	5	23.0	1591	2	2	4	32	94	94	94
18-24	6	10.5	70	4	4	8	10	25	27	27										
25-34	16	6.9	32	1	1	5	10	14	19	21	1	2.0		2	2	2	2	2	2	2
35-54	11	5.3	15	1	1	3	9	10	10	10	5	2.4	2	1	1	2	3	5	5	5
55-74	7	10.4	195	1	1	5	11	35	41	41	2	4.0		4	4	4	4	4	4	4
75 +	3	24.0	633	8	8	11	42	53	53	53	3	11.0	91	5	5	6	18	22	22	22
ALL AGES	57	8.5	86	1	1	6	10	15	26	52	16	10.6	522	1	2	4	6	21	72	94
B. FEMALE																				
0-12 YRS.	7	14.7	91	1	2	21	22	24	24	24										
13-17	22	14.5	308	1	2	6	15	43	55	65	2	10.0	50	5	5	10	15	15	15	15
18-24	11	9.5	67	1	2	7	11	23	29	30	6	8.5	240	1	1	2	5	36	40	40
25-34	19	7.2	52	1	2	4	10	14	25	32	9	4.9	9	1	1	4	8	9	10	10
35-54	23	7.1	47	1	1	5	10	14	21	31	12	9.7	58	3	3	7	20	39	89	99 +
55-74	10	8.5	94	1	2	5	8	24	34	34	13	10.6	224	1	2	6	8	36	50	53
75 +	8	8.5	25	3	3	8	11	16	18	18	14	9.2	82	2	3	6	14	24	31	33
ALL AGES	100	9.8	117	1	2	5	11	23	33	57	56	8.9	107	1	2	5	10	24	38	97
SUBTOTAL	**157**	**9.3**	**106**	**1**	**1**	**6**	**11**	**21**	**32**	**53**	**72**	**9.3**	**193**	**1**	**2**	**5**	**9**	**23**	**39**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	5.0	32	1	1	5	9	9	9	9										
13-17	12	22.7	415	2	4	16	38	78	96	99 +	1	4.0		4	4	4	4	4	4	4
18-24	12	6.6	93	1	1	4	7	17	33	36										
25-34	25	8.6	64	1	1	5	12	18	28	30	6	12.2	96	1	1	12	20	25	26	26
35-54	30	5.7	34	1	1	4	6	12	18	29	2	6.0	8	4	4	6	8	8	8	8
55-74	8	11.3	103	2	3	9	13	28	34	34										
75 +	1	16.0		16	16	16	16	16	16	16	1	12.0		12	12	12	12	12	12	12
ALL AGES	90	9.5	130	1	1	5	12	28	36	88	10	10.1	66	1	1	9	13	23	26	26
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	21	14.4	217	2	3	8	19	35	47	60	3	21.7	100	10	10	27	28	28	28	28
18-24	17	10.8	63	2	3	11	13	18	29	35	8	5.6	18	1	1	4	9	12	13	13
25-34	26	11.0	220	1	1	7	14	30	76	99 +	13	8.6	78	1	2	7	9	19	32	35
35-54	31	9.8	136	1	1	5	11	34	35	45	7	8.4	94	3	3	4	7	26	30	30
55-74	14	16.1	141	3	5	12	23	36	41	43	4	4.0	1	3	3	4	5	5	5	5
75 +	2	7.5	61	2	2	7	13	13	13	13	2	8.0	72	2	2	8	14	14	14	14
ALL AGES	112	11.8	158	1	2	8	14	33	37	82	37	8.5	71	1	2	6	9	25	29	35
SUBTOTAL	**202**	**10.8**	**145**	**1**	**1**	**6**	**13**	**30**	**36**	**85**	**47**	**8.8**	**69**	**1**	**2**	**6**	**12**	**25**	**28**	**35**
GRAND TOTAL	**359**	**10.1**	**129**	**1**	**1**	**6**	**12**	**26**	**35**	**71**	**119**	**9.1**	**144**	**1**	**2**	**5**	**10**	**23**	**32**	**96**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	43	20.7	269	1	2	20	32	44	52	58	1	3.0		3	3	51	99 +	99 +	99 +	99 +
13-17	93	14.2	231	1	1	9	18	33	40	82	12	3.9	14	1	1	2	5	11	12	12
18-24	78	6.3	79	1	1	4	8	14	19	54	13	5.9	87	1	1	2	4	25	28	29
25-34	109	6.1	31	1	1	4	8	13	16	27	16	6.5	21	1	1	5	10	13	14	15
35-54	139	7.1	37	1	1	5	10	15	21	26	25	8.2	82	1	1	5	9	29	29	30
55-74	46	10.5	65	2	3	8	14	19	29	38	6	3.7	5	1	1	3	6	7	7	7
75 +	18	12.6	82	3	4	9	18	27	28	29	1	1.0		1	1	1	1	1	1	1
ALL AGES	526	9.6	119	1	1	6	12	23	30	55	74	6.2	51	1	1	4	7	15	29	82
B. FEMALE																				
0-12 YRS.	38	14.9	204	2	4	10	20	39	61	99 +	3	4.0	3	3	3	3	5	6	6	6
13-17	181	13.0	201	1	2	8	16	30	41	87	13	3.8	15	1	1	2	4	11	13	13
18-24	149	6.7	40	1	1	5	9	16	20	28	22	7.0	158	1	1	3	7	14	38	58
25-34	210	6.4	30	1	1	5	9	14	18	26	32	7.8	72	1	1	4	11	23	29	29
35-54	235	8.1	89	1	1	5	10	19	21	60	75	8.6	78	1	2	4	10	28	29	30
55-74	87	10.2	64	1	2	9	15	22	23	40	30	5.4	19	1	1	4	7	10	17	18
75 +	30	9.6	52	1	3	8	12	20	24	34	10	9.3	65	3	3	6	10	24	25	25
ALL AGES	930	9.0	97	1	1	6	12	20	25	59	185	7.4	71	1	1	4	9	21	28	30
SUBTOTAL	**1456**	**9.2**	**105**	**1**	**1**	**6**	**12**	**21**	**28**	**57**	**259**	**7.0**	**66**	**1**	**1**	**4**	**8**	**20**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	29	26.9	527	3	7	20	40	64	99	99 +	3	10.3	163	2	2	4	20	25	25	25
13-17	92	18.3	321	2	2	14	28	42	85	99 +	7	14.4	793	1	1	3	8	64	78	78
18-24	127	8.1	64	1	1	5	11	19	28	34	15	12.2	132	1	1	6	25	29	29	29
25-34	219	8.1	68	1	1	6	9	20	26	45	10	13.2	98	3	3	11	24	27	28	28
35-54	208	7.8	57	1	1	6	11	18	20	31	24	7.0	55	1	2	4	9	18	26	30
55-74	40	12.3	116	1	1	9	16	30	34	47	6	3.7	15	1	1	2	7	10	10	10
75 +	6	11.0	80	4	4	7	16	26	27	27	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	721	10.3	140	1	1	6	14	25	33	80	67	9.8	151	1	1	5	13	26	29	70
B. FEMALE																				
0-12 YRS.	25	30.0	650	3	6	22	40	71	88	90	3	2.0	1	1	1	2	3	3	3	3
13-17	131	13.1	154	1	2	10	17	29	38	75	7	20.1	709	1	1	8	47	59	59	59
18-24	181	8.9	61	1	2	6	12	20	24	38	28	7.0	73	1	1	4	7	25	28	30
25-34	304	8.4	68	1	2	6	10	18	24	45	35	12.4	113	1	2	10	19	30	31	31
35-54	279	8.9	63	1	2	7	12	18	22	29	49	15.6	159	1	2	10	29	31	33	99 +
55-74	73	10.6	156	1	2	7	13	21	28	77	12	9.1	78	1	1	6	12	26	27	27
75 +	12	15.7	166	5	5	12	18	35	48	50	6	6.8	40	2	2	4	12	16	17	17
ALL AGES	1005	10.0	111	1	2	7	12	21	28	59	140	12.1	151	1	1	7	22	30	31	63
SUBTOTAL	**1726**	**10.2**	**122**	**1**	**2**	**7**	**13**	**22**	**30**	**64**	**207**	**11.3**	**153**	**1**	**1**	**6**	**17**	**30**	**31**	**67**
GRAND TOTAL	**3182**	**9.7**	**115**	**1**	**1**	**7**	**12**	**22**	**29**	**59**	**466**	**9.0**	**107**	**1**	**1**	**5**	**11**	**28**	**30**	**58**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	26	11.8	104	1	1	11	17	28	34	36	3	7.0	63	1	1	4	13	16	16	16
13-17	36	13.7	256	1	2	8	17	28	54	74	3	15.0	79	5	5	18	21	22	22	22
18-24	10	8.4	76	1	1	5	10	23	29	29	3	2.3	2	1	1	3	3	3	3	3
25-34	14	8.8	37	2	2	7	12	18	20	21										
35-54	3	4.0	3	3	3	3	5	6	6	6	2	2.5	1	2	2	2	3	3	3	3
55-74	2	12.0	8	10	10	12	14	14	14	14	1	11.0		11	11	11	11	11	11	11
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	92	11.4	146	1	2	8	14	25	33	66	12	7.4	55	1	1	4	13	19	22	22
B. FEMALE																				
0-12 YRS.	10	18.6	589	1	3	10	25	90	99	99 +	2	12.0	50	7	7	12	17	17	17	17
13-17	42	11.2	170	1	2	6	14	31	36	66	2	2.0	2	1	1	2	3	3	3	3
18-24	10	5.3	19	1	1	4	6	13	13	13										
25-34	9	6.2	35	1	1	4	9	16	19	19	2	2.0	2	1	1	2	3	3	3	3
35-54	7	5.6	34	1	1	3	11	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	4	9.8	66	1	1	9	16	20	20	20										
75 +	2	22.0	288	10	10	22	34	34	34	34										
ALL AGES	84	10.6	180	1	1	6	13	27	35	94	7	4.9	32	1	1	3	6	15	17	17
SUBTOTAL	**176**	**11.0**	**162**	**1**	**1**	**7**	**14**	**26**	**35**	**81**	**19**	**6.5**	**45**	**1**	**1**	**3**	**10**	**18**	**20**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	14.4	165	4	6	11	15	26	47	60	1	18.0		18	18	18	18	18	18	18
13-17	45	13.1	96	2	2	10	22	28	30	37	3	13.3	354	2	2	3	27	35	35	35
18-24	23	7.1	32	1	1	5	12	14	17	22	1	3.0		3	3	3	3	3	3	3
25-34	14	4.2	12	1	1	3	7	8	12	13	5	2.2	2	1	1	2	3	4	4	4
35-54	9	9.0	30	2	3	7	15	16	16	16	2	5.0	18	2	2	5	8	8	8	8
55-74	6	9.0	41	3	3	6	15	19	19	19										
75 +	3	12.0	31	7	7	11	16	18	18	18										
ALL AGES	118	10.5	85	1	2	8	15	23	28	44	12	6.8	101	1	1	3	6	23	33	35
B. FEMALE																				
0-12 YRS.	6	31.8	318	10	10	32	51	52	52	52	1	3.0		3	3	3	3	3	3	3
13-17	41	15.4	198	2	4	10	18	37	48	61	3	7.7	42	1	1	8	12	14	14	14
18-24	12	8.3	44	1	2	6	13	19	19	19										
25-34	5	7.0	46	3	3	4	8	19	19	19	2	3.5	1	3	3	3	4	4	4	4
35-54	12	9.2	114	1	1	4	18	26	31	32	2	8.0	18	5	5	8	11	11	11	11
55-74	2	7.5	61	2	2	7	13	13	13	13										
75 +	2	20.5	25	17	17	20	24	24	24	24										
ALL AGES	80	14.1	183	1	2	9	19	33	46	59	8	6.1	20	1	2	4	9	13	14	14
SUBTOTAL	**198**	**11.9**	**128**	**1**	**2**	**9**	**16**	**27**	**33**	**58**	**20**	**6.6**	**65**	**1**	**1**	**3**	**8**	**16**	**26**	**35**
GRAND TOTAL	**374**	**11.5**	**143**	**1**	**2**	**8**	**15**	**26**	**34**	**65**	**39**	**6.5**	**55**	**1**	**1**	**3**	**8**	**17**	**20**	**35**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	45	17.8	302	1	1	13	25	44	54	72	2	5.0	18	2	2	5	8	8	8	8
13-17	105	16.9	267	2	2	11	25	44	53	83	5	5.6	49	1	1	3	18	92	99+	99+
18-24	30	6.6	47	1	1	4	9	13	21	33	13	2.9	10	1	1	2	3	7	11	12
25-34	53	5.8	29	1	1	4	8	15	17	22	13	4.5	14	1	1	3	6	10	13	14
35-54	45	6.5	60	1	1	3	8	17	29	30	7	6.7	32	1	1	8	11	14	14	14
55-74	14	5.5	39	1	1	3	5	16	19	20	1	2.0		2	2	2	2	2	2	2
75 +	5	5.6	36	1	1	4	8	16	16	16										
ALL AGES	297	11.7	191	1	1	7	15	31	44	68	41	4.5	19	1	1	3	7	13	16	99+
B. FEMALE																				
0-12 YRS.	32	22.9	328	3	4	20	41	60	94	99+	2	13.5	313	1	1	13	26	26	26	26
13-17	192	15.2	219	1	3	11	21	32	45	69	21	6.7	60	1	1	4	6	19	26	31
18-24	72	7.5	52	1	1	5	11	16	19	35	13	4.8	8	1	1	4	7	9	10	10
25-34	64	7.9	122	1	1	4	10	15	26	60	12	6.3	144	1	1	3	5	17	40	44
35-54	74	6.9	62	1	1	4	8	19	23	40	18	6.6	17	1	2	5	10	13	15	16
55-74	19	7.3	28	1	1	7	10	13	18	22	6	7.3	28	2	2	6	9	16	17	17
75 +	8	13.0	105	2	3	12	17	30	33	33	3	3.3	2	2	2	4	4	4	4	4
ALL AGES	461	11.8	174	1	1	7	16	28	41	70	75	6.4	51	1	1	4	7	13	21	41
SUBTOTAL	**758**	**11.8**	**179**	**1**	**1**	**7**	**16**	**29**	**43**	**69**	**116**	**5.7**	**41**	**1**	**1**	**4**	**7**	**13**	**18**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	27	22.1	322	1	3	17	37	49	78	99+	1	1.0		1	1	99+	99+	99+	99+	99+
13-17	88	22.3	474	2	3	14	32	58	68	88	1	4.0		4	4	4	4	4	4	4
18-24	83	8.3	60	1	1	6	11	19	27	34	21	6.2	79	1	1	3	6	18	31	35
25-34	89	6.7	66	1	1	4	9	14	18	48	28	6.1	71	1	1	4	6	12	27	40
35-54	65	7.5	61	1	1	5	9	21	31	90	8	4.8	7	2	2	4	7	9	9	9
55-74	24	15.8	238	2	3	11	19	45	52	57	1	2.0		2	2	2	2	2	2	2
75 +	5	9.4	18	2	2	11	12	13	13	13										
ALL AGES	381	12.5	229	1	1	7	15	34	50	83	60	5.8	61	1	1	3	7	16	37	99+
B. FEMALE																				
0-12 YRS.	12	20.5	360	7	8	11	26	52	66	68	1	1.0		1	1	1	1	1	1	1
13-17	112	16.4	324	1	2	10	22	43	64	99+	2	9.0	50	4	4	14	78	99+	99+	99+
18-24	76	10.8	154	1	1	6	15	26	35	65	8	8.9	121	2	2	3	12	28	33	33
25-34	92	9.0	89	1	2	6	12	22	28	47	15	5.1	44	1	1	4	6	7	23	28
35-54	105	10.0	107	1	2	7	14	19	31	58	10	4.3	10	1	1	4	5	9	10	10
55-74	20	12.3	90	1	1	10	16	28	30	32	2	6.0	8	4	4	6	8	8	8	8
75 +	12	14.8	85	1	2	15	24	26	26	26	1	2.0		2	2	2	2	2	2	2
ALL AGES	429	12.1	182	1	2	8	16	28	39	70	39	5.7	47	1	1	4	7	15	30	99+
SUBTOTAL	**810**	**12.3**	**204**	**1**	**2**	**7**	**15**	**30**	**45**	**78**	**99**	**5.8**	**55**	**1**	**1**	**4**	**7**	**15**	**34**	**99+**
GRAND TOTAL	**1568**	**12.0**	**193**	**1**	**1**	**7**	**16**	**30**	**44**	**72**	**215**	**5.7**	**47**	**1**	**1**	**4**	**7**	**13**	**27**	**99+**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	12	10.8	204	1	2	5	8	38	46	47		1	4.0		4	4	4	4	4	4	4
13-17	32	11.9	139	1	2	7	17	31	38	43		5	5.4	8	2	2	6	7	9	9	9
18-24	3	14.7	107	3	3	18	22	23	23	23		1	3.0		3	3	3	3	3	3	3
25-34	11	11.3	129	1	1	7	22	29	31	31		3	5.3	17	3	3	3	8	10	10	10
35-54	14	9.6	169	1	1	4	12	36	41	42		4	3.0	7	1	1	2	5	7	7	7
55-74	4	9.3	36	3	3	8	14	17	17	17											
75 +	1	21.0		21	21	21	21	21	21	21											
ALL AGES	77	11.3	140	1	1	6	16	31	37	46		14	4.4	8	1	2	3	7	9	10	10
B. FEMALE																					
0-12 YRS.	12	20.6	676	1	1	9	32	64	79	82		4	36.3	1488	2	2	26	62	91	91	91
13-17	41	11.6	106	1	2	8	18	26	33	42		3	4.0	9	1	1	4	6	7	7	7
18-24	13	6.6	22	1	2	6	8	15	16	16		5	11.8	223	1	1	10	37	94	99 +	99 +
25-34	21	8.1	45	1	1	8	11	17	22	28		5	7.4	60	2	2	5	10	21	21	21
35-54	23	13.3	293	1	1	10	14	30	49	82		12	8.5	54	1	2	6	12	20	25	26
55-74	6	8.0	13	4	4	8	10	13	13	13		3	14.3	8	12	12	14	16	17	17	17
75 +												1	10.0		10	10	10	10	10	10	10
ALL AGES	116	11.5	183	1	1	7	14	27	35	82		33	12.4	282	1	1	7	17	33	80	99 +
SUBTOTAL	**193**	**11.4**	**165**	**1**	**1**	**7**	**15**	**28**	**36**	**71**		**47**	**10.0**	**212**	**1**	**1**	**6**	**12**	**24**	**42**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	20	23.1	241	2	3	20	41	46	72	99 +		5	49.0	866	21	21	45	66	95	95	95
13-17	22	15.9	210	2	3	8	24	40	48	51		4	7.5		7	7	7	8	8	8	8
18-24	17	10.1	247	1	1	6	12	19	51	67											
25-34	26	8.8	47	1	2	7	13	20	22	26		2	4.0	18	1	1	4	7	7	7	7
35-54	69	10.4	106	1	2	8	12	24	27	62		10	5.4	24	1	1	4	7	13	17	17
55-74	9	13.4	85	2	2	16	22	25	25	25											
75 +																					
ALL AGES	163	12.6	156	1	2	8	17	28	41	70		21	16.0	544	1	1	7	18	50	74	95
B. FEMALE																					
0-12 YRS.	8	18.5	478	1	1	6	35	53	59	59		2	54.5	1013	32	32	54	77	77	77	77
13-17	52	14.7	164	1	2	11	21	31	43	56		4	33.0	1330	1	1	28	63	75	75	75
18-24	32	12.4	163	1	1	10	17	33	57	99 +		5	4.4	10	2	2	3	5	10	10	10
25-34	41	13.8	246	1	2	7	15	44	50	65		11	7.5	37	1	1	5	12	16	21	21
35-54	30	14.4	84	2	4	13	21	34	93	99 +		4	1.0		1	1	1	1	1	1	1
55-74	8	9.0	29	1	2	8	12	17	18	18		6	3.0	8	1	1	2	5	8	8	8
75 +	4	8.5	14	6	6	7	11	14	14	14		1	3.0		3	3	3	3	3	3	3
ALL AGES	175	13.8	171	1	2	10	18	35	49	99 +		33	11.2	387	1	1	4	9	36	72	77
SUBTOTAL	**338**	**13.2**	**164**	**1**	**2**	**9**	**18**	**31**	**45**	**99 +**		**54**	**13.1**	**444**	**1**	**1**	**5**	**10**	**46**	**71**	**94**
GRAND TOTAL	**531**	**12.6**	**164**	**1**	**2**	**8**	**17**	**30**	**42**	**82**		**101**	**11.7**	**334**	**1**	**1**	**5**	**12**	**32**	**64**	**97**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	15.7	162	1	2	14	22	36	37	37	5	12.6	73	2	2	11	18	25	25	25
13-17	51	10.5	151	1	1	6	14	27	36	65	6	9.8	77	2	2	7	18	22	23	23
18-24	35	5.1	19	1	1	4	8	13	14	15	6	1.7	1	1	1	1	2	4	4	4
25-34	25	4.3	13	1	1	3	7	9	12	13	5	4.0	6	2	2	3	5	8	8	8
35-54	39	5.4	27	1	1	4	8	12	15	26	8	6.4	29	1	1	4	11	14	15	15
55-74	8	8.3	34	2	3	6	11	18	20	20	1	3.0		3	3	3	3	3	3	3
75 +	4	14.8	28	9	9	14	18	22	22	22										
ALL AGES	173	7.7	78	1	1	4	11	17	25	37	31	6.6	45	1	1	3	10	17	23	25
B. FEMALE																				
0-12 YRS.	19	9.2	189	1	1	4	7	26	44	57	5	7.6	144	1	1	3	10	29	29	29
13-17	107	7.8	118	1	1	5	10	19	23	59	22	4.5	33	1	1	3	4	11	21	24
18-24	62	5.0	27	1	1	3	6	14	15	23	9	2.6	8	1	1	2	2	7	10	10
25-34	51	5.1	43	1	1	3	7	11	18	31	16	2.9	11	1	1	1	3	9	11	12
35-54	36	7.5	86	1	1	3	10	23	30	35	16	3.8	5	1	2	3	5	8	9	9
55-74	11	10.4	83	1	2	8	15	24	31	32	2	3.0	2	2	2	3	4	4	4	4
75 +	6	4.7	12	1	1	4	7	10	10	10	1	4.0		4	4	4	4	4	4	4
ALL AGES	292	6.8	84	1	1	4	9	16	24	36	71	3.9	24	1	1	2	4	8	12	28
SUBTOTAL	**465**	**7.1**	**82**	**1**	**1**	**4**	**9**	**17**	**24**	**37**	**102**	**4.7**	**32**	**1**	**1**	**3**	**5**	**11**	**18**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	9.8	253	1	1	3	7	38	42	42	2	3.5	1	3	3	3	4	4	4	4
13-17	35	11.3	129	1	2	7	17	34	37	41	13	6.2	146	1	1	3	5	51	89	99 +
18-24	51	5.7	38	1	1	3	8	16	18	29	15	6.3	49	1	1	3	11	12	23	27
25-34	83	5.1	28	1	1	3	7	13	15	27	11	8.5	85	1	1	4	15	23	28	28
35-54	59	5.7	30	1	1	4	6	13	20	25	11	9.3	93	1	1	3	18	24	26	26
55-74	13	3.2	6	1	1	3	4	7	9	9	4	7.0	42	1	1	5	11	16	16	16
75 +	4	10.8	121	1	1	8	19	25	25	25	1	4.0		4	4	4	4	4	4	4
ALL AGES	251	6.3	54	1	1	3	8	15	20	38	57	7.2	80	1	1	4	11	22	28	96
B. FEMALE																				
0-12 YRS.	4	7.3	63	1	1	4	12	19	19	19	1	3.0		3	3	3	3	3	3	3
13-17	77	10.4	122	1	1	6	14	25	33	54	15	4.3	14	1	1	3	6	9	13	14
18-24	50	9.3	130	1	1	5	14	22	27	64	6	7.5	50	1	1	5	9	20	21	21
25-34	93	7.2	53	1	1	4	9	18	26	31	19	3.6	7	1	1	3	5	7	9	11
35-54	83	7.0	43	1	1	6	9	18	22	29	25	5.4	29	1	1	3	7	14	16	21
55-74	24	6.8	33	1	1	5	10	16	18	19	3	3.0	1	2	2	3	4	4	4	4
75 +	15	8.2	48	1	1	7	10	15	25	28	3	15.7	309	5	5	6	28	36	36	36
ALL AGES	346	8.2	76	1	1	5	10	19	27	37	72	5.2	32	1	1	4	6	11	15	33
SUBTOTAL	**597**	**7.4**	**68**	**1**	**1**	**4**	**10**	**18**	**24**	**37**	**129**	**6.1**	**54**	**1**	**1**	**4**	**7**	**16**	**23**	**57**
GRAND TOTAL	**1062**	**7.3**	**73**	**1**	**1**	**4**	**9**	**18**	**24**	**37**	**231**	**5.5**	**44**	**1**	**1**	**3**	**6**	**14**	**21**	**38**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	51.0		51	51	51	51	51	51	51	1	10.0		10	10	10	10	10	10	10
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	2	27.5	1105	4	4	27	51	51	51	51	4	5.8	9	3	3	5	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	2	6.0	2	5	5	6	7	7	7	7	2	12.0	18	9	9	12	15	15	15	15
75 +	4	9.5	68	3	3	7	15	21	21	21										
ALL AGES	7	7.4	43	2	2	5	9	19	21	21	2	12.0	18	9	9	12	15	15	15	15
SUBTOTAL	**9**	**11.9**	**248**	**2**	**2**	**5**	**13**	**39**	**51**	**51**	**6**	**7.8**	**20**	**3**	**3**	**7**	**10**	**14**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	34.0		34	34	34	34	34	34	34										
35-54											1	4.0		4	4	4	4	4	4	4
55-74	3	16.3	18	14	14	14	19	21	21	21										
75 +	1	2.0		2	2	2	2	2	2	2	2	15.0	162	6	6	15	24	24	24	24
ALL AGES	5	17.0	137	2	2	14	24	34	34	34	3	11.3	122	4	4	6	19	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	2	17.0	50	12	12	17	22	22	22	22										
55-74	2	10.0	72	4	4	10	16	16	16	16										
75 +																				
ALL AGES	5	16.0	74	4	4	16	23	26	26	26										
SUBTOTAL	**10**	**16.5**	**94**	**2**	**3**	**15**	**22**	**30**	**34**	**34**	**3**	**11.3**	**122**	**4**	**4**	**6**	**19**	**24**	**24**	**24**
GRAND TOTAL	**19**	**14.3**	**164**	**2**	**3**	**12**	**21**	**31**	**43**	**51**	**9**	**9.0**	**46**	**3**	**3**	**6**	**11**	**20**	**24**	**24**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.5	685	1	1	38	84	99+	99+	99+	1	1.0		1	1	1	1	1	1	1
13-17	10	11.3	137	1	1	10	15	29	39	39	1	87.0		87	87	87	87	87	87	87
18-24	7	17.6	218	3	3	13	31	39	40	40	1	4.0		4	4	4	4	4	4	4
25-34	6	14.2	119	6	6	9	20	33	34	34	1	19.0		19	19	59	99+	99+	99+	99+
35-54	12	18.3	448	1	1	13	25	44	72	77	2	23.5	1013	1	1	23	46	46	46	46
55-74	16	14.3	144	3	4	9	23	34	40	42	8	9.8	211	1	1	4	9	34	45	45
75 +	13	10.2	70	2	4	7	16	40	87	99+	17	12.8	276	3	3	8	13	18	55	75
ALL AGES	66	14.2	192	1	2	10	21	37	45	99+	31	14.6	430	1	2	8	15	55	86	99+
B. FEMALE																				
0-12 YRS.	2	38.5	221	28	28	38	49	49	49	49	1	1.0		1	1	1	1	1	1	1
13-17	3	44.3	465	30	30	34	60	69	69	69	1	2.0		2	2	2	2	2	2	2
18-24	5	24.0	747	2	2	11	44	66	66	66										
25-34	2	14.5	265	3	3	14	26	26	26	26	1	3.0		3	3	3	3	3	3	3
35-54	11	10.2	40	2	3	8	17	19	19	19	1	2.0		2	2	2	2	2	2	2
55-74	16	12.4	71	2	3	12	17	24	29	31	4	4.8	14	2	2	4	7	10	10	10
75 +	24	13.8	210	3	3	7	17	44	47	53	24	14.8	317	3	3	8	13	45	59	71
ALL AGES	63	15.9	244	2	3	9	21	38	50	69	32	12.0	261	2	2	6	11	38	53	71
SUBTOTAL	**129**	**15.0**	**217**	**2**	**3**	**10**	**22**	**37**	**49**	**99+**	**63**	**13.3**	**340**	**1**	**2**	**7**	**12**	**45**	**72**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	33.3	692	8	8	33	56	58	58	58										
13-17	6	31.5	332	8	9	31	47	52	53	53	1	7.0		7	7	7	7	7	7	7
18-24	6	14.0	210	1	1	11	21	36	38	38	1	8.0		8	8	8	8	8	8	8
25-34	18	19.7	430	2	3	10	31	46	63	75										
35-54	12	14.7	134	4	5	8	21	35	38	38	2	19.0	512	3	3	19	35	35	35	35
55-74	11	17.4	190	2	4	15	20	41	48	49	2	4.0	18	1	1	4	7	7	7	7
75 +	11	16.2	176	3	5	9	26	37	44	45	3	6.7	41	2	2	4	11	14	14	14
ALL AGES	68	19.2	292	3	3	14	30	46	53	72	9	9.0	111	1	1	7	9	27	35	35
B. FEMALE																				
0-12 YRS.	1	76.0		76	76	76	76	76	76	76										
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	1	39.0		39	39	39	39	39	39	39	1	7.0		7	7	7	7	7	7	7
25-34	4	26.3	1309	2	2	11	47	80	80	80	1	3.0		3	3	3	3	3	3	3
35-54	8	15.3	27	7	8	14	20	22	22	22										
55-74	11	15.6	107	6	6	12	17	35	36	36	2	4.5	5	3	3	4	6	6	6	6
75 +	6	13.3	120	2	3	11	14	32	34	34	3	20.0	112	8	8	24	27	28	28	28
ALL AGES	32	19.2	325	3	6	14	21	37	72	80	7	11.3	106	3	3	7	20	27	28	28
SUBTOTAL	**100**	**19.2**	**299**	**2**	**4**	**14**	**25**	**45**	**53**	**78**	**16**	**10.0**	**103**	**1**	**2**	**7**	**11**	**28**	**33**	**35**
GRAND TOTAL	**229**	**16.9**	**254**	**2**	**3**	**12**	**22**	**41**	**53**	**84**	**79**	**12.6**	**292**	**1**	**2**	**7**	**12**	**40**	**62**	**96**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	95	1.8	5	1	1	1	2	3	3	16	109	1.6	2	1	1	1	1	3	4	47
13-17	33	1.7	1	1	1	1	2	3	4	5	53	3.0	13	1	1	2	3	7	11	19
18-24	44	4.0	17	1	1	3	6	8	16	99 +	114	4.7	14	1	1	4	7	9	12	16
25-34	73	5.8	83	1	1	3	6	11	18	59	150	5.6	15	1	1	5	7	10	14	25
35-54	59	5.5	29	1	1	4	7	11	20	26	195	5.9	19	1	1	6	7	10	11	23
55-74	27	5.7	23	1	1	4	8	13	17	19	56	6.9	39	1	2	6	8	10	19	35
75 +	9	8.2	58	1	1	5	12	20	25	25	11	4.5	12	2	2	3	5	11	13	13
ALL AGES	340	4.0	33	1	1	2	5	9	14	27	688	4.8	18	1	1	4	7	9	11	24
B. FEMALE																						
0-12 YRS.	49	1.9	2	1	1	1	2	4	5	7	70	2.1	12	1	1	1	2	4	6	25
13-17	17	2.4	2	1	1	2	3	4	5	5	45	3.3	9	1	1	2	4	7	8	17
18-24	55	4.0	11	1	1	3	5	8	10	18	93	4.6	12	1	1	3	7	10	13	62
25-34	70	4.0	10	1	1	3	5	8	8	18	151	6.2	18	1	1	6	8	11	14	19
35-54	71	4.7	18	1	1	4	6	10	11	84	179	7.5	81	2	2	6	9	13	17	82
55-74	41	4.5	15	1	1	3	5	9	12	21	64	5.3	10	1	2	5	7	9	10	16
75 +	17	6.0	14	1	2	6	8	9	14	17	27	4.9	14	1	2	4	5	9	12	20
ALL AGES	320	3.9	12	1	1	3	5	8	10	20	629	5.5	36	1	1	4	7	10	14	30
SUBTOTAL	**660**	**4.0**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**25**	**1317**	**5.1**	**27**	**1**	**1**	**4**	**7**	**10**	**12**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5	4	31.0	798	1	6	69	99 +	99 +	99 +	99 +
13-17	2	27.0	32	23	23	27	31	31	31	31	7	30.6	1378	1	1	4	62	82	87	87
18-24	4	16.5	471	4	4	6	28	49	49	49	5	4.0	17	1	1	3	11	91	99 +	99 +
25-34	11	7.9	91	1	1	5	9	23	32	33	12	3.3	7	1	1	2	5	8	8	8
35-54	19	8.2	116	1	1	5	6	22	38	45	13	6.8	89	1	1	4	6	18	33	36
55-74	3	15.0	49	7	7	18	19	20	20	20	9	6.6	101	1	1	3	5	23	33	33
75 +	2	12.5	5	11	11	12	14	14	14	14	7	8.0	13	4	4	7	10	13	14	14
ALL AGES	43	10.2	133	1	2	5	11	29	37	49	57	10.5	331	1	1	4	11	66	99 +	99 +
B. FEMALE																						
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	22.0		22	22	99 +	99 +	99 +	99 +	99 +
13-17											4	5.8	56	1	1	2	10	17	17	17
18-24	2	1.5	1	1	1	1	2	2	2	2	6	4.5	12	1	1	5	55	99 +	99 +	99 +
25-34	6	16.8	1028	1	1	4	8	75	82	82	10	3.7	29	1	1	1	5	12	18	18
35-54	14	6.6	40	1	1	4	8	18	22	23	11	5.7	25	1	1	6	6	12	18	19
55-74	10	7.4	31	2	2	5	11	16	18	18	6	5.0	20	1	1	3	7	12	13	13
75 +	7	8.7	35	1	2	7	10	18	20	20	7	7.6	5	3	4	8	9	11	11	11
ALL AGES	40	8.3	174	1	1	5	9	18	21	82	45	5.7	27	1	1	5	8	21	99 +	99 +
SUBTOTAL	**83**	**9.3**	**152**	**1**	**1**	**5**	**10**	**21**	**32**	**71**	**102**	**8.4**	**201**	**1**	**1**	**5**	**9**	**60**	**99 +**	**99 +**
GRAND TOTAL	**743**	**4.6**	**40**	**1**	**1**	**3**	**5**	**9**	**14**	**33**	**1419**	**5.4**	**39**	**1**	**1**	**4**	**7**	**10**	**14**	**72**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	42.0		42	42	42	42	42	42	42										
35-54	5	8.4	11	4	4	9	10	13	13	13	1	3.0		3	3	3	3	3	3	3
55-74	3	9.3	143	1	1	4	18	23	23	23	5	4.8	11	1	1	5	8	8	8	8
75 +	5	14.4	319	2	2	3	26	43	43	43	8	14.9	361	4	4	9	13	47	61	61
ALL AGES	14	13.1	201	1	2	8	21	42	43	43	14	10.4	228	1	2	6	9	19	52	61
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-24																				
25-34																				
35-54	3	11.3	6	10	10	10	13	14	14	14	1	4.0		4	4	4	4	4	4	4
55-74	4	26.3	711	2	2	20	45	63	63	63	3	12.3	23	7	7	15	15	15	15	15
75 +	16	9.6	15	4	5	11	14	75	99 +	99 +	6	8.5	14	4	4	8	11	14	14	14
ALL AGES	23	12.7	149	3	5	11	15	63	99 +	99 +	11	11.1	56	4	4	10	15	21	29	30
SUBTOTAL	**37**	**12.9**	**163**	**2**	**3**	**10**	**16**	**43**	**83**	**99 +**	**25**	**10.7**	**147**	**2**	**3**	**8**	**13**	**15**	**38**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	4	11.8	76	3	3	11	19	22	22	22										
55-74	1	5.0		5	5	5	5	5	5	5	1	12.0		12	12	12	12	12	12	12
75 +	1	16.0		16	16	16	16	16	16	16	1	6.0		6	6	6	6	6	6	6
ALL AGES	7	11.3	49	3	3	11	16	21	22	22	2	9.0	18	6	6	9	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	3	14.0	208	2	2	10	25	30	30	30										
35-54																				
55-74	2	14.5	41	10	10	14	19	19	19	19	3	6.7	17	2	2	8	9	10	10	10
75 +	6	9.3	26	4	4	7	14	17	17	17	1	11.0		11	11	11	11	11	11	11
ALL AGES	12	11.3	59	2	3	9	15	22	29	30	4	7.8	15	2	2	9	10	11	11	11
SUBTOTAL	**19**	**11.3**	**52**	**2**	**3**	**10**	**16**	**21**	**26**	**30**	**6**	**8.2**	**13**	**2**	**2**	**9**	**11**	**12**	**12**	**12**
GRAND TOTAL	**56**	**12.3**	**125**	**2**	**3**	**10**	**16**	**29**	**55**	**99 +**	**31**	**10.2**	**121**	**2**	**3**	**8**	**12**	**15**	**29**	**61**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.5	265	4	4	15	27	27	27	27										
13-17	4	25.3	1225	1	1	11	46	77	77	77	2	12.0	200	2	2	12	22	22	22	22
18-24	5	3.8	4	2	2	3	5	7	7	7	4	3.0	5	1	1	3	5	5	5	5
25-34	9	8.7	82	1	2	6	10	24	31	31	8	5.4	26	1	1	3	8	14	15	15
35-54	18	8.3	43	1	1	6	14	18	20	20	11	6.4	14	2	2	5	9	12	13	13
55-74	93	12.5	191	2	3	7	16	29	39	76	60	8.9	70	1	2	6	11	24	29	93
75 +	117	10.7	104	2	2	7	13	23	37	73	140	10.1	181	1	2	6	12	24	58	99 +
ALL AGES	248	11.3	147	1	2	7	14	26	35	77	225	9.4	134	1	2	6	11	22	35	99 +
B. FEMALE																				
0-12 YRS.	2	17.0	72	11	11	17	23	23	23	23	1	4.0		4	4	4	4	4	4	4
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	6.0		6	6	6	6	6	6	6	2	35.5	2381	1	1	35	70	70	70	70
25-34	4	6.5	14	1	1	8	9	9	9	9	4	9.0	89	1	1	7	16	21	21	21
35-54	19	12.6	101	1	1	11	21	27	31	33	11	10.5	86	1	1	11	25	99 +	99 +	99 +
55-74	88	9.3	85	2	2	7	11	23	26	84	88	7.7	66	2	2	6	8	13	27	84
75 +	222	10.4	174	2	3	7	11	21	36	98	296	10.2	166	2	2	7	11	25	42	99 +
ALL AGES	337	10.2	144	2	2	7	12	23	32	98	402	9.8	149	2	2	6	11	24	41	99 +
SUBTOTAL	**585**	**10.7**	**144**	**2**	**2**	**7**	**12**	**23**	**34**	**91**	**627**	**9.6**	**144**	**1**	**2**	**6**	**11**	**23**	**39**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	4	8.5	8	6	6	11	33	99 +	99 +	99 +										
18-24	16	15.6	507	1	1	5	22	29	72	91	1	2.0		2	2	2	2	2	2	2
25-34	14	16.4	358	1	1	10	24	35	65	73										
35-54	28	12.1	95	2	2	10	17	27	30	40	3	2.7	1	2	2	2	4	4	4	4
55-74	68	11.7	96	1	3	9	15	22	36	49	28	10.2	96	2	3	6	13	30	45	99 +
75 +	44	12.8	242	2	2	8	15	21	46	91	41	7.5	40	1	2	6	10	16	27	99 +
ALL AGES	175	12.7	186	1	2	9	16	28	40	91	73	8.2	63	1	2	6	11	23	31	99 +
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17	2	31.5	1741	2	2	31	61	61	61	61										
18-24	8	17.5	306	2	3	8	34	43	45	45										
25-34	7	11.6	86	1	1	17	20	20	20	20	4	4.5	15	1	1	3	7	10	10	10
35-54	29	13.5	123	2	3	11	19	28	37	49	4	6.3	36	1	1	4	10	15	15	15
55-74	58	15.7	175	3	4	13	18	31	40	81	28	8.4	26	3	3	7	10	15	22	22
75 +	83	13.7	146	3	4	9	18	40	49	99 +	70	9.9	155	2	3	7	11	20	32	99
ALL AGES	188	14.6	165	2	3	11	19	38	45	99 +	106	9.2	111	2	3	7	10	16	27	97
SUBTOTAL	**363**	**13.7**	**175**	**2**	**3**	**10**	**17**	**31**	**42**	**98**	**179**	**8.8**	**91**	**2**	**2**	**6**	**10**	**20**	**30**	**99 +**
GRAND TOTAL	**948**	**11.8**	**159**	**2**	**3**	**8**	**15**	**26**	**39**	**95**	**806**	**9.4**	**133**	**1**	**2**	**6**	**11**	**22**	**36**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	23.4	372	1	1	26	35	45	60	70	8	18.9	419	1	1	10	34	51	55	55
13-17	52	12.4	127	1	1	9	18	29	36	44	13	8.6	171	1	1	2	9	31	41	43
18-24	53	8.9	85	1	1	7	11	21	34	40	18	4.2	21	1	1	2	5	13	16	16
25-34	99	7.0	46	1	1	4	10	17	21	33	39	5.1	37	1	1	4	5	14	19	31
35-54	122	9.8	125	1	1	6	14	20	29	65	63	5.2	53	1	1	3	5	10	24	43
55-74	85	13.0	156	1	2	9	19	33	42	53	61	8.6	79	1	2	7	10	15	19	61
75 +	35	8.4	129	1	3	5	9	13	19	69	36	7.2	20	2	3	6	10	13	17	18
ALL AGES	464	10.4	129	1	1	6	14	23	34	55	238	6.9	74	1	1	4	8	15	22	46
B. FEMALE																				
0-12 YRS.	13	16.7	153	2	4	17	23	33	41	43	2	2.5	5	1	1	2	4	4	4	4
13-17	112	12.2	201	1	1	7	16	34	47	82	30	6.4	77	1	1	2	10	19	28	34
18-24	97	8.4	85	1	1	5	12	19	27	47	36	6.8	122	1	1	3	5	28	36	45
25-34	181	9.2	100	1	1	6	12	21	32	52	117	8.5	139	1	1	4	7	26	36	57
35-54	296	9.1	75	1	1	7	12	21	25	42	244	9.7	168	1	2	4	10	29	38	53
55-74	193	11.5	109	1	2	8	16	25	34	50	138	7.6	74	2	2	5	9	15	20	59
75 +	79	12.4	142	1	2	9	17	32	44	86	92	9.4	94	2	3	6	12	19	27	56
ALL AGES	971	10.3	109	1	1	7	14	23	32	54	659	8.7	126	1	1	5	9	22	32	56
SUBTOTAL	**1435**	**10.3**	**116**	**1**	**1**	**7**	**14**	**23**	**33**	**54**	**897**	**8.2**	**113**	**1**	**1**	**4**	**9**	**20**	**30**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	25.3	358	2	4	29	34	82	99 +	99 +	6	17.5	230	1	1	17	29	35	36	36
13-17	69	18.7	300	2	2	14	29	43	50	76	11	10.8	291	1	1	3	14	39	54	55
18-24	77	9.8	97	1	1	8	15	19	25	57	16	4.3	25	1	1	2	8	16	71	99 +
25-34	168	8.5	98	1	1	6	11	17	25	80	36	6.2	41	1	1	3	9	14	20	28
35-54	199	10.2	86	1	2	8	14	21	29	37	53	5.5	29	1	1	4	7	12	19	25
55-74	66	15.1	327	2	3	8	17	34	50	95	28	6.6	61	1	1	4	7	15	20	40
75 +	26	13.8	122	1	2	11	22	29	37	45	16	7.3	18	2	2	6	9	12	17	19
ALL AGES	614	11.5	159	1	2	8	15	27	36	74	166	6.7	63	1	1	4	8	16	25	52
B. FEMALE																				
0-12 YRS.	16	27.6	836	1	1	20	35	86	90	91	7	18.4	189	3	3	22	31	33	33	33
13-17	110	16.6	306	1	2	11	26	37	51	97	20	13.6	469	1	1	3	24	31	63	92
18-24	142	10.9	189	1	1	6	14	23	42	68	20	11.1	182	1	1	5	13	30	43	53
25-34	275	10.6	94	1	2	8	14	22	30	48	68	9.1	187	1	1	4	11	22	32	79
35-54	290	10.9	98	1	2	8	15	21	28	61	126	5.8	42	1	1	4	7	12	18	60
55-74	129	13.9	127	2	3	11	20	28	37	53	69	8.9	83	1	2	6	9	24	29	45
75 +	40	13.8	163	2	3	9	22	29	47	49	38	9.5	111	1	2	5	13	23	38	42
ALL AGES	1002	12.2	157	1	2	9	16	26	36	68	348	8.5	124	1	1	5	10	22	31	58
SUBTOTAL	**1616**	**12.0**	**156**	**1**	**2**	**8**	**16**	**26**	**36**	**69**	**514**	**7.9**	**105**	**1**	**1**	**4**	**9**	**20**	**29**	**56**
GRAND TOTAL	**3051**	**11.2**	**138**	**1**	**1**	**7**	**15**	**25**	**35**	**61**	**1411**	**8.1**	**110**	**1**	**1**	**4**	**9**	**20**	**30**	**55**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	63	27.5	575	3	4	22	48	84	99+	99+	6	17.2	740	1	1	2	29	64	68	68
13-17	86	19.0	385	1	3	11	29	52	66	97	5	26.2	1167	2	2	13	41	85	85	85
18-24	2	16.0	242	5	5	16	27	27	27	27	1	12.0		12	12	12	12	12	12	12
25-34	3	5.3	7	3	3	5	7	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	4	5.3	7	2	2	5	7	8	8	8										
55-74	1	8.0		8	8	8	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	160	21.6	465	2	3	13	36	59	85	99+	14	18.1	705	1	1	5	26	70	82	85
B. FEMALE																				
0-12 YRS.	14	27.4	435	3	4	22	37	60	66	68										
13-17	42	14.8	377	1	2	8	19	34	64	93										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	3	20.3	43	13	13	23	24	25	25	25										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	3	10.7	23	5	5	13	14	14	14	14										
75 +																				
ALL AGES	64	17.5	369	1	2	13	22	43	63	90										
SUBTOTAL	**224**	**20.4**	**440**	**2**	**3**	**13**	**29**	**57**	**73**	**99+**	**14**	**18.1**	**705**	**1**	**1**	**9**	**48**	**98**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	63	31.6	477	4	6	32	50	95	99+	99+	6	20.0	545	2	2	28	99+	99+	99+	99+
13-17	129	25.4	526	2	3	19	39	69	79	99+	11	31.7	818	1	1	51	99+	99+	99+	99+
18-24	10	14.8	236	2	2	9	22	38	49	49	1	52.0		52	52	52	52	52	52	52
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	204	26.7	504	2	4	22	43	75	97	99+	18	28.9	707	1	2	46	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.	10	22.5	79	7	12	26	32	99+	99+	99+										
13-17	37	28.3	571	3	4	23	41	60	80	86	1	6.0		6	6	53	99+	99+	99+	99+
18-24	1	17.0		17	17	17	17	17	17	17	1	13.0		13	13	13	13	13	13	13
25-34	3	8.0	57	1	1	7	14	16	16	16										
35-54	2	9.5	25	6	6	9	13	13	13	13	1	13.0		13	13	13	13	13	13	13
55-74																				
75 +																				
ALL AGES	53	25.1	449	3	5	20	37	61	85	99+	3	10.7	15	6	6	13	57	99+	99+	99+
SUBTOTAL	**257**	**26.4**	**490**	**2**	**4**	**21**	**42**	**72**	**91**	**99+**	**21**	**26.3**	**645**	**1**	**2**	**35**	**99+**	**99+**	**99+**	**99+**
GRAND TOTAL	**481**	**23.6**	**475**	**2**	**3**	**18**	**38**	**65**	**86**	**99+**	**35**	**23.0**	**667**	**1**	**1**	**26**	**85**	**99+**	**99+**	**99+**

Total U.S. January - December 1987

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	27.1	541	1	2	15	48	61	67	68	2	10.5	181	1	1	20	80	99+	99+	99+
13-17	22	21.7	581	1	2	10	37	58	78	87	1	27.0		27	27	27	27	27	27	27
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	33	23.5	557	1	2	13	41	59	71	87	3	16.0	181	1	1	23	63	99+	99+	99+
B. FEMALE																				
0-12 YRS.	6	20.7	200	2	3	20	31	40	41	41										
13-17	29	20.6	432	2	3	12	33	63	76	99+	2	14.5	221	4	4	14	25	25	25	25
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	36	20.0	388	1	2	12	31	54	74	99+	2	14.5	221	4	4	14	25	25	25	25
SUBTOTAL	**69**	**21.7**	**464**	**1**	**2**	**12**	**37**	**56**	**72**	**97**	**5**	**15.4**	**146**	**1**	**1**	**22**	**27**	**93**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	19.8	79	8	9	20	27	31	32	32	2	12.5	181	3	3	12	22	22	22	22
13-17	32	23.5	413	1	3	16	45	52	63	99+										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	40	22.8	343	1	3	17	42	49	62	99+	2	12.5	181	3	3	12	22	22	22	22
B. FEMALE																				
0-12 YRS.	3	31.7	286	15	15	31	44	49	49	49										
13-17	48	18.5	179	4	4	16	27	34	47	66	1	30.0		30	30	30	30	30	30	30
18-24	3	12.7	115	5	5	8	21	25	25	25										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	54	18.9	186	4	4	16	27	36	48	65	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**94**	**20.5**	**256**	**3**	**4**	**16**	**29**	**47**	**49**	**85**	**3**	**18.3**	**194**	**3**	**3**	**22**	**28**	**30**	**30**	**30**
GRAND TOTAL	**163**	**21.0**	**343**	**2**	**4**	**15**	**31**	**49**	**64**	**98**	**8**	**16.5**	**141**	**1**	**1**	**22**	**28**	**72**	**99+**	**99+**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	67	25.8	557	1	3	19	41	74	99	99 +		5	21.4	891	2	2	6	37	72	72	72
13-17	177	17.6	286	2	3	13	25	46	58	94		10	7.1	131	1	1	2	5	26	37	37
18-24	8	16.9	82	6	7	15	25	30	30	30		1	3.0		3	3	3	3	3	3	3
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	252	19.7	365	2	3	14	30	51	70	99 +		16	11.3	367	1	1	3	11	36	61	72
B. FEMALE																					
0-12 YRS.	28	26.2	430	5	6	21	42	56	94	99 +		1	2.0		2	2	2	2	2	2	2
13-17	144	16.9	295	1	2	11	26	49	73	99 +		8	22.1	607	1	2	13	34	64	72	72
18-24	4	5.3	19	1	1	5	9	10	10	10											
25-34	1	8.0		8	8	8	8	8	8	8											
35-54	1	21.0		21	21	21	21	21	21	21		1	5.0		5	5	5	5	5	5	5
55-74	1	7.0		7	7	7	7	7	7	7											
75 +																					
ALL AGES	179	18.0	320	1	2	13	27	49	74	99 +		10	18.4	533	1	1	6	24	58	72	72
SUBTOTAL	**431**	**19.0**	**346**	**2**	**3**	**13**	**28**	**50**	**73**	**99 +**		**26**	**14.0**	**426**	**1**	**1**	**5**	**19**	**43**	**72**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	46	25.2	319	3	5	25	42	67	99 +	99 +		1	28.0		28	28	28	28	28	28	28
13-17	203	25.5	527	2	3	19	42	60	79	99 +		13	30.8	848	1	3	40	60	99 +	99 +	99 +
18-24	8	22.9	757	1	2	12	34	69	82	82											
25-34																					
35-54																					
55-74																					
75 +	1	9.0		9	9	9	9	9	9	9											
ALL AGES	258	25.3	492	2	3	20	42	61	81	99 +		14	30.6	783	2	3	34	59	99 +	99 +	99 +
B. FEMALE																					
0-12 YRS.	14	20.3	599	1	2	14	45	98	99 +	99 +		1	12.0		12	12	12	12	12	12	12
13-17	188	20.4	325	2	3	16	30	51	60	99 +		8	10.5	109	1	1	9	25	72	99 +	99 +
18-24	1	6.0		6	6	6	6	6	6	6											
25-34	1	23.0		23	23	23	23	23	23	23											
35-54																					
55-74	1	18.0		18	18	18	18	18	18	18		1	3.0		3	3	3	3	3	3	3
75 +																					
ALL AGES	205	20.3	338	2	3	17	30	53	75	99 +		10	9.9	91	1	2	9	21	57	96	99 +
SUBTOTAL	**463**	**23.1**	**429**	**2**	**3**	**18**	**35**	**58**	**80**	**99 +**		**24**	**22.0**	**586**	**1**	**2**	**16**	**42**	**99**	**99 +**	**99 +**
GRAND TOTAL	**894**	**21.1**	**393**	**2**	**3**	**15**	**31**	**55**	**77**	**99 +**		**50**	**17.8**	**510**	**1**	**1**	**7**	**31**	**72**	**99 +**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	11	14.3	115	1	2	14	28	50	93	99 +	2	14.0	72	8	8	14	20	20	20	20
13-17	34	18.5	229	1	4	16	29	38	40	70	1	1.0		1	1	1	1	1	1	1
18-24	25	11.3	117	2	3	9	13	20	31	55	2	27.5	925	6	6	27	49	49	49	49
25-34	20	10.5	60	1	2	9	15	21	28	31	3	17.7	93	7	7	20	24	26	26	26
35-54	12	13.6	104	1	2	12	20	28	31	32	2	9.5	61	4	4	9	15	15	15	15
55-74	3	4.3	6	3	3	3	6	7	7	7	3	4.7	16	1	1	4	8	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
ALL AGES	106	13.7	148	1	2	10	20	31	38	83	14	13.1	164	1	1	8	20	28	44	49
B. FEMALE																					
0-12 YRS.	2	6.0	32	2	2	10	77	99 +	99 +	99 +	1	8.0		8	8	8	8	8	8	8
13-17	19	19.1	177	1	2	18	29	38	44	47										
18-24	7	5.6	18	1	1	4	7	13	14	14										
25-34	9	6.7	31	1	1	4	10	16	17	17	3	8.3	90	1	1	5	15	19	19	19
35-54	7	14.9	191	4	4	8	27	36	37	37	1	7.0		7	7	7	7	7	7	7
55-74											1	9.0		9	9	9	9	9	9	9
75 +																					
ALL AGES	44	13.1	148	1	2	8	20	36	42	99 +	6	8.2	36	1	1	7	9	18	19	19
SUBTOTAL	**150**	**13.6**	**145**	**1**	**2**	**9**	**20**	**32**	**39**	**99**	**20**	**11.6**	**128**	**1**	**1**	**8**	**17**	**23**	**37**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	10	14.2	52	1	4	14	19	24	25	25											
13-17	51	18.8	270	1	2	14	28	46	59	99											
18-24	37	12.8	81	1	2	12	17	28	29	30	1	7.0		7	7	7	7	7	7	7
25-34	32	7.8	32	1	1	6	12	18	22	99 +	7	5.9	23	2	2	5	7	14	16	16
35-54	23	12.0	116	1	1	9	26	29	52	99 +	1	2.0		2	2	2	2	2	2	2
55-74	4	19.0	21	13	13	19	22	24	24	24										
75 +	3	13.0	49	8	8	10	18	21	21	21										
ALL AGES	160	13.8	147	1	1	11	20	30	44	99 +	9	5.6	19	2	2	5	7	12	16	16
B. FEMALE																					
0-12 YRS.	3	21.0	468	3	3	15	37	45	45	45											
13-17	22	24.5	454	4	6	20	35	66	92	99 +											
18-24	1	14.0		14	14	14	14	14	14	14	2	23.0	8	21	21	23	25	25	25	25
25-34	11	12.4	132	1	3	9	16	30	41	42	1	9.0		9	9	9	9	9	9	9
35-54	7	12.3	100	4	4	7	19	29	30	30	1	1.0		1	1	1	1	1	1	1
55-74	3	5.7	65	1	1	1	12	15	15	15										
75 +																					
ALL AGES	47	18.2	316	1	3	12	28	44	64	99 +	4	14.0	121	1	1	15	23	25	25	25
SUBTOTAL	**207**	**14.8**	**188**	**1**	**2**	**11**	**22**	**33**	**47**	**99 +**	**13**	**8.2**	**59**	**1**	**2**	**6**	**11**	**22**	**24**	**25**
GRAND TOTAL	**357**	**14.3**	**169**	**1**	**2**	**10**	**20**	**32**	**44**	**99 +**	**33**	**10.2**	**102**	**1**	**1**	**7**	**15**	**22**	**26**	**49**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	10.3	51	4	4	9	16	18	18	18	1	3.0		3	3	3	3	3	3	3
13-17											1	29.0		29	29	29	29	29	29	29
18-24	3	6.3	26	1	1	7	10	11	11	11										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	7	8.9	30	1	1	9	12	17	18	18	2	16.0	338	3	3	16	29	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	5	22.0	123	8	8	29	30	31	31	31										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	22.0	123	8	8	29	30	31	31	31										
SUBTOTAL	**12**	**14.3**	**108**	**1**	**3**	**11**	**23**	**30**	**31**	**31**	**2**	**16.0**	**338**	**3**	**3**	**16**	**29**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											4	3.0		3	3	3	3	3	3	3
13-17	8	17.9	40	5	8	18	20	26	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	17.9	40	5	8	18	20	26	28	28	4	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	1	6.0		6	6	6	6	6	6	6	2	10.0	72	4	4	10	16	16	16	16
18-24																				
25-34											1	25.0		25	25	25	25	25	25	25
35-54	1	27.0		27	27	27	27	27	27	27										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	4	20.0	103	6	6	23	27	28	28	28	3	15.0	111	4	4	16	23	25	25	25
SUBTOTAL	**12**	**18.6**	**55**	**5**	**6**	**19**	**24**	**28**	**28**	**28**	**7**	**8.1**	**79**	**3**	**3**	**3**	**13**	**23**	**25**	**25**
GRAND TOTAL	**24**	**16.5**	**81**	**3**	**5**	**17**	**24**	**29**	**30**	**31**	**9**	**9.9**	**113**	**3**	**3**	**3**	**18**	**27**	**29**	**29**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	9.6	186	1	1	4	25	70	99 +	99 +	9	2.2	2	1	1	2	3	5	5	5
13-17	13	14.0	204	1	1	8	22	39	44	45	2	1.0		1	1	1	1	1	1	1
18-24	4	15.8	193	6	6	10	25	36	36	36										
25-34	3	9.0	79	2	2	6	16	19	19	19	2	1.5	1	1	1	1	2	2	2	2
35-54	3	2.3	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	32	11.4	166	1	1	6	19	38	44	99 +	17	1.9	1	1	1	1	2	4	5	5
B. FEMALE																				
0-12 YRS.	7	6.3	76	1	1	3	8	22	25	25	1	2.0		2	2	2	2	2	2	2
13-17	13	9.6	150	1	1	3	17	32	34	35	1	1.0		1	1	1	1	1	1	1
18-24	1	4.0		4	4	4	4	4	4	4	1	9.0		9	9	9	9	9	9	9
25-34	4	9.3	7	5	5	10	11	11	11	11										
35-54	3	3.7	6	1	1	4	5	6	6	6										
55-74	2	14.5	113	7	7	14	22	22	22	22	2	5.0	2	4	4	5	6	6	6	6
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	31	8.5	88	1	1	4	11	24	31	35	5	4.4	10	1	1	4	7	9	9	9
SUBTOTAL	**63**	**10.0**	**127**	**1**	**1**	**5**	**15**	**31**	**38**	**92**	**22**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	35.3	658	6	6	47	51	53	53	53	3	2.3	1	2	2	2	3	3	3	3
13-17	15	14.1	224	1	2	8	14	42	43	44	1	2.0		2	2	2	2	2	2	2
18-24	3	7.3	31	2	2	7	11	13	13	13	2	4.0	18	1	1	4	7	7	7	7
25-34	3	14.7	165	4	4	11	24	29	29	29										
35-54	2	12.0	162	3	3	12	21	21	21	21										
55-74	2	3.0	8	1	1	2	5	5	5	5										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	28	14.8	249	1	2	7	17	43	48	53	7	2.7	4	1	1	2	3	6	7	7
B. FEMALE																				
0-12 YRS.	2	20.5	265	9	9	20	32	32	32	32	1	6.0		6	6	6	6	6	6	6
13-17	9	22.1	655	4	6	13	19	65	87	87	1	42.0		42	42	42	42	42	42	42
18-24	4	10.8	247	1	1	4	20	34	34	34										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	6.0	32	2	2	6	10	10	10	10										
55-74											1	1.0		1	1	1	1	1	1	1
75 +	3	5.7	14	3	3	4	8	10	10	10										
ALL AGES	20	15.6	385	1	2	10	14	33	60	87	4	13.0	378	1	1	4	24	42	42	42
SUBTOTAL	**48**	**15.1**	**300**	**1**	**2**	**9**	**14**	**41**	**48**	**87**	**11**	**6.5**	**142**	**1**	**1**	**2**	**5**	**21**	**40**	**42**
GRAND TOTAL	**111**	**12.2**	**206**	**1**	**1**	**7**	**15**	**35**	**44**	**92**	**33**	**3.8**	**51**	**1**	**1**	**2**	**3**	**6**	**9**	**42**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	41	16.3	505	1	1	5	19	51	60	99	6	2.5	3	1	1	2	5	81	99 +	99 +
13-17	63	16.2	272	1	2	11	22	37	60	68	4	3.8	3	1	1	4	5	5	5	5
18-24	10	18.1	244	3	4	14	35	69	97	99 +	2	4.0	18	1	1	3	7	7	7	7
25-34	12	8.5	18	1	1	8	12	13	14	14	1	9.0		9	9	9	9	9	9	9
35-54	3	8.0	127	1	1	2	16	21	21	21	1	2.0		2	2	2	2	2	2	2
55-74	3	13.0	97	5	5	10	20	24	24	24	2	15.0	288	3	3	15	27	27	27	27
75 +																				
ALL AGES	132	15.4	312	1	2	9	21	44	59	99	16	4.9	40	1	1	4	6	23	74	99 +
B. FEMALE																				
0-12 YRS.	22	14.8	543	1	1	4	21	47	79	88	7	7.1	77	1	1	4	10	22	25	25
13-17	48	15.3	174	1	3	12	23	32	67	99 +	7	8.6	106	1	1	3	18	24	25	25
18-24	8	7.1	34	1	1	6	10	16	18	18	2	5.0	32	1	1	5	9	9	9	9
25-34	3	10.3	26	5	5	11	14	15	15	15	2	5.0	32	1	1	5	9	9	9	9
35-54	5	10.6	40	4	4	10	16	18	18	18	1	6.0		6	6	6	6	6	6	6
55-74	1	11.0		11	11	11	11	11	11	11	2	4.0	18	1	1	4	7	7	7	7
75 +	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
ALL AGES	88	13.8	238	1	2	10	20	29	67	99 +	22	6.7	59	1	1	4	9	23	25	25
SUBTOTAL	**220**	**14.8**	**281**	**1**	**2**	**9**	**21**	**38**	**60**	**99 +**	**38**	**5.9**	**51**	**1**	**1**	**4**	**7**	**24**	**26**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	25	23.6	620	2	3	15	36	84	94	99 +	10	18.2	494	1	1	5	36	54	62	62
13-17	71	17.0	261	2	3	12	24	37	57	96	6	25.5	607	1	1	19	47	60	61	61
18-24	4	8.5	111	1	1	4	15	24	24	24	1	3.0		3	3	3	3	3	3	3
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54	6	18.8	1014	1	1	7	12	76	83	83	1	7.0		7	7	7	7	7	7	7
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	108	18.0	378	1	2	12	24	44	81	99 +	19	18.4	463	1	1	7	34	55	62	62
B. FEMALE																				
0-12 YRS.	8	20.6	451	3	4	10	37	55	57	57	1	2.0		2	2	2	2	2	2	2
13-17	67	16.6	193	1	2	14	23	42	53	92	4	6.8	91	1	1	2	12	21	21	21
18-24	3	4.3	10	1	1	5	6	7	7	7	1	27.0		27	27	27	27	27	27	27
25-34	2	14.5	265	3	3	14	26	26	26	26	2	4.0	8	2	2	4	6	6	6	6
35-54	3	19.7	200	10	10	24	68	99 +	99 +	99 +										
55-74											3	5.7	2	4	4	6	7	7	7	7
75 +	3	12.3	96	4	4	10	20	23	23	23										
ALL AGES	86	16.5	203	1	2	12	24	45	54	99 +	11	7.4	73	1	1	4	7	23	27	27
SUBTOTAL	**194**	**17.3**	**301**	**1**	**2**	**12**	**24**	**44**	**58**	**99 +**	**30**	**14.3**	**344**	**1**	**1**	**5**	**21**	**47**	**61**	**62**
GRAND TOTAL	**414**	**16.0**	**290**	**1**	**2**	**11**	**22**	**42**	**59**	**99 +**	**68**	**9.6**	**195**	**1**	**1**	**4**	**9**	**29**	**48**	**93**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	21.6	132	5	6	25	30	36	39	40										
13-17	16	26.3	254	4	5	24	39	49	53	55	1	8.0		8	8	8	8	8	8	8
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	34	23.3	196	4	5	24	33	44	48	55	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	13	18.8	207	1	2	23	29	40	42	42										
13-17	12	23.3	482	5	8	16	27	52	81	86	1	96.0		96	96	96	96	96	96	96
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	20.7	317	2	3	16	28	39	51	86	1	96.0		96	96	96	96	96	96	96
SUBTOTAL	**60**	**22.2**	**245**	**3**	**4**	**23**	**31**	**41**	**47**	**83**	**2**	**52.0**	**3872**	**8**	**8**	**52**	**96**	**96**	**96**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	34	44.3	613	7	10	42	70	85	98	99 +	1	54.0		54	54	54	54	54	54	54
13-17	26	35.2	404	8	17	29	51	71	84	99 +	2	17.0	242	6	6	17	28	28	28	28
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	60	40.4	531	8	14	36	60	81	97	99 +	3	29.3	580	6	6	28	47	54	54	54
B. FEMALE																				
0-12 YRS.	11	37.7	583	4	17	34	52	96	99 +	99 +										
13-17	17	32.2	270	2	8	31	42	54	61	65										
18-24	3	22.0	181	7	7	26	31	33	33	33										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	31	33.2	369	2	7	31	40	65	92	99 +										
SUBTOTAL	**91**	**37.9**	**486**	**7**	**9**	**33**	**57**	**76**	**95**	**99 +**	**3**	**29.3**	**580**	**6**	**6**	**28**	**47**	**54**	**54**	**54**
GRAND TOTAL	**151**	**31.7**	**445**	**4**	**7**	**29**	**42**	**70**	**85**	**99 +**	**5**	**38.4**	**1411**	**6**	**6**	**28**	**64**	**96**	**96**	**96**

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.0	32	3	3	7	11	11	11	11										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.0	32	3	3	7	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	3	5.7	21	3	3	3	9	11	11	11										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	5.7	21	3	3	3	9	11	11	11										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	34.0		34	34	34	34	34	34	34										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	2	18.5	481	3	3	18	34	34	34	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	2	31.0	1250	6	6	31	56	56	56	56	1	1.0		1	1	1	1	1	1	1
13-17	1	98.0		98	98	98	98	98	98	98										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	53.3	2127	6	6	56	87	98	98	98	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**5**	**39.4**	**1545**	**3**	**3**	**34**	**66**	**98**	**98**	**98**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	29.5	545	13	13	29	46	46	46	46										
B. FEMALE																				
0-12 YRS.	3	10.3	43	4	4	10	15	17	17	17										
13-17	1	35.0		35	35	35	35	35	35	35										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	16.5	180	4	4	13	26	35	35	35										
SUBTOTAL	**6**	**20.8**	**264**	**4**	**5**	**15**	**35**	**45**	**46**	**46**										
GRAND TOTAL	**11**	**29.3**	**841**	**3**	**4**	**17**	**43**	**73**	**96**	**98**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	83	28.0	330	6	7	28	42	62	85	99 +	3	15.0	139	5	5	12	24	28	28	28
13-17	69	24.3	386	1	3	19	38	52	64	97	4	21.8	114	7	7	24	29	32	32	32
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	152	26.3	358	3	5	23	41	55	79	99 +	7	18.9	116	5	5	21	28	31	32	32
B. FEMALE																				
0-12 YRS.	36	29.8	425	1	5	28	37	69	98	99 +	1	30.0		30	30	30	30	30	30	30
13-17	106	21.1	362	2	3	14	31	52	59	99 +	7	13.0	198	1	1	4	28	29	29	29
18-24	2	29.5	1405	3	3	29	56	56	56	56										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	144	23.4	394	1	3	19	35	58	63	99 +	8	15.1	207	1	1	15	28	30	30	30
SUBTOTAL	**296**	**24.9**	**375**	**2**	**4**	**21**	**38**	**56**	**71**	**99 +**	**15**	**16.9**	**156**	**1**	**1**	**21**	**28**	**30**	**31**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	109	34.6	372	8	10	36	47	61	82	99 +	4	18.3	354	4	4	12	31	45	45	45
13-17	86	30.3	433	[illegible]	5	31	45	59	86	99 +	8	37.4	304	12	13	39	49	60	63	63
18-24	4	10.3	52	[illegible]	5	7	14	21	21	21	1	28.0		28	28	28	28	28	28	28
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	199	32.2	407	5	7	33	46	59	83	99 +	13	30.8	347	4	6	30	45	54	61	63
B. FEMALE																				
0-12 YRS.	30	33.8	277	7	12	40	53	99 +	99 +	99 +	2	29.0	1352	3	3	29	55	55	55	55
13-17	95	24.3	385	2	4	20	38	59	79	99 +	15	29.9	418	2	5	28	43	51	70	77
18-24	7	31.1	772	5	6	15	50	72	77	77	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	132	26.8	391	3	6	24	43	61	94	99 +	18	28.3	464	2	3	28	45	54	68	77
SUBTOTAL	**331**	**30.1**	**403**	**4**	**6**	**30**	**45**	**60**	**85**	**99 +**	**31**	**29.3**	**406**	**3**	**4**	**28**	**45**	**53**	**63**	**77**
GRAND TOTAL	**627**	**27.6**	**399**	**3**	**5**	**26**	**42**	**59**	**83**	**99 +**	**46**	**25.3**	**352**	**1**	**3**	**27**	**37**	**51**	**57**	**77**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7	1	1	1	1	3	3	3	3	1	96.0		96	96	96	96	96	96	96
13-17	3	6.3	17	2	2	7	9	10	10	10	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	4.0	14	1	1	2	7	10	10	10	2	49.0	4418	2	2	49	96	96	96	96
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	4	4.8	24	1	1	3	8	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	4.8	24	1	1	3	8	12	12	12	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**10**	**4.3**	**16**	**1**	**1**	**3**	**7**	**11**	**12**	**12**	**3**	**33.0**	**2977**	**1**	**1**	**2**	**72**	**96**	**96**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	42.0		42	42	42	42	42	42	42
13-17	4	7.0	89	1	1	3	12	21	21	21	1	13.0		13	13	13	13	13	13	13
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	7.0	89	1	1	3	12	21	21	21	2	27.5	421	13	13	27	42	42	42	42
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	5	9.2	17	4	4	8	12	15	15	15										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	7.8	25	1	1	8	11	15	15	15	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**10**	**7.5**	**43**	**1**	**1**	**6**	**11**	**18**	**21**	**21**	**3**	**19.7**	**392**	**4**	**4**	**13**	**35**	**42**	**42**	**42**
GRAND TOTAL	**20**	**5.9**	**31**	**1**	**1**	**4**	**9**	**13**	**18**	**21**	**6**	**26.3**	**1404**	**1**	**1**	**8**	**42**	**91**	**96**	**96**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	152	22.9	491	1	2	18	32	62	70	86	13	12.0	210	1	1	4	19	34	45	48
13-17	42	21.5	268	2	4	16	30	45	52	68	2	4.5	1	4	4	4	5	5	5	5
18-24	4	11.0	69	2	2	10	17	21	21	21										
25-34	2	22.5	481	7	7	22	38	38	38	38	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	200	22.4	433	1	3	17	30	56	68	85	16	10.4	180	1	1	4	18	30	43	48
B. FEMALE																				
0-12 YRS.	33	20.6	501	1	2	14	35	71	97	99 +	4	6.5	70	2	2	3	11	19	19	19
13-17	6	14.3	151	4	4	9	23	34	35	35										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	39	19.6	449	1	2	11	33	66	93	99 +	4	6.5	70	2	2	3	11	19	19	19
SUBTOTAL	**239**	**21.9**	**436**	**1**	**2**	**16**	**31**	**57**	**70**	**93**	**20**	**9.7**	**154**	**1**	**1**	**4**	**18**	**25**	**39**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	197	28.7	417	3	4	28	42	64	87	99 +	27	18.9	402	1	2	8	36	56	70	99 +
13-17	67	24.9	386	2	4	21	38	60	74	99 +	6	17.2	423	1	1	9	44	89	99 +	99 +
18-24	10	20.0	264	3	3	18	23	47	51	51										
25-34	6	20.2	195	6	6	16	32	41	42	42	1	21.0		21	21	21	21	21	21	21
35-54	2	8.5	61	3	3	8	14	14	14	14										
55-74																				
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	282	27.2	400	3	4	26	42	61	78	99 +	35	18.5	371	1	2	9	40	56	88	99 +
B. FEMALE																				
0-12 YRS.	32	26.6	300	3	5	28	38	60	95	99 +	3	3.7	2	2	2	4	5	5	5	5
13-17	9	25.9	247	8	8	22	32	52	56	56										
18-24	4	7.3	8	4	4	7	9	11	11	11										
25-34																				
35-54	3	14.3	172	2	2	13	24	28	28	28	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	48	24.1	282	2	5	26	35	55	74	99 +	4	4.8	6	2	2	4	6	8	8	8
SUBTOTAL	**330**	**26.7**	**386**	**3**	**4**	**26**	**42**	**59**	**77**	**99 +**	**39**	**17.1**	**350**	**1**	**2**	**8**	**35**	**56**	**82**	**99 +**
GRAND TOTAL	**569**	**24.7**	**411**	**2**	**3**	**21**	**37**	**58**	**73**	**99 +**	**59**	**14.5**	**295**	**1**	**1**	**5**	**24**	**46**	**61**	**99 +**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	44.0		44	44	44	44	44	44	44										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	24.0	800	4	4	24	44	44	44	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	24.0	800	4	4	24	44	44	44	44										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	42.0		42	42	42	42	42	42	42
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	42.0		42	42	42	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	42.0		42	42	42	42	42	42	42
GRAND TOTAL	2	24.0	800	4	4	24	44	44	44	44	1	42.0		42	42	42	42	42	42	42

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	35.0	777	4	4	43	54	58	58	58										
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34	1	49.0		49	49	49	49	49	49	49										
35-54																				
55-74																				
75 +																				
ALL AGES	5	36.4	447	4	4	43	51	58	58	58										
B. FEMALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42										
SUBTOTAL	6	37.3	366	4	6	42	49	57	58	58										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	14.8	202	5	5	9	23	36	36	36										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.8	202	5	5	9	23	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	4	14.8	202	5	5	9	23	36	36	36										
GRAND TOTAL	10	28.3	406	4	4	32	43	53	58	58										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	3	6.7	9	4	4	6	9	10	10	10
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	3	6.7	9	4	4	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	4	4.3	4	2	2	4	6	7	7	7	3	6.7	9	4	4	6	9	10	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	2	11.0	2	10	10	11	12	12	12	12	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	31.0		31	31	31	31	31	31	31										
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	16.7	153	9	9	10	26	31	31	31	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	5	14.4	87	9	9	10	17	31	31	31	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	9	9.9	74	2	2	9	11	23	31	31	5	5.0	11	1	1	4	7	10	10	10

HYPERKINETIC SYND NOS (314.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	5	2.4		2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34	2	6.5	1	6	6	6	7	7	7	7										
35-54	1	6.0		6	6	6	6	6	6	6	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	8.8	22	6	6	7	11	16	16	16	4	2.8	3	1	1	2	4	5	5	5
SUBTOTAL	**9**	**5.2**	**20**	**2**	**2**	**3**	**6**	**12**	**16**	**16**	**5**	**2.8**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											6	3.8		3	3	4	4	4	4	4
13-17	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	7	3.9		3	3	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**	**8**	**4.3**	**1**	**3**	**3**	**4**	**4**	**6**	**7**	**7**
GRAND TOTAL	**11**	**5.0**	**17**	**2**	**2**	**3**	**6**	**11**	**16**	**16**	**13**	**3.7**	**2**	**1**	**2**	**4**	**4**	**5**	**7**	**7**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1187	19.3	394	1	1	13	30	54	72	99 +	309	6.6	170	1	1	2	5	25	41	99 +
13-17	2650	17.6	320	1	1	12	28	44	58	99 +	760	10.8	245	1	1	2	15	36	43	75
18-24	4468	12.3	152	1	1	8	18	29	35	64	1703	10.1	130	1	1	5	17	28	31	46
25-34	10291	12.1	134	1	2	8	18	28	32	54	4302	11.6	125	1	1	6	21	28	30	44
35-54	13391	11.9	117	1	2	8	18	28	31	48	6055	10.7	120	1	1	5	19	28	30	43
55-74	6118	13.8	152	2	3	10	20	29	36	60	3341	10.1	117	1	2	5	14	28	30	44
75 +	2300	14.3	188	2	3	10	19	33	44	82	1630	9.1	107	[illegible]	2	6	11	21	29	86
ALL AGES	40405	13.0	160	1	2	8	20	29	36	64	18100	10.5	128	1	1	5	17	28	30	48
B. FEMALE																				
0-12 YRS.	689	17.5	358	1	1	11	28	49	71	99 +	249	8.6	300	1	1	2	5	30	57	99 +
13-17	3831	16.9	311	1	1	11	25	43	58	99	868	10.8	236	1	1	3	14	34	44	74
18-24	4506	12.2	162	1	1	8	17	29	38	64	1436	9.0	135	1	1	4	11	28	33	55
25-34	10280	12.5	139	1	2	9	17	28	35	59	3247	9.3	110	1	1	5	12	26	30	46
35-54	15311	13.4	137	1	2	10	19	28	35	59	4828	9.9	122	1	2	5	13	27	31	50
55-74	10607	16.4	175	2	3	14	22	33	43	70	3680	9.6	112	1	2	6	12	24	30	55
75 +	4620	15.2	196	2	3	11	20	34	45	87	2932	9.6	140	1	2	6	11	21	33	80
ALL AGES	49844	14.2	174	1	2	11	20	30	40	69	17240	9.6	131	1	1	5	12	26	32	60
SUBTOTAL	**90249**	**13.7**	**167**	**1**	**2**	**10**	**20**	**30**	**39**	**67**	**35340**	**10.1**	**129**	**1**	**1**	**5**	**14**	**28**	**31**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1062	29.1	453	3	4	28	44	66	90	99 +	169	19.2	498	1	2	8	36	66	98	99 +
13-17	3661	22.8	360	1	3	20	35	49	65	99 +	1026	23.1	355	1	2	23	34	47	60	99 +
18-24	5228	13.4	147	1	2	9	21	29	34	52	2423	[illegible]	149	1	2	11	24	30	35	45
25-34	12182	12.4	119	1	2	8	20	28	30	46	6821	[illegible]	120	1	2	6	21	28	30	42
35-54	13375	11.6	109	1	2	7	18	27	30	47	8165	[illegible]	86	1	2	5	11	25	28	36
55-74	4311	13.7	148	2	3	10	20	29	36	63	2913	[illegible]	77	2	2	5	11	22	28	42
75 +	1038	14.6	175	2	3	11	19	30	38	77	636	[illegible]	88	2	2	6	11	21	29	71
ALL AGES	40857	13.8	170	1	2	9	21	30	38	69	22153	11.4	128	1	2	5	20	28	31	46
B. FEMALE																				
0-12 YRS.	426	27.9	504	2	4	25	43	65	92	99 +	83	18.1	441	1	2	8	34	58	85	99 +
13-17	3870	21.7	365	2	3	16	33	51	64	99 +	863	21.8	404	1	1	20	36	50	67	99 +
18-24	4847	14.6	194	1	2	10	21	32	42	69	1503	12.6	154	1	2	7	22	29	37	51
25-34	10383	13.2	147	1	2	9	19	29	36	59	3510	11.2	121	1	2	6	20	28	30	42
35-54	11582	13.8	148	2	2	10	20	29	37	61	3884	9.9	101	1	2	5	14	27	30	42
55-74	5740	16.5	177	2	3	14	23	33	42	67	2105	[illegible]	99	1	2	6	13	25	30	46
75 +	2104	16.4	176	3	4	13	22	33	43	96	1009	[illegible]	22	2	2	7	11	21	31	95
ALL AGES	38952	15.2	193	2	2	11	21	33	43	74	12957	[illegible]	45	1	2	6	17	28	34	59
SUBTOTAL	**79809**	**14.5**	**181**	**1**	**2**	**10**	**21**	**31**	**41**	**72**	**35110**	[illegible]	[illegible]	**1**	**2**	**6**	**19**	**28**	**32**	**52**
GRAND TOTAL	**170058**	**14.1**	**173**	**1**	**2**	**10**	**21**	**30**	**40**	**69**	**70450**	**10.7**	**133**	**1**	**2**	**5**	**16**	**28**	**31**	**53**

Total U.S. January - December 1987

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All long-term care hospitals, i.e., hospitals with average patient stays more than 30 days, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. Hospitals were then grouped according to presence or absence of a psychiatric acute care unit defined in the 1986 AHA magnetic tape.

Hospitals recording the presence of a psychiatric service unit were separated and labeled: hospitals with a psychiatric unit/beds. All other hospitals were labeled: hospitals without a psychiatric unit/beds.

Both hospital service types, however, may offer one or more of these services as defined in the *AHA Guide*, 1987 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth. The purpose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\ (JCA) + 14.0\ (CP) + 28.0\ (RES) + 14.7\ (MS) + 13.3\ (PNS) + 20.1\ (COT)$$

JCA: Accreditation by Joint Commission of Accreditation of Healthcare Organizations

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	86	26.3	40,752	24.0	199	23.2	17,192	24.4
North Central	106	32.4	65,154	38.3	214	25.0	22,142	31.4
South	55	16.8	25,625	15.0	201	23.5	12,411	17.6
West	80	24.5	38,527	22.7	243	28.3	18,705	26.6
U.S.	327	100.0	170,058	100.0	857	100.0	70,450	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other specified drug-induced mental disorders	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other specified transient organic mental disorders	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	29
295.1	Disorganized type schizophrenia	30
295.2	Catatonic type schizophrenia	31
295.3	Paranoid type schizophrenia	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type schizophrenia	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other manic-depressive psychosis	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active state	
	1 Residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified childhood psychosis	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other anxiety states	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other neurotic disorders	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other personality disorders	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.0	Homosexuality	85
302.2	Pedophilia	86
302.3	Transvestism	87
302.4	Exhibitionism	88
302.5	Trans-sexualism	89
302.50	Trans-sexualism with unspecified sexual history	89
302.51	Trans-sexualism with asexual history	89
302.52	Trans-sexualism with homosexual history	89
302.53	Trans-sexualism with heterosexual history	89
302.6	Disorders of psychosexual identity	90
302.7	Psychosexual dysfunction	91
302.70	Psychosexual dysfunction, unspecified	91
302.71	Psychosexual dysfunction with inhibited sexual desire	91
302.72	Psychosexual dysfunction with inhibited sexual excitement	91
302.73	Psychosexual dysfunction with inhibited female orgasm	91
302.74	Psychosexual dysfunction with inhibited male orgasm	91
302.75	Psychosexual dysfunction with premature ejaculation	91
302.76	Psychosexual dysfunction with functional dyspareunia	91
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	91
302.8	Other specified psychosexual disorders	92
302.81	Fetishism	92
302.82	Voyeurism	92
302.83	Sexual masochism	92
302.84	Sexual sadism	92
302.85	Gender identity disorder of adolescent or adult life	92
302.89	Other specified psychosexual disorders	92
302.9	Unspecified psychosexual disorder	93
303	**Alcohol dependence syndrome**	

Fifth-digit subclassification for use with 303:

- 0 Unspecified drinking behavior
- 1 Continuous drinking behavior
- 2 Episodic drinking behavior
- 3 In remission

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303.0	Acute alcoholic intoxication	94
303.9	Other and unspecified alcohol dependence	95
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
304.0	Opioid type dependence	96
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	97
304.2	Cocaine dependence	98
304.3	Cannabis dependence	99
304.4	Amphetamine and other psychostimulant dependence	100
304.5	Hallucinogen dependence	101
304.6	Other specified drug dependence	102
304.7	Combinations of opioid type drug with any other drug dependence	103
304.8	Combinations of drug dependence excluding opioid type drug	104
304.9	Unspecified drug dependence	105
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
305.0	Alcohol abuse	106
305.1	Tobacco use disorder	107
305.2	Cannabis abuse	108
305.3	Hallucinogen abuse	109
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	110
305.5	Opioid abuse	111
305.6	Cocaine abuse	112
305.7	Amphetamine or related acting sympathomimetic abuse	113
305.8	Antidepressant type abuse	114
305.9	Other, mixed, or unspecified drug abuse	115
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	116
306.1	Respiratory malfunction arising from mental factors	117
306.2	Cardiovascular malfunction arising from mental factors	118
306.3	Skin disorder arising from mental factors	119
306.4	Gastrointestinal malfunction arising from mental factors	120
306.5	Genitourinary malfunction arising from mental factors	121
306.50	Psychogenic genitourinary malfunction, unspecified	121
306.51	Psychogenic vaginismus	121
306.52	Psychogenic dysmenorrhea	121
306.53	Psychogenic dysuria	121
306.59	Other genitourinary malfunction arising from mental factors	121
306.6	Endocrine disorder arising from mental factors	122
306.7	Disorder of organs of special sense arising from mental factors	123
306.8	Other specified psychophysiological malfunction	124
306.9	Unspecified psychophysiological malfunction	125
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	126
307.1	Anorexia nervosa	127
307.2	Tics	128

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.20	Tic disorder, unspecified	128
307.21	Transient tic disorder of childhood	128
307.22	Chronic motor tic disorder	128
307.23	Gilles de la Tourette's disorder	128
307.3	Stereotyped repetitive movements	129
307.4	Specific disorders of sleep of nonorganic origin	130
307.40	Nonorganic sleep disorder, unspecified	130
307.41	Transient disorder of initiating or maintaining sleep	130
307.42	Persistent disorder of initiating or maintaining sleep	130
307.43	Transient disorder of initiating or maintaining wakefulness	130
307.44	Persistent disorder of initiating or maintaining wakefulness	130
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	130
307.46	Somnambulism or night terrors	130
307.47	Other dysfunctions of sleep stages or arousal from sleep	130
307.48	Repetitive intrusions of sleep	130
307.49	Other specific disorders of sleep of nonorganic origin	130
307.5	Other and unspecified disorders of eating	131
307.50	Eating disorder, unspecified	131
307.51	Bulimia	131
307.52	Pica	131
307.53	Psychogenic rumination	131
307.54	Psychogenic vomiting	131
307.59	Other disorders of eating	131
307.6	Enuresis	132
307.7	Encopresis	133
307.8	Psychalgia	134
307.80	Psychogenic pain, site unspecified	134
307.81	Tension headache	134
307.89	Other psychalgia	134
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	135
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	136
308.1	Predominant disturbance of consciousness	137
308.2	Predominant psychomotor disturbance	138
308.3	Other acute reactions to stress	139
308.4	Mixed disorders as reaction to stress	140
308.9	Unspecified acute reaction to stress	141
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	142
309.1	Adjustment reaction with prolonged depressive reaction	143
309.2	Adjustment reaction with predominant disturbance of other emotions	144
309.21	Separation anxiety disorder	144
309.22	Emancipation disorder of adolescence and early adult life	144
309.23	Specific academic or work inhibition	144
309.24	Adjustment reaction with anxious mood	144
309.28	Adjustment reaction with mixed emotional features	144
309.29	Other adjustment reactions with predominant disturbance of other emotions	144
309.3	Adjustment reaction with predominant disturbance of conduct	145
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	146
309.8	Other specified adjustment reactions	147
309.81	Prolonged posttraumatic stress disorder	147
309.82	Adjustment reaction with physical symptoms	147
309.83	Adjustment reaction with withdrawal	147
309.89	Other specified adjustment reactions	147

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.9	Unspecified adjustment reaction	148
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	149
310.1	Organic personality syndrome	150
310.2	Postconcussion syndrome	151
310.8	Other specified nonpsychotic mental disorders following organic brain damage	152
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	153
311	Depressive disorder, not elsewhere classified	154
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	155
312.1	Undersocialized conduct disorder, unaggressive type	156
312.2	Socialized conduct disorder	157
312.3	Disorders of impulse control, not elsewhere classified	158
312.30	Impulse control disorder, unspecified	158
312.31	Pathological gambling	158
312.32	Kleptomania	158
312.33	Pyromania	158
312.34	Intermittent explosive disorder	158
312.35	Isolated explosive disorder	158
312.39	Other disorders of impulse control	158
312.4	Mixed disturbance of conduct and emotions	159
312.8	Other specified disturbances of conduct, not elsewhere classified	160
312.9	Unspecified disturbance of conduct	161
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	162
313.1	Misery and unhappiness disorder specific to childhood and adolescence	163
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	164
313.21	Shyness disorder of childhood	164
313.22	Introverted disorder of childhood	164
313.23	Elective mutism specific to childhood and adolescence	164
313.3	Relationship problems specific to childhood and adolescence	165
313.8	Other or mixed emotional disturbances of childhood or adolescence	166
313.81	Oppositional disorder of childhood or adolescence	166
313.82	Identity disorder of childhood or adolescence	166
313.83	Academic underachievement disorder of childhood or adolescence	166
313.89	Other emotional disturbances of childhood or adolescence	166
313.9	Unspecified emotional disturbance of childhood or adolescence	167
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	168
314.00	Attention deficit disorder of childhood without mention of hyperactivity	168
314.01	Attention deficit disorder of childhood with hyperactivity	168
314.1	Hyperkinesis of childhood with developmental delay	169
314.2	Hyperkinetic conduct disorder of childhood	170
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	171
314.9	Unspecified hyperkinetic syndrome of childhood	172
290-314.9	**All psychiatric diagnosis codes**	173

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	166
Acute alcoholic intoxication	303.0	94
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	144
Adjustment reaction with brief depressive reaction	309.0	142
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	146
Adjustment reaction with mixed emotional features	309.28	144
Adjustment reaction with physical symptoms	309.82	147
Adjustment reaction with predominant disturbance of conduct	309.3	145
Adjustment reaction with predominant disturbance of other emotions	309.2	144
Adjustment reaction with prolonged depressive reaction	309.1	143
Adjustment reaction with withdrawal	309.83	147
Affective personality disorder	301.1	76
Affective personality disorder, unspecified	301.10	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	106
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	94-95
Fifth-digit subclassification for use with 303:		
0 Unspecified drinking behavior		
1 Continuous drinking behavior		
2 Episodic drinking behavior		
3 In remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	100
Amphetamine or related acting sympathomimetic abuse	305.7	113
Anorexia nervosa	307.1	127
Antidepressant type abuse	305.8	114
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia, uncomplicated	290.40	5
Attention deficit disorder of childhood	314.0	168
Attention deficit disorder of childhood with hyperactivity	314.01	168
Attention deficit disorder of childhood without mention of hyperactivity	314.00	168
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	110
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	97
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Bulimia	307.51	131
Cannabis abuse	305.2	108
Cannabis dependence	304.3	99
Cardiovascular malfunction arising from mental factors	306.2	118
Catatonic type schizophrenia	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	128
Cocaine abuse	305.6	112
Cocaine dependence	304.2	98
Combinations of drug dependence excluding opioid type drug	304.8	104
Combinations of opioid type drug with any other drug dependence	304.7	103
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	154
Depressive type psychosis	298.0	55
Disorder of organs of special sense arising from mental factors	306.7	123
Disorders of impulse control, not elsewhere classified	312.3	158
Disorders of psychosexual identity	302.6	90
Disorganized type schizophrenia	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	155-157
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Drug dependence	304.0-304.9	96-105
Fifth-digit subclassification for use with 304:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Drug withdrawal syndrome	292.0	16

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17
Eating disorder, unspecified	307.50	131
Elective mutism specific to childhood and adolescence	313.23	164
Emancipation disorder of adolescence and early adult life	309.22	144
Encopresis	307.7	133
Endocrine disorder arising from mental factors	306.6	122
Enuresis	307.6	132
Excitative type psychosis	298.1	56
Exhibitionism	302.4	88
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	92
Frontal lobe syndrome	310.0	149
Gastrointestinal malfunction arising from mental factors	306.4	120
Gender identity disorder of adolescent or adult life	302.85	92
Generalized anxiety disorder	300.02	65
Genitourinary malfunction arising from mental factors	306.5	121
Gilles de la Tourette's disorder	307.23	128
Hallucinogen abuse	305.3	109
Hallucinogen dependence	304.5	101
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Homosexuality	302.0	85
Hyperkinesis of childhood with developmental delay	314.1	169
Hyperkinetic conduct disorder of childhood	314.2	170
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder of childhood or adolescence	313.82	166
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	158
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	158
Introverted disorder of childhood	313.22	164
Introverted personality	301.21	77
Isolated explosive disorder	312.35	158
Kleptomania	312.32	158
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.1	40
Manic disorder, single episode	296.0	39
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder specific to childhood and adolescence	313.1	163
Mixed disorders as reaction to stress	308.4	140
Mixed disturbance of conduct and emotions	312.4	159
Multiple personality	300.14	66

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Musculoskeletal malfunction arising from mental factors	306.0	116
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Nondependent abuse of drugs	305.0-305.9	106-115
Fifth-digit subclassification for use with 305:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	130
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	111
Opioid type dependence	304.0	96
Oppositional disorder of childhood or adolescence	313.81	166
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	150
Other acute reactions to stress	308.3	139
Other adjustment reactions with predominant disturbance of other emotions	309.29	144
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	95
Other and unspecified disorders of eating	307.5	131
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	135
Other anxiety states	300.09	65
Other disorders of eating	307.59	131
Other disorders of impulse control	312.39	158
Other dysfunctions of sleep stages or arousal from sleep	307.47	130
Other emotional disturbances of childhood or adolescence	313.89	166
Other genitourinary malfunction arising from mental factors	306.59	121
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other manic-depressive psychosis	296.89	47
Other neurotic disorders	300.8	73
Other neurotic disorders	300.89	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	166
Other personality disorders	301.8	83
Other personality disorders	301.89	83
Other psychalgia	307.89	134
Other specific disorders of sleep of nonorganic origin	307.49	130
Other specified adjustment reactions	309.8	147
Other specified adjustment reactions	309.89	147
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	160
Other specified drug dependence	304.6	102
Other specified drug-induced mental disorders	292.8	19
Other specified drug-induced mental disorders	292.89	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	171

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Other specified nonpsychotic mental disorders following organic brain damage	310.8	152
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	124
Other specified psychosexual disorders	302.8	92
Other specified psychosexual disorders	302.89	92
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified transient organic mental disorders	293.89	23
Other specified types of schizophrenia	295.8	37
Other, mixed, or unspecified drug abuse	305.9	115
Overanxious disorder specific to childhood and adolescence	313.0	162
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid personality disorder	301.0	75
Paranoid state, simple	297.0	49
Paranoid type schizophrenia	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	158
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining sleep	307.42	130
Persistent disorder of initiating or maintaining wakefulness	307.44	130
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	130
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	131
Postconcussion syndrome	310.2	151
Predominant disturbance of consciousness	308.1	137
Predominant disturbance of emotions	308.0	136
Predominant psychomotor disturbance	308.2	138
Presenile dementia	290.1	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Presenile dementia, uncomplicated	290.10	2
Prolonged posttraumatic stress disorder	309.81	147
Psychalgia	307.8	134
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	121
Psychogenic dysuria	306.53	121
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	121
Psychogenic pain, site unspecified	307.80	134
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	131
Psychogenic vaginismus	306.51	121
Psychogenic vomiting	307.54	131
Psychoses with origin specific to childhood	299.0-299.9	62-64

Fifth-digit subclassification for use with 299:
0 Current or active state
1 Residual state

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction	302.7	91
Psychosexual dysfunction with functional dyspareunia	302.76	91
Psychosexual dysfunction with inhibited female orgasm	302.73	91
Psychosexual dysfunction with inhibited male orgasm	302.74	91
Psychosexual dysfunction with inhibited sexual desire	302.71	91
Psychosexual dysfunction with inhibited sexual excitement	302.72	91
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	91
Psychosexual dysfunction with premature ejaculation	302.75	91
Psychosexual dysfunction with premature ejaculation	302.75	91
Psychosexual dysfunction, unspecified	302.70	91
Pyromania	312.33	158
Reactive confusion	298.2	57
Relationship problems specific to childhood and adolescence	313.3	165
Repetitive intrusions of sleep	307.48	130
Residual schizophrenia	295.6	35
Respiratory malfunction arising from mental factors	306.1	117
Schizo-affective type schizophrenia	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	77
Senile dementia with delirium	290.3	4
Senile dementia with delusional features	290.20	3
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with depressive features	290.21	3
Senile dementia, uncomplicated	290.0	1
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	164
Separation anxiety disorder	309.21	144
Sexual masochism	302.83	92
Sexual sadism	302.84	92
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	164
Simple type schizophrenia	295.0	29
Skin disorder arising from mental factors	306.3	119
Social phobia	300.23	67
Socialized conduct disorder	312.2	157
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	130
Specific academic or work inhibition	309.23	144
Specific disorders of sleep of nonorganic origin	307.4	130
Stammering and stuttering	307.0	126
Stereotyped repetitive movements	307.3	129
Subacute delirium	293.1	22
Tension headache	307.81	134
Tic disorder, unspecified	307.20	128
Tics	307.2	128

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Tobacco use disorder	305.1	107
Trans-sexualism	302.5	89
Trans-sexualism with asexual history	302.51	89
Trans-sexualism with heterosexual history	302.53	89
Trans-sexualism with homosexual history	302.52	89
Trans-sexualism with unspecified sexual history	302.50	89
Transient disorder of initiating or maintaining sleep	307.41	130
Transient disorder of initiating or maintaining wakefulness	307.43	130
Transient tic disorder of childhood	307.21	128
Transvestism	302.3	87
Undersocialized conduct disorder, aggressive type	312.0	155
Undersocialized conduct disorder, unaggressive type	312.1	156
Unspecified acute reaction to stress	308.9	141
Unspecified adjustment reaction	309.9	148
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified childhood psychosis	299.9	64
Unspecified disturbance of conduct	312.9	161
Unspecified drug dependence	304.9	105
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	167
Unspecified hyperkinetic syndrome of childhood	314.9	172
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	153
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	125
Unspecified psychosexual disorder	302.9	93
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	92

R3850-22-u

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, North Central Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1988

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the second annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1987
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1987
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1987
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1987
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1987
ISSN 0898-0535

The Length of Stay series has been published annually since 1964. The 1987 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1987 and Pediatric Length of Stay by Diagnosis and Operation, United States 1987. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and CPHA Publications iv

Preface v

Description of the Database

Data Collection vii
Data Quality ix
Database Characteristics ix

Organization of Psychiatric Length of Stay Tables xiv

Explanation of Psychiatric Length of Stay Statistics xvi

Application of Psychiatric Length of Stay Tables xvii

Trends in Psychiatric Length of Stay xviii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 171

Appendix 2: Teaching Intensity Program Calculation 172

Appendix 3: State Inclusions and Hospital Counts by Region 173

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 174

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 181

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the healthcare industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of healthcare professionals in a variety of settings.

Copyright ©1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the healthcare industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. This series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1987 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager
Joyce Beach, Senior Programmer
Lale A. Olson, Senior Electronic Publishing Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Publications staff: Linda E. Vanek, MSW, Product Manager, for marketing assistance, Rhonda A. Gregory, Customer Service Representative, for clerical assistance, and James Chesney, PhD., for research advice.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Maureen Rieschl, and Billie Thompson. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and the Wyoming Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1987 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,184 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages xi-xiii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1986 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1986 AHA magnetic tape), includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1986 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1987 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	480	1,445	1,925	1,382	3,355	4,737	168	175	343	2,030	4,975	7,005
Sample	39	185	224	288	672	960	0	0	0	327	857	1,184
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	8.1	12.8	11.6	20.8	20.0	20.3	0	0	0	16.1	17.2	16.9
Number of Urban Hospitals												
Universe	355	346	701	1,165	1,966	3,131	140	94	234	1,660	2,406	4,066
Sample	24	43	67	221	366	587	0	0	0	245	409	654
Urban Hospitals as Percent of Universe												
Universe	74.0	23.9	36.4	84.3	58.6	66.1	83.3	53.7	68.2	81.8	48.4	58.0
Sample	5.0	3.0	3.5	16.0	10.9	12.4	0	0	0	12.1	8.2	9.3
Number of High/Medium Teaching Intensity Hospitals												
Universe	175	53	228	532	379	911	111	31	142	818	463	1,281
Sample	17	6	23	130	96	226	0	0	0	147	102	249
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	36.5	3.7	11.8	38.5	11.3	19.2	66.1	17.7	41.4	40.3	9.3	18.3
Sample	3.5	.4	1.2	9.4	2.9	4.8	0	0	0	7.2	2.1	3.6
Average Occupancy as Percent of Universe												
Universe	77.6	48.7	55.9	67.4	54.4	58.2	73.3	56.1	64.5	70.3	52.8	57.9
Sample	63.5	47.9	50.6	66.4	57.7	60.3	0	0	0	66.1	55.6	58.5

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals recording facility information on the 1986 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	327	100.0	170,058	100.0
Control				
Public	39	11.9	16,406	9.6
Private	288	88.1	153,652	90.4
Bedsize				
< 100 Beds	21	6.4	4,068	2.4
100-199	79	24.1	28,841	17.0
200-299	78	23.9	37,376	22.0
300-399	63	19.3	38,117	22.4
400-499	33	10.1	21,409	12.6
500+	53	16.2	40,247	23.7
Teaching Intensity				
Low	180	55.1	79,718	46.9
Medium	88	26.9	50,023	29.4
High	59	18.0	40,317	23.7
Location				
Rural	82	25.1	27,350	16.1
Urban	245	74.9	142,708	83.9

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	857	100.0	70,450	100.0
Control				
Public	185	21.6	10,190	14.5
Private	672	78.4	60,260	85.5
Bedsize				
<100 Beds	445	51.9	17,716	25.1
100-199	224	26.1	19,794	28.1
200-299	108	12.6	16,318	23.2
300-399	42	4.9	6,262	8.9
400-499	21	2.5	7,447	10.6
500+	17	2.0	2,913	4.1
Teaching Intensity				
Low	755	88.1	52,857	75.0
Medium	82	9.6	16,031	22.8
High	20	2.3	1,562	2.2
Location				
Rural	448	52.3	21,608	30.7
Urban	409	47.7	48,842	69.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

c. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The first Psychiatric Length of Stay series, profiling 1986 data, offered a baseline year for monitoring national and regional length of stay trends for hospital patients with psychiatric conditions.

The 1987 Psychiatric Length of Stay series affords a glimpse of emerging patterns for further investigation. The tables that follow highlight data from the 1986 and the new 1987 publications in two areas of interest to users:

(1) regional length of stay differences for selected psychiatric diagnoses; and
(2) sex length of stay differences for selected psychiatric diagnoses.

Table 1 below displays 1986 and 1987 average lengths of stay in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 900 patient discharges in each region, and for all psychiatric diagnoses. The table is categorized by geographic region.

For all of the five common psychiatric diagnoses, except other and unspecified alcohol dependence (303.9), the western region length of stay remains the lowest, following a 22 year old pattern for all diagnoses, in which the Northeast has the highest lengths of stay, and the West, the lowest.

For example, in 1987 the average length of stay in the Northeast for paranoid schizophrenia (295.3) is 21 days; it is 11.1 days in the West, a difference of 9.9 days. Similarly, the 1987 average length of stay in the Northeast for a diagnosis of major depressive disorder, single episode (296.2) is 18.5 days, while it is 13.8 days in the West, a 4.7 day difference. For all psychiatric diagnoses, the difference between the northeastern and the western regions in 1987 is 2.5 days.

Lengths of stay for all psychiatric diagnoses from 1986 to 1987, rose or remained constant in three of the four regions, including the West. The exception is the north central region, where average lengths of stay for all psychiatric diagnoses dropped 0.2 days. The southern and northeastern regions recorded the highest increases: 0.9 days from 1986 to 1987. The western region rose 0.5 days. In the U.S. for all psychiatric diagnoses, average lengths of stay rose 0.4 days, from 13.7 in 1986 to 14.1 in 1987.

Table 1
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals with a Psychiatric Unit/Beds

		Northeast		**North Central**		**South**		**West**		**U.S.**	
Type of Patient	*ICD-9-CM* Code	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Paranoid schizophrenia	295.3	20.0	21.0	16.7	16.8	13.0	13.8	11.5	11.1	15.4	15.6
Major depressive disorder, single episode	296.2	18.5	18.5	16.8	16.8	17.2	17.9	13.9	13.8	16.7	16.7
Neurotic depression	300.4	14.5	15.7	14.8	14.7	11.9	13.2	11.5	10.6	13.5	13.6
Other and unspecified alcohol dependence	303.9	10.1	11.4	18.0	17.7	13.5	14.6	17.3	19.7	15.0	15.8
Brief depressive reaction	309.0	9.6	9.9	10.3	9.9	8.3	8.8	5.8	5.8	8.8	8.8
All psychiatric codes	290.0-314.9	13.9	14.8	14.9	14.7	13.2	14.1	11.8	12.3	13.7	14.1

The differences in average length of stay for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses, in hospitals without a psychiatric acute care service unit/beds, are also illuminating.

As Table 2 reveals below, the regional differences do not uniformly show the expected pattern of higher average lengths of stay in the Northeast, North Central, and South and lower stays in the West. In 1987, three of the five examined diagnoses show higher average lengths of stay in the West than in all other regions. For example, in the southern region a diagnosis of acute alcoholic intoxication (303.0) has an average length of stay of 8.9 days; the average stay in the West is 11.1 days. For a diagnosis of depressive disorder (311), the average length of stay in the north central region is 7 days; in the West 10.6 days.

On the other hand, from 1986 to 1987, average lengths of stay for each region for the five common psychiatric diagnoses have gone up in the Northeast by an average 2.3 days, 1 day in the north central region, 0.6 days in the South, and 0.4 in the West.

Similarly, for all psychiatric diagnoses the average length of stay has declined in the West from 1986 to 1987 from 11.6 to 11.4 days and has increased in the other three regions, ranging from 0.6 days in the South to 1.1 days in the Northeast.

Table 2
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals without a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	*ICD-9-CM* Code	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Other specified alcoholic psychosis	291.8	5.1	5.2	4.9	4.9	4.1	4.7	5.6	7.4	5.0	5.5
Major depressive disorder, recurrent episode	296.3	9.8	15.8	13.2	17.3	10.8	11.5	14.6	10.0	12.7	14.1
Acute alcoholic intoxication	303.0	4.6	5.9	8.7	8.8	7.8	8.9	10.4	11.1	8.4	8.6
Cocaine dependence	304.2	5.4	8.4	14.9	14.1	24.6	25.9	18.5	19.0	16.7	14.8
Depressive disorder not elsewhere classified	311	9.3	10.5	5.5	7.0	6.5	6.0	7.1	10.6	6.6	8.1
All psychiatric codes	290.0-314.9	7.6	8.7	10.9	11.9	9.7	10.3	11.6	11.4	10.4	10.7

Table 3 shows average lengths of stay by sex in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses. For the five common psychiatric diagnoses with a few exceptions, e.g., neurotic depression (300.4), in all regions and the U.S., women have higher average lengths of stay in 1986 and 1987. This finding is often cited in the literature examining psychiatric lengths of stay. To illustrate, in 1986, men with a diagnosis of brief depressive reaction (309.0) stay an average 8.3 days, while women stay 9 days in the U.S. For all psychiatric diagnoses in the U.S. in 1986, men stay 13.1 days to women's average 14.3 days, a 1.2 day difference.

In 1987, the national length of stay differential between men and women for brief depressive reaction (309.0) increases. Men stay an average 8.2 days, while women stay 9.3 days. The same holds true for all psychiatric diagnoses: men stay an average 13.4 and women 14.6 days, a 0.1 increase in the differential between average stays for men and women from 1986 to 1987.

Moreover, there are regional variations in lengths of stay by sex. In the Northeast, men and women diagnosed with a major depressive disorder, recurrent episode (296.3), have an average stay of 19.8 and 21.3 days respectively in 1987. Men and women in the West with the same diagnosis stay an average 13.6 and 14.6 days. Cocaine dependence (304.2) reveals the opposite pattern, in which the West has higher average stays for men and women, 19.6 and 18 days respectively, than in the Northeast, where average stays are 8.6 days for men and women diagnosed with cocaine dependence (304.2).

Overall, regional average lengths of stay by sex from 1986 to 1987 increase. The north central region records the only decline: 0.1 days for men and 0.2 days for women. For all psychiatric diagnoses, the lengths of stay for men in the Northeast increase by 0.9 days and 1 day for women; in the South the increase is 1.1 days for men and 0.8 days for women.

Table 3

Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals with a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	19.6	19.8	21.0	21.3	17.3	16.1	18.3	17.1
Neurotic depression	300.4	16.0	16.8	13.6	15.0	14.6	14.4	15.0	14.8
Acute alcoholic intoxication	303.0	6.5	6.2	7.6	6.3	7.1	6.5	6.9	6.9
Cocaine dependence	304.2	13.1	8.6	13.0	8.6	16.0	14.6	13.7	12.3
Brief depressive reaction	309.0	9.3	8.9	9.8	10.6	9.5	9.3	10.8	10.3
All psychiatric codes	290.0-314.9	12.2	13.1	15.5	16.5	14.5	14.4	15.3	15.1

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.0	17.1	17.2	17.3	12.9	13.6	14.3	14.6
Neurotic depression	300.4	11.9	14.1	12.0	12.7	12.0	10.9	11.0	10.5
Acute alcoholic intoxication	303.0	9.7	8.0	9.7	9.0	6.9	6.6	7.0	5.5
Cocaine dependence	304.2	17.2	16.2	14.8	14.8	20.2	19.6	16.6	18.0
Brief depressive reaction	309.0	8.3	8.3	8.3	9.1	5.3	5.2	6.1	6.2
All psychiatric codes	290.0-314.9	12.4	13.5	13.8	14.6	11.8	12.3	11.9	12.4

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.6	16.6	17.9	17.6
Neurotic depression	300.4	13.8	13.8	13.3	13.4
Acute alcoholic intoxication	303.0	7.1	6.5	7.4	6.5
Cocaine dependence	304.2	16.6	14.7	14.2	12.6
Brief depressive reaction	309.0	8.3	8.2	9.0	9.3
All psychiatric codes	290.0-314.9	13.1	13.4	14.3	14.6

Table 4 displays average lengths of stay by sex in hospitals without a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 90 patient discharges in each region, and for all psychiatric diagnoses.

As the statistics in Table 2 suggest, these hospitals do not appear to follow the expected pattern of higher stays for women with psychiatric conditions. For example, a high frequency diagnosis for women (diagnosed two times more) is neurotic depression (300.4). In 1986, women stay 6.9 days to men's 7.8 in the U.S. In 1987, the difference is greater: men stay an average 9.5 days to women's 7.7, almost a 2 day spread. At the same time, for all psychiatric diagnoses in the U.S. for both years, women stay fewer days: 1.1 days in 1986 and 0.6 days in 1987. On the other hand, acute alcoholic intoxication (303.0), a high frequency diagnosis for men (diagnosed three times more), men stay 0.3 days less in 1986, and 0.6 days less in 1987 than do women.

Furthermore, regional variations in lengths of stay by sex do not correspond to the expected regional pattern. In the Northeast in 1987, the average stay for cocaine dependence (304.2) is 7.2 days for men and 7.4 for women. In the West, the average stay is 14.6 and 10.1 for men and women respectively. In 1987, for all psychiatric diagnoses in the Northeast, the average stay is 7.7 for men and 10.2 for women, in comparison to 12 days for men and 10.7 days for women in the West.

Like the regional average lengths of stay by sex for hospitals with a psychiatric acute care service unit/beds, from 1986 to 1987, the average lengths of stay for hospitals without such a unit increase. In the Northeast, the average stay increases 0.9 days for men and 1.6 days for women. The latter average stay equals the increase for women in the north central region as well (1.6), where men have increased stays by 0.7 days. In the South, the increase is 0.8 for men and 0.4 days for women. Only in the West is there a decline of 0.5 days for women, while stays for men remain the same over the two years.

To summarize, a preliminary examination of the 1986 and 1987 Psychiatric Length of Stay series reveals:

1. For hospitals with a psychiatric acute care service unit/beds and for the psychiatric diagnoses examined (5), there are higher stays in the Northeast and lower stays in the West, overall following a well-acknowledged length of stay pattern for all diagnoses that began in 1965.

2. For hospitals without a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), the same pattern does not exist.

3. For hospitals with a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), women stay longer than men, a pattern often cited in the literature. In hospitals without such a unit, the statistics do not point to the same pattern.

4. Lengths of stay for all psychiatric diagnoses in two regions for both hospital service types show increases for 1986 and 1987. Lengths of stay decline in the north central and western regions for at least one of the hospital service types during the two year period.

The four tables introduce a few of the many cross tabulations that can be accomplished using the Psychiatric Length of Stay series. As users conduct their own inquiries, it is essential to remember the statistics in this section are merely descriptive, and not the subject of critical analysis. Thus it is also important that users routinely:

1) examine the characteristics of the database (pp. ix-xiii and Appendix 3);
2) look at the patient counts in each diagnosis table; and
3) acknowledge any clinical, financial, legal, and social issues for each psychiatric diagnosis covered in the Psychiatric Length of Stay series.

Such caution, paired with expertise, will make the statistics and tables presented in the next section more valuable as hospital cost and quality of care information on patients with psychiatric conditions.

Table 4
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals without a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	7.7	15.0	10.5	16.1	11.7	17.6	13.6	17.1
Neurotic depression	300.4	8.3	7.2	6.8	7.4	8.3	9.1	7.4	8.1
Acute alcoholic intoxication	303.0	4.7	5.8	4.3	6.2	8.9	8.7	8.2	9.2
Cocaine dependence	304.2	5.6	8.3	5.0	8.4	16.3	15.4	11.5	11.0
Brief depressive reaction	309.0	4.3	5.0	6.0	4.6	9.2	7.2	6.2	8.0
All psychiatric codes	290.0-314.9	6.8	7.7	8.6	10.2	11.7	12.4	9.7	11.3

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	10.7	12.1	10.8	11.3	14.8	8.5	14.4	10.7
Neurotic depression	300.4	6.5	6.4	6.1	6.0	8.7	14.6	7.8	10.1
Acute alcoholic intoxication	303.0	7.4	8.9	9.5	8.7	10.1	10.8	11.3	11.9
Cocaine dependence	304.2	24.5	25.6	24.8	27.1	18.8	18.6	17.4	19.3
Brief depressive reaction	309.0	3.6	5.7	4.1	5.0	4.0	4.2	4.2	5.1
All psychiatric codes	290.0-314.9	11.0	11.8	8.4	8.8	12.0	12.0	11.2	10.7

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	12.7	14.0	12.7	14.2
Neurotic depression	300.4	7.8	9.5	6.9	7.7
Acute alcoholic intoxication	303.0	8.3	8.5	8.6	9.1
Cocaine dependence	304.2	17.5	15.6	[illegible]	12.9
Brief depressive reaction	309.0	4.9	5.5	4.8	5.8
All psychiatric codes	290.0-314.9	10.9	11.0	9.8	10.4

Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	18	16.9	311	5	6	9	17	48	64	66	15	8.9	41	4	4	7	9	15	26	30
75 +	66	10.7	120	2	3	8	13	19	24	74	33	9.6	61	1	3	6	14	23	25	29
ALL AGES	84	12.0	165	2	4	8	14	21	31	77	48	9.4	54	2	3	7	13	21	26	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	31	10.6	66	2	3	9	14	19	23	42	11	6.5	29	1	2	5	8	14	20	21
75 +	113	8.6	48	2	3	7	10	14	18	47	58	6.8	19	2	2	6	8	13	15	24
ALL AGES	144	9.0	53	2	3	7	11	16	19	43	69	6.8	20	2	2	5	8	13	15	23
SUBTOTAL	**228**	**10.1**	**96**	**2**	**3**	**8**	**12**	**17**	**21**	**61**	**117**	**7.8**	**36**	**2**	**3**	**6**	**9**	**16**	**22**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	13.3	27	8	8	14	17	18	18	18	6	14.8	228	1	1	11	18	40	43	43
75 +	14	11.7	101	2	4	9	15	22	37	41	10	6.5	18	1	1	5	10	12	14	14
ALL AGES	17	12.0	85	2	4	10	15	20	34	41	16	9.6	104	1	1	7	12	18	35	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	13.8	107	3	3	12	19	29	38	38	1	6.0		6	6	6	6	6	6	6
75 +	17	9.8	43	3	4	9	12	16	25	30	6	10.3	18	5	5	10	14	16	16	16
ALL AGES	27	11.3	67	3	4	10	14	20	31	38	7	9.7	18	5	5	9	13	16	16	16
SUBTOTAL	**44**	**11.6**	**72**	**3**	**4**	**10**	**15**	**20**	**32**	**41**	**23**	**9.7**	**75**	**1**	**2**	**9**	**12**	**16**	**27**	**43**
GRAND TOTAL	**272**	**10.3**	**93**	**2**	**3**	**8**	**13**	**18**	**22**	**59**	**140**	**8.1**	**42**	**2**	**3**	**6**	**10**	**16**	**21**	**31**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	3	11.3	57	7	7	7	17	20	20	20										
55-74	29	10.0	35	3	4	8	13	18	20	29	12	5.5	13	1	2	4	8	11	13	13
75 +	36	11.4	78	1	3	9	16	21	30	41	24	10.0	201	2	3	5	9	23	40	69
ALL AGES	69	10.8	56	3	3	8	15	20	23	39	36	8.5	141	2	2	5	9	15	26	69
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	5.3	6	4	4	4	7	8	8	8	1	3.0		3	3	3	3	3	3	3
35-54	3	6.7	36	1	1	6	11	13	13	13	1	4.0		4	4	4	4	4	4	4
55-74	41	9.3	51	2	3	7	11	20	26	30	25	8.1	33	2	3	7	9	15	22	27
75 +	54	11.5	100	3	4	7	15	21	28	61	47	7.3	79	2	2	5	9	13	17	60
ALL AGES	101	10.3	76	2	3	7	13	20	27	49	74	7.5	61	2	3	6	8	13	19	52
SUBTOTAL	**170**	**10.5**	**68**	**3**	**3**	**8**	**14**	**20**	**27**	**40**	**110**	**7.8**	**86**	**2**	**2**	**5**	**9**	**14**	**21**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	4	19.8	166	3	3	21	29	34	34	34										
55-74	14	14.2	122	4	5	14	15	21	43	49	2	6.5	13	4	4	6	9	9	9	9
75 +	7	11.9	40	5	5	11	16	22	23	23	5	10.6	42	4	4	9	14	21	21	21
ALL AGES	26	14.0	105	4	4	13	17	24	37	49	7	9.4	35	4	4	9	11	19	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	46.0		46	46	46	46	46	46	46	1	41.0		41	41	41	41	41	41	41
55-74	12	12.9	75	2	2	12	19	27	28	28	6	4.8	26	2	2	3	4	14	15	15
75 +	10	11.7	38	3	4	11	14	20	25	25	10	6.1	23	1	1	4	10	13	15	15
ALL AGES	23	13.8	103	2	3	11	18	26	34	46	17	7.7	95	1	2	3	10	15	32	41
SUBTOTAL	**49**	**13.9**	**102**	**3**	**4**	**13**	**17**	**26**	**35**	**49**	**24**	**8.2**	**76**	**1**	**2**	**5**	**11**	**16**	**27**	**41**
GRAND TOTAL	**219**	**11.2**	**78**	**3**	**3**	**8**	**15**	**21**	**28**	**47**	**134**	**7.9**	**83**	**2**	**2**	**5**	**9**	**15**	**21**	**61**

SENILE DELUSION/DEPRESS (29[illegible])

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	13	19.3	58	8	10	20	27	28	30	31	3	17.7	8	15	15	17	20	21	21	21
75 +	30	13.4	56	4	4	12	19	24	26	28	13	9.5	73	3	4	6	9	27	29	29
ALL AGES	43	15.2	62	4	5	14	22	27	28	31	16	11.0	72	3	4	7	16	26	28	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	17	10.5	31	1	4	10	14	20	21	21										
75 +	96	15.8	85	5	6	13	19	31	35	46	18	9.7	60	1	2	7	11	24	24	24
ALL AGES	113	15.0	80	5	6	13	18	28	34	44	18	9.7	60	1	2	7	11	24	24	24
SUBTOTAL	**156**	**15.1**	**73**	**4**	**6**	**13**	**19**	**27**	**32**	**40**	**34**	**10.3**	**64**	**2**	**3**	**7**	**15**	**24**	**26**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	14.2	46	4	4	17	20	21	21	21	1	8.0		8	8	8	8	8	8	8
75 +	12	18.4	120	6	6	16	24	37	38	38										
ALL AGES	21	16.6	89	5	5	17	21	29	37	38	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	12	16.2	47	4	5	17	22	24	24	24	2	1.5	1	1	1	1	2	2	2	2
75 +	26	19.7	175	5	6	17	24	39	47	61	5	20.8	439	1	1	14	30	56	56	56
ALL AGES	38	18.6	135	4	5	17	23	33	41	61	7	15.3	381	1	1	12	19	49	56	56
SUBTOTAL	**59**	**17.9**	**117**	**4**	**5**	**17**	**22**	**33**	**39**	**59**	**8**	**14.4**	**333**	**1**	**1**	**10**	**17**	**45**	**56**	**56**
GRAND TOTAL	**215**	**15.8**	**89**	**4**	**6**	**13**	**21**	**27**	**35**	**46**	**42**	**11.1**	**111**	**1**	**2**	**7**	**15**	**24**	**28**	**56**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	16	9.1	20	2	3	10	12	13	17	19	5	4.6	8	2	2	4	7	8	8	8
75 +	49	10.0	31	3	4	9	13	18	21	26	30	7.4	26	2	2	6	10	16	18	18
ALL AGES	65	9.8	27	3	3	9	12	17	20	26	35	7.0	24	2	2	5	10	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	15	11.1	63	1	2	11	16	20	27	30	7	6.7	12	2	2	8	10	11	11	11
75 +	84	9.9	56	2	3	7	12	21	26	37	51	5.6	13	2	2	5	7	10	11	22
ALL AGES	99	10.1	56	2	3	8	13	20	27	36	58	5.8	12	2	2	5	8	10	11	21
SUBTOTAL	**164**	**10.0**	**44**	**2**	**3**	**9**	**13**	**19**	**24**	**33**	**93**	**6.2**	**17**	**2**	**2**	**5**	**8**	**11**	**16**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	8	6.6	18	1	2	5	11	12	12	12	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	8	6.6	18	1	2	5	11	12	12	12	2	5.0	2	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	17.0	198	7	7	10	24	41	41	41	2	6.5	5	5	5	6	8	8	8	8
75 +	15	15.2	275	2	4	12	14	21	59	72	5	6.0	18	2	2	5	8	13	13	13
ALL AGES	20	15.7	243	2	5	11	16	31	56	72	7	6.1	13	2	2	5	7	12	13	13
SUBTOTAL	**28**	**13.1**	**193**	**1**	**4**	**10**	**13**	**21**	**44**	**72**	**9**	**5.9**	**10**	**2**	**3**	**5**	**7**	**11**	**13**	**13**
GRAND TOTAL	**192**	**10.4**	**67**	**2**	**3**	**9**	**13**	**19**	**25**	**40**	**102**	**6.2**	**16**	**2**	**2**	**5**	**8**	**11**	**15**	**20**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	22	14.1	86	4	5	12	17	30	36	39	8	14.3	107	4	5	12	17	31	37	37
75 +	62	11.4	53	3	4	9	15	22	28	30	20	8.9	34	4	5	7	9	19	22	25
ALL AGES	84	12.1	62	3	4	10	15	23	28	37	26	10.4	59	4	5	8	13	19	26	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16	1	10.0		10	10	10	10	10	10	10
55-74	22	9.5	37	3	4	7	14	17	22	27	13	13.3	168	3	4	10	17	58	91	99 +
75 +	61	12.2	64	2	4	10	17	23	27	40	35	9.9	38	1	2	9	15	19	21	21
ALL AGES	84	11.5	58	2	4	10	16	22	26	37	49	10.8	71	2	3	10	16	20	21	99 +
SUBTOTAL	**168**	**11.8**	**60**	**3**	**4**	**10**	**15**	**22**	**28**	**38**	**77**	**10.7**	**65**	**2**	**3**	**9**	**16**	**20**	**23**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	16	13.3	80	2	3	12	19	28	29	29	6	5.5	22	1	1	4	11	11	11	11
75 +	9	16.1	18	11	11	16	18	22	24	24	2	16.5	5	15	15	16	18	18	18	18
ALL AGES	25	14.3	58	3	4	14	19	25	28	29	8	8.3	41	1	1	8	13	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	25.5	5	24	24	25	27	27	27	27										
55-74	13	14.7	84	2	7	13	16	28	37	39	3	6.3	1	6	6	6	7	7	7	7
75 +	19	13.6	75	3	4	14	18	25	32	35	5	10.2	14	5	5	10	13	15	15	15
ALL AGES	34	14.7	80	3	4	14	18	27	34	39	8	8.8	11	5	5	8	11	14	15	15
SUBTOTAL	**59**	**14.5**	**71**	**3**	**4**	**14**	**18**	**26**	**29**	**39**	**16**	**8.5**	**25**	**1**	**1**	**8**	**12**	**15**	**17**	**18**
GRAND TOTAL	**227**	**12.5**	**64**	**3**	**4**	**11**	**17**	**24**	**28**	**39**	**93**	**10.3**	**59**	**2**	**3**	**9**	**14**	**19**	**21**	**79**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES											1	15.0		15	15	15	15	15	15	15
SUBTOTAL	1	6.0		6	6	6	6	6	6	6	1	15.0		15	15	15	15	15	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6	1	15.0		15	15	15	15	15	15	15

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	23.0		23	23	23	23	23	23	23										
GRAND TOTAL	2	14.0	162	5	5	14	23	23	23	23										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34	14	4.6	10	1	1	3	8	9	10	10	5	4.8	20	1	1	2	3	11	11	11
35-54	44	5.8	21	1	2	5	7	10	15	23	32	5.1	14	2	2	4	6	9	10	22
55-74	21	5.7	21	1	2	4	8	12	15	19	11	8.7	72	2	2	7	10	21	31	32
75 +	3	34.3	698	5	5	42	52	56	56	56	1	10.0		10	10	10	10	10	10	10
ALL AGES	82	6.6	65	1	2	5	7	11	20	52	50	5.9	28	2	2	5	7	10	13	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	3	7.3	11	5	5	6	10	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	10	5.7	25	2	2	4	8	13	18	18	2	5.0		5	5	5	5	5	5	5
55-74	5	4.2	1	3	3	4	5	6	6	6	2	2.5	1	2	2	2	3	3	3	3
75 +	1	4.0		4	4	4	4	4	4	4	1	10.0		10	10	10	10	10	10	10
ALL AGES	20	5.5	14	2	2	4	7	10	14	18	6	4.3	11	1	1	4	5	10	10	10
SUBTOTAL	**102**	**6.4**	**55**	**1**	**2**	**5**	**7**	**11**	**18**	**49**	**56**	**5.8**	**26**	**1**	**2**	**5**	**7**	**10**	**12**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	3.8	2	2	2	3	5	6	6	6	8	13.1	179	1	1	6	29	29	29	29
25-34	55	7.0	62	1	1	4	8	18	29	31	65	6.7	56	2	2	4	7	13	28	32
35-54	165	7.0	36	2	2	5	9	15	19	30	123	8.7	94	2	2	4	8	29	30	31
55-74	63	9.5	62	2	2	7	13	18	28	36	55	8.1	83	2	2	4	8	28	30	34
75 +	4	17.3	109	8	8	15	25	31	31	31	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	291	7.6	49	2	2	5	9	17	24	31	253	8.1	85	2	2	4	8	29	30	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	11.7	224	3	3	3	23	29	29	29	2	3.0	2	2	2	3	4	4	4	4
25-34	15	6.1	21	2	3	5	7	14	18	19	11	11.5	145	1	1	7	24	29	30	30
35-54	28	6.2	27	1	1	4	9	14	18	18	31	8.4	104	1	2	4	8	29	30	35
55-74	13	11.2	66	2	3	7	19	22	24	25	12	10.7	93	2	2	8	16	25	33	34
75 +											2	21.0	392	7	7	21	35	35	35	35
ALL AGES	59	7.6	44	1	2	5	11	19	21	29	58	9.7	113	1	2	4	12	30	33	35
SUBTOTAL	**350**	**7.6**	**48**	**2**	**2**	**5**	**9**	**18**	**24**	**31**	**311**	**8.4**	**90**	**2**	**2**	**4**	**9**	**29**	**30**	**34**
GRAND TOTAL	**452**	**7.3**	**50**	**2**	**2**	**5**	**9**	**17**	**23**	**31**	**367**	**8.0**	**81**	**2**	**2**	**4**	**8**	**28**	**30**	**33**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	7.0	75	2	2	2	13	17	17	17										
55-74	3	6.3	13	3	3	6	9	10	10	10	2	8.0	72	2	2	8	14	14	14	14
75 +																				
ALL AGES	6	6.7	35	2	2	4	10	16	17	17	2	8.0	72	2	2	8	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**6**	**6.7**	**35**	**2**	**2**	**4**	**10**	**16**	**17**	**17**	**2**	**8.0**	**72**	**2**	**2**	**8**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34																				
35-54	4	8.0	29	3	3	7	12	14	14	14	2	5.5	5	4	4	5	7	7	7	7
55-74	7	24.3	560	8	8	17	34	65	72	72	1	21.0		21	21	21	21	21	21	21
75 +	2	32.5	41	28	28	32	37	37	37	37	1	4.0		4	4	4	4	4	4	4
ALL AGES	14	20.6	348	3	4	15	28	42	65	72	4	9.0	66	4	4	6	14	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.0	32	7	7	11	15	15	15	15	1	2.0		2	2	2	2	2	2	2
55-74	4	22.0	568	2	2	15	38	56	56	56	3	8.3	13	5	5	8	11	12	12	12
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	7	17.1	328	2	3	10	19	49	56	56	4	6.8	17	2	2	6	10	12	12	12
SUBTOTAL	**21**	**19.5**	**325**	**3**	**4**	**14**	**23**	**46**	**63**	**72**	**8**	**7.9**	**37**	**2**	**3**	**6**	**10**	**18**	**21**	**21**
GRAND TOTAL	**27**	**16.6**	**288**	**2**	**2**	**10**	**19**	**39**	**58**	**72**	**10**	**7.9**	**37**	**2**	**2**	**6**	**12**	**17**	**21**	**21**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																						
0-12 YRS.																						
13-17																						
18-24											1	1.0		1	1	1	1	1	1	1
25-34																						
35-54	3	12.7	93	2	2	15	19	21	21	21	4	9.5	206	1	1	3	17	31	31	31
55-74	13	15.8	141	1	3	18	20	32	41	43	3	11.7	1	11	11	12	12	12	12	12
75 +	6	16.0	65	7	7	13	26	26	26	26	2	14.0	8	12	12	14	16	16	16	16
ALL AGES	22	15.5	104	2	3	15	21	27	35	43	10	10.2	83	1	1	11	12	23	31	31
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	1	12.0		12	12	12	12	12	12	12	2	7.5	41	3	3	7	12	12	12	12
55-74	2	19.5	85	13	13	19	26	26	26	26	1	8.0		8	8	8	8	8	8	8
75 +	1	12.0		12	12	12	12	12	12	12	2	15.0	162	6	6	15	24	24	24	24
ALL AGES	4	15.8	45	12	12	13	19	26	26	26	5	10.6	67	3	3	8	15	24	24	24
SUBTOTAL	**26**	**15.5**	**94**	**2**	**4**	**14**	**21**	**26**	**32**	**43**	**15**	**10.3**	**73**	**1**	**1**	**11**	**12**	**24**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	4.0		4	4	4	4	4	4	4	4	11.0	89	4	4	8	18	24	24	24
35-54	11	15.7	64	4	5	18	22	25	27	27	3	5.7	9	3	3	5	8	9	9	9
55-74	8	11.8	107	3	4	8	14	30	35	35	6	10.5	43	4	4	10	14	20	21	21
75 +	6	21.3	545	4	4	9	33	61	64	64	1	8.0		8	8	8	8	8	8	8
ALL AGES	26	15.3	184	4	4	10	21	32	41	64	14	9.4	44	3	4	8	12	21	23	24
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	5	7.2	79	2	2	3	9	23	23	23	1	33.0		33	33	33	33	33	33	33
55-74	10	18.5	210	1	4	16	21	42	51	51	1	14.0		14	14	14	14	14	14	14
75 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	15	14.7	189	1	2	11	21	33	46	51	4	13.5	194	3	3	9	23	33	33	33
SUBTOTAL	**41**	**15.1**	**180**	**2**	**3**	**10**	**21**	**33**	**42**	**64**	**18**	**10.3**	**71**	**3**	**3**	**8**	**14**	**23**	**29**	**33**
GRAND TOTAL	**67**	**15.3**	**144**	**2**	**3**	**13**	**21**	**29**	**36**	**62**	**33**	**10.3**	**70**	**1**	**3**	**8**	**13**	**24**	**30**	**33**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	1.5	1	1	1	1	2	2	2	2	2	8.0	72	2	2	8	14	14	14	14
35-54	4	6.5	18	2	2	6	9	12	12	12	4	5.8	32	1	1	4	9	14	14	14
55-74	1	2.0		2	2	2	2	2	2	2	2	9.5	1	9	9	9	10	10	10	10
75 +																				
ALL AGES	8	4.1	14	1	1	2	6	10	12	12	8	7.3	27	1	1	7	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	15.5	1	15	15	15	16	16	16	16
55-74											2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	4	9.0	57	2	2	9	15	16	16	16
SUBTOTAL	**9**	**3.9**	**13**	**1**	**1**	**2**	**5**	**10**	**12**	**12**	**12**	**7.8**	**34**	**1**	**2**	**7**	**14**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	8	8.8	39	2	3	6	13	18	20	20	2	6.5	25	3	3	6	10	10	10	10
35-54	17	8.5	96	2	2	5	11	22	34	39	4	14.3	156	2	2	14	25	27	27	27
55-74	5	6.4	43	2	2	4	8	18	18	18										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	33	7.8	65	2	2	4	11	18	23	39	6	11.7	115	2	2	7	23	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.5	85	2	2	8	15	15	15	15	1	3.0		3	3	3	3	3	3	3
35-54	6	6.0	10	3	3	5	9	11	11	11	4	6.8	14	3	3	6	10	11	11	11
55-74	2	2.5	1	2	2	2	3	3	3	3										
75 +																				
ALL AGES	10	5.8	19	2	2	4	9	13	15	15	5	6.0	14	3	3	4	9	11	11	11
SUBTOTAL	**43**	**7.3**	**55**	**2**	**2**	**4**	**10**	**16**	**21**	**39**	**11**	**9.1**	**72**	**2**	**2**	**5**	**11**	**25**	**27**	**27**
GRAND TOTAL	**52**	**6.7**	**49**	**2**	**2**	**4**	**9**	**14**	**20**	**39**	**23**	**8.4**	**51**	**1**	**2**	**5**	**13**	**17**	**24**	**27**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	4	2.5	2	1	1	2	3	4	4	4	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**6**	**3.3**	**7**	**1**	**1**	**3**	**4**	**8**	**8**	**8**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**9**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**8**	**3**	**3.0**	**3**	**1**	**1**	**4**	**4**	**4**	**4**	**4**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	2	12.5	221	2	2	12	23	23	23	23										
35-54	3	14.0	61	9	9	10	20	23	23	23	2	8.5	1	8	8	8	9	9	9	9
55-74																				
75 +																				
ALL AGES	6	13.3	70	2	3	11	23	23	23	23	2	8.5	1	8	8	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	1	27.0		27	27	27	27	27	27	27										
SUBTOTAL	**7**	**15.3**	**84**	**2**	**3**	**13**	**23**	**26**	**27**	**27**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**8**	**14.5**	**77**	**2**	**4**	**11**	**23**	**26**	**27**	**27**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
18-24	5	2.8	6	1	1	2	4	7	7	7	9	2.1	1	1	1	2	3	3	3	3
25-34	29	4.3	17	1	1	3	5	8	14	21	27	2.9	1	1	2	3	3	4	4	5
35-54	57	5.1	14	2	2	4	6	10	12	20	73	4.5	27	2	2	3	5	7	10	32
55-74	37	8.2	99	2	2	4	7	22	33	44	33	5.4	23	2	2	4	6	10	13	27
75 +											5	8.2	56	3	3	6	11	21	21	21
ALL AGES	130	5.6	41	1	2	4	6	11	21	37	148	4.4	21	1	2	3	5	7	10	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.0		1	1	1	1	1	1	1	3	10.0	112	2	2	6	18	22	22	22
25-34	7	4.4	7	1	1	5	6	8	8	8	9	5.2	42	[illegible]	[illegible]	3	5	16	22	22
35-54	9	5.2	16	3	3	3	6	12	15	15	21	4.1	8	[illegible]	2	3	4	7	11	14
55-74	7	5.1	14	1	1	4	7	11	12	12	8	4.5	9	1	1	4	7	9	9	9
75 +	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
ALL AGES	26	4.8	12	1	1	4	6	9	13	15	42	4.9	21	1	2	3	5	9	17	22
SUBTOTAL	**156**	**5.5**	**36**	**1**	**2**	**4**	**6**	**10**	**19**	**35**	**190**	**4.5**	**21**	**1**	**2**	**3**	**5**	**8**	**11**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											4	2.0	1	1	1	2	3	3	3	3
18-24	11	15.3	152	1	2	16	27	30	32	32	53	8.9	82	1	2	3	22	22	23	23
25-34	65	7.8	64	1	1	4	8	23	27	28	221	4.7	30	2	2	3	4	7	22	23
35-54	160	7.2	58	1	2	4	8	20	27	31	361	4.7	29	2	2	3	4	7	22	28
55-74	58	10.2	94	2	2	6	12	28	30	42	88	5.4	24	2	2	3	6	9	17	26
75 +	3	10.3	105	3	3	6	18	22	22	22	7	4.1	5	3	3	3	4	8	9	9
ALL AGES	297	8.2	73	1	2	5	9	25	28	32	734	5.1	32	2	2	3	4	10	22	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
18-24	1	28.0		28	28	28	28	28	28	28	9	5.2	41	2	2	3	4	15	22	22
25-34	16	9.4	81	1	2	7	12	19	32	37	71	3.5	8	2	2	3	3	5	7	19
35-54	35	7.9	64	1	2	4	10	21	27	32	59	4.7	16	2	2	3	5	8	12	24
55-74	24	6.4	50	1	2	4	6	15	25	31	25	6.0	41	1	2	4	6	12	19	33
75 +	5	12.8	247	2	2	7	19	40	40	40	3	3.3	1	3	3	3	4	4	4	4
ALL AGES	82	8.3	76	1	2	4	11	22	29	39	169	4.4	17	2	2	3	4	7	12	24
SUBTOTAL	**379**	**8.3**	**72**	**1**	**2**	**4**	**10**	**24**	**28**	**33**	**903**	**4.9**	**30**	**2**	**2**	**3**	**4**	**9**	**22**	**25**
GRAND TOTAL	**535**	**7.5**	**63**	**1**	**2**	**4**	**8**	**21**	**28**	**34**	**1093**	**4.9**	**28**	**2**	**2**	**3**	**4**	**9**	**22**	**25**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	2	6.5	1	6	6	6	7	7	7	7										
75 +																				
ALL AGES	3	5.0	7	2	2	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	1.7	1	1	1	1	2	3	3	3	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**6**	**3.3**	**7**	**1**	**1**	**2**	**6**	**7**	**7**	**7**	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	2	4.0	2	3	3	4	5	5	5	5
35-54	7	10.7	64	1	1	9	17	21	22	22	1	1.0		1	1	1	1	1	1	1
55-74	3	24.3	413	8	8	18	40	47	47	47	2	16.5	113	9	9	16	24	24	24	24
75 +											2	9.0	98	2	2	9	16	16	16	16
ALL AGES	11	13.5	178	1	1	9	18	32	46	47	7	8.6	72	1	1	5	14	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
25-34	2	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
35-54	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
55-74	1	56.0		56	56	56	56	56	56	56										
75 +																				
ALL AGES	5	15.2	532	3	3	3	22	56	56	56	3	8.7	29	3	3	9	13	14	14	14
SUBTOTAL	**16**	**14.1**	**259**	**1**	**1**	**8**	**18**	**44**	**53**	**56**	**10**	**8.6**	**55**	**1**	**1**	**7**	**14**	**20**	**24**	**24**
GRAND TOTAL	**22**	**11.1**	**212**	**1**	**1**	**5**	**16**	**29**	**51**	**56**	**13**	**7.0**	**51**	**1**	**1**	**3**	**10**	**18**	**23**	**24**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	2.0		2	2	2	2	2	2	2	6	2.8	2	1	1	3	4	4	4	4
25-34	5	14.8	653	1	1	2	22	60	60	60	22	3.2	2	1	2	3	4	5	6	6
35-54	7	4.0	8	1	1	3	6	8	9	9	10	3.9	3	1	2	4	4	6	8	8
55-74	4	10.0	41	4	4	10	15	16	16	16	2	6.5	5	5	5	6	8	8	8	8
75 +																				
ALL AGES	18	8.2	188	1	1	4	9	16	42	60	41	3.5	3	1	1	3	4	6	7	8
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17											2	2.5	5	1	1	2	4	4	4	4
18-24	2	5.0	2	4	4	5	6	6	6	6	5	2.8	1	2	2	3	3	4	4	4
25-34	1	4.0		4	4	4	4	4	4	4	7	3.4	2	2	2	3	4	6	6	6
35-54	2	9.0	98	2	2	9	16	16	16	16	4	4.8	6	2	2	4	6	8	8	8
55-74	3	6.3	15	2	2	8	9	9	9	9	9	4.6	8	2	2	3	6	9	10	10
75 +	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	10	5.9	19	2	2	5	8	12	16	16	28	3.8	4	2	2	3	4	7	8	10
SUBTOTAL	**28**	**7.4**	**126**	**1**	**1**	**4**	**8**	**16**	**21**	**60**	**69**	**3.6**	**3**	**1**	**2**	**3**	**4**	**6**	**8**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	3	3.3	2	2	2	4	4	4	4	4	42	3.4	14	1	1	3	3	4	9	22
25-34	11	11.9	108	2	2	9	20	28	30	30	264	3.0	2	1	2	3	3	4	5	6
35-54	13	13.4	213	1	3	8	18	33	51	55	233	3.3	5	1	2	3	3	5	6	14
55-74	6	10.0	74	3	3	5	20	22	22	22	32	4.4	25	1	2	4	4	5	6	31
75 +																				
ALL AGES	33	11.4	133	2	2	6	19	27	30	55	572	3.2	6	1	2	3	3	4	5	15
B. FEMALE																				
0-12 YRS.																				
13-17											3	3.7	1	3	3	3	5	5	5	5
18-24	5	4.2	6	1	1	4	6	7	7	7	33	3.0	1	2	2	3	3	4	5	5
25-34	20	9.9	103	2	2	5	12	25	34	40	97	3.6	11	1	2	3	3	5	7	24
35-54	21	8.7	71	1	2	5	11	24	26	28	65	4.0	10	1	2	3	4	6	8	22
55-74	11	5.2	10	1	1	5	8	9	10	10	14	3.7	3	1	2	4	4	6	7	7
75 +	4	7.0	27	3	3	6	11	14	14	14	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	61	8.0	63	1	2	5	9	21	26	39	214	3.6	9	1	2	3	4	5	7	20
SUBTOTAL	**94**	**9.2**	**89**	**1**	**2**	**5**	**11**	**22**	**28**	**48**	**786**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**18**
GRAND TOTAL	**122**	**8.8**	**97**	**1**	**2**	**5**	**10**	**21**	**27**	**56**	**855**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**16**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	11.3	69	4	4	11	18	19	19	19										
25-34	3	2.0	1	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	2	25.5	41	21	21	25	30	30	30	30	1	6.0		6	6	6	6	6	6	6
55-74	1	23.0		23	23	23	23	23	23	23										
75 +	2	5.0	18	2	2	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
ALL AGES	12	11.3	103	1	2	6	20	25	29	30	3	4.3	3	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.											4	2.3	3	1	1	2	3	5	5	5
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	11.0	200	1	1	11	21	21	21	21	2	4.0	2	3	3	4	5	5	5	5
35-54	6	6.7	45	2	2	3	10	18	19	19										
55-74	5	7.2	5	5	5	8	9	10	10	10	4	5.3	3	4	4	5	6	8	8	8
75 +	5	5.6	2	4	4	5	6	8	8	8	4	7.5	94	2	2	3	13	22	22	22
ALL AGES	19	6.7	29	1	1	5	8	15	20	21	14	4.9	27	1	1	4	5	9	19	22
SUBTOTAL	**31**	**8.5**	**60**	**1**	**2**	**5**	**10**	**21**	**23**	**30**	**17**	**4.8**	**23**	**1**	**1**	**4**	**5**	**8**	**17**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	15.8	205	1	1	15	28	34	34	34	1	1.0		1	1	1	1	1	1	1
25-34	10	6.2	23	2	2	5	7	14	16	16	3	6.3	21	2	2	6	10	11	11	11
35-54	5	13.6	314	1	1	4	25	42	42	42	1	2.0		2	2	2	2	2	2	2
55-74	3	8.3	7	6	6	8	10	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +	2	7.5	25	4	4	7	11	11	11	11	1	6.0		6	6	6	6	6	6	6
ALL AGES	25	10.0	113	1	1	6	13	26	36	42	7	4.3	13	1	1	2	6	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
18-24	3	22.7	659	4	4	12	42	52	52	52	1	2.0		2	2	2	2	2	2	2
25-34	6	24.8	315	6	6	25	33	51	53	53	1	13.0		13	13	13	13	13	13	13
35-54	4	6.5	11	2	2	7	9	9	9	9										
55-74	7	9.3	60	3	3	6	14	22	24	24	2	4.5	1	4	4	4	5	5	5	5
75 +	1.	15.0		15	15	15	15	15	15	15	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	22	14.9	222	3	4	8	21	39	52	53	7	5.7	12	2	2	5	6	12	13	13
SUBTOTAL	**47**	**12.3**	**166**	**1**	**2**	**7**	**16**	**32**	**43**	**53**	**14**	**5.0**	**12**	**1**	**1**	**5**	**6**	**11**	**13**	**13**
GRAND TOTAL	**78**	**10.8**	**126**	**1**	**2**	**6**	**15**	**25**	**34**	**53**	**31**	**4.9**	**17**	**1**	**1**	**4**	**6**	**9**	**13**	**22**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74	1	51.0		51	51	51	51	51	51	51										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	4	15.3	569	1	1	4	28	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	12.0		12	12	12	12	12	12	12
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	6	10.5	397	1	1	3	5	46	51	51	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	7	9.3	341	1	1	2	5	42	51	51	1	12.0		12	12	12	12	12	12	12

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1	2	27.5	1405	1	1	27	54	54	54	54
18-24	1	15.0		15	15	15	15	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	4.2	6	1	1	4	5	8	8	8	1	2.0		2	2	2	2	2	2	2
55-74	14	7.6	47	1	1	5	10	17	23	25	12	7.8	82	1	1	4	10	26	27	27
75 +	15	6.1	15	2	2	5	8	12	14	15	6	4.5	20	1	1	3	6	12	13	13
ALL AGES	37	6.4	28	1	1	4	8	15	16	25	23	8.0	151	1	1	3	7	25	36	54
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34	2	11.0	128	3	3	11	19	19	19	19										
35-54	3	17.3	708	1	1	3	37	48	48	48	4	6.5	30	2	2	5	10	14	14	14
55-74	38	7.1	29	1	2	6	9	16	18	23	11	4.5	7	2	2	3	6	9	9	9
75 +	24	6.0	22	1	1	5	8	13	15	19	19	6.2	14	1	2	6	8	10	14	17
ALL AGES	68	7.2	53	1	1	5	9	16	19	43	34	5.6	14	1	2	5	7	10	13	17
SUBTOTAL	**105**	**6.9**	**44**	**1**	**1**	**5**	**8**	**15**	**18**	**35**	**57**	**6.6**	**69**	**1**	**1**	**4**	**7**	**13**	**22**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	13.0	121	3	3	13	22	23	23	23										
25-34	12	10.4	85	1	2	7	19	25	28	29	1	4.0		4	4	4	4	4	4	4
35-54	9	10.9	155	1	1	7	15	33	37	37										
55-74	14	9.1	43	2	2	8	12	20	22	22	2	7.0	32	3	3	7	11	11	11	11
75 +	7	11.6	90	4	4	9	12	28	32	32	1	10.0		10	10	10	10	10	10	10
ALL AGES	46	10.5	82	1	2	8	15	23	30	37	4	7.0	17	3	3	7	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	2	14.5	5	13	13	14	16	16	16	16										
18-24	3	15.3	34	9	9	17	19	20	20	20										
25-34	5	3.4	2	1	1	4	4	5	5	5	2	4.5	1	4	4	4	5	5	5	5
35-54	10	6.4	8	3	3	6	9	11	12	12	3	2.7	4	1	1	2	4	5	5	5
55-74	11	14.0	91	5	6	9	20	28	34	35	6	8.0	42	1	1	6	12	18	19	19
75 +	15	10.2	46	3	3	7	18	21	21	21	10	7.5	13	1	2	8	10	12	13	13
ALL AGES	46	10.1	52	3	3	7	15	21	22	35	21	6.7	20	1	1	5	9	12	16	19
SUBTOTAL	**92**	**10.3**	**66**	**2**	**3**	**8**	**15**	**22**	**26**	**36**	**25**	**6.7**	**20**	**1**	**1**	**5**	**10**	**12**	**14**	**19**
GRAND TOTAL	**197**	**8.5**	**57**	**1**	**2**	**6**	**11**	**19**	**23**	**36**	**82**	**6.6**	**54**	**1**	**1**	**5**	**8**	**12**	**18**	**45**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
18-24	4	7.3	11	3	3	7	10	11	11	11	1	5.0		5	5	5	5	5	5	5
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	1.0		1	1	1	1	1	1	1	1	29.0		29	29	29	29	29	29	29
55-74	3	10.0	73	2	2	9	16	19	19	19										
75 +	2	7.0	50	2	2	7	12	12	12	12										
ALL AGES	13	6.9	30	1	1	6	11	13	18	19	4	9.3	175	1	1	3	17	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	9.2	75	1	1	5	18	20	20	20										
35-54	1	8.0		8	8	8	8	8	8	8	1	26.0		26	26	26	26	26	26	26
55-74	4	4.3	14	2	2	3	6	10	10	10	1	5.0		5	5	5	5	5	5	5
75 +	2	11.5	1	11	11	11	12	12	12	12	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	12	7.8	40	1	1	6	11	18	20	20	4	11.3	97	5	5	7	17	26	26	26
SUBTOTAL	**25**	**7.4**	**32**	**1**	**2**	**6**	**11**	**17**	**19**	**20**	**8**	**10.3**	**118**	**1**	**1**	**6**	**17**	**28**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	13.0	144	5	5	9	17	34	34	34										
18-24	6	11.2	105	3	3	8	12	29	31	31	1	4.0		4	4	4	4	4	4	4
25-34	6	5.7	16	1	1	5	8	12	12	12	3	9.3	65	1	1	10	15	17	17	17
35-54	4	9.0	9	6	6	8	11	13	13	13	1	10.0		10	10	10	10	10	10	10
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
ALL AGES	23	9.1	66	2	3	7	11	17	32	34	6	8.8	32	1	1	10	11	16	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	21.4	119	7	7	22	30	35	35	35										
25-34	5	13.2	93	3	3	9	21	27	27	27										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	3	7.3	6	6	6	6	9	10	10	10	3	14.3	6	12	12	15	16	16	16	16
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	14	14.2	106	3	4	9	22	29	34	35	5	11.6	22	4	4	12	15	16	16	16
SUBTOTAL	**37**	**11.0**	**85**	**2**	**3**	**8**	**12**	**28**	**33**	**35**	**11**	**10.1**	**27**	**1**	**2**	**11**	**14**	**16**	**17**	**17**
GRAND TOTAL	**62**	**9.5**	**67**	**1**	**2**	**8**	**12**	**21**	**29**	**35**	**19**	**10.2**	**60**	**1**	**1**	**10**	**14**	**22**	**28**	**29**

ACUTE DELIRIUM (293.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	2	1.5	1	1	1	1	2	2	2	2	1	4.0		4	4	4	4	4	4	4
18-24	3	12.3	126	4	4	8	21	25	25	25	1	4.0		4	4	4	4	4	4	4
25-34	3	3.3	11	1	1	2	6	7	7	7	1	3.0		3	3	3	3	3	3	3
35-54	2	12.0	32	8	8	12	16	16	16	16	8	3.4	3	1	1	3	5	6	6	6
55-74	26	5.1	17	1	2	4	6	13	15	16	19	3.8	5	1	2	3	5	5	8	11
75 +	22	8.0	51	1	2	5	10	22	23	24	28	5.5	10	2	2	5	7	10	12	12
ALL AGES	58	6.6	37	1	2	4	8	16	22	25	59	4.5	7	1	2	4	6	8	11	12
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-17											2	1.0		1	1	1	1	1	1	1
18-24	2	14.0	288	2	2	14	26	26	26	26	1	1.0		1	1	1	1	1	1	1
25-34	2	6.0	32	2	2	6	10	10	10	10	1	1.0		1	1	1	1	1	1	1
35-54	6	3.7	3	2	2	3	6	6	6	6	7	12.1	321	2	2	7	10	44	52	52
55-74	38	8.5	92	1	1	8	10	14	18	59	32	6.3	40	1	2	5	6	12	24	30
75 +	42	8.3	73	1	2	6	10	17	21	50	52	5.1	10	2	2	4	7	9	13	15
ALL AGES	91	8.1	77	1	2	6	10	15	19	55	96	5.8	43	1	2	4	6	10	15	42
SUBTOTAL	**149**	**7.5**	**62**	**1**	**2**	**6**	**9**	**16**	**21**	**50**	**155**	**5.3**	**30**	**1**	**2**	**4**	**6**	**9**	**12**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	10.0	105	2	2	6	16	25	25	25	1	1.0		1	1	1	1	1	1	1
35-54	4	11.0	129	4	4	6	17	28	28	28	4	5.8	11	1	1	6	8	9	9	9
55-74	7	6.1	24	1	1	5	8	14	15	15	4	4.0	5	1	1	4	5	6	6	6
75 +	18	11.5	100	4	5	8	11	26	38	44	6	13.3	503	2	2	5	6	54	59	59
ALL AGES	33	10.1	85	1	3	7	10	26	28	44	15	8.0	205	1	1	5	6	9	46	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	23.0	1204	1	1	5	48	63	63	63	1	9.0		9	9	9	9	9	9	9
35-54	4	13.3	242	1	1	8	23	36	36	36	4	5.5	34	1	1	3	9	14	14	14
55-74	24	12.5	92	2	3	9	17	26	33	42	12	9.1	40	1	2	9	14	17	20	20
75 +	28	8.4	54	2	2	6	11	16	20	37	28	5.5	24	1	2	5	7	8	11	28
ALL AGES	59	11.2	126	1	2	7	15	24	37	61	45	6.5	31	1	2	5	8	14	16	28
SUBTOTAL	**92**	**10.8**	**111**	**1**	**2**	**7**	**13**	**25**	**35**	**55**	**60**	**6.9**	**71**	**1**	**1**	**5**	**7**	**14**	**18**	**56**
GRAND TOTAL	**241**	**8.8**	**82**	**1**	**2**	**6**	**10**	**18**	**26**	**51**	**215**	**5.7**	**42**	**1**	**2**	**4**	**6**	**10**	**15**	**38**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	2	4.5	5	3	3	4	6	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	2.0		2	2	2	2	2	2	2	2	4.0		4	4	4	4	4	4	4
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**4**	**4.3**	**1**	**3**	**3**	**4**	**5**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX'S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20										
SUBTOTAL	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**6**	**5.3**	**53**	**1**	**1**	**3**	**4**	**18**	**20**	**20**	**5**	**5.4**	**8**	**3**	**3**	**4**	**7**	**10**	**10**	**10**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	7	16.3	44	6	7	19	22	23	23	23	1	8.0		8	8	8	8	8	8	8
25-34	16	14.4	138	1	2	13	20	28	41	46										
35-54	20	17.8	101	2	5	16	26	30	34	39	1	37.0		37	37	37	37	37	37	37
55-74	27	14.3	71	3	6	14	19	25	28	41	3	2.7	4	1	1	2	4	5	5	5
75 +	16	17.8	70	5	6	17	22	32	33	33	3	13.0	133	2	2	12	22	25	25	25
ALL AGES	88	16.4	95	3	5	15	22	29	34	45	8	11.5	168	1	1	6	18	33	37	37
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17																				
18-24	5	11.2	105	3	3	7	15	29	29	29	1	55.0		55	55	55	55	55	55	55
25-34	16	21.4	497	2	2	14	23	52	75	85	2	14.0	242	3	3	14	25	25	25	25
35-54	14	18.1	143	5	6	16	25	33	41	43	2	11.0	98	4	4	11	18	18	18	18
55-74	41	20.8	284	3	5	18	25	36	57	90	6	14.5	87	2	2	14	25	25	25	25
75 +	46	14.6	69	6	7	14	17	20	33	44	1	11.0		11	11	11	11	11	11	11
ALL AGES	123	18.0	216	3	6	15	22	35	45	86	12	16.9	217	2	3	14	25	34	52	55
SUBTOTAL	**211**	**17.3**	**167**	**3**	**6**	**15**	**22**	**32**	**43**	**69**	**20**	**14.8**	**193**	**1**	**2**	**11**	**25**	**31**	**46**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	9	16.6	49	5	8	16	18	27	32	32										
25-34	30	16.9	140	1	1	17	25	32	50	99 +										
35-54	27	17.5	161	2	2	18	22	31	37	61										
55-74	27	18.1	198	4	5	14	25	32	41	71	2	26.0	200	16	16	26	36	36	36	36
75 +	21	14.0	89	5	6	12	16	28	39	40	2	28.5	13	26	26	28	31	31	31	31
ALL AGES	115	16.7	140	2	4	15	22	32	37	81	4	27.3	69	16	16	28	33	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	7	20.9	213	7	8	18	21	46	52	52	1	6.0		6	6	6	6	6	6	6
25-34	15	21.9	289	3	8	15	27	55	58	59	2	19.5	481	4	4	19	35	35	35	35
35-54	15	18.6	140	3	7	14	28	35	39	40	1	5.0		5	5	5	5	5	5	5
55-74	32	19.8	178	6	8	15	25	42	49	60										
75 +	38	16.0	43	6	8	15	20	24	28	31	2	4.0		4	4	4	4	4	4	4
ALL AGES	108	18.6	140	6	7	15	23	34	43	59	6	9.7	154	4	4	5	6	32	35	35
SUBTOTAL	**223**	**17.7**	**137**	**3**	**6**	**15**	**22**	**32**	**41**	**64**	**10**	**16.7**	**193**	**4**	**4**	**11**	**31**	**35**	**36**	**36**
GRAND TOTAL	**434**	**17.5**	**151**	**3**	**6**	**15**	**22**	**32**	**42**	**62**	**30**	**15.4**	**188**	**2**	**2**	**11**	**25**	**35**	**37**	**55**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	10.0		10	10	10	10	10	10	10												
25-34	2	16.0	338	3	3	16	29	29	29	29												
35-54	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
55-74	5	6.6	12	2	2	6	9	11	11	11	5	6.0	17	1	1	6	10	10	10	10
75 +	4	6.0	46	1	1	3	10	16	16	16	4	5.8	2	4	4	5	7	8	8	8
ALL AGES	13	7.8	60	1	2	5	10	19	27	29	10	6.0	8	1	2	6	8	10	10	10
B. FEMALE																						
0-12 YRS.																						
13-17	1	1.0		1	1	1	1	1	1	1												
18-24											2	10.0	98	3	3	10	17	17	17	17
25-34																						
35-54	1	14.0		14	14	14	14	14	14	14												
55-74	5	8.2	36	1	1	8	12	17	17	17	6	4.7	11	1	1	4	6	10	10	10
75 +	7	7.0	8	5	5	6	8	12	13	13	10	4.5	11	1	1	3	7	9	11	11
ALL AGES	14	7.5	22	1	1	6	10	14	16	17	18	5.2	17	1	1	4	7	11	15	17
SUBTOTAL	**27**	**7.7**	**37**	**1**	**1**	**6**	**10**	**16**	**19**	**29**	**28**	**5.5**	**14**	**1**	**1**	**5**	**7**	**10**	**12**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	44.0		44	44	44	44	44	44	44												
13-17																						
18-24	3	19.0	289	2	2	19	32	36	36	36												
25-34	4	18.5	254	5	5	17	32	36	36	36												
35-54	2	4.5	25	1	1	4	8	8	8	8												
55-74	3	11.3	5	9	9	12	13	13	13	13	3	3.0	4	1	1	3	4	5	5	5
75 +																						
ALL AGES	13	16.8	210	1	2	12	30	38	43	44	3	3.0	4	1	1	3	4	5	5	5
B. FEMALE																						
0-12 YRS.																						
13-17	1	18.0		18	18	18	18	18	18	18												
18-24																						
25-34																						
35-54	1	33.0		33	33	33	33	33	33	33												
55-74											1	10.0		10	10	10	10	10	10	10
75 +	3	7.7	21	5	5	5	11	13	13	13	1	12.0		12	12	12	12	12	12	12
ALL AGES	5	14.8	134	5	5	13	22	33	33	33	2	11.0	2	10	10	11	12	12	12	12
SUBTOTAL	**18**	**16.2**	**182**	**1**	**3**	**12**	**28**	**36**	**41**	**44**	**5**	**6.2**	**22**	**1**	**1**	**5**	**10**	**12**	**12**	**12**
GRAND TOTAL	**45**	**11.1**	**110**	**1**	**2**	**8**	**13**	**29**	**36**	**44**	**33**	**5.6**	**14**	**1**	**1**	**5**	**8**	**10**	**12**	**17**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54											2	2.0	2	1	1	2	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	3	2.7	1	2	2	2	4	4	4	4
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	6	2.3	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14	3	4.0	7	1	1	5	6	6	6	6
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	4	9.8	114	1	1	7	18	23	23	23	3	4.0	7	1	1	5	6	6	6	6
SUBTOTAL	**5**	**8.8**	**91**	**1**	**1**	**5**	**16**	**23**	**23**	**23**	**9**	**2.9**	**3**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	14.0	242	3	3	14	25	25	25	25										
55-74																				
75 +	2	11.5	1	11	11	11	12	12	12	12										
ALL AGES	4	12.8	81	3	3	11	18	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	4	15.8	46	8	8	16	21	23	23	23										
ALL AGES	8	12.4	46	3	4	11	18	22	23	23										
SUBTOTAL	**12**	**12.5**	**52**	**3**	**3**	**11**	**18**	**24**	**25**	**25**										
GRAND TOTAL	**17**	**11.4**	**62**	**1**	**1**	**11**	**17**	**23**	**24**	**25**	**9**	**2.9**	**3**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	13.6	28	8	8	12	18	21	21	21	1	3.0		3	3	3	3	3	3	3
55-74	7	7.1	17	2	3	7	8	14	15	15	2	18.5	221	8	8	18	29	29	29	29
75 +	7	14.9	107	2	3	13	19	31	34	34	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	19	11.7	60	2	3	10	16	20	28	34	5	11.0	106	3	3	8	13	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	3	12.7	107	1	1	16	20	21	21	21										
55-74	8	14.3	139	3	4	10	20	34	38	38	3	4.7	6	2	2	5	6	7	7	7
75 +	7	8.6	12	4	4	9	12	13	13	13	3	9.3	121	3	3	3	17	22	22	22
ALL AGES	19	12.5	89	2	3	10	15	26	33	38	6	7.0	57	2	2	4	7	20	22	22
SUBTOTAL	**38**	**12.1**	**73**	**2**	**3**	**10**	**16**	**24**	**31**	**38**	**11**	**8.8**	**76**	**2**	**2**	**7**	**8**	**25**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	25.0		25	25	25	25	25	25	25										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	3	13.7	43	8	8	12	19	21	21	21										
75 +	2	6.0	8	4	4	6	8	8	8	8	1	17.0		17	17	17	17	17	17	17
ALL AGES	7	13.9	60	4	5	12	20	24	25	25	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	12.3	67	5	5	11	18	21	21	21										
55-74	2	15.0	392	1	1	15	29	29	29	29										
75 +	1	8.0		8	8	8	8	8	8	8	1	18.0		18	18	18	18	18	18	18
ALL AGES	6	12.5	111	1	1	9	21	28	29	29	1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**13**	**13.2**	**79**	**1**	**3**	**11**	**21**	**26**	**28**	**29**	**2**	**17.5**	**1**	**17**	**17**	**17**	**18**	**18**	**18**	**18**
GRAND TOTAL	**51**	**12.4**	**73**	**2**	**3**	**10**	**18**	**25**	**29**	**38**	**13**	**10.2**	**72**	**2**	**3**	**7**	**17**	**23**	**28**	**29**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	67	99+	99+	99+	99+										
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	11.0		11	11	11	11	11	11	11	1	6.0		6	6	6	6	6	6	6
35-54	2	6.5	13	4	4	6	9	9	9	9	2	12.5	181	3	3	12	22	22	22	22
55-74											1	8.0		8	8	8	8	8	8	8
75 +	5	9.2	39	1	1	13	14	14	14	14										
ALL AGES	10	11.6	83	1	3	12	14	60	97	99+	4	9.8	70	3	3	7	15	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	54.0		54	54	54	54	54	54	54	1	42.0		42	42	42	42	42	42	42
25-34	1	36.0		36	36	36	36	36	36	36										
35-54	4	16.3	139	6	6	13	24	33	33	33										
55-74	7	19.1	264	7	7	16	19	47	54	54										
75 +	6	11.8	56	4	4	9	21	21	21	21										
ALL AGES	19	18.9	231	5	6	16	21	47	54	54	1	42.0		42	42	42	42	42	42	42
SUBTOTAL	**29**	**16.4**	**187**	**4**	**4**	**13**	**21**	**45**	**54**	**99+**	**5**	**16.2**	**261**	**3**	**3**	**8**	**27**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	21.0		21	21	21	21	21	21	21
25-34																				
35-54	1	40.0		40	40	40	40	40	40	40										
55-74	3	26.3	189	14	14	24	37	41	41	41										
75 +	2	14.5	41	10	10	14	19	19	19	19	1	14.0		14	14	14	14	14	14	14
ALL AGES	6	24.7	171	10	11	24	41	88	99+	99+	3	12.0	103	1	1	14	19	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	79.0		79	79	79	79	79	79	79										
25-34	3	28.3	425	15	15	18	43	52	52	52										
35-54	4	18.3	308	2	2	14	30	43	43	43										
55-74	8	18.1	179	6	6	12	26	40	45	45										
75 +	4	22.3	602	8	8	11	36	59	59	59										
ALL AGES	20	23.6	436	4	6	14	35	55	69	79										
SUBTOTAL	**26**	**23.8**	**369**	**5**	**7**	**17**	**41**	**58**	**82**	**99+**	**3**	**12.0**	**103**	**1**	**1**	**14**	**19**	**21**	**21**	**21**
GRAND TOTAL	**55**	**19.9**	**282**	**4**	**6**	**14**	**28**	**53**	**72**	**99**[illegible]	**8**	**14.6**	**184**	**1**	**2**	**11**	**21**	**36**	**42**	**42**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.7	8	1	1	1	5	6	6	6										
25-34	8	15.3	24	9	9	15	18	23	24	24	1	1.0		1	1	1	1	1	1	1
35-54	8	14.4	110	3	4	13	16	32	38	38										
55-74	15	11.8	79	1	4	12	14	18	34	39	3	7.7	16	4	4	7	11	12	12	12
75 +	12	16.6	121	3	4	15	25	32	38	39	5	7.6	19	4	4	6	10	15	15	15
ALL AGES	46	13.5	88	1	3	13	17	26	38	39	9	6.9	18	1	1	6	9	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-24	2	13.5	221	3	3	13	24	24	24	24										
25-34	4	17.0	121	6	6	15	24	32	32	32										
35-54	4	11.3	83	2	2	11	19	21	21	21	1	3.0		3	3	3	3	3	3	3
55-74	19	15.1	217	3	5	9	16	38	51	60	2	14.0	2	13	13	14	15	15	15	15
75 +	21	13.3	79	2	4	13	17	21	32	42	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	51	15.0	175	2	4	12	17	33	42	62	5	9.4	24	3	3	10	13	15	15	15
SUBTOTAL	**97**	**14.3**	**133**	**2**	**3**	**12**	**17**	**28**	**39**	**61**	**14**	**7.8**	**20**	**1**	**3**	**7**	**12**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	5	17.0	79	5	5	18	22	29	29	29										
25-34	2	8.5	13	6	6	8	11	11	11	11										
35-54	5	19.4	199	7	7	19	26	42	42	42	2	5.0	8	3	3	5	7	7	7	7
55-74	6	14.2	43	8	8	11	21	24	24	24										
75 +	3	10.7	4	8	8	12	12	12	12	12	1	19.0		19	19	19	19	19	19	19
ALL AGES	22	15.0	78	6	7	12	20	25	34	42	3	9.7	68	3	3	7	16	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	3	8.3	15	4	4	10	11	11	11	11										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	10	17.7	94	2	4	20	25	29	31	31	5	4.0	17	1	1	1	8	9	9	9
75 +	6	15.2	64	6	6	14	22	26	26	26										
ALL AGES	22	16.6	104	3	5	15	24	28	35	42	5	4.0	17	1	1	1	8	9	9	9
SUBTOTAL	**44**	**15.8**	**90**	**5**	**6**	**13**	**22**	**27**	**34**	**42**	**8**	**6.1**	**38**	**1**	**1**	**5**	**8**	**16**	**19**	**19**
GRAND TOTAL	**141**	**14.8**	**118**	**2**	**4**	**12**	**19**	**28**	**39**	**60**	**22**	**7.2**	**26**	**1**	**1**	**6**	**10**	**15**	**17**	**19**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.5	25	14	14	17	21	21	21	21										
25-34	3	9.7	5	7	7	10	11	12	12	12										
35-54	2	19.0	50	14	14	19	24	24	24	24										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +											2	11.5	13	9	9	11	14	14	14	14
ALL AGES	8	14.0	33	7	8	13	18	23	24	24	2	11.5	13	9	9	11	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	2	10.5	181	1	1	10	20	20	20	20
35-54	1	21.0		21	21	21	21	21	21	21										
55-74	8	16.3	170	5	5	13	18	38	46	46										
75 +	2	7.5	5	6	6	7	9	9	9	9										
ALL AGES	12	14.3	131	5	5	11	18	29	43	46	2	10.5	181	1	1	10	20	20	20	20
SUBTOTAL	**20**	**14.2**	**88**	**5**	**5**	**12**	**18**	**23**	**35**	**46**	**4**	**11.0**	**65**	**1**	**1**	**11**	**17**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	7.0	2	6	6	7	8	8	8	8										
55-74	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
75 +	3	10.3	21	6	6	10	14	15	15	15										
ALL AGES	8	7.3	15	2	3	7	9	13	15	15	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	21.5	365	8	8	21	35	35	35	35										
55-74	4	15.0	142	1	1	15	24	28	28	28	1	8.0		8	8	8	8	8	8	8
75 +	2	10.5	5	9	9	10	12	12	12	12										
ALL AGES	8	15.5	131	1	3	11	24	33	35	35	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**16**	**11.4**	**86**	**1**	**2**	**9**	**13**	**27**	**33**	**35**	**2**	**6.5**	[illegible]	**5**	**5**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**36**	**12.9**	**88**	**3**	**5**	**10**	**15**	**24**	**33**	**46**	**6**	**9.5**	[illegible]	**1**	**1**	**8**	**14**	**19**	**20**	**20**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	8	19.6	47	13	13	18	25	29	30	30										
25-34	11	15.1	39	2	7	18	20	21	23	23	2	23.0	200	13	13	23	33	33	33	33
35-54	7	22.0	325	3	5	14	28	53	58	58										
55-74	8	24.9	146	7	9	26	30	42	47	47										
75 +																				
ALL AGES	36	19.8	121	4	10	18	25	31	42	58	2	23.0	200	13	13	23	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39	1	21.0		21	21	21	21	21	21	21
18-24	8	25.6	905	2	3	12	36	77	92	92										
25-34	11	14.3	58	1	5	15	18	25	30	30	1	9.0		9	9	9	9	9	9	9
35-54	12	18.7	201	1	4	15	23	44	47	48	1	4.0		4	4	4	4	4	4	4
55-74	14	15.6	62	4	7	15	20	23	32	35										
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	47	18.2	243	2	6	15	21	38	44	92	3	11.3	77	4	4	9	18	21	21	21
SUBTOTAL	**83**	**18.9**	**188**	**3**	**7**	**16**	**23**	**33**	**44**	**81**	**5**	**16.0**	**129**	**4**	**4**	**13**	**24**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	9.8	46	1	1	14	15	16	16	16										
35-54	4	7.3	5	6	6	6	9	11	11	11	1	7.0		7	7	7	7	7	7	7
55-74	6	10.5	30	3	3	11	15	17	17	17										
75 +	2	5.5	1	5	5	5	6	6	6	6										
ALL AGES	19	11.7	204	1	3	6	14	17	44	67	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	20.4	103	6	6	20	30	30	30	30										
35-54	11	11.5	54	1	3	10	16	22	27	27										
55-74	2	19.5	61	14	14	19	25	25	25	25	1	34.0		34	34	34	34	34	34	34
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	18	14.8	80	2	5	14	20	29	30	30	2	19.5	421	5	5	19	34	34	34	34
SUBTOTAL	**37**	**13.2**	**142**	**2**	**3**	**11**	**16**	**27**	**30**	**67**	**3**	**15.3**	**264**	**5**	**5**	**7**	**27**	**34**	**34**	**34**
GRAND TOTAL	**120**	**17.1**	**181**	**2**	**4**	**14**	**21**	**31**	**42**	**74**	**8**	**15.8**	**147**	**4**	**4**	**11**	**27**	**34**	**34**	**34**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17	1	13.0		13	13	56	99 +	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
18-24	3	25.7	227	15	15	19	37	43	43	43										
25-34	6	21.0	195	1	1	26	31	35	35	35	1	39.0		39	39	39	39	39	39	39
35-54	5	22.2	351	7	7	10	41	46	46	46	2	5.0	2	4	4	5	6	6	6	6
55-74	2	14.0		14	14	14	14	14	14	14	3	7.3	58	2	2	4	13	16	16	16
75 +	2	14.0	242	3	3	14	25	25	25	25										
ALL AGES	20	20.8	187	2	5	19	33	44	70	99 +	7	10.9	174	2	2	5	13	34	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	3.0		3	3	3	3	3	3	3
18-24	6	22.2	17	15	15	23	24	28	28	28	1	31.0		31	31	31	31	31	31	31
25-34	8	16.4	734	1	1	4	18	63	81	81										
35-54	12	17.1	347	1	2	9	23	42	64	68	2	2.5	1	2	2	2	3	3	3	3
55-74	7	14.6	123	3	4	9	20	32	35	35	7	10.0	90	1	2	6	11	26	30	30
75 +	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	35	17.2	297	1	2	15	23	31	60	81	12	9.7	104	1	2	6	11	30	31	31
SUBTOTAL	**55**	**18.5**	**257**	**1**	**2**	**16**	**25**	**39**	**61**	**99**	**19**	**10.1**	**123**	**1**	**2**	**6**	**11**	**31**	**35**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	22.0		22	22	22	22	22	22	22
25-34	3	24.0	9	21	21	24	26	27	27	27	1	56.0		56	56	56	56	56	56	56
35-54	5	26.6	655	2	2	16	52	57	57	57										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	10	21.5	371	2	2	18	27	54	57	57	2	39.0	578	22	22	39	56	56	56	56
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	37.5	113	30	30	37	45	45	45	45										
25-34	4	2.8	2	1	1	3	4	4	4	4										
35-54	4	7.0	67	1	1	4	12	19	19	19										
55-74	6	10.7	83	1	1	7	17	25	26	26	2	6.5	25	3	3	6	10	10	10	10
75 +																				
ALL AGES	16	11.1	166	1	1	5	18	30	40	45	2	6.5	25	3	3	6	10	10	10	10
SUBTOTAL	**26**	**15.1**	**260**	**1**	**1**	**7**	**24**	**43**	**52**	**57**	**4**	**22.8**	**550**	**3**	**3**	**16**	**39**	**56**	**56**	**56**
GRAND TOTAL	**81**	**17.4**	**257**	**1**	**2**	**14**	**24**	**40**	**53**	**94**	**23**	**12.3**	**200**	**1**	**2**	**6**	**15**	**33**	**45**	**56**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	38.5	674	6	12	31	52	80	92	93										
18-24	169	18.0	189	2	5	15	24	38	46	60	24	15.8	157	1	2	13	20	36	39	46
25-34	465	15.7	163	2	4	13	20	31	43	72	61	21.5	218	2	4	19	31	46	48	60
35-54	375	16.1	138	2	4	14	22	33	41	56	38	17.9	171	2	4	17	24	42	52	99 +
55-74	62	18.2	203	3	5	14	23	35	44	80	8	19.1	117	3	4	18	29	32	33	33
75 +	5	9.6	67	2	2	7	16	21	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	1087	16.5	171	2	4	14	21	34	45	69	132	19.1	191	2	3	17	28	40	47	67
B. FEMALE																				
0-12 YRS.																				
13-17	5	21.0	259	5	5	22	46	95	99 +	99 +	1	29.0		29	29	29	29	29	29	29
18-24	77	18.5	200	5	6	15	26	33	41	76	9	16.0	164	5	6	11	18	38	47	47
25-34	277	16.8	150	2	4	15	22	31	42	59	35	19.7	283	2	3	15	32	39	53	63
35-54	448	16.2	134	3	4	14	21	31	38	70	30	17.9	195	1	3	12	28	40	43	49
55-74	223	18.7	109	4	6	17	25	33	38	53	29	19.7	246	1	4	16	34	43	67	99 +
75 +	22	16.2	125	7	8	13	15	33	47	50	4	28.0	259	8	8	29	40	46	46	46
ALL AGES	1052	17.1	138	3	5	15	23	32	40	63	108	19.3	231	1	3	14	29	42	49	80
SUBTOTAL	**2139**	**16.8**	**155**	**3**	**4**	**14**	**22**	**32**	**42**	**64**	**240**	**19.2**	**208**	**2**	**3**	**16**	**28**	**41**	**47**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	94.0		94	94	97	99 +	99 +	99 +	99 +										
13-17	8	24.6	305	3	5	18	40	50	51	51										
18-24	60	18.8	263	2	3	14	26	42	57	65	4	20.5	62	15	15	17	25	32	32	32
25-34	253	16.3	206	3	4	13	20	33	42	87	21	17.5	188	1	[illegible]	16	26	40	45	48
35-54	182	15.3	125	3	4	13	21	29	34	64	21	22.0	138	5	9	20	27	42	46	48
55-74	32	17.2	107	4	6	15	21	33	40	43	4	27.3	265	3	3	33	36	39	39	39
75 +	3	17.0	277	5	5	10	29	36	36	36	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	539	16.5	194	3	4	13	21	33	43	74	52	19.9	161	1	3	19	27	39	45	48
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.7	100	8	8	25	63	99 +	99 +	99 +										
18-24	19	15.6	107	3	6	13	18	29	40	47										
25-34	86	18.0	186	2	4	15	26	37	44	68	8	23.5	290	2	3	23	33	47	53	53
35-54	152	16.0	117	3	4	15	21	30	35	52	16	17.0	124	4	5	14	25	30	40	44
55-74	71	17.4	117	4	6	16	24	31	34	56	4	23.5	678	2	2	16	42	60	60	60
75 +	3	17.7	120	7	7	17	26	29	29	29										
ALL AGES	334	16.8	135	3	5	15	22	32	38	59	28	19.8	230	2	4	15	29	41	54	60
SUBTOTAL	**813**	**16.7**	**168**	**3**	**4**	**14**	**21**	**32**	**41**	**72**	**80**	**19.8**	**185**	**1**	**4**	**18**	**28**	**40**	**46**	**58**
GRAND TOTAL	**3012**	**16.8**	**158**	**3**	**4**	**14**	**22**	**32**	**42**	**68**	**320**	**19.4**	**200**	**2**	**3**	**17**	**28**	**40**	**47**	**64**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	4	27.0	546	14	14	16	39	62	62	62		1	29.0		29	29	29	29	29	29	29
18-24	15	18.2	179	2	6	14	28	46	84	99 +											
25-34	11	11.9	69	1	3	11	17	24	29	29		1	14.0		14	14	14	14	14	14	14
35-54	2	22.5	925	1	1	22	44	44	44	44											
55-74	1	18.0		18	18	18	18	18	18	18		3	17.3	147	6	6	16	26	30	30	30
75 +																					
ALL AGES	33	17.4	204	1	4	14	23	44	59	99 +		5	19.0	106	6	6	16	29	30	30	30
B. FEMALE																					
0-12 YRS.																					
13-17	3	36.7	1119	3	3	37	62	70	70	70											
18-24	8	28.0	304	10	10	21	44	53	55	55		1	23.0		23	23	23	23	23	23	23
25-34	13	16.6	142	4	8	12	19	41	43	43		3	7.3	6	6	6	6	9	10	10	10
35-54	16	16.1	92	5	6	14	18	33	36	37		2	15.0	72	9	9	15	21	21	21	21
55-74	5	11.4	11	6	6	12	13	15	15	15											
75 +																					
ALL AGES	45	19.2	218	4	6	14	21	40	50	70		6	12.5	57	6	6	9	21	23	23	23
SUBTOTAL	**78**	**18.5**	**208**	**3**	**5**	**14**	**23**	**43**	**52**	**91**		**11**	**15.5**	**81**	**6**	**6**	**14**	**22**	**29**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	2	62.0	578	45	45	62	79	79	79	79											
13-17																					
18-24	3	33.7	287	16	16	35	46	50	50	50		1	49.0		49	49	49	49	49	49	49
25-34	9	11.1	66	5	5	7	16	25	29	29											
35-54	4	8.3	34	1	1	9	13	14	14	14											
55-74	3	17.7	55	10	10	18	23	25	25	25		1	2.0		2	2	2	2	2	2	2
75 +																					
ALL AGES	21	19.6	362	3	5	14	26	47	63	79		2	25.5	1105	2	2	25	49	49	49	49
B. FEMALE																					
0-12 YRS.																					
13-17	1	61.0		61	61	61	61	61	61	61											
18-24	2	9.0	50	4	4	9	14	14	14	14											
25-34	5	21.4	162	9	9	21	27	42	42	42		1	13.0		13	13	13	13	13	13	13
35-54	3	19.0	61	10	10	23	24	24	24	24		1	1.0		1	1	1	1	1	1	1
55-74	3	11.7	8	9	9	11	14	15	15	15		2	33.0	968	11	11	33	55	55	55	55
75 +	2	14.5	1	14	14	14	15	15	15	15		1	6.0		6	6	6	6	6	6	6
ALL AGES	16	19.2	202	5	9	14	22	40	55	61		5	17.2	468	1	1	11	23	55	55	55
SUBTOTAL	**37**	**19.4**	**286**	**4**	**5**	**14**	**23**	**44**	**57**	**79**		**7**	**19.6**	**511**	**1**	**1**	**11**	**40**	**54**	**55**	**55**
GRAND TOTAL	**115**	**18.8**	**231**	**3**	**5**	**14**	**23**	**43**	**53**	**86**		**18**	**17.1**	**232**	**1**	**3**	**12**	**23**	**43**	**53**	**55**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.5	85	4	4	10	17	17	17	17										
35-54	2	11.5	13	9	9	11	14	14	14	14	1	22.0		22	22	22	22	22	22	22
55-74																				
75 +																				
ALL AGES	4	11.0	33	4	4	11	15	17	17	17	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	10	6.6	11	2	2	6	10	10	10	10										
35-54	6	9.3	20	3	3	9	14	14	14	14	1	26.0		26	26	26	26	26	26	26
55-74	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	18	7.5	13	2	2	7	10	13	14	14	2	13.5	313	1	1	13	26	26	26	26
SUBTOTAL	**22**	**8.1**	**18**	**2**	**3**	**7**	**10**	**14**	**15**	**17**	**3**	**16.3**	**182**	**1**	**1**	**22**	**25**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	10.5	16	4	4	12	13	14	14	14	1	29.0		29	29	29	29	29	29	29
55-74											1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	6	10.5	16	4	4	12	13	14	14	14	2	20.0	162	11	11	20	29	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	4	6.5	6	3	3	7	8	9	9	9										
35-54	3	8.3	11	6	6	7	11	12	12	12										
55-74																				
75 +																				
ALL AGES	8	6.8	8	3	3	7	8	11	12	12										
SUBTOTAL	**14**	**8.4**	**14**	**3**	**3**	**7**	**12**	**13**	**14**	**14**	**2**	**20.0**	**162**	**11**	**11**	**20**	**29**	**29**	**29**	**29**
GRAND TOTAL	**36**	**8.2**	**16**	**2**	**3**	**7**	**11**	**14**	**14**	**17**	**5**	**17.8**	**135**	**1**	**1**	**22**	**27**	**29**	**29**	**29**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24	50	16.7	284	1	2	13	21	41	60	99 +	8	21.9	229	2	2	22	34	41	42	42
25-34	211	13.8	131	1	3	11	17	28	39	58	37	24.1	197	8	10	20	34	43	49	62
35-54	181	14.6	129	2	3	12	20	28	33	55	34	21.8	369	1	2	19	36	45	62	72
55-74	47	15.5	73	5	6	14	19	27	34	39	8	27.1	172	6	7	31	36	40	41	41
75 +	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	491	14.6	138	1	3	12	19	28	39	61	88	23.0	263	2	2	20	35	42	51	69
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	28	21.9	376	3	6	16	23	55	69	83	6	23.7	239	6	6	24	31	46	48	48
25-34	172	15.0	146	2	3	12	20	35	40	62	24	27.0	448	2	3	25	44	57	65	72
35-54	255	15.2	147	2	4	13	20	29	42	59	36	24.2	165	7	9	22	32	45	47	50
55-74	137	17.8	122	5	6	16	22	33	38	55	13	19.2	234	2	2	19	30	44	45	45
75 +	12	16.0	224	1	2	14	17	31	56	60	1	8.0		8	8	8	8	8	8	8
ALL AGES	604	16.1	153	2	4	14	21	31	41	63	80	24.0	263	2	4	22	33	47	52	69
SUBTOTAL	**1095**	**15.4**	**148**	**2**	**3**	**13**	**20**	**30**	**40**	**62**	**168**	**23.5**	**261**	**2**	**3**	**21**	**34**	**45**	**51**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	28.0	532	10	10	20	45	54	54	54										
18-24	30	14.4	77	3	4	12	20	28	30	33	5	26.6	864	4	4	13	45	74	74	74
25-34	125	14.1	87	2	4	13	19	26	33	41	13	27.8	313	2	8	31	42	50	56	57
35-54	105	15.2	92	3	4	14	21	26	33	45	11	19.8	171	2	2	20	28	40	42	42
55-74	15	15.0	72	5	6	12	20	26	32	34	2	30.5	265	19	19	30	42	42	42	42
75 +	2	17.5	13	15	15	17	20	20	20	20										
ALL AGES	280	14.7	93	3	4	14	20	26	33	44	31	25.0	319	2	3	20	40	46	57	74
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	16	14.3	146	1	1	12	18	25	43	51										
25-34	60	13.8	161	1	2	11	18	28	33	72	7	12.9	97	4	4	9	23	27	27	27
35-54	80	17.2	252	2	3	13	20	36	53	72	5	24.0	145	11	11	31	32	36	36	36
55-74	39	20.0	128	6	7	18	26	33	39	64										
75 +	2	12.0	72	6	6	12	18	18	18	18										
ALL AGES	197	16.4	193	2	3	13	21	33	42	72	12	17.5	139	4	4	14	29	33	36	36
SUBTOTAL	**477**	**15.4**	**135**	**2**	**4**	**14**	**20**	**29**	**37**	**64**	**43**	**22.9**	**276**	**2**	**4**	**19**	**35**	**43**	**51**	**74**
GRAND TOTAL	**1572**	**15.4**	**144**	**2**	**3**	**13**	**20**	**30**	**39**	**63**	**211**	**23.4**	**262**	**2**	**3**	**20**	**34**	**45**	**51**	**72**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	19.5	265	8	8	19	31	31	31	31												
13-17	19	26.2	485	5	7	22	34	77	97	99+												
18-24	83	20.1	278	2	4	15	27	40	50	87	13	19.6	187	2	4	22	33	44	88	99+		
25-34	173	16.0	200	1	4	11	21	37	45	58	41	24.7	194	3	8	23	37	47	56	99+		
35-54	175	17.5	198	3	4	14	21	38	50	71	28	27.0	286	7	8	23	36	59	73	99+		
55-74	24	16.7	148	5	6	12	21	32	48	52	3	21.3	467	6	6	12	37	46	46	46		
75 +	3	16.0	37	9	9	19	20	20	20	20												
ALL AGES	479	17.7	223	3	4	14	23	39	48	81	85	24.6	226	4	7	23	35	48	66	99+		
B. FEMALE																						
0-12 YRS.																						
13-17	6	34.3	324	12	13	33	41	62	64	64												
18-24	64	20.4	219	4	5	17	25	39	44	80	8	22.9	426	5	7	19	39	88	99+	99+		
25-34	280	16.7	155	2	4	14	22	32	38	67	48	21.2	234	3	4	19	28	39	53	80		
35-54	437	18.9	187	3	5	16	25	37	47	71	48	25.5	281	3	4	24	37	49	60	65		
55-74	142	20.3	260	3	5	16	28	48	53	73	19	21.7	317	5	7	15	29	45	65	75		
75 +	13	16.5	59	7	7	17	21	27	30	31												
ALL AGES	942	18.6	193	3	5	15	24	36	47	73	123	23.0	277	3	5	20	31	47	60	85		
SUBTOTAL	**1421**	**18.3**	**203**	**3**	**5**	**15**	**24**	**37**	**47**	**73**	**208**	**23.7**	**253**	**3**	**5**	**21**	**34**	**48**	**61**	**99+**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	9	30.6	724	8	8	22	42	74	92	92	3	63.7	2684	4	4	89	96	98	98	98		
18-24	50	19.3	208	4	7	15	25	37	48	80	7	16.0	141	4	4	9	26	32	33	33		
25-34	165	16.8	179	3	4	16	21	31	36	97	13	23.3	124	6	10	22	31	37	43	44		
35-54	136	14.6	94	3	4	13	20	27	35	47	16	17.3	146	3	4	13	28	34	38	40		
55-74	25	18.6	123	6	9	18	20	27	41	61	2	35.0	128	27	27	35	43	43	43	43		
75 +											1	18.0		18	18	18	18	18	18	18		
ALL AGES	385	16.8	166	3	4	14	21	31	38	84	42	23.1	395	4	5	19	31	41	62	98		
B. FEMALE																						
0-12 YRS.																						
13-17	8	27.5	601	4	4	23	46	62	66	66												
18-24	39	18.0	126	3	6	17	23	36	47	99+	4	7.5	70	2	2	4	12	20	20	20		
25-34	193	16.8	185	2	4	14	21	33	43	60	12	18.3	144	2	3	20	27	33	38	39		
35-54	216	19.0	234	4	5	16	24	36	56	90	27	19.3	158	2	3	20	30	35	39	49		
55-74	82	19.3	144	4	6	18	25	34	43	60	8	18.5	209	2	3	15	30	40	41	41		
75 +	7	22.7	131	8	9	21	31	40	41	41												
ALL AGES	545	18.4	199	3	5	16	23	35	49	76	51	18.0	157	2	3	19	29	36	39	49		
SUBTOTAL	**930**	**17.7**	**187**	**3**	**4**	**15**	**22**	**33**	**45**	**81**	**93**	**20.3**	**268**	**2**	**4**	**19**	**30**	**37**	**43**	**94**		
GRAND TOTAL	**2351**	**18.1**	**195**	**3**	**5**	**15**	**24**	**35**	**47**	**74**	**301**	**22.6**	**262**	**3**	**4**	**21**	**32**	**43**	**56**	**99+**		

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34										
18-24	8	20.4	583	4	5	12	18	61	79	79	1	18.0		18	18	18	18	18	18	18
25-34	11	17.3	246	3	4	13	26	42	52	53	1	30.0		30	30	30	30	30	30	30
35-54	6	17.2	55	9	9	16	18	30	31	31	3	24.7	392	3	3	29	39	42	42	42
55-74	3	19.7	39	15	15	17	24	27	27	27	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	29	18.9	259	4	4	15	21	35	54	79	6	20.7	254	2	2	23	30	41	42	42
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	3	33.3	485	16	16	26	50	58	58	58										
18-24	5	20.6	200	5	5	23	31	39	39	39	2	14.0	72	8	8	14	20	20	20	20
25-34	13	14.7	103	1	6	11	17	30	39	41	1	8.0		8	8	8	8	8	8	8
35-54	13	12.3	74	1	3	11	20	25	27	28	2	4.0	2	3	3	4	5	5	5	5
55-74	12	21.8	126	7	8	21	31	38	38	38	3	10.7	73	3	3	9	17	20	20	20
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	47	17.9	147	3	5	15	25	38	39	58	9	8.7	47	2	2	8	12	20	20	20
SUBTOTAL	**76**	**18.3**	**187**	**4**	**5**	**15**	**24**	**37**	**40**	**74**	**15**	**13.5**	**155**	**2**	**2**	**8**	**20**	**30**	**39**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	2	24.5	221	14	14	24	35	35	35	35										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	2	10.5	1	10	10	10	11	11	11	11										
55-74																				
75 +																				
ALL AGES	6	20.3	119	10	10	17	32	35	35	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	9.4	20	4	4	10	13	15	15	15										
25-34	8	17.0	109	3	4	18	25	30	31	31										
35-54	10	15.1	74	2	3	15	22	26	27	27										
55-74	5	16.2	40	5	5	19	19	20	20	20										
75 +																				
ALL AGES	28	14.8	70	3	4	15	21	26	28	31										
SUBTOTAL	**34**	**15.8**	**79**	**3**	**4**	**15**	**21**	**28**	**32**	**35**										
GRAND TOTAL	**110**	**17.5**	**155**	**4**	**5**	**15**	**23**	**33**	**38**	**66**	**15**	**13.5**	**155**	**2**	**2**	**8**	**20**	**30**	**39**	**42**

SCHIZOPHRENIA NOS (295.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	313	5	5	30	82	99 +	99 +	99 +										
13-17	24	25.4	167	5	9	27	36	43	65	99 +	2	11.5	1	11	11	11	12	12	12	12
18-24	76	14.0	130	2	4	11	19	29	38	56	7	22.4	161	5	7	20	31	41	43	43
25-34	142	15.0	182	1	3	11	19	35	44	70	14	30.1	301	5	6	29	45	53	55	55
35-54	91	14.2	120	2	2	12	20	31	34	54	16	25.1	416	3	4	18	38	54	69	75
55-74	20	13.7	67	1	2	13	18	25	27	29	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	355	15.2	154	2	3	12	21	34	41	68	40	25.2	315	4	5	19	38	51	55	75
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	14	25.4	224	7	8	25	36	45	50	51	1	13.0		13	13	13	13	13	13	13
18-24	51	12.0	82	1	2	11	16	26	32	99	5	19.6	357	2	2	20	29	49	49	49
25-34	158	14.7	104	2	3	13	20	29	35	45	12	16.8	155	1	1	14	26	36	36	36
35-54	140	14.8	137	2	3	13	19	30	33	80	20	23.6	410	3	5	18	26	58	71	80
55-74	55	17.7	196	3	5	17	24	34	45	71	8	14.8	397	2	2	7	16	49	62	62
75 +	6	9.0	10	7	7	7	12	14	14	14	1	7.0		7	7	7	7	7	7	7
ALL AGES	425	15.1	132	2	3	13	21	31	37	73	47	19.4	314	2	2	15	24	46	62	80
SUBTOTAL	**780**	**15.1**	**143**	**2**	**3**	**13**	**21**	**32**	**39**	**71**	**87**	**22.0**	**322**	**2**	**4**	**18**	**31**	**49**	**57**	**78**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	58.7	640	43	43	45	77	88	88	88										
13-17	13	29.8	733	1	3	20	45	63	87	93										
18-24	39	18.8	165	2	6	16	24	33	50	52	3	26.0	196	12	12	26	36	40	40	40
25-34	74	15.7	102	2	4	16	21	26	32	57	6	19.7	271	6	6	12	40	41	41	41
35-54	62	15.4	95	3	5	14	20	30	36	48	2	19.5	313	7	7	19	32	32	32	32
55-74	9	21.0	645	5	5	10	21	65	83	83	1	6.0		6	6	6	6	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	201	17.9	215	2	4	15	22	35	46	85	13	18.8	219	3	5	12	34	40	41	41
B. FEMALE																				
0-12 YRS.																				
13-17	9	22.9	159	4	4	27	32	36	38	38										
18-24	26	10.9	67	2	2	10	13	18	28	42	1	1.0		1	1	1	1	1	1	1
25-34	73	12.7	111	2	4	10	18	23	38	52	2	10.0	2	9	9	10	11	11	11	11
35-54	59	18.3	166	5	6	16	22	34	44	75	3	22.0	592	6	6	10	40	50	50	50
55-74	25	22.2	239	3	4	17	29	45	56	57	1	77.0		77	77	77	77	77	77	77
75 +	4	17.8	219	7	7	12	28	39	39	39										
ALL AGES	196	15.9	156	3	4	13	21	34	43	57	7	23.4	823	1	2	10	40	72	77	77
SUBTOTAL	**397**	**16.9**	**187**	**3**	**4**	**14**	**21**	**35**	**44**	**70**	**20**	**20.4**	**404**	**2**	**4**	**10**	**36**	**45**	**63**	**77**
GRAND TOTAL	**1177**	**15.7**	**159**	**2**	**3**	**13**	**21**	**32**	**41**	**71**	**107**	**21.7**	**334**	**2**	**4**	**17**	**32**	**49**	**57**	**78**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
18-24	6	18.8	190	1	1	22	25	37	38	38	1	14.0		14	14	14	14	14	14	14
25-34	8	10.5	105	1	1	6	20	25	27	27	2	16.5	181	7	7	16	26	26	26	26
35-54	16	18.4	258	2	4	14	23	34	58	68	1	19.0		19	19	19	19	19	19	19
55-74	7	16.3	31	7	8	16	21	23	23	23	3	14.7	53	9	9	12	20	23	23	23
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	38	16.3	165	1	2	14	22	29	36	68	9	14.0	50	7	7	12	20	25	26	26
B. FEMALE																					
0-12 YRS.																					
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	4	23.3	211	8	8	23	35	39	39	39	1	4.0		4	4	4	4	4	4	4
25-34	10	14.2	62	4	4	14	21	24	25	25	4	16.0	61	9	9	15	22	25	25	25
35-54	20	15.4	82	3	6	14	18	30	36	37	2	12.0	162	3	3	12	21	21	21	21
55-74	16	15.3	57	6	7	15	20	26	28	29	2	4.5	5	3	3	4	6	6	6	6
75 +	1	18.0		18	18	18	18	18	18	18	1	2.0		2	2	2	2	2	2	2
ALL AGES	52	15.9	78	4	6	15	21	27	35	39	10	10.3	73	2	2	7	20	23	25	25
SUBTOTAL	**90**	**16.1**	**112**	**2**	**4**	**15**	**21**	**28**	**35**	**56**	**19**	**12.1**	**61**	**2**	**3**	**9**	**20**	**24**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	5	26.6	628	6	6	13	45	65	65	65										
18-24	5	22.4	364	1	1	20	34	51	51	51										
25-34	8	10.0	38	1	2	10	15	18	19	19										
35-54	7	14.3	109	1	2	13	23	28	29	29										
55-74	1	16.0		16	16	16	16	16	16	16	3	6.0	28	2	2	4	10	12	12	12
75 +	1	20.0		20	20	20	20	20	20	20	1	1.0		1	1	1	1	1	1	1
ALL AGES	28	17.5	228	1	2	13	23	36	52	65	4	4.8	24	1	1	3	8	12	12	12
B. FEMALE																					
0-12 YRS.																					
13-17	2	43.0	882	22	22	43	64	64	64	64										
18-24	3	22.3	105	16	16	17	30	34	34	34										
25-34	2	8.0	50	3	3	8	13	13	13	13										
35-54	2	8.0	8	6	6	8	10	10	10	10										
55-74	10	19.6	229	3	3	14	35	43	44	44	2	9.5	85	3	3	9	16	16	16	16
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	20	19.4	263	3	4	14	28	43	54	64	2	9.5	85	3	3	9	16	16	16	16
SUBTOTAL	**48**	**18.3**	**238**	**1**	**3**	**14**	**23**	**41**	**52**	**65**	**6**	**6.3**	**38**	**1**	**1**	**3**	**12**	**16**	**16**	**16**
GRAND TOTAL	**138**	**16.8**	**158**	**2**	**4**	**14**	**21**	**33**	**39**	**65**	**25**	**10.7**	**61**	**1**	**2**	**9**	**17**	**23**	**25**	**26**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	5	6.8	31	2	2	6	9	16	16	16										
35-54	8	19.8	236	4	5	12	33	43	46	46	2	18.5	545	2	2	18	35	35	35	35
55-74	5	16.2	10	12	12	17	18	20	20	20										
75 +	1	42.0		42	42	42	42	42	42	42										
ALL AGES	20	15.8	172	1	2	13	19	38	44	46	2	18.5	545	2	2	18	35	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	43.0		43	43	43	43	43	43	43										
25-34	8	11.6	86	1	1	11	15	26	30	30	1	10.0		10	10	10	10	10	10	10
35-54	21	13.7	60	4	5	13	20	23	28	31	3	29.3	1087	6	6	15	54	67	67	67
55-74	19	11.4	82	2	2	10	15	20	32	41										
75 +	2	6.5	1	6	6	6	7	7	7	7	1	11.0		11	11	11	11	11	11	11
ALL AGES	51	12.8	87	2	3	11	17	23	31	43	5	21.8	649	6	6	11	28	67	67	67
SUBTOTAL	**71**	**13.6**	**112**	**2**	**3**	**11**	**18**	**30**	**41**	**45**	**7**	**20.9**	**524**	**2**	**3**	**11**	**30**	**61**	**67**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	6	9.7	40	2	2	10	14	18	18	18	1	2.0		2	2	2	2	2	2	2
35-54	4	3.3	2	1	1	3	4	5	5	5	2	15.0	72	9	9	15	21	21	21	21
55-74	2	23.5	925	2	2	23	45	45	45	45	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	14	9.9	131	1	2	6	13	21	40	45	4	8.8	75	2	2	6	15	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	2	20.5	221	10	10	20	31	31	31	31	1	8.0		8	8	8	8	8	8	8
35-54	8	15.3	104	4	4	15	17	31	37	37	2	14.5	113	7	7	14	22	22	22	22
55-74	7	18.1	149	5	6	14	23	39	42	42										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	19	16.7	115	4	5	15	21	35	40	42	3	12.3	72	7	7	8	18	22	22	22
SUBTOTAL	**33**	**13.8**	**130**	**2**	**3**	**12**	**17**	**32**	**41**	**45**	**7**	**10.3**	**65**	**2**	**2**	**8**	**18**	**22**	**22**	**22**
GRAND TOTAL	**104**	**13.7**	**115**	**2**	**3**	**12**	**17**	**31**	**41**	**45**	**14**	**15.6**	**302**	**2**	**2**	**9**	**21**	**38**	**61**	**67**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	26.3	181	3	6	29	33	40	51	57	3	27.3	543	1	1	36	43	45	45	45
13-17	104	26.2	539	2	4	20	40	64	73	99	9	24.7	502	2	3	11	44	58	60	60
18-24	104	11.6	72	2	3	9	16	25	31	66	15	14.9	165	3	5	8	26	33	40	43
25-34	274	12.9	131	1	2	10	18	27	32	56	51	17.0	202	2	3	14	25	41	47	53
35-54	456	13.5	98	2	3	11	18	26	33	47	63	16.1	144	2	3	14	23	31	43	49
55-74	279	17.2	147	3	5	15	22	33	43	64	34	16.3	165	1	2	15	22	32	40	54
75 +	91	18.7	183	2	5	14	25	38	48	62	18	8.8	69	2	2	8	10	14	30	39
ALL AGES	1325	15.5	170	2	3	12	20	32	41	65	193	16.2	182	2	3	12	23	36	45	55
B. FEMALE																				
0-12 YRS.	10	29.7	601	5	5	23	52	90	99	99+	1	43.0		43	43	43	43	43	43	43
13-17	184	24.9	359	2	5	20	35	58	63	78	20	25.9	639	1	2	17	38	72	79	84
18-24	191	13.1	109	1	2	11	17	29	33	50	48	13.2	204	1	1	7	19	39	40	53
25-34	543	13.7	144	1	3	11	18	28	37	66	97	14.7	196	1	2	8	19	37	45	58
35-54	927	14.4	108	2	3	13	19	28	34	55	149	17.7	232	3	3	14	26	38	47	81
55-74	711	18.9	158	3	6	16	24	36	44	64	105	13.2	144	2	3	10	18	28	45	52
75 +	230	18.9	169	3	5	17	25	36	45	60	33	13.7	132	2	2	10	20	28	40	48
ALL AGES	2796	16.4	163	2	3	14	22	33	42	63	453	15.7	217	2	3	10	22	38	45	71
SUBTOTAL	**4121**	**16.1**	**165**	**2**	**3**	**13**	**21**	**32**	**42**	**64**	**646**	**15.8**	**208**	**2**	**3**	**11**	**22**	**37**	**45**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	29.7	545	1	4	26	46	66	75	81	6	40.2	1194	7	7	36	73	78	79	79
13-17	164	27.6	401	4	5	28	42	61	81	99+	20	43.7	832	1	2	51	69	85	94	99+
18-24	121	15.9	170	2	3	12	23	33	42	62	13	11.7	112	1	1	6	24	27	27	27
25-34	369	14.5	114	2	3	12	21	28	32	53	44	9.9	81	2	3	6	13	25	29	38
35-54	494	14.6	100	2	4	13	20	26	32	46	56	13.9	155	2	3	10	18	29	43	63
55-74	204	19.3	167	3	6	17	26	36	44	63	22	12.3	232	1	2	8	14	21	43	74
75 +	55	15.5	143	4	6	12	19	28	45	56	6	9.3	51	1	1	9	12	20	21	21
ALL AGES	1428	17.1	181	2	4	14	22	34	42	74	167	16.8	372	1	2	10	21	45	66	89
B. FEMALE																				
0-12 YRS.	7	31.9	187	18	19	28	39	55	58	58										
13-17	219	26.7	420	2	3	26	41	57	75	99+	32	34.1	627	2	4	39	57	75	96	99+
18-24	233	16.8	205	1	3	14	23	33	44	86	27	14.7	209	2	3	9	25	41	58	99+
25-34	564	15.6	135	2	4	13	21	30	37	58	56	12.2	129	1	2	8	15	31	39	48
35-54	700	16.0	133	3	4	14	22	29	39	58	79	15.2	240	2	3	9	22	38	54	92
55-74	393	18.8	160	3	5	17	25	36	44	65	32	12.5	101	2	3	10	15	32	34	36
75 +	153	20.4	188	4	7	17	27	39	51	66	13	12.7	136	3	5	10	11	30	44	47
ALL AGES	2269	17.8	190	3	4	15	24	36	45	73	239	16.4	285	2	3	10	24	48	59	99+
SUBTOTAL	**3697**	**17.6**	**184**	**2**	**4**	**14**	**24**	**35**	**44**	**74**	**406**	**16.6**	**319**	**2**	**3**	**10**	**22**	**47**	**64**	**99+**
GRAND TOTAL	**7818**	**16.8**	**175**	**2**	**4**	**14**	**22**	**34**	**43**	**68**	**1052**	**16.1**	**251**	**2**	**3**	**10**	**22**	**40**	**51**	**81**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	16	31.8	553	4	5	29	41	70	81	85	1	8.0		8	8	8	8	8	8	8
18-24	52	12.4	96	1	2	10	18	24	30	49	8	13.8	152	2	2	10	22	33	35	35
25-34	131	12.9	124	2	2	10	17	26	36	57	17	11.9	80	1	3	8	18	26	28	29
35-54	310	13.4	98	3	3	11	19	26	30	48	23	22.0	165	7	9	16	34	42	44	44
55-74	268	19.6	176	4	6	17	24	37	47	64	32	18.7	138	1	5	17	26	36	44	45
75 +	83	22.2	190	5	8	19	29	41	50	74	7	17.9	108	5	5	23	27	28	28	28
ALL AGES	861	16.4	159	3	4	14	22	31	41	62	88	17.6	140	2	4	15	26	36	42	45
B. FEMALE																				
0-12 YRS.	2	22.0	50	17	17	22	27	27	27	27										
13-17	23	15.4	127	3	5	13	20	39	41	41	1	4.0		4	4	4	4	4	4	4
18-24	74	15.0	168	2	3	12	21	31	42	61	13	16.5	157	1	1	15	29	34	37	38
25-34	346	14.0	145	2	3	11	19	28	34	65	40	15.7	193	2	3	11	23	41	47	49
35-54	725	14.9	126	2	4	13	19	29	36	61	93	19.6	309	2	4	16	24	37	55	97
55-74	641	19.3	153	4	7	17	26	35	44	68	70	16.5	170	3	4	15	21	33	45	60
75 +	224	21.2	187	3	7	18	29	39	46	62	23	14.9	222	3	4	11	19	25	43	76
ALL AGES	2035	16.9	150	2	4	14	22	33	40	63	240	17.4	231	2	4	14	22	35	48	78
SUBTOTAL	**2896**	**16.7**	**155**	**2**	**4**	**14**	**22**	**32**	**41**	**63**	**328**	**17.4**	**208**	**2**	**4**	**14**	**24**	**36**	**44**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	31.8	117	18	18	30	41	45	45	45	1	1.0		1	1	1	1	1	1	1
13-17	24	17.5	158	4	5	15	22	38	45	51	2	47.5	3785	4	4	47	91	91	91	91
18-24	55	18.8	236	2	3	13	30	39	46	62	6	20.2	93	10	10	17	25	36	37	37
25-34	205	13.8	120	3	4	10	17	28	35	60	13	21.5	186	2	4	19	32	37	48	50
35-54	325	13.7	98	2	4	11	19	27	32	55	36	13.6	83	1	2	12	17	25	35	41
55-74	136	20.5	194	6	8	16	25	39	48	79	9	21.1	60	8	9	25	26	29	30	30
75 +	32	21.2	292	2	6	15	26	40	66	77	2	24.0	512	8	8	24	40	40	40	40
ALL AGES	782	15.8	149	3	4	13	21	31	40	62	69	17.7	199	2	3	15	25	33	40	83
B. FEMALE																				
0-12 YRS.	1	92.0		92	92	92	92	92	92	92										
13-17	52	26.2	433	4	5	22	37	62	78	99 +	3	27.0	1324	5	5	7	53	69	69	69
18-24	105	17.9	261	2	3	14	23	36	54	95	11	16.4	204	3	4	14	23	36	51	52
25-34	377	14.5	108	2	4	12	19	29	37	49	40	15.6	149	1	2	13	26	35	41	99 +
35-54	641	16.5	135	3	4	14	21	32	38	55	53	15.9	172	2	3	13	23	32	36	59
55-74	402	19.5	186	4	7	17	25	36	51	75	25	14.7	118	1	2	16	20	26	33	50
75 +	117	19.1	151	3	5	17	25	33	46	61	9	29.2	437	6	7	24	41	61	73	73
ALL AGES	1695	17.3	170	3	4	14	23	33	42	71	141	16.7	199	2	3	14	24	34	46	75
SUBTOTAL	**2477**	**16.9**	**162**	**3**	**4**	**14**	**22**	**32**	**42**	**69**	**210**	**17.1**	**196**	**2**	**3**	**15**	**25**	**34**	**43**	**80**
GRAND TOTAL	**5373**	**16.8**	**158**	**3**	**4**	**14**	**22**	**32**	**41**	**64**	**538**	**17.3**	**202**	**2**	**3**	**14**	**24**	**35**	**44**	**73**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	10	18.1	183	4	4	14	28	39	42	42										
18-24	44	15.8	78	3	4	15	21	28	33	36	11	23.5	224	1	6	22	34	45	52	53
25-34	123	15.6	167	1	4	13	21	31	39	90	6	25.3	146	10	10	28	36	38	38	38
35-54	148	13.7	109	1	3	11	17	29	34	47	16	20.3	262	3	4	16	24	45	57	62
55-74	78	17.3	107	7	7	15	21	28	36	59	14	23.9	473	3	4	13	41	63	68	70
75 +	7	15.1	211	2	2	14	26	37	39	39	3	10.7	35	5	5	10	15	17	17	17
ALL AGES	410	15.3	127	2	4	13	20	30	36	59	50	22.0	281	3	5	17	31	44	62	70
B. FEMALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	9	21.1	319	5	7	14	25	52	53	53	1	1.0		1	1	1	1	1	1	1
18-24	53	18.7	182	3	4	16	21	36	44	75	4	23.8	225	6	6	24	35	41	41	41
25-34	148	16.3	117	3	6	14	21	30	41	54	15	15.9	109	3	4	16	23	26	37	41
35-54	302	16.7	102	4	5	15	22	29	36	47	33	12.6	71	2	2	11	17	22	24	41
55-74	200	18.3	125	3	5	17	25	32	38	56	19	25.5	307	6	8	22	34	43	65	80
75 +	16	17.4	62	7	8	16	19	29	35	37	7	14.9	77	3	4	14	18	28	31	31
ALL AGES	729	17.3	118	4	5	15	23	31	39	51	79	17.0	165	2	4	14	22	33	41	70
SUBTOTAL	**1139**	**16.6**	**121**	**3**	**5**	**14**	**22**	**30**	**38**	**53**	**129**	**18.9**	**215**	**3**	**4**	**16**	**25**	**40**	**46**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	23.7	54	15	15	28	28	28	28	28										
18-24	29	18.7	223	2	4	16	22	35	45	77	1	30.0		30	30	30	30	30	30	30
25-34	60	16.2	165	2	3	11	22	36	44	56	3	19.7	338	4	4	15	34	40	40	40
35-54	58	14.4	124	3	5	11	18	27	35	67	6	17.7	71	10	10	16	18	32	34	34
55-74	21	18.3	166	4	8	16	23	28	45	65										
75 +	2	34.0	1058	11	11	34	57	57	57	57										
ALL AGES	173	16.6	167	2	5	14	21	32	41	69	10	19.5	131	4	7	16	30	37	40	40
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17	6	45.5	772	14	15	43	75	77	77	77	1	1.0		1	1	1	1	1	1	1
18-24	15	14.5	16	9	10	14	18	20	21	22	2	24.0	648	6	6	24	42	42	42	42
25-34	41	18.9	222	1	2	15	28	36	51	62	4	22.5	92	10	10	25	30	30	30	30
35-54	66	18.4	131	5	6	15	28	35	40	51	1	23.0		23	23	23	23	23	23	23
55-74	35	19.3	128	4	7	19	25	29	36	62	5	28.0	704	11	11	18	34	75	75	75
75 +	4	16.8	27	11	11	16	20	24	24	24										
ALL AGES	167	19.3	184	4	6	16	26	36	44	73	14	22.1	353	2	5	19	30	45	68	75
SUBTOTAL	**340**	**17.9**	**178**	**3**	**5**	**14**	**23**	**34**	**42**	**70**	**24**	**21.0**	**253**	**3**	**6**	**17**	**30**	**40**	**52**	**75**
GRAND TOTAL	**1479**	**16.9**	**134**	**3**	**5**	**14**	**22**	**31**	**39**	**58**	**153**	**19.3**	**217**	**3**	**4**	**16**	**25**	**40**	**45**	**75**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	17.0		17	17	17	17	17	17	17												
18-24	15	13.3	61	2	4	12	20	23	25	26	3	30.0	93	19	19	34	36	37	37	37		
25-34	38	14.8	105	2	4	13	18	28	32	55	5	14.4	86	4	4	15	21	27	27	27		
35-54	88	15.6	90	3	4	15	22	29	31	42	11	15.9	60	6	7	16	20	28	30	30		
55-74	33	24.3	241	5	6	19	34	47	58	59	4	16.8	10	13	13	16	19	21	21	21		
75 +	6	22.7	288	4	4	24	39	39	39	39												
ALL AGES	181	17.1	134	3	4	15	23	33	39	58	23	17.6	76	5	7	17	21	31	35	37		
B. FEMALE																						
0-12 YRS.	1	15.0		15	15	15	15	15	15	15												
13-17	2	32.5	421	18	18	32	47	47	47	47	2	28.0	8	26	26	28	30	30	30	30		
18-24	15	8.8	38	1	1	6	11	20	20	20												
25-34	70	16.9	105	5	6	14	23	30	38	46	3	10.0	49	2	2	13	14	15	15	15		
35-54	154	15.6	146	2	4	13	21	30	40	57	18	12.3	71	3	4	11	17	21	32	38		
55-74	78	18.6	126	5	6	17	24	30	40	61	13	25.5	585	5	6	18	30	63	86	91		
75 +	23	21.6	189	3	7	18	30	43	50	51	2	9.5	85	3	3	9	16	16	16	16		
ALL AGES	343	16.8	135	3	5	14	21	31	40	57	38	17.3	278	3	4	13	19	33	49	91		
SUBTOTAL	**524**	**16.9**	**135**	**3**	**5**	**14**	**22**	**32**	**39**	**57**	**61**	**17.4**	**200**	**3**	**5**	**15**	**21**	**32**	**37**	**87**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	3	24.3	132	15	15	21	33	37	37	37												
18-24	5	23.0	126	12	12	23	31	39	39	39												
25-34	26	20.1	239	3	6	13	25	44	50	54	4	16.0	257	7	7	8	24	40	40	40		
35-54	47	16.9	110	2	3	18	23	34	35	37												
55-74	9	28.1	301	9	10	22	40	55	62	62	3	18.0	16	14	14	18	21	22	22	22		
75 +	5	21.0	58	13	13	19	25	33	33	33												
ALL AGES	95	19.6	166	2	5	19	27	38	44	58	7	16.9	133	7	7	14	21	36	40	40		
B. FEMALE																						
0-12 YRS.																						
13-17	5	37.0	622	13	13	31	55	74	74	74												
18-24	16	19.2	272	1	2	13	32	43	53	57	1	19.0		19	19	19	19	19	19	19		
25-34	50	16.6	137	3	5	13	21	33	44	49	2	22.5	25	19	19	22	26	26	26	26		
35-54	77	16.4	150	2	4	15	20	29	44	67	1	10.0		10	10	10	10	10	10	10		
55-74	37	22.1	198	5	6	19	31	43	49	55	1	11.0		11	11	11	11	11	11	11		
75 +	2	16.0	18	13	13	16	19	19	19	19	1	47.0		47	47	47	47	47	47	47		
ALL AGES	187	18.4	185	3	5	15	22	40	47	67	6	22.0	185	10	10	19	26	45	47	47		
SUBTOTAL	**282**	**18.8**	**178**	**3**	**5**	**16**	**23**	**39**	**46**	**60**	**13**	**19.2**	**153**	**7**	**8**	**18**	**23**	**41**	**46**	**47**		
GRAND TOTAL	**806**	**17.6**	**149**	**3**	**5**	**15**	**23**	**34**	**43**	**58**	**74**	**17.7**	**190**	**4**	**6**	**15**	**21**	**34**	**40**	**83**		

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.5	61	4	4	9	15	15	15	15	1	77.0		77	77	77	77	77	77	77
18-24	16	23.2	211	6	7	20	38	43	44	44	4	27.0	294	12	12	25	41	46	46	46
25-34	40	21.1	376	3	5	15	25	42	70	91	4	14.5	222	2	2	10	24	36	36	36
35-54	78	15.5	73	4	6	14	20	26	32	40	8	18.4	143	5	6	16	28	35	38	38
55-74	18	17.8	123	3	7	15	24	35	42	44	2	14.5	5	13	13	14	16	16	16	16
75 +											2	7.5	1	7	7	7	8	8	8	8
ALL AGES	154	17.9	178	4	6	15	22	34	42	85	21	20.7	324	4	6	13	31	41	60	77
B. FEMALE																				
0-12 YRS.																				
13-17	7	29.0	515	4	5	34	40	63	68	68	1	51.0		51	51	51	51	51	51	51
18-24	20	13.7	18	7	8	14	17	19	20	22	4	13.5	64	8	8	11	19	25	25	25
25-34	51	11.9	68	2	3	10	16	25	28	32	9	15.7	81	4	5	14	22	29	30	30
35-54	143	16.7	154	3	5	14	21	32	42	52	11	25.4	326	6	7	25	35	53	62	63
55-74	102	19.5	124	6	8	16	24	33	41	59	10	16.4	26	11	11	15	19	25	25	25
75 +	6	29.7	82	19	19	29	33	44	45	45	2	24.5	13	22	22	24	27	27	27	27
ALL AGES	329	17.1	141	4	5	14	23	32	41	56	37	19.9	173	6	7	16	26	35	49	63
SUBTOTAL	**483**	**17.4**	**151**	**4**	**6**	**14**	**23**	**32**	**41**	**62**	**58**	**20.2**	**223**	**5**	**7**	**15**	**27**	**38**	**49**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	6	33.7	143	14	16	34	35	50	52	52	2	20.5	421	6	6	35	84	99 +	99 +	99 +
18-24	14	13.9	181	1	2	8	24	38	39	39										
25-34	22	13.0	111	3	4	10	13	32	37	42	2	47.5	145	39	39	47	56	56	56	56
35-54	41	13.9	117	1	3	13	18	26	33	58										
55-74	16	20.6	206	5	5	19	28	42	49	51										
75 +	2	25.0	18	22	22	25	28	28	28	28										
ALL AGES	102	16.2	158	2	4	12	23	35	40	55	4	34.0	431	6	6	39	67	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	70.0		70	70	70	70	70	70	70										
13-17	4	36.0	67	25	25	37	42	44	44	44										
18-24	15	17.5	346	1	3	13	23	30	64	75	1	12.0		12	12	12	12	12	12	12
25-34	39	16.5	136	4	5	13	20	37	43	50	3	39.3	461	26	26	28	55	64	64	64
35-54	61	13.7	77	2	4	11	19	28	30	39	4	22.0	78	10	10	23	28	31	31	31
55-74	25	17.8	182	3	5	16	21	30	41	70	3	26.7	322	9	9	26	40	45	45	45
75 +	2	9.0	2	8	8	9	10	10	10	10										
ALL AGES	147	16.4	168	3	4	13	21	30	41	70	11	27.1	257	9	10	26	30	53	63	64
SUBTOTAL	**249**	**16.3**	**164**	**3**	**4**	**13**	**22**	**33**	**41**	**70**	**15**	**28.9**	**289**	**7**	**9**	**27**	**42**	**63**	**89**	**99 +**
GRAND TOTAL	**732**	**17.0**	**156**	**3**	**5**	**14**	**22**	**32**	**41**	**66**	**73**	**22.0**	**245**	**6**	**7**	**18**	**29**	**46**	**62**	**94**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	26.2	283	1	2	30	37	47	51	51	2	64.0	8	62	62	64	66	66	66	66
18-24	18	17.7	95	7	7	15	22	32	36	38	8	25.5	376	2	2	23	42	52	55	55
25-34	61	14.5	155	1	3	10	19	35	42	52	19	20.4	192	4	7	18	31	42	49	52
35-54	71	17.1	232	2	4	12	26	37	46	73	24	20.8	353	2	3	13	33	44	55	75
55-74	27	20.4	225	3	5	16	24	49	57	60	7	24.0	318	1	1	22	37	46	48	48
75 +	3	23.7	280	9	9	20	36	42	42	42										
ALL AGES	189	17.3	200	2	4	14	24	37	46	61	60	23.1	336	2	3	20	36	47	58	74
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	20	22.3	551	1	2	15	31	51	74	95	1	12.0		12	12	12	12	12	12	12
18-24	22	12.1	64	3	5	12	14	18	30	41	5	25.6	395	12	12	14	36	59	59	59
25-34	73	16.2	224	3	4	12	20	36	51	97	15	14.9	40	6	8	15	19	24	27	28
35-54	145	15.2	93	4	5	13	19	29	33	43	41	15.6	154	2	3	11	22	36	39	53
55-74	81	19.9	200	5	8	17	26	40	60	99 +	19	17.1	271	3	4	13	18	40	58	71
75 +	9	19.3	161	6	6	18	25	40	43	43	3	31.7	322	13	13	33	45	49	49	49
ALL AGES	351	16.8	174	3	5	13	21	32	43	95	84	16.9	182	3	4	13	22	36	45	67
SUBTOTAL	**540**	**17.0**	**182**	**3**	**4**	**14**	**22**	**35**	**45**	**82**	**144**	**19.5**	**253**	**2**	**4**	**14**	**27**	**43**	**52**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	17	21.6	234	4	6	26	39	82	99 +	99 +	10	54.0	952	3	11	55	80	91	99	99
18-24	20	18.1	143	3	4	18	23	37	41	43	3	36.7	391	15	15	41	51	54	54	54
25-34	61	13.3	76	2	3	11	20	25	26	42	8	14.8	73	4	5	13	19	28	31	31
35-54	78	16.5	116	2	5	16	21	28	36	62	11	16.6	92	3	6	11	26	29	29	29
55-74	14	19.4	126	2	4	18	26	34	39	41	2	5.5	5	4	4	5	7	7	7	7
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	192	16.3	120	2	4	15	21	31	42	86	34	28.3	654	3	4	19	41	73	83	99
B. FEMALE																				
0-12 YRS.	2	29.5	841	9	9	29	50	50	50	50										
13-17	7	23.9	324	2	3	20	31	52	57	57	2	40.0	200	30	30	50	87	99 +	99 +	99 +
18-24	25	20.7	203	5	6	17	27	48	50	53	5	21.4	78	7	7	23	28	29	29	29
25-34	61	16.6	92	3	5	16	21	32	37	40	6	18.7	249	1	1	16	32	41	42	42
35-54	73	17.8	224	3	4	13	24	36	47	69	11	15.7	101	3	6	14	18	29	40	41
55-74	25	24.7	278	6	8	19	33	53	57	70	3	13.7	20	11	11	11	17	19	19	19
75 +	2	13.0	72	7	7	13	19	19	19	19										
ALL AGES	195	19.0	194	3	5	16	25	38	49	69	27	19.0	151	3	6	18	28	42	55	99 +
SUBTOTAL	**387**	**17.6**	**161**	**3**	**4**	**15**	**23**	**36**	**44**	**69**	**61**	**24.2**	**446**	**3**	**5**	**19**	**30**	**55**	**82**	**99 +**
GRAND TOTAL	**927**	**17.2**	**175**	**3**	**4**	**14**	**22**	**35**	**45**	**71**	**205**	**20.9**	**313**	**3**	**4**	**15**	**29**	**46**	**58**	**91**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	37.7	767	8	8	42	58	63	63	63										
13-17	18	28.4	502	3	4	25	48	56	69	76										
18-24	12	12.6	70	1	1	14	18	22	27	28										
25-34	25	11.8	114	2	2	8	16	31	36	37	3	14.3	46	7	7	16	19	20	20	20
35-54	40	14.0	184	2	2	12	18	25	28	82	2	34.0	338	21	21	34	47	47	47	47
55-74	19	14.3	43	5	8	14	18	24	28	30	2	8.0	72	2	2	8	14	14	14	14
75 +	2	43.5	61	38	38	43	49	49	49	49	1	4.0		4	4	4	4	4	4	4
ALL AGES	119	16.7	238	2	3	13	21	37	49	78	8	16.4	203	2	3	15	20	39	47	47
B. FEMALE																				
0-12 YRS.																				
13-17	36	24.4	452	1	3	20	33	57	75	80	1	1.0		1	1	1	1	1	1	1
18-24	13	20.2	315	1	2	18	32	49	55	57	4	19.3	295	1	1	17	31	42	42	42
25-34	34	17.1	243	2	2	11	22	45	51	63	12	12.1	240	1	2	6	13	31	54	58
35-54	83	14.9	187	1	3	11	18	35	39	72	15	18.0	188	4	5	15	25	41	47	49
55-74	64	19.0	145	2	4	18	26	38	40	52	7	16.3	173	3	4	10	26	37	39	39
75 +	10	21.3	68	8	10	22	26	32	36	36	4	11.3	55	4	4	10	17	20	20	20
ALL AGES	240	18.3	231	2	3	15	25	39	47	79	43	15.2	188	1	3	12	20	39	44	58
SUBTOTAL	**359**	**17.8**	**232**	**2**	**3**	**14**	**23**	**38**	**48**	**79**	**51**	**15.4**	**186**	**1**	**3**	**12**	**20**	**40**	**47**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	27.0	333	3	6	22	38	54	61	61										
13-17	29	32.4	447	8	11	28	44	62	71	97										
18-24	23	17.3	317	1	2	10	25	55	56	57	5	23.4	83	14	14	23	27	38	38	38
25-34	41	13.7	109	2	3	11	19	31	35	39	5	11.0	40	1	1	11	15	18	18	18
35-54	44	14.6	91	3	4	13	21	28	31	42	7	13.6	90	1	2	13	19	27	29	29
55-74	16	17.6	99	3	5	15	23	33	35	36										
75 +	5	20.0	202	1	1	18	31	38	38	38	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	167	18.9	247	2	3	14	27	39	48	69	19	14.8	90	1	2	14	20	27	34	38
B. FEMALE																				
0-12 YRS.	2	19.5	145	11	11	19	28	28	28	28										
13-17	35	30.1	609	5	6	26	39	72	87	92										
18-24	40	17.2	167	4	4	14	21	35	41	66										
25-34	70	15.8	198	2	3	13	22	39	49	99 +	3	12.3	74	4	4	12	19	21	21	21
35-54	83	17.4	178	2	3	15	23	36	38	68	5	14.8	237	2	2	8	28	36	36	36
55-74	32	23.1	211	8	8	19	31	46	52	60	2	11.0	18	8	8	11	14	14	14	14
75 +	20	20.0	80	6	8	20	27	32	33	33										
ALL AGES	282	19.4	247	3	4	16	27	38	53	92	10	13.3	126	2	2	10	21	31	36	36
SUBTOTAL	**449**	**19.2**	**247**	**3**	**4**	**15**	**27**	**38**	**53**	**92**	**29**	**14.3**	**98**	**1**	**2**	**13**	**20**	**28**	**36**	**38**
GRAND TOTAL	**808**	**18.6**	**240**	**2**	**3**	**15**	**26**	**38**	**49**	**80**	**80**	**15.0**	**153**	**1**	**2**	**12**	**20**	**34**	**41**	**55**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.5	1405	6	6	32	59	59	59	59	1	1.0		1	1	1	1	1	1	1
18-24	4	16.8	19	10	10	18	19	20	20	20	1	4.0		4	4	4	4	4	4	4
25-34	3	15.3	124	5	5	14	24	27	27	27	3	13.0	139	3	3	10	22	26	26	26
35-54	14	11.6	80	1	2	11	19	23	28	29	4	24.0	126	13	13	23	33	36	36	36
55-74	4	17.8	185	4	4	18	29	30	30	30	1	35.0		35	35	35	35	35	35	35
75 +	3	9.0	25	4	4	9	13	14	14	14										
ALL AGES	30	14.6	148	2	3	14	20	29	30	59	10	17.5	183	1	2	14	31	35	36	36
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	3.7	6	1	1	4	5	6	6	6
13-17	4	38.0	1458	2	2	30	66	89	89	89										
18-24	3	23.0	325	8	8	18	37	43	43	43										
25-34	9	8.3	36	1	1	9	11	17	20	20	2	17.5	481	2	2	17	33	33	33	33
35-54	24	12.9	86	2	3	10	20	25	29	35	7	25.9	230	8	8	22	39	47	48	48
55-74	21	16.4	54	2	6	17	20	25	30	33	6	12.5	124	3	3	10	16	30	32	32
75 +	3	28.0	147	15	15	30	37	39	39	39	1	17.0		17	17	17	17	17	17	17
ALL AGES	65	15.9	191	1	2	14	20	30	40	82	19	16.8	206	1	2	15	29	38	45	48
SUBTOTAL	**95**	**15.5**	**176**	**1**	**2**	**14**	**20**	**29**	**38**	**75**	**29**	**17.0**	**193**	**1**	**2**	**15**	**31**	**36**	**42**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	56	99 +	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
13-17	6	25.3	434	6	6	20	35	58	61	61	1	45.0		45	45	45	45	45	45	45
18-24	7	19.4	111	5	6	20	28	33	34	34	1	5.0		5	5	5	5	5	5	5
25-34	7	26.1	334	4	4	24	38	52	55	55	1	34.0		34	34	34	34	34	34	34
35-54	12	16.4	261	1	2	7	30	38	49	51	2	23.5	1	23	23	23	24	24	24	24
55-74	12	20.8	263	1	4	16	26	50	53	54	1	5.0		5	5	5	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5	1	29.0		29	29	29	29	29	29	29
ALL AGES	46	20.3	255	2	4	16	32	51	56	99 +	8	21.5	218	5	5	23	31	42	45	45
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	8	29.8	482	6	7	23	41	65	73	73										
18-24	4	10.8	83	2	2	10	18	21	21	21										
25-34	12	12.0	161	1	2	9	16	28	44	47	1	12.0		12	12	12	12	12	12	12
35-54	18	17.3	169	1	1	14	28	35	40	44										
55-74	12	16.3	180	1	2	13	29	34	36	36	7	17.1	41	6	7	20	22	22	22	22
75 +	5	18.8	14	13	13	19	21	23	23	23										
ALL AGES	60	17.3	205	1	2	14	25	35	45	70	8	16.5	37	6	7	19	21	22	22	22
SUBTOTAL	**106**	**18.6**	**227**	**1**	**2**	**15**	**28**	**38**	**51**	**85**	**16**	**19.0**	**126**	**5**	**5**	**20**	**23**	**33**	**42**	**45**
GRAND TOTAL	**201**	**17.1**	**205**	**1**	**2**	**14**	**24**	**35**	**47**	**81**	**45**	**17.7**	**167**	**2**	**3**	**16**	**27**	**35**	**43**	**48**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54	1	14.0		14	14	14	14	14	14	14											
55-74	1	3.0		3	3	3	3	3	3	3											
75 +																					
ALL AGES	2	8.5	61	3	3	8	14	14	14	14											
SUBTOTAL	**2**	**8.5**	**61**	**3**	**3**	**8**	**14**	**14**	**14**	**14**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	1	14.0		14	14	14	14	14	14	14											
25-34																					
35-54											1	22.0		22	22	22	22	22	22	22
55-74																					
75 +																					
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	22.0		22	22	22	22	22	22	22
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74	1	10.0		10	10	10	10	10	10	10											
75 +	1	8.0		8	8	8	8	8	8	8											
ALL AGES	2	9.0	2	8	8	9	10	10	10	10											
SUBTOTAL	**3**	**10.7**	**8**	**8**	**8**	**10**	**13**	**14**	**14**	**14**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**
GRAND TOTAL	**5**	**9.8**	**21**	**3**	**3**	**10**	**14**	**14**	**14**	**14**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	3.3	4	1	1	4	5	5	5	5										
35-54	10	12.7	89	2	3	11	15	28	29	29										
55-74	2	11.0	128	3	3	11	19	19	19	19										
75 +																				
ALL AGES	18	9.4	75	1	1	5	15	25	29	29										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	13	16.1	157	1	4	14	22	39	40	40										
55-74	9	12.7	33	5	6	15	18	19	20	20	4	17.3	414	3	3	9	30	47	47	47
75 +	14	15.3	64	1	3	14	21	26	28	29										
ALL AGES	39	14.4	84	2	4	14	20	25	34	40	4	17.3	414	3	3	9	30	47	47	47
SUBTOTAL	**57**	**12.8**	**86**	**1**	**3**	**11**	**18**	**26**	**29**	**40**	**4**	**17.3**	**414**	**3**	**3**	**9**	**30**	**47**	**47**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	10.5	39	2	2	10	14	19	20	20	2	10.5	145	2	2	10	19	19	19	19
35-54	6	17.0	25	12	12	15	21	25	25	25										
55-74	8	23.5	447	8	10	18	19	58	75	75										
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	21	17.9	201	4	7	16	19	23	47	75	2	10.5	145	2	2	10	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	8	18.3	106	4	4	20	27	30	30	30										
55-74	3	15.3	10	12	12	17	17	17	17	17	3	8.7	11	5	5	9	11	12	12	12
75 +	3	22.3	187	14	14	15	32	38	38	38	1	9.0		9	9	9	9	9	9	9
ALL AGES	14	18.5	94	4	5	17	26	31	36	38	4	8.8	7	5	5	9	11	12	12	12
SUBTOTAL	**35**	**18.1**	**155**	**4**	**6**	**17**	**21**	**29**	**36**	**75**	**6**	**9.3**	**35**	**2**	**2**	**9**	**12**	**18**	**19**	**19**
GRAND TOTAL	**92**	**14.8**	**118**	**2**	**4**	**14**	**19**	**27**	**30**	**60**	**10**	**12.5**	**175**	**2**	**2**	**9**	**14**	**33**	**47**	**47**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	21.0	18	18	18	21	24	24	24	24										
ALL AGES	2	21.0	18	18	18	21	24	24	24	24										
SUBTOTAL	**2**	**21.0**	**18**	**18**	**18**	**21**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**3**	**18.0**	**36**	**12**	**12**	**18**	**22**	**24**	**24**	**24**										

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**2**	**12.5**	**85**	**6**	**6**	**12**	**19**	**19**	**19**	**19**										
GRAND TOTAL	**2**	**12.5**	**85**	**6**	**6**	**12**	**19**	**19**	**19**	**19**										

PARANOID STATES NEC (297.8)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	9.5	18	4	4	10	12	14	14	14										
55-74																				
75 +																				
ALL AGES	4	9.5	18	4	4	10	12	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	13.5	41	9	9	13	18	18	18	18	1	16.0		16	16	16	16	16	16	16
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +	2	8.0	2	7	7	8	9	9	9	9										
ALL AGES	6	9.2	21	4	4	8	9	17	18	18	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**10**	**9.3**	**18**	**4**	**4**	**9**	**11**	**16**	**18**	**18**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	1	40.0		40	40	40	40	40	40	40
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	40.0		40	40	40	40	40	40	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**2**	**11.0**	**50**	**6**	**6**	**11**	**16**	**16**	**16**	**16**	**1**	**40.0**		**40**	**40**	**40**	**40**	**40**	**40**	**40**
GRAND TOTAL	**12**	**9.6**	**20**	**4**	**4**	**9**	**12**	**17**	**18**	**18**	**2**	**28.0**	**288**	**16**	**16**	**28**	**40**	**40**	**40**	**40**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	10	10.0	100	2	2	6	10	27	35	35										
25-34	26	13.5	76	3	4	11	20	26	28	33	6	12.0	129	4	4	6	21	30	31	31
35-54	35	13.5	85	2	5	11	15	28	35	36	3	19.3	52	13	13	18	25	27	27	27
55-74	18	10.7	56	2	3	9	12	24	27	28	2	10.0	8	8	8	10	12	12	12	12
75 +	11	19.5	48	10	11	21	26	28	28	28	1	9.0		9	9	9	9	9	9	9
ALL AGES	101	13.2	79	2	4	11	19	27	30	36	12	13.3	81	4	4	10	19	28	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	2	6.0	18	3	3	6	9	9	9	9										
25-34	27	10.3	38	1	2	10	14	18	21	26										
35-54	41	13.0	60	3	4	11	15	26	30	31	2	7.5	1	7	7	7	8	8	8	8
55-74	44	14.8	80	3	5	14	19	24	30	47	9	23.4	520	2	3	12	35	61	62	62
75 +	17	15.8	186	3	4	14	17	26	50	63	2	8.5	85	2	2	8	15	15	15	15
ALL AGES	132	13.3	79	2	4	12	17	24	27	50	13	18.7	407	2	2	11	24	60	62	62
SUBTOTAL	**233**	**13.2**	**80**	**2**	**4**	**12**	**18**	**26**	**28**	**42**	**25**	**16.1**	**249**	**2**	**4**	**11**	**21**	**31**	**60**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3										
18-24	2	21.0	242	10	10	21	32	32	32	32										
25-34	24	11.6	40	4	5	10	17	21	23	26										
35-54	30	15.4	120	1	2	12	25	32	33	37	1	11.0		11	11	11	11	11	11	11
55-74	13	15.9	217	2	3	11	26	37	48	51	2	11.5	1	11	11	11	12	12	12	12
75 +	3	19.7	28	14	14	20	24	25	25	25										
ALL AGES	74	14.2	110	2	3	11	20	31	33	48	3	11.3	1	11	11	11	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	16	16.4	141	2	4	14	22	31	41	46										
35-54	30	19.0	78	6	8	19	27	31	33	34	1	5.0		5	5	5	5	5	5	5
55-74	38	20.6	158	7	9	19	25	36	50	65	1	50.0		50	50	50	50	50	50	50
75 +	19	17.3	74	4	7	16	24	29	31	31	1	17.0		17	17	17	17	17	17	17
ALL AGES	103	18.9	115	6	7	18	25	30	35	60	3	24.0	543	5	5	17	42	50	50	50
SUBTOTAL	**177**	**16.9**	**119**	**3**	**4**	**15**	**24**	**31**	**34**	**55**	**6**	**17.7**	**264**	**5**	**6**	**12**	**17**	**47**	**50**	**50**
GRAND TOTAL	**410**	**14.8**	**100**	**2**	**4**	**13**	**20**	**28**	**32**	**49**	**31**	**16.4**	**244**	**2**	**4**	**11**	**20**	**39**	**59**	**62**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	33.0		33	33	33	33	33	33	33	1	24.0		24	24	24	24	24	24	24
25-34	2	20.5	5	19	19	20	22	22	22	22	2	1.5	1	1	1	1	2	2	2	2
35-54	2	9.5	61	4	4	9	15	15	15	15	2	3.0	2	2	2	3	4	4	4	4
55-74	4	11.8	45	4	4	11	17	20	20	20	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	9	15.6	85	4	4	15	20	29	33	33	6	6.7	76	1	1	3	7	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	23.3	334	7	7	22	39	42	42	42	2	5.0	2	4	4	5	6	6	6	6
35-54	2	8.5	85	2	2	8	15	15	15	15										
55-74	2	18.0	338	5	5	18	31	31	31	31	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	8	18.3	244	2	3	11	33	40	42	42	4	4.5	2	3	3	4	5	6	6	6
SUBTOTAL	**17**	**16.8**	**154**	**3**	**4**	**15**	**24**	**35**	**40**	**42**	**10**	**5.8**	**44**	**1**	**1**	**4**	**6**	**15**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	3	11.0	151	2	2	6	20	25	25	25										
75 +																				
ALL AGES	5	9.8	96	2	2	6	17	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	29.0		29	29	29	29	29	29	29										
25-34	3	8.0	12	6	6	6	11	12	12	12	1	4.0		4	4	4	4	4	4	4
35-54	3	17.3	88	7	7	20	24	25	25	25	1	1.0		1	1	1	1	1	1	1
55-74	1	29.0		29	29	29	29	29	29	29	1	13.0		13	13	13	13	13	13	13
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	9	17.3	95	6	6	20	26	29	29	29	3	6.0	39	1	1	4	11	13	13	13
SUBTOTAL	**14**	**14.6**	**103**	**2**	**2**	**13**	**25**	**29**	**29**	**29**	**3**	**6.0**	**39**	**1**	**1**	**4**	**11**	**13**	**13**	**13**
GRAND TOTAL	**31**	**15.8**	**128**	**2**	**3**	**14**	**24**	**32**	**36**	**42**	**13**	**5.8**	**40**	**1**	**1**	**4**	**6**	**15**	**22**	**24**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	9.0		9	9	9	9	9	9	9	1	15.0		15	15	15	15	15	15	15
18-24	3	11.0	27	8	8	8	15	17	17	17	1	1.0		1	1	1	1	1	1	1
25-34	3	14.3	186	6	6	7	24	30	30	30										
35-54	2	8.5	85	2	2	8	15	15	15	15										
55-74	4	6.5	20	1	1	7	10	11	11	11	2	7.0	32	3	3	7	11	11	11	11
75 +											2	6.5	1	6	6	6	7	7	7	7
ALL AGES	13	9.8	58	1	2	8	12	20	28	30	6	7.2	26	1	1	6	11	15	15	15
B. FEMALE																						
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	5	6.2	14	2	2	5	8	12	12	12	1	2.0		2	2	2	2	2	2	2
35-54	3	12.3	39	7	7	11	17	19	19	19	3	1.7	1	1	1	1	2	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +	2	18.0	200	8	8	18	28	28	28	28										
ALL AGES	12	9.4	57	1	1	7	11	22	27	28	7	1.9	1	1	1	1	3	4	4	4
SUBTOTAL	**25**	**9.6**	**55**	**1**	**2**	**8**	**11**	**19**	**28**	**30**	**13**	**4.3**	**19**	**1**	**1**	**3**	**6**	**12**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	3	7.7	114	1	1	2	15	20	20	20	1	2.0		2	2	2	2	2	2	2
35-54	4	14.8	112	2	2	16	23	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74	2	14.5	25	11	11	14	18	18	18	18	1	4.0		4	4	4	4	4	4	4
75 +											3	8.0	39	3	3	6	13	15	15	15
ALL AGES	10	12.9	80	1	1	14	20	23	25	25	6	5.5	24	2	2	4	6	14	15	15
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	3	14.3	116	2	2	20	21	21	21	21										
25-34	2	15.0	200	5	5	15	25	25	25	25										
35-54	6	9.2	64	1	1	8	16	19	19	19	1	4.0		4	4	4	4	4	4	4
55-74	4	15.5	57	7	7	15	21	25	25	25	1	11.0		11	11	11	11	11	11	11
75 +											2	5.0		5	5	5	5	5	5	5
ALL AGES	15	12.7	74	1	2	14	20	25	25	25	4	6.3	9	4	4	5	8	11	11	11
SUBTOTAL	**25**	**12.8**	**73**	**1**	**2**	**14**	**20**	**25**	**25**	**25**	**10**	**5.8**	**17**	**2**	**2**	**4**	**6**	**13**	**15**	**15**
GRAND TOTAL	**50**	**11.2**	**65**	**1**	**2**	**9**	**18**	**23**	**25**	**30**	**23**	**5.0**	**18**	**1**	**1**	**4**	**6**	**12**	**15**	**15**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	4.7		4	4	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	3	4.3	13	1	1	4	7	8	8	8	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**6**	**4.5**	**5**	**1**	**1**	**4**	**5**	**8**	**8**	**8**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**6**	**4.5**	**5**	**1**	**1**	**4**	**5**	**8**	**8**	**8**	**4**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	22.0	72	16	16	22	28	28	28	28	1	10.0		10	10	10	10	10	10	10
35-54	5	20.6	457	3	3	15	33	55	55	55	1	12.0		12	12	12	12	12	12	12
55-74	2	15.5	113	8	8	15	23	23	23	23	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	10	18.2	254	3	3	15	26	41	55	55	3	8.7	16	4	4	10	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	10.5	38	3	3	10	14	18	18	18										
35-54	11	13.2	37	4	5	13	19	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	2	11.0	18	8	8	11	14	14	14	14	4	6.0	14	1	1	6	8	10	10	10
75 +	4	12.0	51	4	4	12	18	19	19	19	1	11.0		11	11	11	11	11	11	11
ALL AGES	21	12.2	35	3	4	12	18	20	21	21	6	6.0	18	1	1	6	10	11	11	11
SUBTOTAL	**31**	**14.2**	**106**	**3**	**4**	**13**	**19**	**24**	**28**	**55**	**9**	**6.9**	**17**	**1**	**1**	**7**	**10**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.5	85	1	1	7	14	14	14	14										
25-34	4	9.3	16	4	4	10	12	13	13	13										
35-54	5	23.2	81	12	12	27	29	34	34	34										
55-74	2	14.5	1	14	14	14	15	15	15	15										
75 +	2	18.0	50	13	13	18	23	23	23	23	2	13.5	113	6	6	13	21	21	21	21
ALL AGES	15	15.5	80	2	4	14	21	27	32	34	2	13.5	113	6	6	13	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	2	7	7	8	9	9	9	9										
35-54	5	11.0	45	4	4	10	14	22	22	22										
55-74	5	12.2	68	5	5	9	16	26	26	26	2	18.5	481	3	3	18	34	34	34	34
75 +	3	12.7	11	9	9	13	15	16	16	16	1	4.0		4	4	4	4	4	4	4
ALL AGES	15	11.3	37	4	5	9	13	22	25	26	3	13.7	309	3	3	4	26	34	34	34
SUBTOTAL	**30**	**13.4**	**61**	**4**	**5**	**12**	**16**	**26**	**27**	**34**	**5**	**13.6**	**183**	**3**	**3**	**6**	**24**	**34**	**34**	**34**
GRAND TOTAL	**61**	**13.8**	**83**	**3**	**4**	**13**	**18**	**26**	**28**	**53**	**14**	**9.3**	**78**	**1**	**1**	**7**	**11**	**22**	**31**	**34**

PSYCHOGEN PARANOID PSYCH (298.4)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.7	318	1	1	25	33	36	36	36										
18-24	20	12.3	132	1	2	6	20	31	34	37	1	7.0		7	7	7	7	7	7	7
25-34	19	10.3	77	1	2	8	15	23	30	33	2	22.0		22	22	22	22	22	22	22
35-54	19	8.5	19	3	4	7	13	15	16	16	1	5.0		5	5	5	5	5	5	5
55-74	6	10.2	31	4	4	10	14	18	18	18	3	4.7	8	3	3	3	7	8	8	8
75 +																				
ALL AGES	67	10.8	84	2	2	7	14	26	32	37	7	10.0	71	3	3	7	18	22	22	22
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	7	12.6	66	2	3	11	19	24	25	25										
18-24	14	11.4	135	2	3	7	14	33	37	38	2	5.0	2	4	4	5	6	6	6	6
25-34	27	9.1	30	1	2	8	14	16	19	21										
35-54	33	9.8	62	2	3	8	14	20	28	30	3	11.7	73	4	4	10	18	21	21	21
55-74	6	11.8	57	3	3	12	14	23	24	24	4	4.5	6	1	1	5	6	6	6	6
75 +	5	7.6	17	5	5	6	8	15	15	15	1	7.0		7	7	7	7	7	7	7
ALL AGES	92	10.1	59	2	3	8	14	20	25	35	11	6.5	29	1	1	6	7	14	20	21
SUBTOTAL	**159**	**10.4**	**69**	**2**	**2**	**8**	**14**	**23**	**30**	**37**	**18**	**7.8**	**46**	**1**	**2**	**6**	**8**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	1	5.0		5	5	5	5	5	5	5
13-17	2	15.0	8	13	13	15	17	17	17	17										
18-24	16	11.8	70	2	4	10	16	25	28	29	1	4.0		4	4	4	4	4	4	4
25-34	15	8.7	24	1	3	8	12	15	16	16	1	20.0		20	20	20	20	20	20	20
35-54	9	12.0	62	3	4	10	15	25	27	27	1	5.0		5	5	5	5	5	5	5
55-74											1	9.0		9	9	9	9	9	9	9
75 +	3	12.7	23	7	7	15	16	16	16	16										
ALL AGES	46	11.2	49	2	3	10	15	23	25	29	5	8.6	44	4	4	5	12	20	20	20
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5										
13-17	4	10.5	87	2	2	10	18	20	20	20										
18-24	12	17.4	310	3	4	10	21	49	58	59	1	27.0		27	27	27	27	27	27	27
25-34	17	17.2	257	3	4	12	23	44	53	58	4	5.5	9	2	2	6	8	8	8	8
35-54	18	12.1	65	1	3	10	15	25	30	32	1	27.0		27	27	27	27	27	27	27
55-74	10	8.4	47	1	1	7	10	19	23	23	3	4.0	7	2	2	3	6	7	7	7
75 +	6	9.0	35	2	2	8	12	18	19	19										
ALL AGES	69	13.1	156	2	2	9	16	27	45	59	9	9.8	100	2	2	7	13	27	27	27
SUBTOTAL	**115**	**12.4**	**112**	**2**	**3**	**10**	**16**	**24**	**31**	**58**	**14**	**9.4**	**75**	**2**	**2**	**6**	**9**	**27**	**27**	**27**
GRAND TOTAL	**274**	**11.2**	**88**	**2**	**3**	**8**	**15**	**24**	**30**	**45**	**32**	**8.5**	**58**	**1**	**2**	**6**	**9**	**22**	**26**	**27**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	15	18.7	315	1	2	14	27	42	61	68	7	5.4	128	1	1	1	2	25	31	31
18-24	36	13.3	103	1	2	10	20	27	29	45	2	11.0	162	2	2	11	20	20	20	20
25-34	68	11.8	108	1	1	9	16	26	30	52	6	9.3	84	1	1	8	11	24	26	26
35-54	62	10.3	122	1	1	6	15	29	33	51	9	6.9	61	2	2	4	7	19	27	27
55-74	54	7.7	30	2	2	6	10	17	18	27	33	5.7	30	1	1	4	6	18	18	20
75 +	51	9.7	51	2	3	9	12	17	22	38	40	5.6	13	2	2	4	7	11	14	15
ALL AGES	287	10.9	100	1	2	8	15	24	30	50	97	6.1	36	1	1	4	7	15	19	29
B. FEMALE																				
0-12 YRS.	4	12.8	167	1	1	11	23	28	28	28										
13-17	12	26.1	753	1	1	18	37	70	89	92	3	39.7	2510	4	4	18	77	97	97	97
18-24	42	12.9	133	2	4	9	17	26	35	63	2	14.0	128	6	6	14	22	22	22	22
25-34	70	14.5	155	1	3	10	20	29	41	63	3	16.3	338	2	2	10	30	37	37	37
35-54	86	9.2	44	1	2	8	13	18	21	32	23	10.0	118	1	1	4	20	25	31	39
55-74	125	10.3	77	1	2	8	14	22	27	45	44	7.1	27	1	2	6	10	13	18	25
75 +	89	8.8	38	2	3	7	11	20	23	26	62	6.5	58	1	1	4	7	12	18	50
ALL AGES	428	11.2	107	1	2	8	14	23	29	60	137	8.3	123	1	1	5	10	20	25	59
SUBTOTAL	**715**	**11.1**	**104**	**1**	**2**	**8**	**15**	**23**	**29**	**53**	**234**	**7.4**	**88**	**1**	**1**	**5**	**8**	**17**	**23**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	22.3	395	1	1	22	39	43	43	43										
13-17	13	26.0	247	8	10	19	42	46	57	59	1	30.0		30	30	30	30	30	30	30
18-24	33	12.5	60	1	3	13	18	24	24	26	2	4.5	13	2	2	4	7	7	7	7
25-34	43	15.1	272	2	3	10	20	26	52	79	7	9.0	94	1	1	7	9	26	30	30
35-54	46	12.8	96	2	4	10	16	25	36	47	9	9.6	60	5	5	7	8	22	30	30
55-74	29	14.0	78	2	3	13	20	24	28	37	5	16.0	416	3	3	7	22	52	52	52
75 +	25	11.1	60	1	3	8	14	26	27	29	8	9.1	18	4	4	9	13	14	14	14
ALL AGES	193	14.3	146	2	3	11	19	26	38	70	32	10.7	112	2	3	7	11	30	30	52
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43	1	4.0		4	4	4	4	4	4	4
13-17	8	20.6	412	4	5	11	33	54	58	58	1	46.0		46	46	46	46	46	46	46
18-24	30	19.2	328	2	4	13	19	58	62	64	2	2.5	5	1	1	2	4	4	4	4
25-34	44	14.0	207	2	3	10	17	26	41	82	5	7.0	49	2	2	3	12	18	18	18
35-54	58	11.6	65	1	2	10	16	24	28	37	12	9.1	79	1	2	6	11	24	30	31
55-74	57	13.9	176	2	3	11	18	26	36	85	13	9.0	28	4	5	6	11	18	20	20
75 +	46	11.7	68	3	4	10	14	24	26	44	18	9.6	40	2	2	8	15	19	20	20
ALL AGES	244	13.9	168	2	3	11	17	26	40	65	52	9.4	70	2	2	6	14	20	21	46
SUBTOTAL	**437**	**14.1**	**157**	**2**	**3**	**11**	**18**	**26**	**40**	**66**	**84**	**9.9**	**85**	**2**	**2**	**7**	**12**	**20**	**30**	**50**
GRAND TOTAL	**1152**	**12.2**	**127**	**1**	**2**	**9**	**16**	**25**	**32**	**61**	**318**	**8.0**	**89**	**1**	**2**	**5**	**10**	**18**	**25**	**48**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	27.4	1544	1	1	4	51	92	92	92	4	4.3	11	1	1	3	6	9	9	9
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	24.5	1286	1	1	7	38	87	92	92	4	4.3	11	1	1	3	6	9	9	9
B. FEMALE																				
0-12 YRS.	3	2.3	6	1	1	1	4	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.3	6	1	1	1	4	5	5	5	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**17.1**	**928**	**1**	**1**	**4**	**17**	**70**	**92**	**9[illegible]**	**5**	**3.6**	**11**	**1**	**1**	**3**	**5**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	23.0	618	1	1	22	44	46	46	46										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	23.0	618	1	1	22	44	46	46	46										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**5**	**19.2**	**536**	**1**	**1**	**4**	**44**	**46**	**46**	**46**										
GRAND TOTAL	**14**	**17.9**	**735**	**1**	**1**	**4**	**38**	**51**	**83**	**92**	**5**	**3.6**	**11**	**1**	**1**	**3**	**5**	**9**	**9**	**9**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS	13	38.7	297	8	13	42	51	63	65	66	1	27.0		27	27	27	27	27	27	27
13-17	2	46.5	1513	19	19	46	74	74	74	74										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	39.7	373	9	15	42	52	66	72	74	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	45.0		45	45	45	45	45	45	45
13-17	2	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	42.0	27	36	36	45	45	45	45	45	1	45.0		45	45	45	45	45	45	45
SUBTOTAL	**18**	**40.1**	**310**	**10**	**16**	**42**	**50**	**65**	**71**	**74**	**2**	**36.0**	**162**	**27**	**27**	**36**	**45**	**45**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	68.0	361	50	50	84	99+	99+	99+	99+	2	66.0	882	45	45	66	87	87	87	87
13-17	1	53.0		53	53	53	53	53	53	53	1	18.0		18	18	18	18	18	18	18
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	65.0	316	50	51	79	97	99+	99+	99+	3	50.0	1209	18	18	45	76	87	87	87
B. FEMALE																				
0-12 YRS.	3	39.0	208	27	27	35	50	55	55	55										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	39.0	208	27	27	35	50	55	55	55										
SUBTOTAL	**8**	**55.3**	**414**	**27**	**31**	**54**	**89**	**99+**	**99+**	**99+**	**3**	**50.0**	**1209**	**18**	**18**	**45**	**76**	**87**	**87**	**87**
GRAND TOTAL	**26**	**44.8**	**376**	**14**	**21**	**46**	**58**	**86**	**99+**	**99+**	**5**	**44.4**	**704**	**18**	**18**	**45**	**56**	**87**	**87**	**87**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40	2	19.0	288	7	7	19	31	31	31	31
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	40.0		40	40	40	40	40	40	40	2	19.0	288	7	7	19	31	31	31	31
B. FEMALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47	1	31.0		31	31	31	31	31	31	31
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	28.0	722	9	9	28	47	47	47	47	1	31.0		31	31	31	31	31	31	31
SUBTOTAL	**3**	**32.0**	**409**	**9**	**9**	**40**	**45**	**47**	**47**	**47**	**3**	**23.0**	**192**	**7**	**7**	**31**	**31**	**31**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	40.9	523	6	12	42	46	75	89	89	2	9.0	8	7	7	9	11	11	11	11
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	40.9	523	6	12	42	46	75	89	89	2	9.0	8	7	7	9	11	11	11	11
B. FEMALE																				
0-12 YRS.	4	51.8	82	39	39	53	58	61	61	61										
13-17	2	21.0	242	10	10	21	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	41.5	354	10	12	45	56	60	61	61										
SUBTOTAL	**15**	**41.1**	**429**	**7**	**10**	**42**	**52**	**61**	**82**	**89**	**2**	**9.0**	**8**	**7**	**7**	**11**	**78**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**18**	**39.6**	**412**	**7**	**9**	**41**	**51**	**59**	**78**	**89**	**5**	**17.4**	**157**	**7**	**7**	**21**	**31**	**93**	**99 +**	**99 +**

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	27.5	884	1	1	25	53	58	58	58	2	3.0	2	2	2	3	4	4	4	4
13-17	12	16.3	288	2	2	8	33	43	44	44	1	2.0		2	2	2	2	2	2	2
18-24	9	7.8	60	1	1	4	13	21	21	21	5	4.2	5	1	1	5	6	6	6	6
25-34	39	7.2	45	1	1	4	9	18	21	25	21	3.6	7	1	1	2	5	8	9	10
35-54	73	5.2	15	1	1	4	8	11	13	16	57	3.3	12	1	1	2	3	7	10	21
55-74	44	6.2	31	1	2	4	8	13	21	23	34	3.0	2	1	1	3	4	5	6	6
75 +	9	6.2	32	1	1	3	11	15	16	16	9	3.1	3	1	1	3	4	6	6	6
ALL AGES	190	7.2	72	1	1	4	9	16	22	46	129	3.3	7	1	1	2	4	6	8	15
B. FEMALE																				
0-12 YRS.	7	24.3	187	4	5	25	34	42	43	43										
13-17	9	13.1	275	1	1	5	25	41	41	41	7	2.1	1	1	1	2	3	3	3	3
18-24	26	6.2	38	1	1	5	7	15	21	27	20	2.3	3	1	1	2	3	4	6	8
25-34	58	9.4	85	1	1	7	13	21	33	42	41	2.9	4	1	1	3	3	5	6	12
35-54	123	7.5	64	1	1	4	11	20	23	38	99	2.9	6	1	1	2	4	6	6	14
55-74	103	6.7	65	1	1	4	8	16	21	44	78	3.6	6	1	1	3	5	6	8	14
75 +	33	7.2	75	1	2	4	10	15	18	47	39	4.9	27	1	1	3	6	10	13	29
ALL AGES	359	7.9	80	1	1	4	11	20	26	43	284	3.3	8	1	1	3	4	6	8	14
SUBTOTAL	**549**	**7.6**	**78**	**1**	**1**	**4**	**10**	**18**	**24**	**43**	**413**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	74.0	722	55	55	74	93	93	93	93	3	2.3	2	1	1	3	3	3	3	3
13-17	9	21.7	354	3	5	20	28	52	65	65	1	45.0		45	45	45	45	45	45	45
18-24	17	10.0	94	1	2	5	18	23	30	33	4	3.3	14	1	1	1	5	9	9	9
25-34	45	10.3	140	1	2	6	14	20	33	59	7	8.3	30	1	1	8	13	15	15	15
35-54	75	8.9	41	2	3	7	12	18	22	30	23	8.5	82	1	2	4	11	24	30	33
55-74	36	7.5	34	1	2	5	11	18	20	22	9	3.3	4	1	1	2	5	6	7	7
75 +	9	7.9	25	2		7	11	15	17	17	7	4.3	9	1	1	4	6	9	10	10
ALL AGES	193	10.3	132	1	2	7	13	21	26	62	54	7.0	74	1	1	4	9	15	28	45
B. FEMALE																				
0-12 YRS.	3	47.0	2041	7	7	38	81	96	96	96	1	4.0		4	4	4	4	4	4	4
13-17	2	24.5	13	22	22	24	27	27	27	27	5	1.8	1	1	1	2	2	3	3	3
18-24	30	11.1	90	1	2	9	14	24	26	45	8	5.8	46	1	1	3	7	18	21	21
25-34	83	9.7	50	1	2	8	14	18	22	33	15	3.7	5	1	1	3	5	7	8	8
35-54	117	12.5	156	2	2	10	16	23	34	74	35	6.1	35	1	1	3	8	16	20	21
55-74	81	11.1	116	1	2	9	15	21	28	63	28	5.9	34	2	2	4	7	14	18	28
75 +	25	8.8	48	2	2	6	10	22	24	27	9	4.0	2	2	2	4	5	6	6	6
ALL AGES	341	11.5	129	1	2	9	15	22	28	65	101	5.3	26	1	1	3	6	13	17	25
SUBTOTAL	**534**	**11.0**	**131**	**1**	**2**	**8**	**15**	**21**	**27**	**65**	**155**	**5.9**	**43**	**1**	**1**	**4**	**6**	**14**	**20**	**33**
GRAND TOTAL	**1083**	**9.3**	**107**	**1**	**1**	**6**	**13**	**20**	**26**	**55**	**568**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	5.5	17	1	1	5	8	11	11	11	4	2.5		2	2	2	3	3	3	3
13-17	6	12.0	394	1	1	3	10	48	52	52	5	3.6	9	2	2	2	4	9	9	9
18-24	6	4.2	3	2	2	4	5	7	7	7	5	4.4	10	2	2	3	5	10	10	10
25-34	12	4.7	9	1	1	4	6	9	12	12	6	2.5	1	1	1	2	3	4	4	4
35-54	14	5.8	22	1	1	3	10	13	14	14	10	4.7	86	1	1	2	3	17	31	31
55-74	8	3.8	6	1	1	3	5	8	9	9	1	6.0		6	6	6	6	6	6	6
75 +	2	14.5	265	3	3	14	26	26	26	26	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	52	6.1	62	1	1	4	7	12	14	51	33	3.8	28	1	1	2	3	7	10	31
B. FEMALE																				
0-12 YRS.	12	4.3	14	1	1	3	7	10	12	12	4	3.3	2	1	1	3	4	5	5	5
13-17	22	5.9	22	1	2	4	8	11	16	21	9	3.3	3	1	1	3	5	6	6	6
18-24	29	8.4	116	1	1	5	10	19	40	45	20	3.5	7	1	1	3	5	6	9	12
25-34	40	9.6	129	1	1	6	12	21	37	54	17	4.4	15	1	1	3	5	9	14	16
35-54	65	7.2	133	1	1	3	6	14	37	59	25	4.6	26	1	1	3	5	8	17	25
55-74	19	4.2	21	1	1	2	4	14	15	15	11	3.2	5	1	1	3	3	7	9	9
75 +	3	2.0		2	2	2	2	2	2	2	7	6.1	55	1	1	2	10	19	20	20
ALL AGES	190	7.2	97	1	1	4	8	15	24	54	93	4.1	16	1	1	3	5	7	13	23
SUBTOTAL	**242**	**6.9**	**90**	**1**	**1**	**4**	**8**	**14**	**23**	**54**	**126**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**12**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	7	10.9	72	3	3	8	18	24	25	25										
18-24	7	8.6	52	1	1	6	15	18	19	19										
25-34	11	9.2	29	3	4	8	12	18	20	20	4	2.3	1	1	1	2	3	4	4	4
35-54	13	7.2	35	1	2	7	8	16	22	23	6	4.2	3	2	2	4	5	7	7	7
55-74	4	14.5	230	5	5	8	23	37	37	37	1	2.0		2	2	2	2	2	2	2
75 +	2	4.0		4	4	4	4	4	4	4	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	45	9.0	54	2	2	7	11	20	23	37	13	3.7	4	1	1	4	5	7	8	8
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17	14	11.1	159	1	2	7	11	29	44	48	3	2.3	3	1	1	2	3	4	4	4
18-24	18	12.3	184	2	3	5	21	29	44	53	1	3.0		3	3	3	3	3	3	3
25-34	32	13.4	351	1	2	8	14	44	82	99 +	10	5.0	37	1	1	3	4	13	22	22
35-54	36	7.2	51	1	2	5	10	17	25	32	10	5.1	18	1	1	4	7	11	15	15
55-74	15	5.9	23	2	2	5	7	11	18	21	3	8.0	43	2	2	7	13	15	15	15
75 +	2	5.0	18	2	2	5	8	8	8	8	1	2.0		2	2	2	2	2	2	2
ALL AGES	119	9.8	164	1	2	6	11	24	35	89	28	4.9	24	1	1	3	6	13	16	22
SUBTOTAL	**164**	**9.6**	**133**	**1**	**2**	**6**	**11**	**21**	**32**	**82**	**41**	**4.5**	**18**	**1**	**1**	**3**	**5**	**8**	**15**	**22**
GRAND TOTAL	**406**	**8.0**	**109**	**1**	**1**	**5**	**9**	**17**	**28**	**57**	**167**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**13**	**24**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	3	3.0	1	2	2	3	4	4	4	4										
18-24																				
25-34	7	10.0	83	1	1	9	15	24	26	26										
35-54	2	6.5	5	5	5	6	8	8	8	8	2	10.0	128	2	2	10	18	18	18	18
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	13	7.3	53	1	2	4	10	18	24	26	3	8.0	76	2	2	4	14	18	18	18
B. FEMALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	6	16.5	65	11	11	13	18	31	32	32	4	4.3	11	1	1	3	6	9	9	9
35-54	10	18.5	155	1	1	19	29	33	35	35	1	1.0		1	1	1	1	1	1	1
55-74	4	13.3	159	2	2	10	23	30	30	30	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	22	16.4	116	1	2	16	27	32	33	35	7	3.7	8	1	1	3	5	8	9	9
SUBTOTAL	**35**	**13.0**	**110**	**1**	**2**	**11**	**19**	**30**	**32**	**35**	**10**	**5.0**	**26**	**1**	**1**	**3**	**5**	**13**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	338	3	3	16	29	29	29	29										
13-17	3	14.3	10	11	11	16	16	16	16	16										
18-24																				
25-34	2	18.5	61	13	13	18	24	24	24	24										
35-54	9	11.6	81	1	2	9	18	25	30	30										
55-74																				
75 +																				
ALL AGES	16	13.5	78	2	3	12	18	28	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17	3	12.0	171	3	3	6	22	27	27	27										
18-24	6	27.5	393	8	8	25	32	60	63	63										
25-34	12	11.8	186	1	1	7	16	29	47	50										
35-54	11	14.7	73	1	3	15	19	27	28	28	2	28.0	1352	2	2	28	54	54	54	54
55-74	4	13.8	10	10	10	13	16	18	18	18										
75 +	1	15.0		15	15	15	15	15	15	15	1	10.0		10	10	10	10	10	10	10
ALL AGES	37	15.5	173	1	3	14	20	29	44	63	3	22.0	784	2	2	10	43	54	54	54
SUBTOTAL	**53**	**14.9**	**143**	**1**	**3**	**13**	**19**	**29**	**32**	**63**	**3**	**22.0**	**784**	**2**	**2**	**10**	**43**	**54**	**54**	**54**
GRAND TOTAL	**88**	**14.2**	**128**	**1**	**2**	**12**	**19**	**29**	**32**	**58**	**13**	**8.9**	**206**	**1**	**1**	**4**	**9**	**25**	**49**	**54**

OBSESSIVE-COMPULSIVE DIS (300.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	242	7	7	18	29	29	29	29										
18-24	3	46.7	786	28	28	33	67	79	79	79										
25-34	5	25.2	913	1	1	24	37	75	75	75										
35-54	7	7.0	37	2	2	5	9	17	19	19										
55-74	2	12.0	162	3	3	12	21	21	21	21										
75 +	2	4.5	1	4	4	4	5	5	5	5										
ALL AGES	21	18.3	493	1	2	8	26	50	77	79										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.5	1	8	8	8	9	9	9	9										
25-34	10	15.5	127	2	2	16	26	30	31	31										
35-54	5	6.8	36	1	1	5	9	17	17	17	1	16.0		16	16	16	16	16	16	16
55-74	4	9.5	24	4	4	9	13	15	15	15										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	22	11.3	81	1	2	7	17	27	30	31	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**43**	**14.7**	**288**	**1**	**2**	**8**	**21**	**30**	**48**	**79**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	29.5	891	4	4	22	52	69	69	69										
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	2	10.0	2	9	9	10	11	11	11	11										
25-34	8	21.0	320	5	6	16	25	50	61	61										
35-54	7	15.9	258	3	4	9	19	44	50	50										
55-74	5	17.4	96	3	3	16	26	28	28	28										
75 +																				
ALL AGES	27	19.6	290	3	4	13	25	47	62	69										
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	25	30	30	33	37	37	37	37										
18-24	4	14.3	134	4	4	11	23	30	30	30										
25-34	9	15.0	44	7	7	14	20	24	24	24										
35-54	6	15.5	65	4	5	16	23	24	24	24										
55-74	4	31.8	537	13	13	24	47	65	65	65										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	26	19.0	166	4	7	17	24	30	43	65										
SUBTOTAL	**53**	**19.3**	**225**	**4**	**5**	**16**	**24**	**36**	**59**	**69**										
GRAND TOTAL	**96**	**17.2**	**257**	**2**	**3**	**13**	**24**	**31**	**58**	**77**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	21	19.8	184	3	5	15	33	38	40	42	2	13.5	1	13	13	13	14	14	14	14
13-17	74	28.2	378	2	4	30	42	51	69	97	2	11.5	221	1	1	11	22	22	22	22
18-24	56	8.5	52	1	1	6	13	21	22	28	7	3.7	10	1	1	3	5	9	10	10
25-34	105	8.9	64	1	2	6	12	21	25	38	15	9.9	136	1	1	6	13	21	40	46
35-54	141	10.5	53	1	2	9	14	20	24	35	24	10.0	88	1	1	7	15	26	32	33
55-74	50	11.4	54	1	3	9	18	22	25	26	16	4.4	7	1	1	5	6	8	10	11
75 +	18	12.1	133	2	3	7	14	30	41	46	8	5.4	24	1	1	4	8	13	15	15
ALL AGES	465	13.3	162	1	2	9	18	32	41	65	74	7.8	70	1	1	5	9	18	24	43
B. FEMALE																				
0-12 YRS.	20	30.3	297	4	9	29	36	53	66	75										
13-17	183	25.3	367	3	5	22	40	49	62	87	14	11.1	149	1	1	7	13	34	39	41
18-24	120	8.8	64	1	2	6	12	19	21	45	21	5.4	38	1	1	4	6	10	21	29
25-34	224	9.3	59	1	2	7	13	21	26	32	32	7.7	48	1	1	5	11	16	21	31
35-54	266	9.6	51	1	2	8	13	19	23	32	63	6.7	35	1	2	4	9	17	20	26
55-74	142	11.7	83	2	3	11	15	24	32	40	46	5.1	13	1	1	4	7	10	13	17
75 +	43	11.8	103	2	2	8	16	27	32	47	22	10.8	414	1	1	6	9	19	52	99
ALL AGES	998	13.1	166	1	2	9	16	30	41	63	198	7.1	84	1	1	5	9	15	20	37
SUBTOTAL	**1463**	**13.2**	**164**	**1**	**2**	**9**	**17**	**30**	**41**	**64**	**272**	**7.3**	**80**	**1**	**1**	**5**	**9**	**17**	**21**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	28	37.8	377	9	12	43	57	99 +	99 +	99 +	1	43.0		43	43	43	43	43	43	43
13-17	151	29.0	446	2	6	26	43	60	81	99 +	5	12.2	151	1	1	10	33	93	99 +	99 +
18-24	109	11.7	102	1	2	9	16	26	35	45	14	15.4	181	1	2	14	25	32	44	47
25-34	215	10.0	61	1	2	8	15	21	26	34	23	9.8	72	1	2	6	15	25	27	28
35-54	269	10.9	68	2	3	9	14	24	28	37	25	7.4	35	1	1	5	10	14	19	28
55-74	52	10.9	72	3	4	8	14	21	26	42	15	7.5	52	2	2	5	7	15	26	30
75 +	6	14.5	64	4	4	13	21	25	26	26	5	9.6	124	3	3	4	14	29	29	29
ALL AGES	830	15.0	217	2	3	10	20	34	48	95	88	10.1	97	1	2	6	14	27	30	79
B. FEMALE																				
0-12 YRS.	26	36.1	611	7	9	36	65	79	99 +	99 +	1	4.0		4	4	4	4	4	4	4
13-17	218	29.6	451	4	6	28	43	61	75	99 +	11	15.9	282	1	3	9	16	47	53	54
18-24	177	11.6	99	2	2	9	16	23	31	51	16	9.6	78	1	2	6	17	23	27	29
25-34	317	12.2	95	1	3	10	16	26	33	41	36	9.9	98	1	2	8	12	20	36	46
35-54	336	12.9	105	2	3	10	17	26	33	54	35	9.0	68	1	2	6	11	25	30	30
55-74	126	14.4	120	3	4	11	19	27	33	52	27	7.3	28	1	2	7	10	14	18	23
75 +	30	15.1	93	4	5	13	20	29	37	39	4	8.3	10	4	4	9	11	11	11	11
ALL AGES	1230	16.2	224	2	3	12	21	38	49	82	130	9.5	86	1	2	7	11	20	29	48
SUBTOTAL	**2060**	**15.7**	**222**	**2**	**3**	**11**	**21**	**36**	**49**	**88**	**218**	**9.8**	**89**	**1**	**2**	**7**	**12**	**24**	**30**	**49**
GRAND TOTAL	**3523**	**14.7**	**198**	**2**	**3**	**10**	**19**	**35**	**44**	**76**	**490**	**8.4**	**85**	**1**	**2**	**6**	**10**	**19**	**28**	**46**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54												2	4.0	18	1	1	4	7	7	7	7
55-74																						
75 +																						
ALL AGES												2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	4.0		4	4	4	4	4	4	4												
35-54	2	5.5	25	2	2	5	9	9	9	9	2	3.5	5	2	2	3	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2												
75 +	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	5	4.0	9	2	2	3	5	9	9	9	3	4.0	3	2	2	5	5	5	5	5
SUBTOTAL	**5**	**4.0**	**9**	**2**	**2**	**3**	**5**	**9**	**9**	**9**	**5**	**4.0**	**6**	**1**	**1**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	5.0		5	5	5	5	5	5	5												
35-54											2	4.0	8	2	2	4	6	6	6	6
55-74																						
75 +	1	3.0		3	3	3	3	3	3	3												
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**7**	**4.0**	**6**	**2**	**2**	**3**	**5**	**8**	**9**	**9**	**7**	**4.0**	**5**	**1**	**1**	**5**	**6**	**7**	**7**	**7**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.5	1	4	4	4	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.5	1	4	4	4	5	5	5	5										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**4**	**6.0**	**7**	**4**	**4**	**5**	**8**	**10**	**10**	**10**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	47.0		47	47	47	47	47	47	47
55-74																				
75 +																				
ALL AGES											1	47.0		47	47	47	47	47	47	47
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54											1	34.0		34	34	34	34	34	34	34
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	2	10.5	5	9	9	10	12	12	12	12	1	34.0		34	34	34	34	34	34	34
SUBTOTAL	**2**	**10.5**	**5**	**9**	**9**	**10**	**12**	**12**	**12**	**12**	**2**	**40.5**	**85**	**34**	**34**	**40**	**47**	**47**	**47**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	29.5	265	18	18	29	41	41	41	41										
35-54	1	75.0		75	75	75	75	75	75	75										
55-74																				
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	4	41.5	588	18	18	36	58	75	75	75										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**5**	**33.8**	**738**	**3**	**3**	**32**	**49**	**75**	**75**	**75**										
GRAND TOTAL	**7**	**27.1**	**625**	**3**	**4**	**18**	**39**	**68**	**75**	**75**	**2**	**40.5**	**85**	**34**	**34**	**40**	**47**	**47**	**47**	**47**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +																				
ALL AGES	3	12.3	54	4	4	16	17	17	17	17	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17	2	28.0	1152	4	4	28	52	52	52	52										
18-24	3	7.0	91	1	1	2	14	18	18	18										
25-34	6	10.8	73	1	1	12	18	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54	9	13.3	121	2	3	12	20	30	36	36	1	9.0		9	9	9	9	9	9	9
55-74	5	17.2	184	3	3	12	30	34	34	34	1	5.0		5	5	5	5	5	5	5
75 +	1	15.0		15	15	15	15	15	15	15	1	6.0		6	6	6	6	6	6	6
ALL AGES	28	13.1	160	1	2	10	19	32	38	52	4	5.8	5	3	3	5	7	9	9	9
SUBTOTAL	**31**	**13.0**	**148**	**1**	**2**	**12**	**18**	**31**	**36**	**52**	**6**	**4.5**	**8**	**2**	**2**	**4**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	2	24.0	98	17	17	24	31	31	31	31										
25-34	4	9.3	43	3	3	9	15	15	15	15										
35-54	3	5.3	6	4	4	4	7	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74	2	19.0	128	11	11	19	27	27	27	27	2	8.5	5	7	7	8	10	10	10	10
75 +																				
ALL AGES	12	12.1	86	3	3	9	16	28	31	31	3	6.7	12	3	3	7	9	10	10	10
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	2	15.5	313	3	3	15	28	28	28	28	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	5	11.6	46	2	2	11	17	19	19	19	2	11.5	25	8	8	11	15	15	15	15
35-54	14	15.5	119	3	6	11	20	33	40	42	3	3.0	3	1	1	4	4	4	4	4
55-74	5	14.0	74	6	6	12	22	24	24	24	2	4.5	1	4	4	4	5	5	5	5
75 +																				
ALL AGES	26	14.5	95	2	3	11	20	28	34	42	9	5.3	17	1	2	4	6	12	15	15
SUBTOTAL	**38**	**13.7**	**92**	**2**	**3**	**11**	**19**	**28**	**32**	**42**	**12**	**5.7**	**14**	**1**	**2**	**4**	**7**	**11**	**14**	**15**
GRAND TOTAL	**69**	**13.4**	**115**	**2**	**2**	**11**	**18**	**29**	**34**	**50**	**18**	**5.3**	**12**	**1**	**2**	**4**	**7**	**10**	**13**	**15**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	17.3	619	2	2	4	35	46	46	46	3	1.3		1	1	1	2	2	2	2
13-17	11	2.6	3	1	1	2	4	5	6	6	2	2.0		2	2	2	2	2	2	2
18-24	8	5.0	25	1	1	3	9	13	13	13	2	1.5	1	1	1	1	2	2	2	2
25-34	6	3.7	19	1	1	1	5	11	12	12	4	2.8	2	1	1	3	4	4	4	4
35-54	25	8.6	51	1	1	8	12	17	24	29	4	5.0	21	1	1	4	8	11	11	11
55-74	12	10.3	81	2	2	7	14	27	28	28	3	4.3	17	2	2	2	7	9	9	9
75 +	2	14.0	98	7	7	14	21	21	21	21	5	5.0	2	4	4	5	6	7	7	7
ALL AGES	67	7.6	70	1	1	4	11	17	27	43	23	3.5	7	1	1	2	5	7	10	11
B. FEMALE																				
0-12 YRS.	6	5.8	54	1	1	3	7	19	20	20	2	2.5	1	2	2	2	3	3	3	3
13-17	13	5.8	43	1	1	5	7	12	23	26	5	1.8		1	1	2	2	2	2	2
18-24	15	5.5	56	1	1	2	5	17	25	28	6	1.5	1	1	1	1	2	3	3	3
25-34	22	8.9	69	1	1	8	11	21	27	35	4	3.0	2	2	2	3	4	5	5	5
35-54	27	8.7	42	1	1	7	14	16	19	24	2	3.0	2	2	2	3	4	4	4	4
55-74	15	7.1	29	1	2	6	11	16	18	19	5	4.0	13	1	1	3	5	10	10	10
75 +	6	7.3	27	2	2	6	12	15	15	15	5	4.8	4	3	3	4	7	7	7	7
ALL AGES	104	7.4	48	1	1	6	12	16	21	31	29	2.9	5	1	1	2	3	6	7	10
SUBTOTAL	**171**	**7.5**	**56**	**1**	**1**	**5**	**11**	**16**	**22**	**34**	**52**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**9**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	9.5	66	2	2	6	19	20	20	20										
13-17	24	9.4	155	2	2	6	10	16	31	63	1	1.0		1	1	1	1	1	1	1
18-24	15	4.2	30	1	1	2	4	10	19	22	3	2.7	2	1	1	3	4	4	4	4
25-34	23	9.4	98	1	1	5	13	24	30	38	6	4.7	26	1	1	3	4	14	15	15
35-54	19	7.1	50	1	1	5	11	20	23	23	3	3.0	4	1	1	3	4	5	5	5
55-74	7	7.6	26	2	2	5	13	14	14	14	2	14.5	265	3	3	14	26	26	26	26
75 +	3	6.3	10	3	3	7	8	9	9	9	2	7.0	32	3	3	7	11	11	11	11
ALL AGES	97	7.9	83	1	1	4	10	19	23	51	17	5.2	43	1	1	3	4	14	22	26
B. FEMALE																				
0-12 YRS.	4	10.8	243	1	1	4	20	34	34	34										
13-17	20	5.7	23	1	1	5	7	9	16	23	5	3.4	1	2	2	4	4	4	4	4
18-24	17	10.2	132	1	2	5	12	25	39	46	10	2.2	2	1	1	2	3	4	4	4
25-34	25	12.0	142	1	1	11	15	23	33	60	9	4.2	19	1	1	3	5	11	15	15
35-54	30	6.7	44	1	1	5	9	14	19	31	9	5.3	27	2	2	3	8	14	17	17
55-74	7	13.7	133	3	3	12	19	32	35	35	2	3.5	1	3	3	3	4	4	4	4
75 +	7	11.9	111	2	3	8	19	29	31	31	1	7.0		7	7	7	7	7	7	7
ALL AGES	110	9.2	94	1	1	6	12	21	31	52	36	3.9	12	1	1	3	4	7	13	17
SUBTOTAL	**207**	**8.6**	**88**	**1**	**1**	**5**	**12**	**20**	**24**	**52**	**53**	**4.3**	**22**	**1**	**1**	**3**	**4**	**10**	**15**	**26**
GRAND TOTAL	**378**	**8.1**	**74**	**1**	**1**	**5**	**11**	**19**	**24**	**44**	**105**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**11**	**21**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	20.0		20	20	20	20	20	20	20	1	15.0		15	15	15	15	15	15	15
35-54	3	5.0	7	2	2	6	7	7	7	7	3	4.7	2	3	3	5	6	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	5	7.8	50	2	2	6	10	20	20	20	4	7.3	27	3	3	5	10	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	3	17.3	62	11	11	15	23	26	26	26	1	6.0		6	6	6	6	6	6	6
55-74	3	6.0	16	2	2	6	9	10	10	10										
75 +																				
ALL AGES	7	11.4	59	2	3	10	14	24	26	26	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**12**	**9.9**	**54**	**2**	**2**	**8**	**13**	**22**	**25**	**26**	**5**	**7.0**	**22**	**3**	**3**	**6**	**8**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	31.0		31	31	31	31	31	31	31										
25-34	2	12.5	61	7	7	12	18	18	18	18	1	19.0		19	19	19	19	19	19	19
35-54	2	6.5	61	1	1	6	12	12	12	12	1	1.0		1	1	1	1	1	1	1
55-74	3	24.0	13	20	20	25	26	27	27	27										
75 +																				
ALL AGES	9	16.0	117	1	1	18	25	29	31	31	2	10.0	162	1	1	10	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	17.0	18	14	14	17	20	20	20	20	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**11**	**16.2**	**95**	**1**	**2**	**18**	**24**	**29**	**31**	**31**	**3**	**7.3**	**103**	**1**	**1**	**2**	**15**	**19**	**19**	**19**
GRAND TOTAL	**23**	**12.9**	**81**	**1**	**2**	**11**	**20**	**26**	**28**	**31**	**8**	**7.1**	**42**	**1**	**1**	**5**	**11**	**18**	**19**	**19**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	46.5	761	27	27	46	66	66	66	66										
18-24	3	4.3	11	2	2	3	7	8	8	8										
25-34	5	9.6	84	1	1	4	19	21	21	21	1	4.0		4	4	4	4	4	4	4
35-54	1	16.0		16	16	16	16	16	16	16										
55-74																				
75 +																				
ALL AGES	11	15.5	357	1	2	8	20	43	64	66	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	9.0		9	9	9	9	9	9	9
25-34	3	9.7	16	5	5	11	12	13	13	13	1	16.0		16	16	16	16	16	16	16
35-54	4	9.0	49	1	1	8	13	18	18	18										
55-74	5	13.6	71	6	6	10	21	25	25	25										
75 +																				
ALL AGES	12	11.1	47	1	4	9	15	21	24	25	2	12.5	25	9	9	12	16	16	16	16
SUBTOTAL	**23**	**13.2**	**191**	**1**	**2**	**9**	**18**	**25**	**41**	**66**	**3**	**9.7**	**35**	**4**	**4**	**9**	**14**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	2	64.5	1301	39	39	90	97	99 +	99 +	99 +										
18-24	3	10.3	47	5	5	8	15	18	18	18										
25-34	10	9.6	30	3	3	9	16	17	17	17	1	3.0		3	3	3	3	3	3	3
35-54	4	11.5	50	4	4	10	16	21	21	21										
55-74																				
75 +																				
ALL AGES	19	15.9	394	3	4	11	17	64	95	99 +	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	5	48.8	1536	8	8	54	85	90	90	90										
18-24	2	9.5	5	8	8	9	11	11	11	11	1	22.0		22	22	22	22	22	22	22
25-34	10	19.7	281	1	1	17	40	42	44	44	1	9.0		9	9	9	9	9	9	9
35-54	13	10.2	50	2	4	8	15	21	26	27										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	31	19.5	498	2	4	9	23	48	82	90	2	15.5	85	9	9	15	22	22	22	22
SUBTOTAL	**50**	**18.1**	**454**	**3**	**4**	**11**	**20**	**48**	**89**	**99 +**	**4**	**9.3**	**79**	**3**	**3**	**6**	**15**	**22**	**22**	**22**
GRAND TOTAL	**73**	**16.6**	**371**	**2**	**3**	**10**	**19**	**41**	**80**	**98**	**7**	**9.4**	**53**	**3**	**3**	**9**	**14**	**21**	**22**	**22**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	71.0		71	71	85	99 +	99 +	99 +	99 +										
13-17	8	34.4	391	9	11	32	43	64	73	73										
18-24	4	22.5	26	18	18	21	26	29	29	29	1	4.0		4	4	4	4	4	4	4
25-34	2	35.0	722	16	16	35	54	54	54	54										
35-54	3	20.3	12	18	18	19	23	24	24	24										
55-74																				
75 +																				
ALL AGES	18	31.5	348	12	15	27	44	72	88	99 +	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	2	8.5	5	7	7	8	10	10	10	10										
18-24	2	9.0	50	4	4	9	14	14	14	14	3	25.0	931	4	4	11	48	60	60	60
25-34	2	13.5	85	7	7	13	20	20	20	20	1	34.0		34	34	34	34	34	34	34
35-54	5	18.0	391	7	7	9	24	53	53	53	2	11.0	18	8	8	11	14	14	14	14
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	13	13.4	161	4	6	9	14	27	48	53	6	21.8	460	4	4	12	34	57	60	60
SUBTOTAL	**31**	**23.9**	**345**	**7**	**7**	**18**	**32**	**59**	**73**	**99 +**	**7**	**19.3**	**427**	**4**	**4**	**11**	**29**	**55**	**60**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	25.8	685	5	5	17	42	64	64	64										
13-17	2	46.5	761	27	27	46	66	66	66	66										
18-24	5	18.6	102	7	7	21	28	28	28	28	1	20.0		20	20	20	20	20	20	20
25-34	2	17.0	128	9	9	17	25	25	25	25										
35-54	4	9.3	30	3	3	9	13	16	16	16										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	18	20.8	325	4	6	15	27	53	65	66	1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5		5										
18-24	3	13.0	16	9	9	13	16	17	17	17										
25-34																				
35-54											1	22.0		22	22	22	22	22	22	22
55-74																				
75 +																				
ALL AGES	4	11.0	27	5	5	11	15	17	17	17	1	22.0		22	22	22	22	22	22	22
SUBTOTAL	**22**	**19.0**	**282**	**4**	**5**	**14**	**25**	**39**	**65**	**66**	**2**	**21.0**	**2**	**20**	**20**	**21**	**22**	**22**	**22**	**22**
GRAND TOTAL	**53**	**21.9**	**317**	**5**	**7**	**17**	**28**	**55**	**70**	**99**	**9**	**19.7**	**320**	**4**	**4**	**14**	**25**	**50**	**60**	**60**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	18.3	178	1	1	19	28	33	33	33	1	5.0		5	5	5	5	5	5	5
18-24	3	9.3	73	3	3	6	16	19	19	19										
25-34	3	3.7	6	1	1	4	5	6	6	6										
35-54	3	7.7	36	2	2	7	12	14	14	14	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	13	10.4	98	1	1	6	17	25	31	33	2	6.0	2	5	5	6	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	13	2	2	4	7	7	7	7										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	10.0	72	4	4	10	16	16	16	16	1	4.0		4	4	4	4	4	4	4
35-54	3	18.7	320	5	5	12	32	39	39	39										
55-74																				
75 +																				
ALL AGES	8	11.5	144	2	3	7	14	32	39	39	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**21**	**10.8**	**110**	**1**	**2**	**7**	**16**	**27**	**36**	**39**	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	5	24.6	344	4	6	30	46	95	99 +	99 +										
18-24	7	9.0	19	2	3	10	12	15	15	15										
25-34	4	12.5	28	5	5	14	16	17	17	17										
35-54	4	15.0	294	1	1	12	29	36	36	36	1	6.0		6	6	6	6	6	6	6
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	22	15.1	167	1	2	13	21	43	65	99 +	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-24	1	38.0		38	38	38	38	38	38	38										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	35.5	13	33	33	35	38	38	38	38										
SUBTOTAL	**24**	**16.8**	**186**	**1**	**2**	**13**	**31**	**42**	**59**	**99 +**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**45**	**14.0**	**156**	**1**	**2**	**11**	**19**	**38**	**43**	**99 +**	**4**	**5.5**	**2**	**4**	**4**	**5**	**6**	**7**	**7**	**7**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	11.0	98	4	4	11	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-24																				
25-34	2	9.0	8	7	7	9	11	11	11	11										
35-54	2	2.5	5	1	1	2	4	4	4	4										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	6	11.0	89	1	1	9	16	26	27	27										
SUBTOTAL	**8**	**11.0**	**78**	**1**	**2**	**9**	**17**	**24**	**27**	**27**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54	3	8.3	38	3	3	7	13	15	15	15										
55-74											1	40.0		40	40	40	40	40	40	40
75 +																				
ALL AGES	3	8.3	38	3	3	7	13	15	15	15	2	23.5	545	7	7	23	40	40	40	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	3	15.7	121	4	4	17	24	26	26	26										
55-74																				
75 +																				
ALL AGES	4	14.8	83	4	4	14	21	26	26	26										
SUBTOTAL	**7**	**12.0**	**67**	**3**	**3**	**12**	**16**	**24**	**26**	**26**	**2**	**23.5**	**545**	**7**	**7**	**23**	**40**	**40**	**40**	**40**
GRAND TOTAL	**15**	**11.5**	**67**	**1**	**3**	**11**	**17**	**26**	**27**	**27**	**2**	**23.5**	**545**	**7**	**7**	**23**	**40**	**40**	**40**	**40**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	3	4.7	14	2	2	3	7	9	9	9	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-24	4	10.3	130	2	2	6	17	27	27	27										
25-34	4	5.3	21	1	1	4	9	11	11	11	2	4.5	1	4	4	4	5	5	5	5
35-54	4	10.5	134	2	2	6	18	27	27	27										
55-74											1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	12	8.7	84	1	1	5	10	27	27	27	4	6.8	9	4	4	6	9	11	11	11
SUBTOTAL	**15**	**7.9**	**71**	**1**	**2**	**4**	**10**	**27**	**27**	**27**	**6**	**6.0**	**7**	**4**	**4**	**5**	**7**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54	2	3.0	8	1	1	2	5	5	5	5										
55-74																				
75 +																				
ALL AGES	5	3.8	11	1	1	3	6	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17	3	28.7	155	17	17	27	38	42	42	42										
18-24	3	5.7	17	1	1	7	8	9	9	9										
25-34	3	7.3	121	1	1	1	15	20	20	20										
35-54	7	12.1	93	1	1	11	22	24	24	24	1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	17	12.4	143	1	1	9	21	26	37	42	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**22**	**10.5**	**123**	**1**	**1**	**6**	**18**	**25**	**33**	**42**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**37**	**9.4**	**102**	**1**	**1**	**5**	**13**	**26**	**27**	**42**	**7**	**5.4**	**9**	**2**	**2**	**5**	**7**	**10**	**11**	**11**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	4	8.8	24	3	3	9	13	13	13	13										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	7	8.9	54	2	2	6	13	20	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	3	8.0	13	5	5	7	11	12	12	12										
25-34	3	5.0	16	1	1	5	8	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54	2	11.0	98	4	4	11	18	18	18	18										
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	10	8.7	50	1	1	6	12	20	23	23	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**17**	**8.8**	**48**	**1**	**2**	**6**	**13**	**21**	**23**	**23**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	4	2.0	4	1	1	1	3	5	5	5										
25-34	3	7.7	36	2	2	7	12	14	14	14										
35-54	2	34.0	1352	8	8	34	60	60	60	60										
55-74	4	2.5	1	2	2	2	3	4	4	4										
75 +																				
ALL AGES	14	9.1	244	1	1	3	8	23	52	60										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	4	15.3	61	5	5	17	21	22	22	22										
25-34	8	9.3	27	3	3	8	14	16	17	17										
35-54	2	4.0	8	2	2	4	6	6	6	6										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	16	10.8	64	1	2	8	16	22	26	28										
SUBTOTAL	**30**	**10.0**	**143**	**1**	**1**	**6**	**14**	**21**	**28**	**60**										
GRAND TOTAL	**47**	**9.6**	**107**	**1**	**1**	**6**	**13**	**22**	**24**	**60**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	8	3.8	11	1	1	2	5	9	11	11	1	8.0		8	8	8	8	8	8	8
25-34	4	6.8	66	2	2	3	11	19	19	19										
35-54	3	15.7	161	1	1	22	23	24	24	24	2	4.5	1	4	4	4	5	5	5	5
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +																				
ALL AGES	18	6.8	60	1	1	3	11	21	23	24	3	5.7	4	4	4	5	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	221	1	1	11	22	22	22	22										
SUBTOTAL	**20**	**7.3**	**67**	**1**	**1**	**3**	**12**	**22**	**23**	**24**	**3**	**5.7**	**4**	**4**	**4**	**5**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.7	65	5	5	7	17	20	20	20										
18-24	13	8.7	67	1	1	5	12	24	24	24	1	3.0		3	3	3	3	3	3	3
25-34	20	6.0	42	1	1	4	7	14	23	27	1	13.0		13	13	13	13	13	13	13
35-54	7	3.6	4	1	1	3	5	7	7	7	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	43	6.7	47	1	1	5	8	19	24	27	4	4.5	33	1	1	2	8	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	52.0		52	52	52	52	52	52	52										
18-24																				
25-34	4	10.8	247	1	1	4	20	34	34	34										
35-54																				
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	6	17.7	430	1	1	9	34	50	52	52										
SUBTOTAL	**49**	**8.1**	**98**	**1**	**1**	**5**	**9**	**22**	**27**	**52**	**4**	**4.5**	**33**	**1**	**1**	**2**	**8**	**13**	**13**	**13**
GRAND TOTAL	**69**	**7.9**	**88**	**1**	**1**	**4**	**9**	**22**	**24**	**49**	**7**	**5.0**	**18**	**1**	**1**	**4**	**7**	**12**	**13**	**13**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	99 +	99 +	99 +	99 +	99 +	1	46.0		46	46	46	46	46	46	46
13-17	22	22.4	258	5	7	17	29	42	57	70	3	38.0	228	24	24	36	49	54	54	54
18-24	20	9.5	136	1	1	5	13	30	35	39	2	5.0	8	3	3	5	7	7	7	7
25-34	22	14.7	231	1	1	10	19	44	49	57	1	9.0		9	9	9	9	9	9	9
35-54	10	8.8	30	1	1	8	13	16	18	18										
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	76	14.9	207	1	1	11	22	42	64	99 +	8	22.6	423	2	2	16	41	52	54	54
B. FEMALE																				
0-12 YRS.	1	78.0		78	78	78	78	78	78	78										
13-17	25	31.1	561	2	10	26	44	79	97	99 +	1	46.0		46	46	46	46	46	46	46
18-24	48	14.3	143	3	4	10	15	39	45	46	1	20.0		20	20	20	20	20	20	20
25-34	71	10.1	84	1	1	8	15	24	29	37	2	28.0	200	18	18	28	38	38	38	38
35-54	40	13.4	122	2	3	10	17	33	39	42										
55-74	3	20.3	164	12	12	14	30	35	35	35	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	188	15.2	232	1	2	11	20	37	45	90	5	25.6	261	6	6	20	40	46	46	46
SUBTOTAL	**264**	**15.1**	**225**	**1**	**2**	**11**	**21**	**38**	**46**	**99 +**	**13**	**23.8**	**334**	**2**	**3**	**20**	**40**	**48**	**53**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	8.5	13	6	6	8	11	11	11	11										
13-17	12	27.7	610	2	2	28	42	56	83	87	1	2.0		2	2	2	2	2	2	2
18-24	29	9.6	90	1	2	5	13	29	31	31	3	6.0	7	4	4	5	8	9	9	9
25-34	26	6.0	54	1	1	3	8	17	26	28	1	40.0		40	40	40	40	40	40	40
35-54	15	11.6	94	1	2	10	15	26	34	37	1	6.0		6	6	6	6	6	6	6
55-74	3	7.3	5	5	5	8	9	9	9	9	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	87	11.2	188	1	1	6	14	30	38	71	7	10.3	176	2	2	6	8	34	40	40
B. FEMALE																				
0-12 YRS.	3	51.0	1839	14	14	41	84	98	98	98										
13-17	20	29.9	578	9	10	28	41	99 +	99 +	99 +										
18-24	33	10.5	80	1	2	8	18	22	39	99 +	1	2.0		2	2	2	2	2	2	2
25-34	65	11.0	137	2	2	7	14	25	32	65	4	5.0	54	1	1	2	9	16	16	16
35-54	50	15.5	223	2	3	10	21	39	45	71	2	5.0	8	3	3	5	7	7	7	7
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	172	15.1	276	2	3	10	19	41	62	99 +	7	4.6	29	1	1	2	6	14	16	16
SUBTOTAL	**259**	**13.8**	**248**	**1**	**2**	**9**	**18**	**34**	**44**	**99 +**	**14**	**7.4**	**104**	**1**	**1**	**4**	**7**	**18**	**35**	**40**
GRAND TOTAL	**523**	**14.5**	**235**	**1**	**2**	**10**	**19**	**36**	**46**	**99 +**	**27**	**15.3**	**276**	**1**	**2**	**7**	**23**	**45**	**47**	**54**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	96.0		96	96	96	96	96	96	96										
18-24	4	21.3	413	2	2	17	36	49	49	49	1	1.0		1	1	1	1	1	1	1
25-34	5	4.6	19	1	1	4	6	12	12	12	2	1.0		1	1	1	1	1	1	1
35-54	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
55-74	3	15.7	33	9	9	18	19	20	20	20	1	4.0		4	4	4	4	4	4	4
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	16	16.9	591	1	2	10	19	46	82	96	5	1.6	2	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	32.0	512	16	16	32	48	48	48	48	1	3.0		3	3	3	3	3	3	3
18-24	7	9.7	145	1	1	6	14	31	34	34										
25-34	5	6.4	33	1	1	4	12	14	14	14										
35-54	4	10.0	25	6	6	8	13	17	17	17										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	18	11.3	153	1	1	7	16	29	42	48	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**34**	**14.0**	**354**	**1**	**2**	**8**	**17**	**35**	**49**	**96**	**7**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63	1	8.0		8	8	8	8	8	8	8
13-17	1	18.0		18	18	18	18	18	18	18										
18-24	4	14.8	136	6	6	10	22	32	32	32	2	3.5	13	1	1	3	6	6	6	6
25-34	3	12.3	27	7	7	13	16	17	17	17										
35-54	1	19.0		19	19	59	99 +	99 +	99 +	99 +	3	2.0	3	1	1	1	3	4	4	4
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	11	18.8	268	6	7	15	25	74	96	99 +	6	3.5	9	1	1	3	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	3	22.7	223	8	8	22	34	38	38	38										
18-24	1	1.0		1	1	1	1	1	1	1	2	10.5	61	5	5	10	16	16	16	16
25-34	5	6.6	16	2	2	6	8	13	13	13										
35-54	3	9.3	22	4	4	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
55-74	2	1.5	1	1	1	1	2	2	2	2										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	14	9.5	102	1	1	6	12	24	35	38	4	7.3	39	1	1	6	11	16	16	16
SUBTOTAL	**25**	**13.6**	**189**	**1**	**2**	**11**	**18**	**37**	**70**	**99 +**	**10**	**5.0**	**22**	**1**	**1**	**4**	**7**	**12**	**16**	**16**
GRAND TOTAL	**59**	**13.8**	**280**	**1**	**2**	**10**	**17**	**36**	**56**	**99 +**	**17**	**3.7**	**16**	**1**	**1**	**2**	**5**	**8**	**13**	**16**

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	39.0		39	39	39	39	39	39	39										
25-34	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	17.3	356	5	5	8	31	39	39	39	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	17.3	356	5	5	8	31	39	39	39	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	91.0		91	91	91	91	91	91	91	1	39.0		39	39	39	39	39	39	39
18-24																				
25-34	2	6.5	13	4	4	6	9	9	9	9	1	23.0		23	23	23	23	23	23	23
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	5	30.0	1284	4	4	13	47	91	91	91	2	31.0	128	23	23	31	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	5	30.0	1284	4	4	13	47	91	91	91	2	31.0	128	23	23	31	39	39	39	39
GRAND TOTAL	8	25.3	875	4	4	11	36	75	91	91	3	21.0	364	1	1	23	35	39	39	39

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	30.0		30	30	30	30	30	30	30										
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**										
GRAND TOTAL	**2**	**22.5**	**113**	**15**	**15**	**22**	**30**	**30**	**30**	**30**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18	2	57.0	1800	27	27	57	87	87	87	87
25-34											11	8.3	41	1	1	8	14	16	16	16
35-54	3	13.0	67	6	6	11	19	22	22	22	11	10.1	87	1	1	6	15	23	31	32
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	4	14.3	49	6	6	14	20	22	22	22	25	12.8	308	1	1	8	16	27	46	87
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	13.0	98	6	6	13	20	20	20	20	3	21.0	325	6	6	16	35	41	41	41
35-54											2	3.5	13	1	1	3	6	6	6	6
55-74	1	32.0		32	32	32	32	32	32	32	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	19.3	171	6	6	20	29	32	32	32	6	12.5	220	1	1	6	16	38	41	41
SUBTOTAL	**7**	**16.4**	**90**	**6**	**6**	**18**	**21**	**30**	**32**	**32**	**31**	**12.8**	**281**	**1**	**1**	**7**	**16**	**29**	**41**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**7**	**16.4**	**90**	**6**	**6**	**18**	**21**	**30**	**32**	**32**	**31**	**12.8**	**281**	**1**	**1**	**7**	**16**	**29**	**41**	**87**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	9	2.9	7	1	1	2	4	7	9	9	4	3.5	2	2	2	3	4	5	5	5
55-74	10	3.3	3	1	1	3	4	6	6	6	11	2.8	1	1	1	3	4	4	4	4
75 +																				
ALL AGES	19	3.1	5	1	1	3	4	6	8	9	15	3.0	1	1	1	3	4	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	19	3.1	5	1	1	3	4	6	8	9	15	3.0	1	1	1	3	4	4	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	19	3.1	5	1	1	3	4	6	8	9	15	3.0	1	1	1	3	4	4	5	5

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	11.0		11	11	11	11	11	11	11
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**	**2**	**7.0**	**32**	**3**	**3**	**7**	**11**	**11**	**11**	**11**
GRAND TOTAL	**4**	**7.8**	**47**	**2**	**2**	**6**	**13**	**17**	**17**	**17**	**2**	**7.0**	**32**	**3**	**3**	**7**	**11**	**11**	**11**	**11**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	18.0		18	18	18	18	18	18	18	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	18.0		18	18	18	18	18	18	18	1	5.0		5	5	5	5	5	5	5

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	10.5	181	1	1	10	20	20	20	20
13-17	13	4.1	57	1	1	2	3	9	25	29	15	4.9	124	1	1	2	3	5	35	45
18-24	82	3.5	24	1	1	2	3	5	20	22	29	4.3	56	1	1	2	4	9	28	32
25-34	301	5.0	45	1	1	2	3	21	22	25	101	5.5	64	1	1	3	4	22	29	31
35-54	556	5.9	53	1	1	3	5	21	23	31	245	5.5	58	1	1	3	5	10	28	32
55-74	205	5.9	46	1	2	3	6	16	23	30	108	4.9	31	1	1	3	5	8	16	30
75 +	14	5.4	26	1	1	4	6	15	17	18	15	3.3	2	1	2	3	5	5	5	5
ALL AGES	1172	5.4	48	1	1	3	4	20	23	30	515	5.2	54	1	1	3	5	8	28	32
B. FEMALE																				
0-12 YRS.																				
13-17	11	2.9	8	1	1	2	4	7	10	10	7	17.6	376	1	1	5	36	43	44	44
18-24	13	5.8	71	1	1	2	7	16	28	31	15	4.3	43	1	1	1	4	19	20	21
25-34	83	6.1	56	1	1	3	4	21	23	28	36	5.4	54	1	1	3	5	10	26	33
35-54	132	6.2	54	1	1	3	5	22	24	29	50	6.0	69	1	2	3	5	15	31	36
55-74	47	7.8	86	1	1	3	11	26	28	32	25	5.5	43	1	1	3	6	10	21	32
75 +	2	3.5	5	2	2	3	5	5	5	5	5	3.8	3	2	2	4	5	6	6	6
ALL AGES	288	6.3	58	1	1	3	5	22	25	30	138	6.1	74	1	1	3	5	19	31	38
SUBTOTAL	**1460**	**5.6**	**50**	**1**	**1**	**3**	**4**	**20**	**23**	**30**	**653**	**5.4**	**59**	**1**	**1**	**3**	**5**	**10**	**28**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11	1	24.0		24	24	24	24	24	24	24
13-17	14	9.0	211	1	1	2	3	37	40	41	5	24.0	286	1	1	25	35	46	46	46
18-24	108	8.9	98	1	1	3	20	23	28	34	80	11.4	101	1	1	7	22	24	25	31
25-34	379	7.1	81	1	1	3	6	23	27	31	300	12.6	103	1	2	7	22	24	29	32
35-54	579	6.7	70	1	2	3	6	21	24	31	536	9.6	84	1	2	5	20	24	26	31
55-74	196	8.5	82	2	2	5	9	26	30	36	182	7.7	51	1	2	5	9	21	24	29
75 +	14	10.9	51	3	4	10	13	23	26	27	14	10.0	70	2	4	9	12	16	32	36
ALL AGES	1291	7.4	78	1	1	3	7	23	27	34	1118	10.3	89	1	2	5	21	24	26	32
B. FEMALE																				
0-12 YRS.																				
13-17	8	4.8	61	1	1	2	3	18	24	24	6	22.7	1202	1	1	2	45	80	84	84
18-24	36	8.0	80	1	1	3	10	23	26	28	20	15.4	167	1	1	21	23	29	37	44
25-34	110	7.2	72	1	1	3	7	23	26	32	114	9.8	79	1	2	5	21	23	25	28
35-54	183	7.1	69	1	2	4	7	23	26	34	136	10.2	91	1	2	5	21	24	25	33
55-74	47	8.3	71	1	2	5	10	22	28	31	46	9.5	84	1	2	6	13	23	31	35
75 +	6	4.5	4	3	3	4	5	8	8	8	6	9.3	133	1	1	5	13	29	31	31
ALL AGES	390	7.3	69	1	1	4	7	23	26	33	328	10.5	111	1	2	5	21	24	28	39
SUBTOTAL	**1681**	**7.3**	**77**	**1**	**1**	**3**	**7**	**23**	**27**	**33**	**1446**	**10.4**	**93**	**1**	**2**	**5**	**21**	**24**	**27**	**32**
GRAND TOTAL	**3141**	**6.5**	**66**	**1**	**1**	**3**	**6**	**22**	**24**	**31**	**2099**	**8.8**	**88**	**1**	**1**	**4**	**14**	**23**	**27**	**33**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	17.8	185	2	2	15	28	37	37	37	1	27.0		27	27	27	27	27	27	27
13-17	49	29.1	385	2	5	30	42	45	75	92	43	25.8	192	2	4	28	31	42	49	63
18-24	210	17.8	112	1	2	21	27	29	31	33	178	17.0	100	2	2	21	25	29	31	35
25-34	718	16.9	118	1	2	20	27	29	30	33	587	16.7	98	2	3	21	24	29	30	32
35-54	1257	16.3	113	2	3	20	27	29	30	33	968	15.2	111	2	3	16	25	29	30	33
55-74	346	16.5	118	2	3	19	26	29	31	35	345	14.9	110	2	3	12	24	29	31	34
75 +	20	18.0	81	3	4	19	24	29	31	32	12	18.8	130	3	5	22	29	31	34	34
ALL AGES	2605	16.8	125	2	2	20	27	29	31	36	2134	16.0	109	2	3	20	25	29	30	35
B. FEMALE																				
0-12 YRS.											2	14.5	365	1	1	14	28	28	28	28
13-17	24	28.6	302	1	3	32	43	44	53	62	28	24.8	189	3	4	28	32	41	46	57
18-24	66	18.5	119	2	2	22	28	29	31	40	55	16.3	138	2	3	16	28	31	33	45
25-34	192	15.2	111	1	2	17	25	28	29	30	178	12.9	90	2	2	9	21	27	28	33
35-54	324	15.3	116	2	2	16	26	29	30	33	265	14.5	100	2	3	12	23	28	30	36
55-74	136	18.9	95	2	4	21	27	29	32	35	90	13.5	102	2	2	11	22	28	29	36
75 +	10	12.9	92	1	1	12	22	24	25	25	4	4.8	16	1	1	4	8	10	10	10
ALL AGES	752	16.6	123	2	2	19	26	29	31	43	622	14.4	112	2	3	12	23	29	30	40
SUBTOTAL	**3357**	**16.8**	**123**	**2**	**2**	**20**	**27**	**29**	**31**	**39**	**2756**	**15.6**	**111**	**2**	**3**	**18**	**24**	**29**	**30**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	1	9	9	9	10	10	10	10	2	15.5	313	3	3	15	28	28	28	28
13-17	288	31.0	263	3	7	30	42	46	52	88	142	25.3	181	4	5	27	33	41	48	59
18-24	346	18.9	127	2	3	22	28	31	33	46	257	18.5	106	2	3	21	27	30	33	41
25-34	854	16.8	112	2	3	21	26	29	31	34	731	17.0	105	2	3	21	25	29	30	36
35-54	837	16.2	103	2	3	19	25	29	31	37	496	15.5	113	2	3	15	25	29	30	35
55-74	199	18.8	120	2	4	21	28	31	34	42	117	14.5	111	2	3	11	24	30	31	36
75 +	12	17.9	119	3	4	15	28	30	34	35	10	16.3	150	2	2	14	22	35	36	36
ALL AGES	2538	18.7	147	2	3	21	28	31	41	49	1755	17.3	121	2	3	21	27	30	32	42
B. FEMALE																				
0-12 YRS.																				
13-17	114	30.3	264	4	7	31	42	44	50	80	88	27.8	121	6	12	29	35	40	44	57
18-24	122	17.9	129	2	3	20	27	30	35	42	129	18.1	104	3	4	21	28	30	31	35
25-34	282	16.1	107	2	3	18	26	29	31	34	212	15.6	107	2	3	17	24	29	31	35
35-54	240	15.7	121	2	3	17	25	29	32	40	159	15.2	110	2	3	14	24	29	31	32
55-74	103	19.6	126	2	4	24	28	33	35	39	42	14.7	115	2	3	12	24	29	31	38
75 +	8	15.5	163	1	1	16	28	28	28	28	4	14.8	133	5	5	13	24	28	28	28
ALL AGES	869	18.5	160	2	3	20	28	32	42	49	634	17.6	128	2	3	21	28	31	34	43
SUBTOTAL	**3407**	**18.6**	**152**	**2**	**3**	**21**	**28**	**31**	**41**	**49**	**2389**	**17.4**	**122**	**2**	**3**	**21**	**27**	**30**	**32**	**42**
GRAND TOTAL	**6764**	**17.7**	**139**	**2**	**3**	**20**	**27**	**30**	**33**	**45**	**5145**	**16.4**	**118**	**2**	**3**	**20**	**25**	**29**	**31**	**39**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	7	3.9	6	2	2	3	5	8	9	9	5	8.2	57	3	3	4	12	21	21	21
25-34	60	8.8	69	1	2	5	15	22	26	31	33	12.8	126	2	3	7	22	28	34	43
35-54	69	10.3	85	2	2	5	19	26	28	30	35	8.9	80	2	2	4	17	23	27	28
55-74	2	3.5	1	3	3	3	4	4	4	4	2	6.5	25	3	3	6	10	10	10	10
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	139	9.2	74	2	2	5	17	23	28	30	76	10.4	99	2	3	5	20	24	28	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	10	9.4	109	1	1	4	18	26	32	32	5	17.6	509	4	4	4	29	56	56	56
25-34	54	6.7	63	1	2	4	6	20	27	38	34	8.9	100	1	1	5	10	27	28	39
35-54	34	7.9	74	1	2	4	5	23	28	28	15	9.3	90	1	3	5	9	29	33	34
55-74	6	12.2	86	3	3	12	15	27	28	28	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	104	7.7	72	1	2	4	8	22	28	35	55	10.1	134	1	1	5	10	27	33	55
SUBTOTAL	**243**	**8.5**	**74**	**2**	**2**	**4**	**12**	**22**	**28**	**31**	**131**	**10.3**	**112**	**1**	**2**	**5**	**17**	**27**	**29**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	13	11.7	151	1	1	3	23	32	34	35	6	14.5	114	2	2	16	24	25	25	25
25-34	142	11.2	92	1	2	6	21	25	28	32	71	12.5	88	2	3	7	22	25	26	30
35-54	124	11.2	68	2	3	8	20	22	26	31	61	11.7	114	2	3	5	21	27	33	39
55-74	5	14.2	163	2	2	8	28	28	28	28	4	7.0	2	5	5	7	8	8	8	8
75 +																				
ALL AGES	284	11.2	86	2	2	7	21	25	28	32	142	12.1	97	2	3	6	22	25	28	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	11	12.6	170	1	1	4	23	33	35	35	10	11.4	76	3	3	7	21	24	26	26
25-34	85	9.6	87	[illegible]	1	6	15	25	28	38	40	12.6	159	2	3	6	21	32	41	48
35-54	54	11.8	97	2	3	7	20	28	31	34	22	8.2	54	2	3	5	8	22	27	28
55-74	10	18.8	165	1	1	21	28	33	34	34	1	21.0		21	21	21	21	21	21	21
75 +	2	25.0	18	22	22	25	28	28	28	28										
ALL AGES	162	11.3	105	1	2	6	20	28	32	36	73	11.2	117	3	3	6	14	28	33	47
SUBTOTAL	**446**	**11.3**	**91**	**2**	**2**	**7**	**21**	**26**	**29**	**35**	**215**	**11.8**	**103**	**2**	**3**	**6**	**21**	**25**	**31**	**41**
GRAND TOTAL	**689**	**10.3**	**87**	**2**	**2**	**5**	**20**	**25**	**28**	**34**	**346**	**11.2**	**108**	**2**	**3**	**6**	**21**	**26**	**30**	**43**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14	1	24.0		24	24	24	24	24	24	24
25-34	5	17.8	169	4	4	22	29	31	31	31	5	11.6	159	1	1	4	23	29	29	29
35-54	3	3.3	17	1	1	1	6	8	8	8	3	17.7	373	6	6	7	32	40	40	40
55-74	5	10.4	102	3	3	5	16	27	27	27	2	3.0		3	3	3	3	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	15	11.1	116	1	1	5	20	28	30	31	11	12.8	178	1	2	6	23	33	39	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	11	21.1	106	4	7	24	29	33	34	34	11	10.2	96	3	3	5	16	26	32	33
35-54	11	19.4	98	4	6	24	28	29	30	30	16	13.1	82	3	3	10	21	28	29	29
55-74	7	16.9	122	4	4	21	27	29	29	29	6	24.0	315	3	3	27	31	48	50	50
75 +	2	21.0	8	19	19	21	23	23	23	23										
ALL AGES	31	19.5	97	4	5	23	28	30	33	34	34	13.9	138	3	3	9	22	31	33	50
SUBTOTAL	**46**	**16.8**	**115**	**2**	**4**	**20**	**27**	**30**	**31**	**34**	**45**	**13.6**	**145**	**3**	**3**	**8**	**22**	**31**	**35**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	7.7	54	2	2	5	13	16	16	16	5	13.2	160	2	2	6	24	31	31	31
25-34	14	7.2	43	1	2	4	11	18	20	20	12	8.9	64	2	3	5	13	22	23	23
35-54	17	19.8	133	2	4	22	28	39	76	99 +	4	19.5	60	8	8	22	24	25	25	25
55-74	11	20.5	175	2	3	27	29	35	43	44	4	14.8	90	6	6	12	21	28	28	28
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	46	15.6	143	2	2	15	28	30	41	99 +	25	12.4	90	2	4	6	22	25	29	31
B. FEMALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24	4	9.3	111	3	3	5	15	25	25	25	2	4.0		4	4	4	4	4	4	4
25-34	25	10.7	86	1	2	6	19	24	28	29	24	10.7	72	2	2	7	21	23	26	27
35-54	33	14.8	112	2	2	12	24	29	29	34	24	19.9	252	1	1	20	32	39	45	60
55-74	17	18.1	118	2	5	16	28	34	35	35	9	16.8	134	3	4	13	30	31	32	32
75 +	5	17.6	62	5	5	18	23	26	26	26										
ALL AGES	84	14.2	106	2	2	11	23	28	30	35	60	15.0	168	1	3	9	24	32	37	58
SUBTOTAL	**130**	**14.7**	**118**	**2**	**2**	**13**	**24**	**29**	**34**	**55**	**85**	**14.3**	**143**	**2**	**3**	**8**	**23**	**31**	**35**	**53**
GRAND TOTAL	**176**	**15.2**	**119**	**2**	**2**	**14**	**25**	**29**	**32**	**43**	**130**	**14.0**	**145**	**2**	**3**	**8**	**23**	**31**	**35**	**52**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	17.0	129	4	4	22	24	25	25	25	1	8.0		8	8	8	8	8	8	8
18-24	78	13.4	116	1	2	10	22	29	29	31	64	16.1	78	2	3	20	23	26	29	32
25-34	290	13.1	98	2	3	10	21	28	29	31	308	14.5	82	2	3	15	22	25	28	31
35-54	104	14.4	98	3	3	17	22	28	29	32	122	16.3	76	3	3	21	23	25	31	32
55-74	2	28.5	25	25	25	28	32	32	32	32	3	16.3	98	5	5	22	22	22	22	22
75 +	2	27.5	61	22	22	27	33	33	33	33										
ALL AGES	479	13.6	101	2	3	12	22	28	29	32	498	15.2	79	2	3	17	22	25	29	32
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	13	4	4	6	9	9	9	9	1	6.0		6	6	6	6	6	6	6
18-24	68	9.3	73	2	2	5	17	22	27	31	66	10.8	80	3	3	7	16	26	28	35
25-34	202	11.6	85	2	3	6	20	27	28	31	157	9.5	62	3	3	6	14	23	25	30
35-54	26	13.6	85	3	3	12	21	25	29	31	37	10.6	66	3	3	8	21	23	23	24
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	299	11.2	84	2	3	6	20	25	28	31	261	10.0	66	3	3	6	15	23	26	32
SUBTOTAL	**778**	**12.7**	**95**	**2**	**3**	**9**	**21**	**28**	**29**	**31**	**759**	**13.4**	**81**	**2**	**3**	**11**	**21**	**24**	**28**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	11	24.7	380	2	3	20	40	51	62	63	3	12.3	142	5	5	6	21	26	26	26
18-24	170	16.5	99	2	3	20	23	28	30	38	108	16.3	64	2	3	20	22	23	25	31
25-34	533	15.0	92	2	2	18	22	28	28	32	395	15.5	82	3	3	18	23	25	28	32
35-54	330	14.1	77	2	3	15	21	25	28	29	182	15.5	87	3	3	17	22	24	28	45
55-74	6	14.0	78	6	6	10	23	27	27	27	5	15.0	57	8	8	11	22	25	25	25
75 +																				
ALL AGES	1051	15.1	91	2	3	18	22	28	28	33	693	15.6	80	3	3	19	23	24	28	32
B. FEMALE																				
0-12 YRS.																				
13-17	9	18.6	205	1	1	21	28	37	43	43	2	15.5	421	1	1	15	30	30	30	30
18-24	94	13.6	92	2	2	13	21	27	28	30	74	13.4	106	2	4	8	22	25	29	48
25-34	226	12.3	87	2	3	8	20	27	28	33	133	11.2	85	3	3	8	20	24	28	36
35-54	62	14.5	89	2	3	16	21	28	28	35	27	12.6	72	3	4	8	21	24	25	30
55-74	2	16.5	85	10	10	16	23	23	23	23	1	10.0		10	10	10	10	10	10	10
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	394	13.1	92	2	3	10	21	27	28	34	237	12.1	91	3	3	8	21	24	29	36
SUBTOTAL	**1445**	**14.5**	**94**	**2**	**3**	**16**	**22**	**27**	**28**	**33**	**930**	**14.7**	**85**	**3**	**3**	**15**	**22**	**24**	**28**	**32**
GRAND TOTAL	**2223**	**13.9**	**94**	**2**	**3**	**13**	**22**	**28**	**29**	**32**	**1689**	**14.1**	**84**	**3**	**3**	**14**	**22**	**24**	**28**	**32**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	16.5	365	3	3	16	30	30	30	30
13-17	31	30.0	257	2	8	35	43	44	53	58	28	24.3	123	3	4	27	31	35	42	46
18-24	17	19.1	131	3	4	25	29	31	32	32	10	15.6	146	1	1	11	28	30	30	30
25-34	24	21.4	78	3	5	24	28	30	30	31	12	18.8	74	3	6	19	26	29	29	29
35-54	1	9.0		9	9	9	9	9	9	9	2	25.0	32	21	21	25	29	29	29	29
55-74																				
75 +																				
ALL AGES	73	24.4	185	3	5	25	31	43	43	57	54	21.2	124	3	3	24	29	31	35	46
B. FEMALE																				
0-12 YRS.																				
13-17	3	13.7	99	4	4	13	21	24	24	24	13	21.6	133	2	2	29	30	31	33	33
18-24	3	15.7	3	14	14	15	17	18	18	18	3	19.3	214	3	3	24	29	31	31	31
25-34	3	25.7	2	24	24	25	27	28	28	28	8	10.1	88	3	3	6	14	26	29	29
35-54	2	12.0	162	3	3	12	21	21	21	21	2	2.5	1	2	2	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	11	17.2	69	3	4	18	24	26	28	28	26	16.3	150	2	2	14	30	30	31	33
SUBTOTAL	**84**	**23.4**	**177**	**3**	**5**	**24**	**30**	**42**	**43**	**56**	**80**	**19.6**	**136**	**2**	**3**	**22**	**29**	**31**	**33**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	51	33.3	297	5	8	38	42	46	48	93	94	25.3	196	1	5	27	33	43	49	61
18-24	52	19.4	145	1	3	22	27	33	42	46	45	24.5	159	4	6	28	30	38	48	56
25-34	27	17.7	160	2	3	21	29	31	34	45	36	18.8	86	2	4	21	26	29	29	37
35-54	9	19.7	117	4	4	23	28	31	33	33	15	20.3	79	4	7	21	29	30	32	33
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	139	24.2	247	2	4	25	35	43	46	76	191	23.4	163	2	5	25	30	37	45	58
B. FEMALE																				
0-12 YRS.																				
13-17	22	33.7	335	3	5	40	46	54	59	61	40	28.9	144	5	8	29	33	38	50	67
18-24	11	17.4	127	2	4	16	28	30	31	31	16	18.1	124	3	3	21	28	30	31	31
25-34	18	21.2	76	3	4	23	26	30	31	31	13	23.2	47	13	13	24	29	31	32	32
35-54	4	15.0	121	2	2	16	24	26	26	26										
55-74																				
75 +																				
ALL AGES	55	25.0	239	2	4	25	35	46	52	61	69	25.3	140	3	5	28	30	36	39	64
SUBTOTAL	**194**	**24.4**	**245**	**2**	**4**	**25**	**35**	**43**	**46**	**68**	**260**	**23.9**	**157**	**3**	**5**	**26**	**30**	**37**	**45**	**59**
GRAND TOTAL	**278**	**24.1**	**224**	**2**	**4**	**24**	**32**	**43**	**46**	**60**	**340**	**22.9**	**154**	**3**	**4**	**25**	**30**	**36**	**43**	**57**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	25.0		25	25	25	25	25	25	25
25-34	3	4.0	4	2	2	4	5	6	6	6	1	27.0		27	27	27	27	27	27	27
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	3	4.0	4	2	2	4	5	6	6	6	3	18.7	160	4	4	25	26	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	3.0	3	1	1	4	4	4	4	4	2	6.5	41	2	2	6	11	11	11	11
25-34	4	20.3	149	2	2	25	27	29	29	29	3	8.3	66	1	1	7	14	17	17	17
35-54	1	4.0		4	4	4	4	4	4	4	1	28.0		28	28	28	28	28	28	28
55-74	2	15.0	338	2	2	15	28	28	28	28										
75 +																				
ALL AGES	10	12.4	155	1	1	4	25	28	29	29	6	11.0	104	1	1	9	17	27	28	28
SUBTOTAL	**13**	**10.5**	**130**	**1**	**2**	**4**	**25**	**28**	**29**	**29**	**9**	**13.6**	**119**	**1**	**1**	**11**	**25**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	44.0		44	44	44	44	44	44	44	2	5.5	13	3	3	5	8	8	8	8
18-24	1	11.0		11	11	11	11	11	11	11	5	27.8	20	20	20	29	30	31	31	31
25-34	6	26.8	20	20	20	27	30	32	32	32	12	20.3	143	2	4	25	29	31	34	35
35-54	4	11.5	140	2	2	8	20	28	28	28	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	13	21.1	148	2	4	25	29	34	42	44	20	20.1	134	2	4	25	29	31	33	35
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24	3	3.0		3	3	3	3	3	3	3	2	21.5	113	14	14	21	29	29	29	29
25-34	9	15.1	86	3	4	14	24	28	30	30	5	22.2	116	4	4	27	29	30	30	30
35-54	3	20.3	214	4	4	25	30	32	32	32	4	22.0	161	5	5	24	31	35	35	35
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	16	14.6	120	3	3	12	25	30	31	32	12	20.6	120	4	5	24	29	31	34	35
SUBTOTAL	**29**	**17.5**	**139**	**3**	**3**	**14**	**28**	**31**	**33**	**44**	**32**	**20.3**	**124**	**3**	**4**	**25**	**29**	**31**	**34**	**35**
GRAND TOTAL	**42**	**15.3**	**145**	**2**	**2**	**12**	**26**	**30**	**32**	**44**	**41**	**18.8**	**129**	**2**	**3**	**23**	**29**	**30**	**33**	**35**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42										
SUBTOTAL	**2**	**43.5**	**5**	**42**	**42**	**43**	**45**	**45**	**45**	**45**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	52.0	128	44	44	52	60	60	60	60
18-24	4	7.8	103	2	2	3	13	23	23	23	1	23.0		23	23	23	23	23	23	23
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	5	6.6	85	2	2	2	9	23	23	23	3	42.3	349	23	23	44	56	60	60	60
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											1	6.0		6	6	6	6	6	6	6
25-34											1	21.0		21	21	21	21	21	21	21
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	13.5	113	6	6	13	21	21	21	21
SUBTOTAL	**6**	**5.7**	**73**	**1**	**1**	**2**	**4**	**21**	**23**	**23**	**5**	**30.8**	**450**	**6**	**6**	**23**	**48**	**60**	**60**	**60**
GRAND TOTAL	**8**	**15.1**	**360**	**1**	**1**	**3**	**32**	**44**	**45**	**45**	**5**	**30.8**	**450**	**6**	**6**	**23**	**48**	**60**	**60**	**60**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17											1	31.0		31	31	31	31	31	31	31
18-24	1	4.0		4	4	4	4	4	4	4	4	13.8	159	1	1	13	24	27	27	27
25-34	3	13.0	271	3	3	4	25	32	32	32	4	11.5	68	2	2	11	18	21	21	21
35-54	4	3.5	6	2	2	3	5	7	7	7	3	7.3	103	1	1	2	15	19	19	19
55-74											3	13.3	164	5	5	7	23	28	28	28
75 +																				
ALL AGES	9	8.4	107	2	2	4	10	27	32	32	15	12.9	119	1	1	8	22	28	30	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	25.0		25	25	25	25	25	25	25
18-24	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
25-34	3	13.7	153	6	6	7	23	28	28	28	2	3.0		3	3	3	3	3	3	3
35-54	4	9.3	140	2	2	4	16	27	27	27	4	8.0	75	3	3	4	13	21	21	21
55-74											1	6.0		6	6	6	6	6	6	6
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	9	9.1	113	1	1	5	12	28	28	28	10	8.1	64	3	3	5	7	23	25	25
SUBTOTAL	**18**	**8.8**	**103**	**1**	**2**	**4**	**7**	**28**	**30**	**32**	**25**	**11.0**	**99**	**1**	**2**	**6**	**21**	**27**	**29**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	2	37.5	61	32	32	37	43	43	43	43	5	14.6	98	5	5	15	22	28	28	28
18-24	6	10.0	106	1	1	7	15	27	28	28	4	8.8	78	3	3	5	14	22	22	22
25-34	5	16.6	293	2	2	8	31	41	41	41	4	11.5	159	3	3	6	19	30	30	30
35-54	2	13.0	242	2	2	13	24	24	24	24	2	3.0		3	3	3	3	3	3	3
55-74	2	5.0	2	4	4	5	6	6	6	6	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	18	16.8	265	1	2	9	28	42	47	49	16	10.6	87	3	3	6	17	27	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	2	42.0		42	42	42	42	42	42	42	3	34.0	127	21	21	40	41	41	41	41
18-24	1	20.0		20	20	20	20	20	20	20										
25-34	10	7.4	50	1	1	4	10	20	20	20	8	12.6	110	3	3	8	22	28	30	30
35-54	6	19.2	151	2	2	25	29	29	29	29	4	11.5	208	2	2	5	19	33	33	33
55-74	1	28.0		28	28	28	28	28	28	28	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	20	16.1	184	1	2	15	27	35	42	42	16	16.2	188	2	3	9	26	39	41	41
SUBTOTAL	**38**	**16.4**	**217**	**1**	**2**	**10**	**28**	**42**	**43**	**49**	**32**	**13.4**	**141**	**3**	**3**	**8**	**22**	**31**	**39**	**41**
GRAND TOTAL	**56**	**14.0**	**190**	**1**	**2**	**6**	**27**	**32**	**42**	**49**	**57**	**12.3**	**123**	**2**	**3**	**7**	**21**	**29**	**32**	**41**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	34.5	1861	4	4	34	65	65	65	65	1	35.0		35	35	35	35	35	35	35
18-24	2	11.5	221	1	1	11	22	22	22	22	2	2.5	5	1	1	2	4	4	4	4
25-34	36	8.1	57	2	3	4	10	21	24	28	34	8.0	57	2	3	4	9	23	24	31
35-54	23	14.1	107	2	3	16	22	28	29	30	41	10.8	71	2	3	6	21	21	23	30
55-74	1	31.0		31	31	31	31	31	31	31	3	4.0	1	3	3	4	5	5	5	5
75 +																				
ALL AGES	64	11.5	135	2	3	5	20	28	29	60	81	9.4	73	2	3	5	10	21	24	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	2	16.5	313	4	4	16	29	29	29	29
18-24	2	2.5	1	2	2	2	3	3	3	3	9	7.3	80	2	2	4	7	23	29	29
25-34	27	10.1	116	2	3	4	16	30	32	32	26	7.3	55	2	3	4	8	21	27	30
35-54	12	11.2	80	3	3	7	20	23	27	28	19	9.4	95	3	3	4	12	28	31	31
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	42	10.0	99	2	3	4	19	29	31	32	57	8.3	76	2	3	4	8	26	30	31
SUBTOTAL	**106**	**10.9**	**120**	**2**	**3**	**4**	**20**	**28**	**30**	**47**	**138**	**9.0**	**73**	**2**	**3**	**4**	**14**	**23**	**29**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	29.5	606	1	1	28	45	61	61	61										
18-24	5	21.6	14	16	16	21	25	25	25	25	1	8.0		8	8	8	8	8	8	8
25-34	36	14.3	94	2	3	13	22	28	29	31	21	12.5	136	2	3	5	24	30	34	37
35-54	27	11.0	56	2	3	9	19	21	22	25	29	8.8	70	3	3	5	9	24	31	32
55-74	3	13.7	16	9	9	15	16	17	17	17	3	13.3	192	3	3	8	24	29	29	29
75 +	1	35.0		35	35	35	35	35	35	35										
ALL AGES	76	14.7	113	2	3	14	21	28	30	54	54	10.4	101	3	3	5	14	28	32	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.5	25	4	4	7	11	11	11	11	7	8.3	84	4	4	5	6	24	29	29
25-34	13	14.8	110	4	4	8	23	30	30	30	23	5.0	33	2	3	4	4	5	14	31
35-54	9	20.9	137	1	2	23	27	34	39	39	14	8.0	80	4	4	5	5	28	30	30
55-74	1	21.0		21	21	21	21	21	21	21	1	4.0		4	4	4	4	4	4	4
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	26	17.2	117	3	4	21	24	30	32	39	45	6.4	54	3	3	4	5	6	29	31
SUBTOTAL	**102**	**15.3**	**115**	**2**	**3**	**15**	**23**	**28**	**30**	**50**	**99**	**8.6**	**82**	**3**	**3**	**4**	**8**	**28**	**30**	**35**
GRAND TOTAL	**208**	**13.1**	**121**	**2**	**3**	**8**	**21**	**28**	**30**	**48**	**237**	**8.8**	**77**	**2**	**3**	**4**	**9**	**24**	**30**	**33**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	5	32.6	911	2	2	28	46	82	82	82	12	33.0	209	11	11	35	45	48	52	53
18-24	12	11.4	89	1	1	12	19	24	27	28	10	24.0	400	2	2	24	42	48	51	51
25-34	30	12.4	109	1	2	7	22	28	29	31	14	8.8	109	2	3	4	6	30	31	31
35-54	16	14.6	124	1	2	13	25	29	30	31	3	17.3	322	2	2	13	31	37	37	37
55-74																				
75 +																				
ALL AGES	63	14.4	185	1	2	10	23	28	31	76	39	20.8	313	2	3	15	37	45	49	53
B. FEMALE																						
0-12 YRS.																						
13-17	4	26.8	221	10	10	27	39	43	43	43	8	31.1	301	3	4	38	43	45	46	46
18-24	15	10.1	82	1	3	5	19	23	27	28	13	5.8	53	3	3	4	4	10	26	30
25-34	15	15.7	115	3	3	14	27	28	28	28	33	8.0	92	3	3	4	5	28	32	33
35-54	10	12.1	101	2	2	8	25	26	27	27	4	8.8	116	3	3	4	14	25	25	25
55-74	1	27.0		27	27	27	27	27	27	27	1	21.0		21	21	21	21	21	21	21
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	46	14.6	124	2	3	11	25	28	30	43	59	10.9	174	3	3	4	7	33	42	46
SUBTOTAL	**109**	**14.5**	**158**	**2**	**2**	**10**	**25**	**28**	**31**	**59**	**98**	**14.8**	**252**	**3**	**3**	**4**	**29**	**42**	**45**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	17	37.6	755	4	10	33	47	88	92	93	7	23.4	486	4	4	20	36	57	62	62
18-24	15	17.5	218	1	1	18	27	33	46	51	14	18.6	256	1	2	19	32	35	49	53
25-34	36	14.3	101	2	3	16	22	28	29	33	23	16.1	149	3	3	21	28	30	31	33
35-54	18	14.9	87	3	3	16	23	27	28	28	9	16.4	170	2	3	20	28	33	33	33
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	86	19.6	319	2	3	18	26	35	51	92	55	17.4	211	2	3	20	29	33	36	62
B. FEMALE																						
0-12 YRS.																						
13-17	9	51.1	669	1	14	55	65	85	91	91	3	24.7	350	3	3	35	36	36	36	36
18-24	8	16.1	291	1	1	11	27	42	48	48	6	15.5	188	3	3	13	29	32	32	32
25-34	12	17.0	130	2	3	23	27	28	29	29	20	4.6	2	3	3	5	5	5	7	9
35-54	8	10.4	128	2	2	3	21	27	28	28	3	4.0	1	3	3	4	5	5	5	5
55-74	2	16.0	338	3	3	16	29	29	29	29	2	19.5	145	11	11	19	28	28	28	28
75 +																				
ALL AGES	39	23.3	508	1	2	24	29	57	69	91	34	9.1	106	3	3	5	5	29	34	36
SUBTOTAL	**125**	**20.7**	**379**	**2**	**2**	**19**	**27**	**46**	**59**	**91**	**89**	**14.2**	**187**	**3**	**3**	**5**	**27**	**33**	**35**	**58**
GRAND TOTAL	**234**	**17.8**	**285**	**2**	**2**	**16**	**27**	**33**	**48**	**90**	**187**	**14.6**	**217**	**3**	**3**	**5**	**28**	**36**	**44**	**53**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	3	24.3	344	3	3	35	35	35	35	35	2	4.5	5	3	3	4	6	6	6	6
18-24	9	16.8	131	1	1	19	28	29	30	30	3	8.7	113	2	2	3	16	21	21	21
25-34	22	12.9	153	1	1	5	28	29	29	29	8	9.0	92	1	1	5	14	25	27	27
35-54	12	11.5	122	1	2	6	24	28	28	28	2	15.0	288	3	3	15	27	27	27	27
55-74	1	27.0		27	27	27	27	27	27	27										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	48	14.1	150	1	2	6	28	29	30	35	16	9.0	86	1	2	5	14	26	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
18-24	5	4.0	4	1	1	5	5	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34	14	11.5	155	1	2	4	20	33	35	35	6	9.7	56	2	2	9	14	20	21	21
35-54	2	35.0	98	28	28	35	42	42	42	42	3	4.0	9	1	1	4	6	7	7	7
55-74											2	10.0	18	7	7	10	13	13	13	13
75 +																				
ALL AGES	22	11.6	170	1	2	5	20	34	38	42	13	7.8	35	1	2	7	13	15	20	21
SUBTOTAL	**70**	**13.3**	**156**	**1**	**2**	**5**	**28**	**29**	**35**	**41**	**29**	**8.4**	**62**	**1**	**2**	**6**	**13**	**21**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	35.5	265	12	14	33	44	59	61	61	5	19.8	422	1	1	10	41	43	43	43
18-24	1	30.0		30	30	30	30	30	30	30	5	12.6	109	1	1	10	23	24	24	24
25-34	11	10.1	116	1	2	4	19	28	30	30	6	19.8	66	5	6	21	24	28	29	29
35-54	3	15.3	199	2	2	14	26	30	30	30	2	9.5	113	2	2	9	17	17	17	17
55-74	1	2.0		2	2	2	2	2	2	2	2	13.5	113	6	6	13	21	21	21	21
75 +																				
ALL AGES	22	18.3	276	1	2	13	30	37	51	61	20	16.4	155	1	1	18	23	35	42	43
B. FEMALE																				
0-12 YRS.																				
13-17	2	14.0	8	12	12	16	79	99 +	99 +	99 +	3	15.7	84	5	5	21	21	21	21	21
18-24	1	30.0		30	30	30	30	30	30	30	3	18.3	32	12	12	21	22	22	22	22
25-34	7	15.3	247	1	1	7	28	39	41	41	7	11.9	49	3	3	10	19	21	21	21
35-54	6	14.3	181	5	5	6	29	33	34	34	2	15.5	365	2	2	15	29	29	29	29
55-74											2	15.0	338	2	2	15	28	28	28	28
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	17	14.9	174	1	2	10	30	39	76	99 +	17	14.5	82	2	2	13	21	27	29	29
SUBTOTAL	**39**	**16.8**	**230**	**1**	**2**	**12**	**30**	**38**	**52**	**99 +**	**37**	**15.5**	**120**	**1**	**2**	**17**	**22**	**29**	**37**	**43**
GRAND TOTAL	**109**	**14.6**	**182**	**1**	**2**	**6**	**28**	**33**	**35**	**77**	**66**	**12.4**	**106**	**1**	**2**	**9**	**21**	**26**	**29**	**43**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.0	4	1	1	1	3	5	5	5	6	1.0		1	1	1	1	1	1	1
13-17	51	2.8	52	1	1	1	1	3	13	41	59	2.1	4	1	1	1	2	5	7	9
18-24	83	3.0	48	1	1	1	1	3	21	36	55	1.7	5	1	1	1	1	3	4	16
25-34	102	5.0	72	1	1	1	3	18	30	33	43	2.8	26	1	1	1	2	5	20	22
35-54	110	6.8	91	1	1	3	6	26	31	35	57	3.1	18	1	1	2	3	6	8	29
55-74	30	5.6	67	1	1	2	5	18	28	33	24	3.1	7	1	1	2	5	7	9	10
75 +	4	2.3	3	1	1	1	3	5	5	5	3	3.0	3	2	2	2	4	5	5	5
ALL AGES	384	4.8	70	1	1	1	3	15	30	34	247	2.4	12	1	1	1	2	5	7	21
B. FEMALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1	3	1.0		1	1	1	1	1	1	1
13-17	43	1.8	8	1	1	1	2	2	3	20	56	2.6	18	1	1	1	2	6	9	28
18-24	37	2.5	17	1	1	1	2	4	7	25	24	5.0	105	1	1	1	2	28	32	36
25-34	36	7.5	86	1	1	3	13	20	30	33	20	3.3	18	1	1	2	3	8	14	19
35-54	30	5.5	53	1	1	3	5	16	26	28	31	1.6	2	1	1	1	2	4	4	5
55-74	15	5.4	76	1	1	3	6	7	29	36	13	3.0	15	1	1	1	3	8	13	14
75 +	3	2.7	4	1	1	2	4	5	5	5	5	5.0	71	1	1	1	6	20	20	20
ALL AGES	167	4.2	45	1	1	2	4	9	21	33	152	3.0	29	1	1	1	2	6	11	30
SUBTOTAL	**551**	**4.6**	**62**	**1**	**1**	**1**	**3**	**14**	**28**	**34**	**399**	**2.6**	**19**	**1**	**1**	**1**	**2**	**5**	**8**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	29	11.2	236	1	1	5	15	34	52	58	21	6.4	88	1	1	4	6	18	33	35
18-24	50	8.7	107	1	1	3	13	28	29	30	19	5.2	62	1	1	2	4	19	26	29
25-34	80	10.8	126	1	1	4	20	29	32	34	34	5.1	52	1	1	2	4	19	23	30
35-54	58	7.7	59	1	2	4	12	18	28	30	32	6.7	61	1	1	4	6	23	25	30
55-74	15	8.7	54	1	1	7	13	19	24	26	14	5.9	68	1	2	4	5	10	29	34
75 +	6	11.5	62	2	2	11	20	21	21	21	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	238	9.5	114	1	1	4	15	28	30	39	123	5.8	61	1	1	3	6	20	26	34
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	31	11.4	227	1	1	4	13	40	48	52	12	3.1	7	1	1	1	6	7	7	7
18-24	23	7.2	109	1	1	2	9	28	30	31	15	3.7	20	1	1	2	4	14	14	14
25-34	35	7.8	79	1	1	5	9	29	30	31	19	4.5	44	1	1	2	4	16	23	23
35-54	42	5.8	44	1	1	3	7	15	20	31	19	4.6	35	1	1	2	5	15	20	21
55-74	10	8.7	61	1	1	6	12	21	25	25	5	6.2	25	1	1	4	11	12	12	12
75 +											2	3.0	2	2	2	3	4	4	4	4
ALL AGES	142	8.1	108	1	1	4	10	27	30	48	72	4.2	27	1	1	2	5	11	19	23
SUBTOTAL	**380**	**9.0**	**111**	**1**	**1**	**4**	**13**	**28**	**30**	**47**	**195**	**5.2**	**49**	**1**	**1**	**3**	**5**	**14**	**23**	**33**
GRAND TOTAL	**931**	**6.4**	**87**	**1**	**1**	**2**	**6**	**21**	**29**	**36**	**594**	**3.5**	**30**	**1**	**1**	**1**	**3**	**7**	**14**	**30**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	7	13.7	164	1	1	9	27	31	31	31
18-24	8	5.1	47	1	1	2	6	17	21	21	3	7.7	133	1	1	1	16	21	21	21
25-34	4	20.0	97	7	7	21	26	31	31	31										
35-54	2	17.5	181	8	8	17	27	27	27	27										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	16	10.1	107	1	1	6	21	26	30	31	11	10.9	144	1	1	6	20	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24											1	14.0		14	14	14	14	14	14	14
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											4	6.0	31	1	1	4	9	14	14	14
SUBTOTAL	**16**	**10.1**	**107**	**1**	**1**	**6**	**21**	**26**	**30**	**31**	**15**	**9.6**	**114**	**1**	**1**	**5**	**15**	**31**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	19.5	377	1	1	19	30	46	60	63										
18-24	9	12.1	153	1	1	3	25	29	30	30	1	7.0		7	7	7	7	7	7	7
25-34	12	21.5	120	1	2	25	30	31	32	32	1	3.0		3	3	3	3	3	3	3
35-54	2	28.0		28	28	28	28	28	28	28	2	9.5	25	6	6	9	13	13	13	13
55-74																				
75 +																				
ALL AGES	36	18.8	221	1	1	22	28	32	40	63	4	7.3	17	3	3	6	10	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	3	16.7	20	14	14	14	20	22	22	22	3	8.7	63	1	1	8	15	17	17	17
18-24	5	12.0	32	6	6	12	14	21	21	21	2	15.5	313	3	3	15	28	28	28	28
25-34	4	21.8	156	3	3	27	29	30	30	30	2	25.0	18	22	22	25	28	28	28	28
35-54	4	10.3	14	7	7	10	13	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	16	14.9	67	4	6	13	21	28	29	30	8	13.8	129	1	2	12	25	28	28	28
SUBTOTAL	**52**	**17.6**	**174**	**1**	**1**	**17**	**28**	**31**	**36**	**63**	**12**	**11.6**	**97**	**1**	**2**	**7**	**19**	**28**	**28**	**28**
GRAND TOTAL	**68**	**15.8**	**168**	**1**	**1**	**14**	**27**	**30**	**32**	**59**	**27**	**10.5**	**104**	**1**	**1**	**6**	**17**	**28**	**31**	**31**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.3	3	1	1	2	3	4	4	4	1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	4	2.3	1	1	1	2	3	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	8.7	51	4	4	5	14	17	17	17										
18-24	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	6	6.5	27	4	4	5	5	16	17	17	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**7**	**5.9**	**25**	**2**	**2**	**4**	**5**	**15**	**17**	**17**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**11**	**4.5**	**19**	**1**	**1**	**4**	**5**	**10**	**16**	**17**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	2	3.0		3	3	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54	2	4.5	1	4	4	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	5	3.2	2	1	1	3	4	5	5	5	4	1.8	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	3.6	1	2	2	4	4	5	5	5	1	30.0		30	30	30	30	30	30	30
35-54	2	5.0	18	2	2	5	8	8	8	8	1	7.0		7	7	7	7	7	7	7
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	9	5.3	31	1	1	4	6	15	19	19	2	18.5	265	7	7	18	30	30	30	30
SUBTOTAL	**14**	**4.6**	**20**	**1**	**1**	**3**	**5**	**9**	**17**	**19**	**6**	**7.3**	**129**	**1**	**1**	**2**	**7**	**28**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.0	8	1	1	3	5	5	5	5
25-34	3	11.0	175	1	1	6	21	26	26	26	1	4.0		4	4	4	4	4	4	4
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	4	10.5	118	1	1	7	17	26	26	26	3	3.3	5	1	1	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
25-34	6	6.8	58	2	2	4	6	20	22	22										
35-54	1	37.0		37	37	37	37	37	37	37	2	1.0		1	1	1	1	1	1	1
55-74	2	5.5	5	4	4	5	7	7	7	7										
75 +																				
ALL AGES	10	9.2	130	2	2	5	7	29	37	37	4	1.0		1	1	1	1	1	1	1
SUBTOTAL	**14**	**9.6**	**117**	**1**	**2**	**5**	**9**	**27**	**35**	**37**	**7**	**2.0**	**3**	**1**	**1**	**1**	**3**	**5**	**5**	**5**
GRAND TOTAL	**28**	**7.1**	**72**	**1**	**1**	**4**	**7**	**21**	**27**	**37**	**13**	**4.5**	**62**	**1**	**1**	**1**	**4**	**12**	**27**	**30**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	4	7.5	107	2	2	3	13	23	23	23	8	6.3	15	3	3	4	9	13	14	14
35-54	3	23.3	189	11	11	21	34	38	38	38	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	7	14.3	187	2	2	11	22	35	38	38	10	6.4	16	3	3	4	9	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	8.3	156	1	1	2	15	27	27	27	3	2.7	8	1	1	1	5	6	6	6
35-54	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	6	6.2	104	1	1	2	3	25	27	27	4	3.0	6	1	1	3	5	6	6	6
SUBTOTAL	**13**	**10.5**	**156**	**1**	**1**	**3**	**21**	**29**	**36**	**38**	**14**	**5.4**	**16**	**1**	**1**	**4**	**9**	**11**	**13**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	22.0		22	22	22	22	22	22	22
25-34	14	13.7	151	1	2	8	23	32	32	32	4	4.0	3	2	2	4	5	6	6	6
35-54	4	11.5	46	5	5	10	16	21	21	21	2	6.0	18	3	3	6	9	9	9	9
55-74																				
75 +																				
ALL AGES	18	13.2	125	1	2	10	23	31	32	32	7	7.1	49	2	2	5	8	19	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	1	3	3	3	4	4	4	4	1	16.0		16	16	16	16	16	16	16
25-34	11	9.7	53	2	2	9	16	19	20	20	1	7.0		7	7	7	7	7	7	7
35-54	2	8.5	1	8	8	8	9	9	9	9	2	3.0	2	2	2	3	4	4	4	4
55-74																				
75 +																				
ALL AGES	15	8.7	43	2	2	8	14	19	20	20	4	7.3	37	2	2	5	11	16	16	16
SUBTOTAL	**33**	**11.2**	**89**	**2**	**2**	**9**	**19**	**25**	**31**	**32**	**11**	**7.2**	**40**	**2**	**2**	**5**	**8**	**18**	**22**	**22**
GRAND TOTAL	**46**	**11.0**	**105**	**1**	**2**	**7**	**20**	**27**	**32**	**38**	**25**	**6.2**	**26**	**1**	**2**	**4**	**9**	**14**	**17**	**22**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	17	9.0	74	1	1	5	14	22	25	26	14	12.5	127	1	1	8	24	27	31	32
25-34	62	12.6	109	1	1	7	23	27	28	29	54	13.4	108	1	2	13	24	25	27	31
35-54	27	14.9	113	2	2	16	22	27	30	38	16	12.4	104	1	1	8	23	24	25	26
55-74																				
75 +																				
ALL AGES	107	12.5	106	1	1	8	22	27	27	33	85	12.9	109	1	1	10	24	25	27	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	15	3.8	2	2	2	4	5	6	6	6	4	11.5	106	3	3	9	19	25	25	25
25-34	37	8.2	73	1	1	4	13	24	28	29	13	9.8	117	1	1	4	22	25	30	31
35-54	7	10.4	72	2	2	5	19	22	22	[illegible]	6	17.0	154	1	1	20	27	31	31	31
55-74																				
75 +																				
ALL AGES	60	7.3	57	1	2	4	8	20	26	29	23	12.0	122	1	1	5	23	28	31	31
SUBTOTAL	**167**	**10.6**	**95**	**1**	**1**	**6**	**21**	**26**	**27**	**29**	**108**	**12.7**	**111**	**1**	**1**	**7**	**23**	**26**	**28**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	3.5	4	1	1	3	5	6	6	6	1	2.0		2	2	2	2	2	2	2
18-24	28	14.5	118	1	2	12	25	28	32	35	7	21.3	186	2	2	23	33	35	35	35
25-34	66	14.5	120	2	2	12	25	29	30	39	44	13.2	125	1	1	6	25	26	30	34
35-54	37	15.5	109	1	2	21	23	28	29	31	12	19.8	78	3	3	21	25	30	30	30
55-74																				
75 +																				
ALL AGES	135	14.5	114	1	2	14	24	28	30	37	64	15.1	132	1	2	18	25	29	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	3	23.3	1369	1	1	3	50	66	66	66										
18-24	19	9.8	111	1	1	4	18	29	31	31	6	12.8	137	2	2	7	25	29	30	30
25-34	37	10.9	115	2	2	5	19	23	30	49	22	14.2	114	1	2	12	26	27	28	28
35-54	10	19.3	99	2	3	22	28	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	69	12.4	158	1	2	5	21	28	31	63	29	13.5	115	2	2	9	25	27	28	30
SUBTOTAL	**204**	**13.8**	**129**	**1**	**2**	**10**	**23**	**28**	**30**	**44**	**93**	**14.6**	**126**	**1**	**2**	**13**	**25**	**28**	**30**	**35**
GRAND TOTAL	**371**	**12.3**	**117**	**1**	**2**	**7**	**22**	**27**	**29**	**38**	**201**	**13.6**	**118**	**1**	**2**	**10**	**24**	**27**	**30**	**34**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	4	3.5	10	1	1	2	5	8	8	8	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**6**	**2.8**	**7**	**1**	**1**	**2**	**3**	**7**	**8**	**8**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	3	29.7	699	3	3	30	49	56	56	56										
55-74																				
75 +																				
ALL AGES	5	21.4	492	3	3	14	36	56	56	56										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	2	6.0	32	2	2	6	10	10	10	10										
25-34	2	20.0	512	4	4	20	36	36	36	36	1	3.0		3	3	3	3	3	3	3
35-54	3	9.0	37	2	2	12	13	13	13	13										
55-74																				
75 +																				
ALL AGES	8	10.0	133	1	1	7	12	29	36	36	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**13**	**14.4**	**275**	**1**	**1**	**10**	**18**	**40**	**53**	**56**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**19**	**10.7**	**217**	**1**	**1**	**4**	**13**	**34**	**47**	**56**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	43.0		43	43	43	43	43	43	43
35-54	1	1.0		1	1	1	1	1	1	1	3	2.7	4	1	1	2	4	5	5	5
55-74	1	56.0		56	56	56	56	56	56	56										
75 +																				
ALL AGES	3	23.0	847	1	1	12	45	56	56	56	4	12.8	408	1	1	3	24	43	43	43
SUBTOTAL	**4**	**17.5**	**686**	**1**	**1**	**7**	**34**	**56**	**56**	**56**	**5**	**10.6**	**330**	**1**	**1**	**2**	**14**	**43**	**43**	**43**
GRAND TOTAL	**5**	**15.4**	**536**	**1**	**1**	**7**	**23**	**56**	**56**	**56**	**8**	**7.6**	**207**	**1**	**1**	**3**	**4**	**32**	**43**	**43**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	13	31.0	441	3	8	26	44	55	73	77	6	12.0	186	1	1	8	21	33	34	34
18-24	20	6.5	41	1	1	4	8	17	21	24	13	9.9	118	1	1	3	22	25	25	25
25-34	54	8.9	84	1	1	4	13	24	29	34	22	16.5	160	1	2	14	31	34	36	38
35-54	33	10.1	65	1	2	8	16	22	26	27	6	13.2	127	2	2	11	25	27	27	27
55-74	4	16.3	85	4	4	17	23	26	26	26	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	124	11.4	153	1	2	6	18	27	41	83	49	13.2	146	1	1	10	23	32	34	38
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	5	3.4	23	1	1	1	4	12	12	12	2	8.0	72	2	2	8	14	14	14	14
18-24	15	10.7	138	1	1	5	19	30	32	33	4	17.5	140	1	1	21	26	27	27	27
25-34	32	8.8	98	1	1	4	15	26	31	33	5	10.2	140	1	1	5	16	30	30	30
35-54	12	14.5	108	3	4	13	23	31	32	32	6	8.0	52	1	1	6	11	20	21	21
55-74	2	6.0	2	5	5	6	7	7	7	7	1	15.0		15	15	15	15	15	15	15
75 +	1	1.0		1	1	1	1	1	1	1	2	7.0	8	5	5	7	9	9	9	9
ALL AGES	68	10.0	110	1	1	4	16	30	32	33	20	10.7	85	1	1	8	16	26	28	30
SUBTOTAL	**192**	**10.9**	**137**	**1**	**1**	**5**	**18**	**28**	**33**	**65**	**69**	**12.5**	**127**	**1**	**1**	**9**	**21**	**31**	**34**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	16	29.1	1025	1	1	11	54	76	91	98	5	10.2	99	1	1	7	14	27	27	27
18-24	22	9.4	152	1	1	4	14	27	38	51	5	11.4	78	4	4	7	21	21	21	21
25-34	53	10.8	87	1	2	7	17	25	30	36	16	11.9	124	1	1	6	23	29	30	30
35-54	19	8.5	65	1	1	5	15	20	23	25	9	11.3	170	1	1	3	24	31	31	31
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	112	13.0	270	1	1	6	17	30	49	84	35	11.4	117	1	1	7	21	29	31	31
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	12	32.0	656	1	2	39	57	58	59	59	3	18.7	735	2	2	4	38	50	50	50
18-24	10	5.4	59	2	2	3	4	16	27	27	2	17.5	313	5	5	17	30	30	30	30
25-34	19	10.5	67	1	2	8	16	23	26	28	7	9.7	124	1	1	7	14	29	32	32
35-54	7	11.6	161	1	2	5	23	31	31	31	4	7.3	83	2	2	3	12	21	21	21
55-74	4	11.8	154	1	1	9	21	28	28	28	2	15.5	61	10	10	15	21	21	21	21
75 +	1	13.0		13	13	13	13	13	13	13	1	8.0		8	8	8	8	8	8	8
ALL AGES	54	14.5	290	1	2	6	22	50	57	59	19	11.9	179	1	2	7	20	31	42	50
SUBTOTAL	**166**	**13.5**	**275**	**1**	**1**	**6**	**18**	**31**	**53**	**75**	**54**	**11.6**	**135**	**1**	**1**	**7**	**21**	**30**	**31**	**49**
GRAND TOTAL	**358**	**12.1**	**202**	**1**	**1**	**6**	**18**	**29**	**42**	**76**	**123**	**12.1**	**130**	**1**	**1**	**7**	**21**	**30**	**32**	**41**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	4.5	13	2	2	4	7	7	7	7
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	3.7	8	2	2	2	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	3.5	5	2	2	3	5	5	5	5	4	7.5	55	1	1	5	12	18	18	18
55-74	1	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	4	6.8	47	2	2	4	11	17	17	17	6	7.2	41	1	1	5	11	17	18	18
SUBTOTAL	**5**	**5.8**	**41**	**2**	**2**	**3**	**8**	**17**	**17**	**17**	**9**	**6.0**	**31**	**1**	**1**	**4**	**8**	**15**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	4.5	1	4	4	4	5	5	5	5										
75 +																				
ALL AGES	3	5.7	4	4	4	5	7	8	8	8	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	1.3		1	1	1	2	2	2	2	1	4.0		4	4	4	4	4	4	4
55-74	2	5.0	32	1	1	5	9	9	9	9	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	6	2.8	10	1	1	2	3	8	9	9	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**9**	**3.8**	**9**	**1**	**1**	**3**	**6**	**9**	**9**	**9**	**3**	**3.3**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**14**	**4.5**	**19**	**1**	**1**	**3**	**5**	**10**	**15**	**17**	**12**	**5.3**	**24**	**1**	**1**	**3**	**7**	**13**	**17**	**18**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	4.8	12	1	1	4	7	9	9	9	4	1.0		1	1	1	1	1	1	1
18-24											3	1.7	1	1	1	1	3	3	3	3
25-34	4	2.0		2	2	2	2	2	2	2	4	1.5		1	1	1	2	2	2	2
35-54	8	2.5	2	1	1	2	3	5	5	5	10	2.0	3	1	1	1	2	5	6	6
55-74	7	2.7	2	1	1	3	4	5	5	5	2	2.0		2	2	2	2	2	2	2
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	24	3.0	4	1	1	2	4	5	7	9	23	1.7	1	1	1	1	2	3	5	6
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	3	3.3	3	2	2	3	4	5	5	5	3	2.0	1	1	1	2	3	3	3	3
18-24	8	1.8	1	1	1	1	2	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	7	5.3	29	1	1	4	11	13	13	13	4	1.8	2	1	1	1	3	4	4	4
35-54	14	2.6	7	1	1	2	3	6	9	10	10	3.8	5	1	1	3	6	7	8	8
55-74	14	3.2	2	1	2	3	4	5	6	6	12	2.1	1	1	1	2	3	3	3	3
75 +	6	4.2	5	2	2	3	6	8	8	8	6	3.0	2	2	2	3	4	5	5	5
ALL AGES	53	3.2	8	1	1	2	4	6	10	13	37	2.7	3	1	1	2	3	5	6	8
SUBTOTAL	**77**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**9**	**13**	**60**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34											2	2.0		2	2	2	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2	4	1.5		1	1	1	2	2	2	2
55-74	6	2.7	3	1	1	2	3	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +											3	4.3	13	1	1	4	7	8	8	8
ALL AGES	10	2.3	2	1	1	2	3	5	6	6	11	2.4	4	1	1	2	2	6	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.5	5	4	4	5	7	7	7	7										
18-24											2	3.0	2	2	2	3	4	4	4	4
25-34	5	5.6	11	2	2	7	8	9	9	9	2	1.0		1	1	1	1	1	1	1
35-54	7	8.9	76	1	2	5	11	24	27	27	6	3.0	3	1	1	3	4	6	6	6
55-74	7	9.6	54	3	3	8	15	21	22	22	6	2.7	1	1	1	3	3	4	4	4
75 +	6	4.2	9	2	2	3	5	9	10	10	5	4.6	10	2	2	4	6	10	10	10
ALL AGES	27	7.1	40	2	2	5	9	16	23	27	21	3.1	4	1	1	3	4	5	8	10
SUBTOTAL	**37**	**5.8**	**34**	**1**	**1**	**4**	**8**	**11**	**20**	**27**	**32**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**114**	**4.0**	**17**	**1**	**1**	**3**	**5**	**9**	**11**	**24**	**92**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54											1	10.0		10	10	10	10	10	10	10
55-74	1	2.0		2	2	2	2	2	2	2	2	6.0	2	5	5	6	7	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
ALL AGES	3	2.7		2	2	3	3	3	3	3	5	5.0	14	1	1	5	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	5.0	2	4	4	5	6	6	6	6	3	3.3	2	2	2	4	4	4	4	4
35-54	3	1.0		1	1	1	1	1	1	1	3	3.3	6	2	2	2	5	6	6	6
55-74	5	3.2	2	1	1	3	4	5	5	5	3	3.7	5	1	1	5	5	5	5	5
75 +	2	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	12	3.3	3	1	1	3	5	6	6	6	11	3.3	3	1	1	4	5	6	6	6
SUBTOTAL	**15**	**3.1**	**3**	**1**	**1**	**3**	**5**	**5**	**6**	**6**	**16**	**3.8**	**6**	**1**	**1**	**4**	**5**	**7**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	9.0		9	9	9	9	9	9	9
55-74	2	5.5	13	3	3	5	8	8	8	8	5	2.0	2	1	1	2	3	4	4	4
75 +																				
ALL AGES	5	3.4	7	1	1	3	4	8	8	8	7	3.7	10	1	1	2	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	2	3.5	13	1	1	3	6	6	6	6
35-54	2	5.0	18	2	2	5	8	8	8	8	1	12.0		12	12	12	12	12	12	12
55-74	3	4.0	1	3	3	4	5	5	5	5	4	5.3	10	2	2	5	8	9	9	9
75 +											2	5.0		5	5	5	5	5	5	5
ALL AGES	6	4.3	5	2	2	4	5	8	8	8	9	5.6	11	1	1	5	7	11	12	12
SUBTOTAL	**11**	**3.9**	**5**	**1**	**1**	**3**	**5**	**8**	**8**	**8**	**16**	**4.8**	**11**	**1**	**1**	**4**	**7**	**9**	**11**	**12**
GRAND TOTAL	**26**	**3.5**	**4**	**1**	**1**	**3**	**5**	**6**	**8**	**8**	**32**	**4.3**	**9**	**1**	**1**	**4**	**6**	**9**	**10**	**12**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.0	72	1	1	7	13	13	13	13										
13-17	2	3.0	8	1	1	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	1.0		1	1	1	1	1	1	1	2	7.5	41	3	3	7	12	12	12	12
35-54	2	5.5	13	3	3	5	8	8	8	8										
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +	4	7.0	47	2	2	4	11	17	17	17	1	2.0		2	2	2	2	2	2	2
ALL AGES	13	5.7	24	1	1	5	8	14	16	17	5	4.2	19	2	2	2	5	12	12	12
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
13-17	2	8.5	61	3	3	8	14	14	14	14	1	29.0		29	29	29	29	29	29	29
18-24	4	4.5	2	3	3	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34											3	6.0	21	2	2	5	9	11	11	11
35-54	4	6.5	22	2	2	6	10	11	11	11	2	3.5	1	3	3	3	4	4	4	4
55-74	3	4.0	4	2	2	4	5	6	6	6	4	5.0	3	3	3	5	6	7	7	7
75 +	-										2	3.5	5	2	2	3	5	5	5	5
ALL AGES	14	5.4	14	2	2	4	6	11	13	14	14	6.8	50	2	2	4	7	14	26	29
SUBTOTAL	**27**	**5.5**	**18**	**1**	**1**	**4**	**7**	**13**	**14**	**17**	**19**	**6.1**	**42**	**2**	**2**	**4**	**7**	**12**	**21**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	3	5.0	1	4	4	5	6	6	6	6	3	6.3	5	4	4	7	8	8	8	8
75 +																				
ALL AGES	4	4.8		4	4	5	5	6	6	6	3	6.3	5	4	4	7	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	3	8.3	43	2	2	8	13	15	15	15	1	2.0		2	2	2	2	2	2	2
18-24	1	4.0		4	4	4	4	4	4	4	2	5.0	2	4	4	5	6	6	6	6
25-34	2	2.5	1	2	2	2	3	3	3	3	2	9.0	72	3	3	9	15	15	15	15
35-54	5	12.2	36	5	5	12	17	20	20	20	3	11.0	129	3	3	6	19	24	24	24
55-74	3	4.7	2	3	3	5	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
75 +	3	3.7	14	1	1	2	6	8	8	8										
ALL AGES	18	7.2	30	1	2	6	10	16	18	20	10	7.0	50	2	2	4	6	19	24	24
SUBTOTAL	**22**	**6.8**	**25**	**1**	**2**	**5**	**8**	**15**	**18**	**20**	**13**	**6.8**	**39**	**2**	**3**	**4**	**7**	**17**	**23**	**24**
GRAND TOTAL	**49**	**6.1**	**21**	**1**	**2**	**5**	**8**	**14**	**16**	**20**	**32**	**6.4**	**39**	**2**	**2**	**4**	**7**	**13**	**23**	**29**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	6.0	2	5	5	6	7	7	7	7										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	6.0		6	6	6	6	6	6	6										
GRAND TOTAL	3	6.0	1	5	5	6	7	7	7	7										

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	51.0		51	51	51	51	51	51	51										
SUBTOTAL	**1**	**51.0**		**51**	**51**	**51**	**51**	**51**	**51**	**51**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**51.0**		**51**	**51**	**51**	**51**	**51**	**51**	**51**										

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	4	4.3	8	1	1	4	6	8	8	8	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34																				
35-54	2	23.0	722	4	4	23	42	42	42	42	1	3.0		3	3	3	3	3	3	3
55-74	2	10.5	181	1	1	10	20	20	20	20										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	6	16.3	230	1	1	14	22	40	42	42	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**10**	**11.5**	**169**	**1**	**1**	**6**	**20**	**32**	**42**	**42**	**3**	**2.3**	**2**	**1**	**1**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	3.0	8	1	1	3	5	5	5	5										
35-54	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	4	2.8	3	1	1	2	4	5	5	5	3	4.7	4	3	3	4	6	7	7	7
SUBTOTAL	**5**	**3.2**	**3**	**1**	**1**	**3**	**5**	**5**	**5**	**5**	**4**	**4.3**	**3**	**3**	**3**	**4**	**5**	**7**	**7**	**7**
GRAND TOTAL	**15**	**8.7**	**127**	**1**	**1**	**5**	**9**	**22**	**37**	**42**	**7**	**3.4**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**7**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
13-17																				
18-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	2.8	2	1	1	3	4	4	4	4	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	2	25.5	13	23	23	25	28	28	28	28										
55-74	2	21.5	313	9	9	21	34	34	34	34										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	6	18.0	142	5	5	16	28	33	34	34										
SUBTOTAL	**11**	**11.1**	**135**	**1**	**2**	**5**	**20**	**30**	**34**	**34**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	15.0	372	1	1	7	29	37	37	37	1	1.0		1	1	1	1	1	1	1
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	4	13.0	264	1	1	7	22	37	37	37	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34	2	9.5	85	3	3	9	16	16	16	16	1	8.0		8	8	8	8	8	8	8
35-54	1	15.0		15	15	15	15	15	15	15	3	22.7	194	9	9	22	33	37	37	37
55-74	2	12.5	181	3	3	12	22	22	22	22	1	3.0		3	3	3	3	3	3	3
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	6	14.0	86	3	3	15	22	25	25	25	6	13.7	178	3	3	8	22	35	37	37
SUBTOTAL	**10**	**13.6**	**136**	**1**	**2**	**11**	**22**	**31**	**37**	**37**	**7**	**11.9**	**171**	**1**	**1**	**8**	**19**	**34**	**37**	**37**
GRAND TOTAL	**21**	**12.3**	**130**	**1**	**2**	**7**	**22**	**30**	**35**	**37**	**9**	**10.0**	**143**	**1**	**1**	**5**	**12**	**31**	**37**	**37**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	38.0		38	38	38	38	38	38	38		1	47.0		47	47	47	47	47	47	47	
18-24	1	57.0		57	57	57	57	57	57	57												
25-34																						
35-54												1	11.0		11	11	11	11	11	11	11	
55-74																						
75 +																						
ALL AGES	2	47.5	181	38	38	47	57	57	57	57		2	29.0	648	11	11	29	47	47	47	47	
B. FEMALE																						
0-12 YRS.	5	37.6	680	14	14	60	99 +	99 +	99 +	99 +		5	18.0	390	4	4	10	26	52	52	52	
13-17	45	32.9	575	1	3	32	51	78	85	99 +		12	16.5	245	2	3	10	29	43	44	44	
18-24	18	30.3	623	1	2	27	45	72	79	81		16	20.9	560	2	3	10	44	75	93	99 +	
25-34	5	22.4	131	6	6	22	30	37	37	37		5	4.2	4	2	2	4	5	7	7	7	
35-54	9	20.7	233	1	1	22	28	43	51	51		5	17.4	146	7	7	11	30	32	32	32	
55-74																						
75 +	1	5.0		5	5	5	5	5	5	5		2	5.5	1	5	5	5	6	6	6	6	
ALL AGES	83	30.3	530	1	3	[illegible]	48	79	99 +	99 +		45	16.5	331	2	3	8	29	50	58	99 +	
SUBTOTAL	**85**	**30.7**	**527**	**1**	**3**	**31**	**49**	**78**	**99 +**	**99 +**		**47**	**17.0**	**338**	**2**	**3**	**8**	**30**	**50**	**55**	**99 +**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	49.0		49	49	49	49	49	49	49												
18-24												3	18.0	169	5	5	18	28	31	31	31	
25-34	[illegible]	4.0		4	4	4	4	4	4	4												
35-54																						
55-74												1	3.0		3	3	3	3	3	3	3	
75 +	1	12.0		12	12	12	12		12	12												
ALL AGES	3	21.7	574	4	4	12	40	[illegible]	49	49		4	14.3	167	3	3	11	24	31	31	31	
B. FEMALE																						
0-12 YRS.	4	31.3	609	2	2	32	51	58	58	58												
13-17	34	40.2	626	3	5	40	60	71	83	88		2	3.0	2	2	2	3	4	4	4	4	
18-24	29	36.9	761	2	4	36	61	72	90	91		7	18.4	275	1	2	17	32	41	43	43	
25-34	34	28.7	414	2	4	28	43	60	66	73		8	17.8	492	4	4	7	22	57	68	68	
35-54	16	25.7	355	2	3	21	43	51	60	63		5	23.2	720	1	1	7	48	59	59	59	
55-74	4	19.5	118	8	8	18	27	34	34	34												
75 +																						
ALL AGES	121	33.3	562	2	4	30	50	67	[illegible]	90		22	17.9	407	1	2	7	32	49	63	68	
SUBTOTAL	**124**	**33.0**	**562**	**2**	**4**	**30**	**49**	**66**	[illegible]	**90**		**26**	**17.3**	**365**	**1**	**2**	**7**	**31**	**45**	**61**	**68**	
GRAND TOTAL	**209**	**32.1**	**544**	**2**	**3**	**30**	**49**	**70**	[illegible]	**99 +**		**73**	**17.1**	**343**	**2**	**3**	**8**	**31**	**47**	**58**	**95**	

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	11.8	329	2	2	3	21	39	39	39	2	2.5	1	2	2	2	3	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	17.3	168	3	3	21	26	28	28	28										
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	9	12.7	187	2	2	3	23	35	39	39	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	26.0		26	26	26	26	26	26	26										
55-74																				
75 +																				
ALL AGES	1	26.0		26	26	26	26	26	26	26	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**10**	**14.0**	**185**	**2**	**2**	**8**	**26**	**33**	**39**	**39**	**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	11.7	320	2	2	4	8	44	48	48	3	8.3	31	3	3	8	12	14	14	14
13-17	3	12.3	236	3	3	4	23	30	30	30										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54											1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	12	10.2	198	2	3	4	7	35	46	48	4	8.3	19	3	3	8	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**13**	**9.8**	**184**	**2**	**3**	**4**	**7**	**34**	**45**	**48**	**4**	**8.3**	**19**	**3**	**3**	**8**	**11**	**14**	**14**	**14**
GRAND TOTAL	**23**	**11.6**	**181**	**2**	**2**	**4**	**19**	**32**	**42**	**48**	**8**	**5.4**	**19**	**1**	**1**	**4**	**8**	**12**	**14**	**14**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**2**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.3		1	1	1	2	2	2	2	2	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	4	21.5	1324	2	2	4	41	76	76	76										
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	6	18.5	828	2	2	6	18	70	76	76										
SUBTOTAL	**9**	**12.8**	**591**	**1**	**1**	**2**	**10**	**53**	**76**	**76**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	2	8.5	5	7	7	8	10	10	10	10	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**6.7**	**12**	**3**	**3**	**7**	**9**	**10**	**10**	**10**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**12**	**11.3**	**439**	**1**	**1**	**4**	**9**	**35**	**70**	**76**	**4**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**4**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.2	3	1	1	2	3	5	5	5	2	3.0	2	2	2	3	4	4	4	4
13-17	4	25.5	558	7	7	18	42	59	59	59										
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	23.0		23	23	23	23	23	23	23
35-54	2	30.5	1	30	30	30	31	31	31	31	1	4.0		4	4	4	4	4	4	4
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	13	14.2	300	1	1	6	26	37	55	59	5	7.4	77	2	2	4	9	23	23	23
B. FEMALE																				
0-12 YRS.	7	18.3	302	1	2	12	31	43	46	46	5	2.4	1	1	1	2	3	4	4	4
13-17	46	22.2	271	1	2	22	39	44	50	99 +	5	22.2	425	4	4	17	35	55	55	55
18-24	62	25.4	169	4	6	27	34	44	49	95	8	22.3	362	3	3	21	36	48	52	52
25-34	22	31.5	207	5	9	31	38	49	58	62	2	8.0	50	3	3	8	13	13	13	13
35-54	16	26.2	235	1	4	28	32	49	53	54	3	3.7	4	2	2	3	5	6	6	6
55-74	2	16.5	313	4	4	16	29	29	29	29	1	6.0		6	6	6	6	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	155	24.9	226	2	4	27	36	45	52	97	25	13.5	268	1	2	4	20	38	53	55
SUBTOTAL	**168**	**24.1**	**237**	**2**	**4**	**26**	**34**	**45**	**54**	**93**	**30**	**12.5**	**237**	**2**	**2**	**4**	**17**	**36**	**52**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	31.5	265	20	20	31	43	43	43	43										
18-24	1	23.0		23	23	23	23	23	23	23										
25-34	3	36.7	494	20	20	28	53	62	62	62	1	1.0		1	1	1	1	1	1	1
35-54	4	16.3	145	1	1	17	25	30	30	30	1	6.0		6	6	6	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	59.0		59	59	59	59	59	59	59										
ALL AGES	12	26.9	374	1	2	22	36	60	62	62	2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	13.0	50	8	8	13	18	18	18	18										
13-17	52	32.7	512	3	4	33	47	[illegible]4	87	99 +	7	7.7	44	2	2	4	12	18	19	19
18-24	94	29.2	281	2	5	30	40	51	60	77	1	31.0		31	31	31	31	31	31	31
25-34	50	25.7	265	3	5	27	34	42	60	99 ±	2	38.5	2381	4	4	38	73	73	73	73
35-54	26	26.0	172	4	10	30	36	43	44	46	4	16.3	535	4	4	5	28	51	51	51
55-74	2	6.5	5	5	5	6	8	8	8	8	2	7.5	41	3	3	7	12	12	12	12
75 +	1	20.0		20	20	20	20	20	20	20	1	7.0		7	7	7	7	7	7	7
ALL AGES	227	28.5	320	3	5	29	38	52	62	98	17	14.6	390	2	2	5	14	47	65	73
SUBTOTAL	**239**	**28.4**	**323**	**3**	**5**	**29**	**38**	**52**	**62**	**98**	**19**	**13.5**	**357**	**1**	**2**	**5**	**12**	**43**	**63**	**73**
GRAND TOTAL	**407**	**26.6**	**292**	**2**	**4**	**28**	**37**	**47**	**59**	**99**	**49**	**12.9**	**277**	**2**	**2**	**4**	**14**	**37**	**52**	**73**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	85.0		85	85	85	85	85	85	85										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	85.0		85	85	85	85	85	85	85										
SUBTOTAL	**1**	**85.0**		**85**	**85**	**85**	**85**	**85**	**85**	**85**										
GRAND TOTAL	**1**	**85.0**		**85**	**85**	**85**	**85**	**85**	**85**	**85**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	1	12.0		12	12	12	12	12	12	12
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	17.5	191	4	5	16	36	87	99 +	99 +										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	17.5	191	4	5	16	36	87	99 +	99 +										
B. FEMALE																				
0-12 YRS.	2	10.5	61	5	5	10	16	16	16	16										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.5	61	5	5	10	16	16	16	16										
SUBTOTAL	**8**	**15.8**	**154**	**4**	**4**	**16**	**33**	**75**	**99 +**	**99 +**										
GRAND TOTAL	**9**	**15.1**	**140**	**4**	**4**	**13**	**32**	**68**	**99 +**	**99 +**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.0	1	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	4	5.8	26	1	1	5	10	12	12	12	1	4.0		4	4	4	4	4	4	4
18-24	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
25-34	12	3.4	5	1	1	3	4	6	9	9	10	2.3	2	1	1	2	3	4	5	5
35-54	9	3.0	12	1	1	2	3	8	12	12	13	2.7	5	1	1	2	3	6	8	8
55-74	4	2.8	1	2	2	3	3	4	4	4	6	3.7	4	1	1	4	5	6	6	6
75 +	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	35	3.4	8	1	1	3	4	8	11	12	33	2.8	4	1	1	2	4	5	6	8
B. FEMALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	15	4.1	25	1	1	3	5	6	17	21	6	3.0	3	1	1	3	4	6	6	6
18-24	11	2.7	3	1	1	2	4	5	7	7	11	1.8	1	1	1	2	2	3	3	3
25-34	25	3.2	7	1	1	2	4	7	9	13	17	3.6	3	1	1	4	5	6	7	7
35-54	34	3.5	8	1	1	2	5	8	9	12	37	3.8	7	1	1	3	4	8	10	12
55-74	13	7.2	92	1	1	3	7	23	31	33	9	3.4	8	1	1	2	5	8	9	9
75 +	4	3.8	14	1	1	3	6	9	9	9	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	104	3.9	21	1	1	3	4	8	12	27	83	3.4	6	1	1	3	4	6	9	12
SUBTOTAL	**139**	**3.8**	**17**	**1**	**1**	**3**	**4**	**8**	**12**	**23**	**116**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	7.3	35	3	3	5	12	14	14	14										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	2.8	2	1	1	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
35-54	7	5.4	13	1	1	5	8	11	11	11	1	11.0		11	11	11	11	11	11	11
55-74	3	8.3	17	6	6	6	11	13	13	13										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	20	5.8	16	1	2	5	8	13	14	14	3	5.3	27	1	1	4	9	11	11	11
B. FEMALE																				
0-12 YRS.	3	3.3	5	1	1	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17	6	4.0	14	1	1	3	5	10	11	11	2	5.0	2	4	4	5	6	6	6	6
18-24	2	2.0	2	1	1	2	3	3	3	3	6	2.2	1	1	1	2	2	4	4	4
25-34	17	5.2	7	3	3	5	7	8	11	13	7	4.6	9	2	2	4	5	10	11	11
35-54	18	6.0	23	1	1	4	7	15	15	15	13	3.3	2	1	2	3	4	5	5	5
55-74	9	7.6	46	1	1	5	10	19	22	22	6	5.7	9	2	2	5	6	11	11	11
75 +	3	5.7	16	2	2	5	9	10	10	10	3	7.7	44	2	2	6	13	15	15	15
ALL AGES	58	5.5	19	1	1	4	7	13	15	21	38	4.1	9	1	2	3	5	6	11	15
SUBTOTAL	**78**	**5.6**	**18**	**1**	**1**	**4**	**7**	**13**	**14**	**20**	**41**	**4.2**	**9**	**1**	**2**	**4**	**5**	**8**	**11**	**15**
GRAND TOTAL	**217**	**4.4**	**18**	**1**	**1**	**3**	**5**	**9**	**13**	**21**	**157**	**3.5**	**6**	**1**	**1**	**3**	**5**	**6**	**9**	**12**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.7	10	2	2	7	8	8	8	8	1	5.0		5	5	5	5	5	5	5
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	2.0	2	1	1	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74											1	6.0		6	6	6	6	6	6	6
75 +	1	7.0		7	7	7	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	9	3.8	8	1	1	3	7	8	8	8	5	4.0	3	2	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.	3	8.0	1	7	7	8	9	9	9	9										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54	2	6.5	1	6	6	6	7	7	7	7										
55-74	2	8.0	98	1	1	8	15	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +	3	7.7	9	5	5	7	10	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	11	7.3	13	1	3	7	9	13	15	15	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	**20**	**5.7**	**13**	**1**	**1**	**6**	**8**	**10**	**13**	**15**	**7**	**4.0**	**2**	**2**	**2**	**4**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +	4	8.5	46	1	1	8	14	16	16	16	1	1.0		1	1	1	1	1	1	1
ALL AGES	5	9.4	38	1	1	12	14	16	16	16	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +	3	7.3	15	3	3	9	10	10	10	10	1	5.0		5	5	5	5	5	5	5
ALL AGES	3	7.3	15	3	3	9	10	10	10	10	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**8**	**8.6**	**28**	**1**	**1**	**9**	**12**	**15**	**16**	**16**	**5**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**
GRAND TOTAL	**28**	**6.5**	**19**	**1**	**1**	**7**	**9**	**13**	**15**	**16**	**12**	**3.4**	**2**	**1**	**1**	**3**	**5**	**5**	**6**	**6**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	3.7	14	1	1	2	6	8	8	8										
18-24	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
35-54	5	5.8	8	1	1	7	7	8	8	8	4	2.3	3	1	1	2	3	5	5	5
55-74	1	1.0		1	1	1	1	1	1	1	5	2.0	2	1	1	2	3	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	12	4.0	9	1	1	3	7	8	8	8	13	2.2	2	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	5	6.6	55	2	2	2	11	19	19	19	1	1.0		1	1	1	1	1	1	1
18-24	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	9	4.8	9	1	1	4	8	9	9	9	4	3.3	6	1	1	2	5	7	7	7
35-54	7	4.9	8	2	2	3	8	9	9	9	10	4.9	33	1	1	3	6	14	20	20
55-74	5	5.4	11	2	2	4	9	9	9	9	3	2.7	2	1	1	3	4	4	4	4
75 +	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	29	5.1	15	2	2	4	8	9	10	19	21	3.7	18	1	1	2	4	7	13	20
SUBTOTAL	**41**	**4.8**	**13**	**1**	**1**	**3**	**8**	**9**	**9**	**19**	**34**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	5	5.0	8	1	1	5	7	8	8	8	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	8	5.5	9	1	1	6	8	9	10	10	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0		6	6	6	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
18-24	3	21.3	468	1	1	19	38	44	44	44										
25-34	10	4.3	9	1	1	3	8	9	9	9	4	3.3	6	1	1	2	5	7	7	7
35-54	6	3.3	2	2	2	3	4	5	5	5	3	3.0	7	1	1	2	5	6	6	6
55-74	3	5.7	52	1	1	2	11	14	14	14	3	5.3	17	3	3	3	8	10	10	10
75 +																				
ALL AGES	24	6.5	83	1	1	4	7	14	26	44	12	4.0	7	1	1	3	6	8	10	10
SUBTOTAL	**32**	**6.3**	**63**	**1**	**1**	**4**	**7**	**11**	**18**	**44**	**13**	**4.5**	**11**	**1**	**1**	**3**	**6**	**10**	**11**	**11**
GRAND TOTAL	**73**	**5.4**	**35**	**1**	**1**	**4**	**8**	**9**	**13**	**38**	**47**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54											1	2.0		2	2	2	2	2	2	2
55-74																						
75 +																						
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																						
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																						
75 +																						
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
SUBTOTAL	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																						
75 +																						
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**3**	**3.7**	**8**	**2**	**2**	**2**	**6**	**7**	**7**	**7**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	9	9.0	26	3	3	8	15	16	16	16										
35-54	4	5.5	23	1	1	5	9	11	11	11										
55-74																				
75 +																				
ALL AGES	14	7.5	26	1	2	7	11	15	16	16										
B. FEMALE																				
0-12 YRS.	2	10.5	5	9	9	10	12	12	12	12										
13-17	9	32.3	913	3	3	35	45	79	96	96	4	6.3	26	3	3	4	9	14	14	14
18-24	3	4.3	1	4	4	4	5	5	5	5										
25-34	10	7.9	34	2	2	6	15	16	16	16	2	7.0	32	3	3	7	11	11	11	11
35-54	7	9.6	81	1	1	6	16	24	25	25	8	2.1	1	1	1	2	3	3	3	3
55-74	4	8.3	38	1	1	9	13	14	14	14	3	1.3		1	1	1	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	35	14.4	358	1	2	9	15	37	50	96	18	3.5	12	1	1	3	3	9	13	14
SUBTOTAL	**49**	**12.4**	**271**	**1**	**2**	**8**	**15**	**31**	**43**	**96**	**18**	**3.5**	**12**	**1**	**1**	**3**	**3**	**9**	**13**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.0	273	4	4	7	27	34	34	34	1	4.0		4	4	4	4	4	4	4
13-17	4	10.0	179	2	2	4	17	30	30	30										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	6	14.3	131	1	1	14	21	30	31	31	1	29.0		29	29	29	29	29	29	29
35-54	11	6.5	25	1	1	7	10	13	14	14	1	18.0		18	18	18	18	18	18	18
55-74	1	12.0		12	12	12	12	12	12	12										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	26	9.9	94	1	1	7	13	29	32	34	4	13.3	159	2	2	11	23	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	5	32.6	586	3	3	36	54	59	59	59	1	1.0		1	1	1	1	1	1	1
18-24	5	16.0	325	1	1	5	34	39	39	39	2	7.0	32	3	3	7	11	11	11	11
25-34	13	7.5	20	1	3	7	10	14	16	16	3	3.3	2	2	2	4	4	4	4	4
35-54	16	9.4	63	1	2	7	15	19	27	30	3	1.7	1	1	1	1	2	3	3	3
55-74	2	14.0	18	11	11	14	17	17	17	17	1	2.0		2	2	2	2	2	2	2
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	42	12.8	182	1	2	8	16	33	44	59	10	3.2	9	1	1	2	4	8	11	11
SUBTOTAL	**68**	**11.7**	**148**	**1**	**1**	**7**	**15**	**31**	**36**	**58**	**14**	**6.1**	**65**	**1**	**1**	**3**	**4**	**19**	**27**	**29**
GRAND TOTAL	**117**	**12.0**	**198**	**1**	**2**	**7**	**15**	**31**	**38**	**71**	**32**	**4.6**	**36**	**1**	**1**	**3**	**4**	**12**	**18**	**29**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	39TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											2	3.5	5	2	2	3	5	5	5	5
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	4.0	3	2	2	5	5	5	5	5
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**5**	**3.2**	**3**	**2**	**2**	**2**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	5.5	41	1	1	5	10	10	10	10	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**5.5**	**41**	**1**	**1**	**5**	**10**	**10**	**10**	**10**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**3**	**4.0**	**27**	**1**	**1**	**1**	**8**	**10**	**10**	**10**	**6**	**3.3**	**3**	**2**	**2**	**3**	**5**	**5**	**5**	**5**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.3	2	1	1	3	3	3	3	3										
25-34	3	13.0	271	3	3	4	25	32	32	32										
35-54	4	4.0	11	2	2	3	6	9	9	9	4	2.3	2	1	1	2	3	4	4	4
55-74											4	2.8	8	1	1	2	4	7	7	7
75 +																				
ALL AGES	10	6.2	87	1	1	3	4	20	32	32	8	2.5	5	1	1	2	3	6	7	7
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-17	7	5.4	15	1	1	5	8	11	12	12	1	4.0		4	4	4	4	4	4	4
18-24	3	2.3	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
25-34	6	4.3	10	1	1	4	6	9	9	9	2	2.0	2	1	1	2	3	3	3	3
35-54	7	5.7	23	1	1	5	9	12	13	13	5	2.8	2	1	1	3	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3	3	3.0	1	2	2	3	4	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	25	4.7	13	1	1	4	7	10	12	13	14	2.8	1	1	1	3	4	4	4	4
SUBTOTAL	**35**	**5.1**	**33**	**1**	**1**	**3**	**6**	**10**	**13**	**32**	**22**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**5**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	5.5	23	1	1	4	7	13	14	14	2	11.0	72	5	5	11	17	17	17	17
55-74																				
75 +																				
ALL AGES	6	5.5	23	1	1	4	7	13	14	14	2	11.0	72	5	5	11	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	3	7.0	28	1	1	9	10	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	8	11.9	127	2	2	9	17	30	34	34	2	3.0	2	2	2	3	4	4	4	4
55-74	2	9.0	8	7	7	9	11	11	11	11	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	15	10.3	72	1	2	9	13	20	30	34	5	3.2	9	1	1	2	5	8	8	8
SUBTOTAL	**21**	**8.9**	**62**	**1**	**1**	**7**	**12**	**17**	**26**	**34**	**7**	**5.4**	**33**	**1**	**1**	**4**	**7**	**15**	**17**	**17**
GRAND TOTAL	**56**	**6.6**	**45**	**1**	**1**	**4**	**9**	**14**	**18**	**34**	**29**	**3.3**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	13.9	79	3	5	14	22	59	96	99 +	2	4.5	13	2	2	4	7	7	7	7
13-17	70	12.1	92	1	2	9	16	30	34	36	2	8.5	85	2	2	8	15	15	15	15
18-24	87	5.7	39	1	1	4	8	11	18	32	13	5.6	40	1	1	3	7	16	21	22
25-34	87	6.8	79	1	1	4	10	14	19	55	15	6.1	48	1	1	3	8	14	24	27
35-54	98	6.7	31	1	1	5	10	15	17	25	17	5.5	24	1	1	3	8	14	15	16
55-74	39	9.2	39	2	3	7	13	18	21	31	6	4.8	11	1	1	5	6	10	10	10
75 +	12	10.0	32	3	4	8	13	18	22	23	1	7.0		7	7	7	7	7	7	7
ALL AGES	403	8.0	60	1	1	6	11	18	23	35	56	5.7	31	1	1	4	8	14	16	27
B. FEMALE																				
0-12 YRS.	7	15.1	87	3	4	16	21	28	29	29	2	1.0		1	1	1	75	99 +	99 +	99 +
13-17	181	14.7	181	1	2	9	23	34	43	91	10	15.4	250	2	2	6	31	39	43	43
18-24	157	7.1	43	1	1	5	10	19	21	24	24	6.3	22	1	1	5	9	12	16	20
25-34	215	6.9	39	1	1	5	9	15	21	30	20	6.9	84	1	1	4	7	18	31	39
35-54	193	7.2	39	1	1	5	10	16	20	30	26	7.2	71	1	1	4	9	21	26	36
55-74	58	12.5	93	2	3	10	18	28	33	42	14	4.4	10	1	2	3	5	10	12	12
75 +	20	11.0	90	1	2	9	16	23	31	37	3	7.7		7	7	8	8	8	8	8
ALL AGES	831	9.3	86	1	1	6	13	22	29	44	99	7.2	73	1	1	4	8	21	33	71
SUBTOTAL	**1234**	**8.8**	**79**	**1**	**1**	**6**	**12**	**21**	**28**	**44**	**155**	**6.7**	**58**	**1**	**1**	**4**	**8**	**15**	**23**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	24.2	173	3	3	29	31	38	38	38										
13-17	81	15.5	236	1	3	11	22	42	52	99 +	2	16.0	18	13	13	16	19	19	19	19
18-24	110	8.4	87	1	1	5	10	21	30	43	11	11.8	214	1	1	5	15	39	43	43
25-34	192	9.0	71	1	1	6	13	21	26	39	19	6.7	42	1	1	3	10	18	20	21
35-54	142	9.4	56	1	2	7	14	20	25	30	7	12.0	119	1	1	9	20	28	30	30
55-74	24	11.8	69	1	3	11	16	26	27	30	4	4.8	10	1	1	5	7	8	8	8
75 +	6	14.3	64	5	5	14	22	24	24	24										
ALL AGES	560	10.2	102	1	1	7	14	24	30	49	43	9.1	97	1	1	5	13	21	32	43
B. FEMALE																				
0-12 YRS.	11	26.6	303	1	3	29	35	53	54	54										
13-17	141	18.6	246	2	4	14	28	39	47	92	6	3.8	1	3	3	4	5	5	5	5
18-24	155	10.3	95	1	1	7	15	25	30	37	10	11.1	70	1	2	7	17	24	25	25
25-34	216	9.0	63	1	2	7	12	18	25	39	11	6.5	29	2	2	4	8	15	19	19
35-54	164	9.0	49	1	2	7	12	21	22	30	18	12.7	309	3	3	8	10	24	58	79
55-74	32	10.3	55	3	4	8	12	21	31	32	6	7.2	14	2	2	6	11	12	12	12
75 +	10	12.0	64	5	5	10	16	23	30	30	3	11.3	23	6	6	13	14	15	15	15
ALL AGES	729	11.5	121	1	2	8	15	26	34	52	54	9.5	128	2	3	7	11	17	25	77
SUBTOTAL	**1289**	**10.9**	**114**	**1**	**2**	**8**	**15**	**25**	**33**	**51**	**97**	**9.3**	**114**	**1**	**1**	**6**	**12**	**19**	**26**	**62**
GRAND TOTAL	**2523**	**9.9**	**97**	**1**	**1**	**7**	**13**	**23**	**30**	**49**	**252**	**7.7**	**81**	**1**	**1**	**5**	**9**	**18**	**25**	**43**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.0	18	1	1	4	7	7	7	7										
13-17	1	15.0		15	15	15	15	15	15	15	2	3.0	2	2	2	3	4	4	4	4
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	11.7	80	3	3	11	18	21	21	21										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	8.0		8	8	8	8	8	8	8	1	22.0		22	22	22	22	22	22	22
ALL AGES	10	8.9	34	1	2	8	11	18	21	21	3	9.3	122	2	2	4	17	22	22	22
B. FEMALE																				
0-12 YRS.	3	16.3	118	4	4	21	23	24	24	24										
13-17	2	12.0	8	10	10	12	14	14	14	14										
18-24	2	11.5	85	5	5	11	18	18	18	18	4	12.3	343	2	2	4	22	40	40	40
25-34	2	12.0	32	8	8	12	16	16	16	16	1	1.0		1	1	1	1	1	1	1
35-54	4	4.8	12	2	2	3	7	10	10	10	3	9.7	79	4	4	5	16	20	20	20
55-74	5	11.0	169	3	3	5	14	34	34	34										
75 +	2	4.5	5	3	3	4	6	6	6	6	6	6.2	19	2	2	5	8	13	14	14
ALL AGES	20	10.2	72	2	3	7	15	22	29	34	14	8.3	110	1	2	4	8	22	36	40
SUBTOTAL	**30**	**9.7**	**60**	**2**	**3**	**8**	**14**	**21**	**24**	**34**	**17**	**8.5**	**105**	**1**	**2**	**4**	**9**	**22**	**34**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	5	30.2	696	2	3	30	72	97	99 +	99 +										
18-24	3	14.0	363	3	3	3	28	36	36	36										
25-34	4	12.8	139	2	2	11	22	27	27	27	3	19.7	40	13	13	20	24	26	26	26
35-54	3	10.3	262	1	1	1	22	29	29	29	1	8.0		8	8	8	8	8	8	8
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	17	16.5	373	1	1	10	29	61	89	99 +	4	16.8	60	8	8	16	23	26	26	26
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	4	19.5	132	5	5	20	27	33	33	33	1	27.0		27	27	27	27	27	27	27
18-24	2	7.0	50	2	2	7	12	12	12	12	1	9.0		9	9	9	9	9	9	9
25-34	3	5.3	21	1	1	5	9	10	10	10	6	10.8	143	3	3	7	7	32	35	35
35-54	7	11.4	227	1	2	8	8	38	45	45	2	17.0	338	4	4	17	30	30	30	30
55-74	3	24.7	306	8	8	23	38	43	43	43										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	20	13.4	176	1	2	8	20	38	44	45	11	12.5	143	2	3	7	22	32	35	35
SUBTOTAL	**37**	**14.8**	**262**	**1**	**1**	**8**	**26**	**41**	**61**	**99 +**	**15**	**13.6**	**120**	**2**	**3**	**8**	**24**	**30**	**34**	**35**
GRAND TOTAL	**67**	**12.6**	**174**	**1**	**2**	**8**	**19**	**34**	**43**	**95**	**32**	**10.9**	**115**	**2**	**2**	**6**	**17**	**28**	**34**	**40**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	23.9	212	2	4	23	34	44	49	51										
13-17	29	15.8	158	1	2	12	25	36	40	41	2	3.0	8	1	1	3	5	5	5	5
18-24	24	6.2	39	1	1	3	10	17	20	21	7	9.3	142	1	1	4	19	28	29	29
25-34	35	6.3	33	1	1	4	10	14	20	22	10	8.9	16	2	3	10	11	14	15	15
35-54	54	8.3	42	1	1	6	11	21	22	25	8	11.1	138	1	1	7	21	29	29	29
55-74	15	10.9	67	3	3	9	14	19	30	34	1	6.0		6	6	6	6	6	6	6
75 +	5	15.4	120	4	4	11	26	29	29	29	1	1.0		1	1	1	1	1	1	1
ALL AGES	180	10.8	108	1	1	7	14	25	34	44	29	8.8	77	1	1	6	12	27	29	29
B. FEMALE																				
0-12 YRS.	18	13.2	88	2	5	10	20	34	73	99 +										
13-17	56	15.8	134	2	4	13	24	33	38	48	3	3.0	4	1	1	3	4	5	5	5
18-24	53	6.3	21	1	2	5	9	13	16	20	9	11.8	360	1	1	3	12	45	58	58
25-34	67	7.1	38	1	2	4	10	15	20	29	14	12.6	99	1	2	11	20	29	29	29
35-54	80	7.6	70	1	1	5	10	18	20	51	25	14.4	142	1	2	10	28	29	29	30
55-74	27	10.0	40	1	3	10	14	20	22	23	12	6.8	18	1	2	6	9	13	16	17
75 +	12	10.8	84	1	2	8	12	26	33	34	5	6.8	5	4	4	6	8	10	10	10
ALL AGES	313	9.4	76	1	2	7	13	21	28	44	68	11.3	128	1	1	7	15	29	29	53
SUBTOTAL	**493**	**9.9**	**88**	**1**	**2**	**7**	**13**	**22**	**30**	**44**	**97**	**10.5**	**114**	**1**	**1**	**6**	**13**	**29**	**29**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	31.7	738	2	3	27	42	70	95	99	1	4.0		4	4	4	4	4	4	4
13-17	29	18.9	165	2	2	21	29	69	99 +	99 +	2	40.5	2813	3	3	40	78	78	78	78
18-24	40	9.2	83	1	1	5	14	26	29	31	5	20.0	122	4	4	26	28	29	29	29
25-34	87	8.8	64	1	2	6	12	21	25	41	6	12.2	86	3	3	11	16	27	28	28
35-54	80	9.1	45	1	2	7	13	19	23	28	8	10.9	114	2	2	6	18	28	30	30
55-74	16	9.4	56	3	4	7	10	14	29	35										
75 +	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
ALL AGES	265	11.1	128	1	2	7	16	27	31	99 +	23	15.6	285	2	3	13	25	29	47	78
B. FEMALE																				
0-12 YRS.	10	28.9	458	4	8	24	33	65	71	71	1	1.0		1	1	1	1	1	1	1
13-17	47	14.3	189	1	2	9	18	34	45	63	2	7.0	72	1	1	7	13	13	13	13
18-24	67	9.7	55	1	2	7	15	22	23	31	6	19.2	132	3	3	23	28	30	30	30
25-34	92	9.4	78	2	2	7	11	21	29	46	19	19.0	100	3	7	17	30	31	31	31
35-54	107	9.8	53	1	3	8	12	21	23	36	31	21.0	145	4	5	28	30	31	33	47
55-74	21	8.5	29	2	3	8	12	17	20	21	4	13.8	96	4	4	12	21	27	27	27
75 +	7	19.6	223	9	9	12	25	46	50	50	1	5.0		5	5	5	5	5	5	5
ALL AGES	351	10.9	104	1	2	8	13	23	30	50	64	18.8	130	2	4	20	29	31	31	45
SUBTOTAL	**616**	**11.0**	**114**	**1**	**2**	**8**	**14**	**24**	**31**	**61**	**87**	**17.9**	**172**	**2**	**3**	**15**	**29**	**31**	**31**	**66**
GRAND TOTAL	**1109**	**10.5**	**103**	**1**	**2**	**7**	**14**	**23**	**30**	**53**	**184**	**14.0**	**155**	**1**	**2**	**10**	**27**	**30**	**31**	**54**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	14.3	121	1	1	12	20	32	35	36										
13-17	15	17.9	447	1	2	8	23	56	69	74	2	11.5	85	5	5	11	18	18	18	18
18-24	4	6.3	62	1	1	3	11	18	18	18										
25-34	6	9.5	62	2	2	7	17	21	21	21										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	44	13.9	221	1	1	10	19	29	42	74	2	11.5	85	5	5	11	18	18	18	18
B. FEMALE																				
0-12 YRS.	5	25.6	1114	4	4	17	84	98	99 +	99 +	1	7.0		7	7	7	7	7	7	7
13-17	19	11.4	99	2	3	8	15	28	34	37										
18-24	3	4.0	1	3	3	4	5	5	5	5										
25-34	4	5.0	23	1	1	3	8	12	12	12										
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	33	12.6	255	2	3	7	15	34	75	99 +	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**77**	**13.3**	**234**	**1**	**2**	**8**	**18**	**33**	**48**	**96**	**3**	**10.0**	**49**	**5**	**5**	**7**	**15**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	12.3	44	4	6	11	15	22	28	28										
13-17	20	13.3	140	1	2	8	25	30	34	37										
18-24	6	5.7	25	1	1	5	6	14	15	15										
25-34	4	3.3	6	1	1	2	5	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	4	9.5	23	5	5	8	13	16	16	16										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	46	10.5	87	1	2	7	15	28	30	37	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	4	26.5	364	10	10	22	41	52	52	52										
13-17	20	15.1	182	1	1	10	21	32	45	55										
18-24	8	5.9	32	1	1	4	6	15	19	19										
25-34	2	4.0	2	3	3	4	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	34	13.6	187	1	2	9	17	30	49	55										
SUBTOTAL	**80**	**11.8**	**130**	**1**	**2**	**8**	**16**	**29**	**33**	**54**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**157**	**12.6**	**179**	**1**	**2**	**8**	**17**	**30**	**36**	**83**	**4**	**8.0**	**49**	**2**	**2**	**6**	**12**	**18**	**18**	**18**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	20.9	258	1	6	15	31	44	54	56	1	2.0		2	2	2	2	2	2	2
13-17	35	18.1	287	2	2	9	31	44	50	65	2	2.0	2	1	1	2	3	3	3	3
18-24	3	4.3	34	1	1	1	8	11	11	11	2	7.0	50	2	2	7	12	12	12	12
25-34	19	6.3	34	1	1	4	9	15	20	22	1	5.0		5	5	5	5	5	5	5
35-54	14	9.2	99	1	1	5	15	21	30	30	3	5.3	57	1	1	1	11	14	14	14
55-74	5	7.2	52	1	1	3	14	16	16	16										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	102	14.4	216	1	1	9	22	37	44	60	9	4.6	24	1	1	2	7	13	14	14
B. FEMALE																				
0-12 YRS.	17	24.1	423	2	3	19	43	54	65	70	1	1.0		1	1	1	1	1	1	1
13-17	57	14.4	193	1	2	10	19	33	40	70	4	3.5	4	1	1	4	5	5	5	5
18-24	24	8.3	78	1	2	4	11	19	30	36	5	4.2	13	1	1	3	7	9	9	9
25-34	26	10.8	256	1	1	5	11	37	56	61	5	11.2	340	1	1	5	15	44	44	44
35-54	18	8.9	129	1	1	4	10	25	38	44	5	6.0	12	2	2	5	9	10	10	10
55-74	5	8.8	59	2	2	7	11	22	22	22	2	7.5	5	6	6	7	9	9	9	9
75 +	5	16.8	119	5	5	12	25	33	33	33	1	4.0		4	4	4	4	4	4	4
ALL AGES	152	13.1	213	1	2	7	17	34	45	70	23	6.1	77	1	1	5	7	9	22	44
SUBTOTAL	**254**	**13.6**	**215**	**1**	**2**	**8**	**18**	**36**	**44**	**65**	**32**	**5.7**	**61**	**1**	**1**	**4**	**6**	**11**	**14**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	28.7	407	3	7	29	38	56	72	76	1	1.0		1	1	1	1	1	1	1
13-17	37	24.3	476	3	3	18	41	57	60	84										
18-24	27	7.9	75	1	1	4	10	24	28	34	2	14.5	365	1	1	14	28	28	28	28
25-34	39	6.5	42	1	1	5	8	14	19	35	5	12.8	247	1	1	6	19	40	40	40
35-54	19	9.3	95	1	2	5	9	26	33	35	1	9.0		9	9	9	9	9	9	9
55-74	8	9.1	44	2	2	8	14	19	19	19										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	144	13.9	267	1	2	7	19	38	51	76	9	11.4	188	1	1	6	16	35	40	40
B. FEMALE																				
0-12 YRS.	4	15.5	155	7	7	10	22	34	34	34										
13-17	39	12.9	192	2	2	8	19	29	34	76										
18-24	25	10.2	113	1	1	6	16	26	33	39										
25-34	31	8.7	113	1	1	6	11	19	29	53	3	2.7	8	1	1	1	5	6	6	6
35-54	38	7.9	105	1	1	5	10	17	19	61	1	3.0		3	3	3	3	3	3	3
55-74	1	32.0		32	32	32	32	32	32	32										
75 +	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
ALL AGES	139	10.3	137	1	2	7	12	26	32	63	5	2.6	4	1	1	2	4	6	6	6
SUBTOTAL	**283**	**12.1**	**206**	**1**	**2**	**7**	**15**	**31**	**42**	**71**	**14**	**8.3**	**135**	**1**	**1**	**4**	**9**	**29**	**38**	**40**
GRAND TOTAL	**537**	**12.8**	**211**	**1**	**2**	**7**	**17**	**33**	**44**	**66**	**46**	**6.5**	**83**	**1**	**1**	**4**	**7**	**12**	**30**	**44**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	11.0	258	1	2	5	8	39	47	47										
13-17	14	11.6	196	1	1	4	16	37	42	43	1	6.0		6	6	6	6	6	6	6
18-24	1	23.0		23	23	23	23	23	23	23										
25-34	6	6.7	85	1	1	3	7	23	25	25	1	3.0		3	3	3	3	3	3	3
35-54	3	10.3	33	4	4	12	14	15	15	15	1	1.0		1	1	1	1	1	1	1
55-74	3	8.7	53	3	3	6	14	17	17	17										
75 +																				
ALL AGES	34	10.6	150	1	2	5	15	28	42	47	3	3.3	7	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.	7	26.6	1060	1	1	5	52	77	82	82										
13-17	25	10.2	70	1	2	6	17	22	25	30	1	1.0		1	1	1	1	1	1	1
18-24	6	7.5	42	1	1	5	15	16	16	16	2	7.0	72	1	1	13	78	99 +	99 +	99 +
25-34	7	8.9	23	3	3	10	12	15	16	16	2	5.5	1	5	5	5	6	6	6	6
35-54	10	18.2	585	1	1	12	16	57	82	82	2	21.5	41	17	17	21	26	26	26	26
55-74	4	7.8	7	4	4	8	10	10	10	10	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	59	12.9	273	1	2	9	16	27	48	82	8	10.8	79	1	1	13	19	70	99 +	99 +
SUBTOTAL	**93**	**12.1**	**226**	**1**	**2**	**6**	**16**	**28**	**42**	**82**	**11**	**8.7**	**70**	**1**	**1**	**6**	**17**	**48**	**93**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	20.6	167	1	3	18	30	39	41	41										
13-17	6	16.0	154	3	3	15	20	35	37	37	2	7.0		7	7	7	7	7	7	7
18-24	5	9.8	57	1	1	11	15	20	20	20										
25-34	9	11.3	64	1	3	9	15	24	26	26	1	1.0		1	1	1	1	1	1	1
35-54	26	12.3	175	2	3	9	13	22	36	70	2	9.0	128	1	1	8	17	17	17	17
55-74	4	14.5	138	2	2	15	24	25	25	25										
75 +																				
ALL AGES	59	13.7	144	1	2	10	20	27	36	67	5	6.5	43	1	1	7	10	17	17	17
B. FEMALE																				
0-12 YRS.	3	3.7	14	1	1	2	6	8	8	8										
13-17	25	13.5	138	2	3	9	19	28	38	47										
18-24	14	15.4	238	2	3	12	16	60	90	99 +	1	3.0		3	3	3	3	3	3	3
25-34	17	17.9	340	2	3	11	28	47	59	65	5	7.6	64	2	2	4	12	21	21	21
35-54	20	15.7	82	3	5	14	24	32	64	99 +										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	2	10.0	32	6	6	10	14	14	14	14										
ALL AGES	82	14.7	176	2	3	11	19	35	52	99 +	6	6.8	56	2	2	3	9	20	21	21
SUBTOTAL	**141**	**14.3**	**161**	**2**	**3**	**11**	**19**	**33**	**43**	**99 +**	**11**	**6.7**	**45**	**1**	**1**	**4**	**9**	**19**	**21**	**21**
GRAND TOTAL	**234**	**13.4**	**188**	**1**	**2**	**10**	**17**	**30**	**42**	**85**	**22**	**7.7**	**56**	**1**	**1**	**6**	**16**	**22**	**52**	**99 +**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	14.7	344	2	2	6	28	36	36	36	2	12.5	25	9	9	12	16	16	16	16
13-17	18	6.4	41	1	1	4	8	13	21	26	3	10.7	119	2	2	7	19	23	23	23
18-24	14	5.1	21	1	1	3	8	13	15	15	4	1.8	2	1	1	1	3	4	4	4
25-34	11	4.0	8	1	1	3	6	8	9	9	2	6.0	8	4	4	6	8	8	8	8
35-54	17	5.7	44	1	1	4	7	13	22	26	2	8.0	98	1	1	8	15	15	15	15
55-74	3	12.0	64	4	4	12	18	20	20	20										
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	67	6.4	49	1	1	4	8	13	23	34	13	7.1	49	1	1	4	10	17	22	23
B. FEMALE																				
0-12 YRS.	11	4.9	12	1	1	5	7	10	13	13	3	2.3	2	1	1	3	3	3	3	3
13-17	55	6.8	55	1	1	3	10	19	20	35	7	8.0	88	1	1	3	15	23	24	24
18-24	29	5.0	34	1	1	2	6	13	21	23	2	2.0	2	1	1	2	3	3	3	3
25-34	18	7.6	79	1	1	4	9	25	31	31	5	3.8	22	1	1	2	5	12	12	12
35-54	13	13.2	156	1	1	9	25	31	34	35	5	4.4	5	2	2	4	6	8	8	8
55-74	4	12.0	187	1	1	7	20	32	32	32										
75 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	131	7.1	67	1	1	4	9	19	30	35	23	4.9	34	1	1	3	4	13	21	24
SUBTOTAL	**198**	**6.9**	**60**	**1**	**1**	**4**	**9**	**18**	**26**	**35**	**36**	**5.7**	**39**	**1**	**1**	**3**	**7**	**16**	**22**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	11	7.5	88	1	2	4	7	21	33	34	2	4.0	2	3	3	4	5	5	5	5
18-24	21	5.5	26	1	1	3	9	14	16	18	7	10.7	71	1	1	11	12	24	27	27
25-34	31	5.9	20	1	1	5	8	13	13	19	6	13.7	98	1	1	15	19	27	28	28
35-54	16	4.3	18	1	1	3	5	12	14	15	6	14.8	104	2	2	17	23	26	26	26
55-74	3	4.3	18	1	1	3	7	9	9	9	2	2.5	5	1	1	2	4	4	4	4
75 +	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
ALL AGES	85	5.7	29	1	1	4	8	13	15	29	24	11.0	80	1	1	10	17	26	27	28
B. FEMALE																				
0-12 YRS.	3	8.3	90	1	1	5	15	19	19	19										
13-17	31	10.3	123	1	2	7	11	21	35	55	6	5.2	11	1	1	5	8	9	9	9
18-24	19	11.9	195	1	1	9	14	20	45	64	2	12.5	145	4	4	12	21	21	21	21
25-34	29	9.9	78	1	1	8	12	27	29	30	8	3.6	5	1	1	3	5	7	7	7
35-54	29	7.3	45	1	1	6	9	19	24	26	7	7.9	51	2	2	5	13	20	21	21
55-74	4	9.3	20	5	5	8	13	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +	5	11.2	93	4	4	8	14	28	28	28	1	36.0		36	36	36	36	36	36	36
ALL AGES	120	9.7	97	1	1	7	12	21	28	58	25	7.2	66	1	1	4	7	21	25	36
SUBTOTAL	**205**	**8.0**	**73**	**1**	**1**	**6**	**10**	**18**	**24**	**45**	**49**	**9.0**	**76**	**1**	**1**	**5**	**14**	**22**	**27**	**36**
GRAND TOTAL	**403**	**7.5**	**66**	**1**	**1**	**5**	**10**	**18**	**26**	**35**	**85**	**7.6**	**62**	**1**	**1**	**4**	**11**	**21**	**24**	**33**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	51.0		51	51	51	51	51	51	51										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	51.0		51	51	51	51	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +	3	11.3	83	3	3	10	18	21	21	21										
ALL AGES	4	9.0	77	2	2	6	15	21	21	21										
SUBTOTAL	**5**	**17.4**	**410**	**2**	**2**	**10**	**28**	**51**	**51**	**51**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	34.0		34	34	34	34	34	34	34										
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	2.0		2	2	2	2	2	2	2	2	15.0	162	6	6	15	24	24	24	24
ALL AGES	3	16.7	260	2	2	14	29	34	34	34	3	11.3	122	4	4	6	19	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	2	17.0	50	12	12	17	22	22	22	22										
55-74																				
75 +																				
ALL AGES	3	20.0	52	12	12	22	25	26	26	26										
SUBTOTAL	**6**	**18.3**	**130**	**2**	**3**	**18**	**26**	**33**	**34**	**34**	**3**	**11.3**	**122**	**4**	**4**	**6**	**19**	**24**	**24**	**24**
GRAND TOTAL	**11**	**17.9**	**229**	**2**	**2**	**14**	**25**	**41**	**50**	**51**	**3**	**11.3**	**122**	**4**	**4**	**6**	**19**	**24**	**24**	**24**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.5	685	1	1	19	38	38	38	38										
13-17	2	29.5	181	20	20	29	39	39	39	39	1	87.0		87	87	87	87	87	87	87
18-24	3	16.0	433	3	3	5	31	40	40	40	1	4.0		4	4	4	4	4	4	4
25-34																				
35-54	2	15.5	313	3	3	15	28	28	28	28										
55-74	3	28.7	299	9	9	35	40	42	42	42	1	4.0		4	4	4	4	4	4	4
75 +	7	6.9	14	2	2	6	10	13	13	13	2	10.0		10	10	10	10	10	10	10
ALL AGES	19	16.4	232	1	2	9	33	40	41	42	5	23.0	1289	4	4	10	29	87	87	87
B. FEMALE																				
0-12 YRS.																				
13-17	3	44.3	465	30	30	34	60	69	69	69										
18-24	2	51.5	421	37	37	51	66	66	66	66										
25-34																				
35-54	5	13.8	23	8	8	14	18	19	19	19										
55-74	6	8.2	47	2	2	6	12	19	20	20	1	5.0		5	5	5	5	5	5	5
75 +	8	13.9	176	3	4	8	17	36	44	44	4	13.0	215	5	5	6	21	35	35	35
ALL AGES	24	19.4	347	3	3	13	25	46	67	69	5	11.4	174	5	5	6	13	35	35	35
SUBTOTAL	**43**	**18.0**	**294**	**2**	**3**	**11**	**29**	**40**	**52**	**69**	**10**	**17.2**	**688**	**4**	**4**	**6**	**10**	**61**	**87**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	25.0	637	8	8	13	44	54	54	54										
13-17	3	37.7	317	18	18	42	50	53	53	53										
18-24	2	28.0	200	18	18	28	38	38	38	38										
25-34	12	22.0	501	4	4	12	36	55	72	75										
35-54	6	18.8	124	8	8	18	22	36	38	38	1	35.0		35	35	35	35	35	35	35
55-74	5	18.8	319	5	5	13	27	49	49	49										
75 +	4	19.3	172	3	3	21	30	31	31	31										
ALL AGES	35	22.6	325	4	5	18	36	49	54	75	1	35.0		35	35	35	35	35	35	35
B. FEMALE																				
0-12 YRS.	1	76.0		76	76	76	76	76	76	76										
13-17																				
18-24	1	39.0		39	39	39	39	39	39	39										
25-34	3	8.3	43	2	2	8	13	15	15	15										
35-54	6	16.8	25	10	10	17	21	22	22	22										
55-74	6	16.2	91	6	7	14	18	32	34	34										
75 +	3	10.7	7	9	9	9	13	14	14	14										
ALL AGES	20	18.5	260	4	7	14	20	36	57	76										
SUBTOTAL	**55**	**21.1**	**301**	**4**	**5**	**15**	**30**	**46**	**54**	**76**	**1**	**35.0**		**35**	**35**	**35**	**35**	**35**	**35**	**35**
GRAND TOTAL	**98**	**19.8**	**295**	**3**	**4**	**14**	**30**	**42**	**54**	**76**	**11**	**18.8**	**649**	**4**	**4**	**6**	**29**	**56**	**84**	**87**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	35	1.5		1	1	1	2	3	3	3	45	1.5	1	1	1	1	2	3	3	4
13-17	5	1.2		1	1	1	1	2	2	2	14	1.5	1	1	1	1	2	3	3	3
18-24	14	4.2	12	1	1	4	6	13	78	99 +	20	3.4	12	1	1	2	4	9	12	13
25-34	21	6.2	74	1	1	3	8	12	26	40	23	2.5	6	1	1	2	3	5	8	12
35-54	18	4.9	35	1	1	3	6	11	19	25	27	3.6	4	1	1	4	5	6	7	7
55-74	10	5.6	28	1	1	4	7	14	19	19	7	4.4	6	2	2	4	6	8	8	8
75 +	2	4.0	2	3	3	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
ALL AGES	105	3.8	28	1	1	2	4	9	13	66	137	2.5	5	1	1	2	3	5	7	12
B. FEMALE																				
0-12 YRS.	18	1.8	2	1	1	1	2	3	5	7	20	2.0	4	1	1	1	2	5	7	7
13-17	5	2.0	1	1	1	2	2	3	3	3	14	3.9	5	1	1	4	5	7	8	8
18-24	11	2.6	4	1	1	2	4	6	7	7	19	2.5	4	1	1	2	3	5	7	9
25-34	23	4.2	8	1	1	3	6	8	10	12	29	4.3	11	1	1	4	5	8	13	14
35-54	21	4.2	15	1	1	3	4	10	14	17	38	5.3	18	2	2	4	5	9	17	21
55-74	10	4.1	11	1	1	3	4	9	13	13	11	4.0	7	1	1	3	5	8	9	9
75 +	4	7.5	3	6	6	7	9	9	9	9	5	5.0	5	3	3	5	6	8	8	8
ALL AGES	92	3.6	9	1	1	3	5	8	9	15	136	4.0	10	1	1	3	5	8	9	19
SUBTOTAL	**197**	**3.7**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**33**	**273**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**8**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	49.0		49	49	49	49	49	49	49	2	2.5	5	1	1	2	4	4	4	4
25-34	4	14.3	196	2	2	11	25	33	33	33	3	4.0	13	1	1	3	7	8	8	8
35-54	7	14.9	260	2	2	10	24	42	45	45	7	5.1	18	2	2	4	6	12	14	14
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	14	15.4	279	1	2	8	29	45	48	49	14	3.9	13	1	1	3	5	9	13	14
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											2	2.5	5	1	1	2	4	4	4	4
25-34	3	4.0	13	1	1	3	7	8	8	8	2	3.5	13	1	1	3	6	6	6	6
35-54	4	6.5	60	1	1	3	11	18	18	18	5	8.2	39	3	3	6	10	19	19	19
55-74	4	5.3	18	2	2	4	8	11	11	11	2	3.5	1	3	3	3	4	4	4	4
75 +	1	7.0		7	7	7	7	7	7	7	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	12	5.5	25	1	1	4	7	13	17	18	14	5.5	21	1	1	5	7	10	17	19
SUBTOTAL	**26**	**10.8**	**182**	**1**	**1**	**5**	**11**	**33**	**46**	**49**	**28**	**4.7**	**17**	**1**	**1**	**4**	**6**	**9**	**14**	**19**
GRAND TOTAL	**223**	**4.5**	**43**	**1**	**1**	**3**	**5**	**9**	**16**	**46**	**301**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	13.5	181	4	4	13	23	23	23	23	2	8.0		8	8	8	8	8	8	8
75 +	2	12.0	162	3	3	12	21	21	21	21	1	4.0		4	4	4	4	4	4	4
ALL AGES	4	12.8	113	3	3	12	22	23	23	23	3	6.7	5	4	4	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-24																				
25-34																				
35-54																				
55-74	2	20.0	128	12	12	20	28	28	28	28	2	15.0		15	15	15	15	15	15	15
75 +	2	9.0	8	7	7	9	11	11	11	11										
ALL AGES	4	14.5	86	7	7	11	20	28	28	28	3	20.0	75	15	15	15	26	30	30	30
SUBTOTAL	**8**	**13.6**	**88**	**3**	**3**	**11**	**22**	**26**	**28**	**28**	**6**	**13.3**	**87**	**4**	**4**	**11**	**15**	**29**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	4.5	5	3	3	4	6	6	6	6										
55-74	1	5.0		5	5	5	5	5	5	5	1	12.0		12	12	12	12	12	12	12
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	3	4.7	2	3	3	5	6	6	6	6	2	9.0	18	6	6	9	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	2	5.5	5	4	4	5	7	7	7	7										
ALL AGES	3	7.0	9	4	4	7	9	10	10	10										
SUBTOTAL	**6**	**5.8**	**7**	**3**	**3**	**5**	**7**	**10**	**10**	**10**	**2**	**9.0**	**18**	**6**	**6**	**9**	**12**	**12**	**12**	**12**
GRAND TOTAL	**14**	**10.3**	**65**	**3**	**3**	**7**	**12**	**23**	**27**	**28**	**8**	**12.3**	**66**	**4**	**5**	**10**	**15**	**26**	**30**	**30**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	2	46.5	1861	16	16	46	77	77	77	77	2	12.0	200	2	2	12	22	22	22	22
18-24											1	1.0		1	1	1	1	1	1	1
25-34	3	13.3	238	3	3	6	25	31	31	31	2	3.5	1	3	3	3	4	4	4	4
35-54	6	11.8	46	5	5	10	19	20	20	20	1	4.0		4	4	4	4	4	4	4
55-74	40	13.7	143	3	3	8	20	31	41	47	13	8.2	63	1	1	4	13	20	26	27
75 +	39	7.8	39	2	2	6	9	13	22	33	34	6.9	36	1	1	6	8	18	22	24
ALL AGES	91	11.6	144	2	3	7	14	29	33	65	53	7.1	44	1	1	5	8	19	22	27
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
13-17	1	9.0		9	9	9	9	9	9	9										
18-24											1	70.0		70	70	70	70	70	70	70
25-34	1	8.0		8	8	8	8	8	8	8	1	21.0		21	21	21	21	21	21	21
35-54	5	18.0	128	5	5	14	28	33	33	33	2	8.0	18	5	5	8	11	11	11	11
55-74	33	9.5	49	2	2	8	11	23	24	25	24	5.8	11	1	2	5	8	12	34	99 +
75 +	92	7.9	36	3	3	6	10	15	21	33	75	6.6	22	2	2	6	8	11	13	30
ALL AGES	133	8.7	45	2	3	7	11	19	24	34	104	7.2	59	2	2	6	8	12	14	83
SUBTOTAL	**224**	**9.9**	**86**	**2**	**3**	**7**	**12**	**22**	**29**	**43**	**157**	**7.2**	**53**	**1**	**2**	**6**	**8**	**13**	**21**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17		11.0		11	11	55	99 +	99 +	99 +	99 +										
18-24	4	13.5	188	1	1	12	25	29	29	29										
25-34	7	11.9	125	1	1	8	20	30	31	31										
35-54	13	13.6	74	2	4	14	18	28	29	29	1	4.0		4	4	4	4	4	4	4
55-74	28	9.5	55	3	3	8	12	16	23	39	4	8.3	33	5	5	6	11	17	17	17
75 +	13	12.0	29	4	6	11	16	20	21	21	16	7.7	53	2	2	5	9	13	26	32
ALL AGES	66	11.3	65	2	3	9	16	23	30	90	21	7.6	46	2	2	5	9	15	24	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	61.0		61	61	61	61	61	61	61										
18-24																				
25-34	3	14.0	108	2	2	20	20	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54	12	16.5	150	3	5	16	20	31	46	49										
55-74	26	20.8	260	6	9	16	22	38	50	84	9	9.2	33	3	4	7	11	19	22	22
75 +	30	13.8	102	4	5	10	18	30	40	42	16	7.2	9	2	3	7	10	11	11	11
ALL AGES	72	17.5	195	4	6	14	21	37	42	79	26	7.7	18	2	3	7	10	11	16	22
SUBTOTAL	**138**	**14.5**	**143**	**3**	**4**	**11**	**19**	**29**	**40**	**86**	**47**	**7.7**	**29**	**2**	**3**	**6**	**10**	**13**	**18**	**32**
GRAND TOTAL	**362**	**11.7**	**111**	**2**	**3**	**8**	**15**	**24**	**32**	**59**	**204**	**7.3**	**48**	**1**	**2**	**6**	**9**	**13**	**21**	**51**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	9.0	169	1	1	2	18	24	24	24	2	2.0	2	1	1	2	3	3	3	3
13-17	13	10.2	91	1	1	8	14	28	30	30	2	3.0	8	1	1	2	5	5	5	5
18-24	19	9.2	117	1	1	4	13	29	35	35	5	5.4	31	1	1	3	7	15	15	15
25-34	47	7.0	41	1	1	5	11	18	20	25	9	7.6	97	1	1	4	8	25	31	31
35-54	46	10.3	143	1	1	8	14	20	21	77	12	4.5	50	1	1	2	4	15	24	25
55-74	28	10.5	117	2	2	5	15	19	37	47	13	12.7	294	2	3	6	14	32	60	66
75 +	12	7.4	24	2	3	6	9	14	19	20	12	8.3	11	4	4	7	11	13	13	13
ALL AGES	168	9.0	95	1	1	6	13	20	24	45	55	7.7	105	1	1	4	10	16	24	64
B. FEMALE																				
0-12 YRS.	3	10.7	79	5	5	6	17	21	21	21	1	4.0		4	4	4	4	4	4	4
13-17	47	11.5	192	1	2	7	16	31	38	71	2	6.0	50	1	1	6	11	11	11	11
18-24	46	8.4	63	1	1	6	13	19	26	31	10	6.0	70	1	1	4	6	18	29	29
25-34	61	7.7	55	1	1	6	12	17	24	34	19	6.1	52	1	1	4	8	12	24	32
35-54	92	8.4	70	1	1	6	11	22	26	41	33	5.3	43	1	1	4	5	10	15	37
55-74	63	10.5	86	1	2	7	15	23	30	40	36	5.8	20	1	1	4	8	13	16	20
75 +	30	11.4	133	1	2	8	15	23	39	53	25	10.5	74	3	3	6	16	22	29	35
ALL AGES	342	9.4	92	1	1	6	13	22	28	44	126	6.6	48	1	1	4	8	15	20	35
SUBTOTAL	**510**	**9.3**	**92**	**1**	**1**	**6**	**13**	**21**	**27**	**45**	**181**	**7.0**	**64**	**1**	**1**	**4**	**8**	**15**	**22**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	16.0	243	7	7	21	67	99 +	99 +	99 +										
13-17	35	17.3	236	2	3	14	22	44	48	53	3	2.0	1	1	1	2	3	3	3	3
18-24	32	12.1	164	1	1	10	16	25	35	65	4	6.8	37	2	2	5	11	15	15	15
25-34	58	7.5	42	1	1	6	11	19	24	93	13	8.4	87	1	1	3	15	23	27	28
35-54	61	11.7	87	1	2	10	17	27	33	37	13	4.2	12	1	1	3	6	10	12	12
55-74	18	15.4	239	2	5	10	15	41	54	60	7	4.4	19	1	1	3	4	12	14	14
75 +	7	15.6	101	6	7	13	21	33	35	35	5	6.6	13	2	2	8	9	11	11	11
ALL AGES	214	12.0	134	1	1	9	16	29	39	77	45	5.8	37	1	1	3	8	14	18	28
B. FEMALE																				
0-12 YRS.	5	43.8	1846	1	1	24	89	91	91	91	2	5.0	8	3	3	5	7	7	7	7
13-17	47	19.0	327	3	4	15	30	34	50	95	3	3.7	2	2	2	4	5	5	5	5
18-24	56	13.0	292	1	1	7	17	41	45	88	6	12.7	394	2	2	5	8	48	53	53
25-34	91	11.6	96	1	2	9	16	22	32	47	11	5.4	48	1	1	2	9	17	22	22
35-54	105	10.8	71	1	3	9	14	21	25	45	22	3.8	14	1	1	2	5	11	13	13
55-74	47	12.0	82	1	3	10	16	28	31	36	16	12.1	150	2	3	6	19	27	40	46
75 +	16	9.3	56	3	3	7	10	25	27	27	11	10.5	45	2	4	7	15	20	24	24
ALL AGES	367	12.9	182	1	2	9	16	29	35	86	71	7.7	93	1	1	5	9	19	26	52
SUBTOTAL	**581**	**12.6**	**164**	**1**	**2**	**9**	**16**	**29**	**36**	**83**	**116**	**7.0**	**71**	**1**	**1**	**4**	**8**	**17**	**23**	**48**
GRAND TOTAL	**1091**	**11.0**	**134**	**1**	**1**	**8**	**15**	**24**	**34**	**60**	**297**	**7.0**	**67**	**1**	**1**	**4**	**8**	**16**	**23**	**42**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	34	28.8	586	2	4	21	53	84	99 +	99 +	2	1.0		1	1	1	1	1	1	1
13-17	40	23.5	461	2	3	14	35	54	67	91	1	13.0		13	13	13	13	13	13	13
18-24	1	27.0		27	27	27	27	27	27	27										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	6.0	8	4	4	6	8	8	8	8										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	79	25.0	502	2	4	17	42	66	87	99 +	3	5.0	48	1	1	1	10	13	13	13
B. FEMALE																				
0-12 YRS.	5	26.0	352	3	3	23	35	55	55	55										
13-17	10	19.6	248	5	6	17	22	42	61	61										
18-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	18	20.1	248	4	5	19	23	47	59	61										
SUBTOTAL	**97**	**24.1**	**455**	**3**	**4**	**18**	**39**	**62**	**82**	**99 +**	**3**	**5.0**	**48**	**1**	**1**	**1**	**10**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	38	30.8	368	6	8	30	46	81	99 +	99 +										
13-17	74	27.3	422	3	4	23	41	62	76	99 +										
18-24	5	24.4	284	2	2	22	33	49	49	49										
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	118	28.1	398	3	6	26	43	64	87	99 +										
B. FEMALE																				
0-12 YRS.	8	22.9	100	6	8	25	31	32	33	33										
13-17	23	32.3	731	2	4	23	55	75	85	86	1	6.0		6	6	6	6	6	6	6
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	3	8.0	57	1	1	7	14	16	16	16										
35-54																				
55-74																				
75 +																				
ALL AGES	35	27.6	556	2	5	20	39	61	81	86	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**153**	**28.0**	**430**	**3**	**5**	**24**	**42**	**62**	**85**	**99 +**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**250**	**26.5**	**441**	**3**	**4**	**21**	**42**	**62**	**84**	**99 +**	**4**	**5.3**	**32**	**1**	**1**	**4**	**9**	**13**	**13**	**13**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	3	31.0	1029	11	11	14	54	68	68	68		1	20.0		20	20	20	20	20	20	20
13-17	11	24.7	770	1	2	11	43	66	85	87											
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	14	26.1	755	1	3	12	44	70	83	87		1	20.0		20	20	20	20	20	20	20
B. FEMALE																					
0-12 YRS.	4	15.3	157	2	2	14	25	31	31	31											
13-17	6	20.8	323	4	4	12	41	45	46	46		1	25.0		25	25	25	25	25	25	25
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	10	18.6	240	2	3	12	31	43	46	46		1	25.0		25	25	25	25	25	25	25
SUBTOTAL	**24**	**23.0**	**533**	**2**	**3**	**12**	**41**	**54**	**74**	**87**		**2**	**22.5**	**13**	**20**	**20**	**22**	**25**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	5	19.6	110	8	8	17	30	32	32	32											
13-17	14	28.2	448	1	1	36	46	63	91	99 +											
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	19	25.9	365	1	3	30	45	56	81	99 +											
B. FEMALE																					
0-12 YRS.	2	23.0	128	15	15	23	31	31	31	31											
13-17	27	17.7	104	3	4	16	27	28	37	40											
18-24	2	15.0	200	5	5	15	25	25	25	25											
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	31	17.9	102	3	5	16	27	29	36	40											
SUBTOTAL	**50**	**20.9**	**214**	**2**	**5**	**18**	**30**	**45**	**49**	**99 +**											
GRAND TOTAL	**74**	**21.6**	**312**	**2**	**4**	**16**	**31**	**46**	**60**	**97**		**2**	**22.5**	**13**	**20**	**20**	**22**	**25**	**25**	**25**	**25**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	29.8	465	3	5	26	40	63	93	99 +										
13-17	56	18.7	169	3	5	15	30	40	49	97	2	1.5	1	1	1	1	2	2	2	2
18-24	3	13.0	16	9	9	13	16	17	17	17	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	84	21.8	276	3	5	17	34	47	61	99 +	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	10	32.6	705	8	10	24	44	76	94	94										
13-17	44	17.3	210	2	3	15	27	47	74	99 +	1	7.0		7	7	7	7	7	7	7
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	21.0		21	21	21	21	21	21	21										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	58	19.4	314	2	3	16	28	49	81	99 +	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**142**	**20.8**	**291**	**2**	**4**	**17**	**30**	**49**	**64**	**99 +**	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	23.8	146	4	7	22	31	42	44	44										
13-17	69	31.7	514	3	5	29	46	72	79	98	4	46.0	101	40	40	41	51	61	61	61
18-24	4	14.0	124	3	3	12	22	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	91	29.4	438	3	5	27	44	59	77	95	4	46.0	101	40	40	41	51	61	61	61
B. FEMALE																				
0-12 YRS.	3	38.7	1701	10	10	53	93	99 +	99 +	99 +										
13-17	62	21.5	327	2	4	19	29	54	78	99 +	1	10.0		10	10	10	10	10	10	10
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	66	22.0	378	2	4	19	29	64	87	99 +	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**157**	**26.3**	**423**	**3**	**4**	**22**	**38**	**61**	**80**	**99 +**	**5**	**38.8**	**335**	**10**	**10**	**41**	**47**	**61**	**61**	**61**
GRAND TOTAL	**299**	**23.7**	**366**	**3**	**4**	**19**	**34**	**54**	**78**	**99 +**	**9**	**23.0**	**521**	**1**	**1**	**10**	**41**	**53**	**61**	**61**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	10.5	94	1	1	9	18	23	23	23	1	20.0		20	20	20	20	20	20	20
13-17	21	19.0	150	4	5	17	28	38	39	40										
18-24	4	4.8	24	1	1	3	8	12	12	12	2	27.5	925	6	6	27	49	49	49	49
25-34	13	11.2	77	2	3	8	15	27	30	31	2	13.5	85	7	7	13	20	20	20	20
35-54	2	19.5	313	7	7	19	32	32	32	32										
55-74											2	6.5	13	4	4	6	9	9	9	9
75 +																				
ALL AGES	44	14.6	133	2	3	10	24	32	38	40	7	16.4	250	4	4	9	20	43	49	49
B. FEMALE																				
0-12 YRS.	2	6.0	32	2	2	10	77	99 +	99 +	99 +										
13-17	16	19.6	117	4	7	18	27	36	39	40										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	4	5.5	38	1	1	4	10	14	14	14										
35-54	4	20.0	303	4	4	19	35	37	37	37	1	7.0		7	7	7	7	7	7	7
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	27	16.0	148	1	2	14	27	37	46	99 +	2	8.0	2	7	7	8	9	9	9	9
SUBTOTAL	**71**	**15.2**	**135**	**1**	**3**	**11**	**24**	**35**	**39**	**87**	**9**	**14.6**	**199**	**4**	**5**	**9**	**20**	**37**	**49**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	15.7	25	10	10	14	19	23	24	24										
13-17	34	19.3	215	3	4	16	29	44	55	99 +										
18-24	15	12.5	73	1	3	13	15	28	29	30										
25-34	15	9.7	36	1	1	8	15	17	19	20	3	8.0	52	2	2	6	13	16	16	16
35-54	6	14.7	130	3	3	17	28	86	99 +	99 +										
55-74	3	18.7	28	13	13	19	23	24	24	24										
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	80	15.6	135	2	3	14	20	36	44	99 +	3	8.0	52	2	2	6	13	16	16	16
B. FEMALE																				
0-12 YRS.	2	30.0	450	15	15	30	45	45	45	45										
13-17	18	25.3	523	3	5	20	35	77	95	99 +										
18-24																				
25-34	2	14.0	128	6	6	14	22	22	22	22										
35-54	3	20.7	112	9	9	23	28	30	30	30										
55-74	2	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	27	22.5	424	1	3	18	30	59	89	99 +										
SUBTOTAL	**107**	**17.3**	**215**	**1**	**3**	**14**	**24**	**41**	**59**	**99 +**	**3**	**8.0**	**52**	**2**	**2**	**6**	**13**	**16**	**16**	**16**
GRAND TOTAL	**178**	**16.5**	**182**	**1**	**3**	**14**	**24**	**37**	**45**	**99 +**	**12**	**12.9**	**165**	**2**	**3**	**8**	**18**	**29**	**46**	**49**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**2**	**15.0**	**18**	**12**	**12**	**15**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	20.5	30	16	16	19	24	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	20.5	30	16	16	19	24	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**17.6**	**64**	**6**	**6**	**17**	**23**	**28**	**28**	**28**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**7**	**16.9**	**46**	**6**	**7**	**17**	**20**	**27**	**28**	**28**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.0	4	1	1	3	4	5	5	5	3	1.0		1	1	1	1	1	1	1
13-17	4	17.0	385	2	2	10	30	45	45	45	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	2	12.5	85	6	6	12	19	19	19	19										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	9	11.3	199	1	1	5	17	35	45	45	5	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	4	4.3	11	1	1	3	6	9	9	9	1	2.0		2	2	2	2	2	2	2
13-17	5	6.2	90	1	1	2	9	23	23	23	1	1.0		1	1	1	1	1	1	1
18-24											1	9.0		9	9	9	9	9	9	9
25-34	2	10.5	1	10	10	10	11	11	11	11										
35-54	2	3.5	13	1	1	3	6	6	6	6										
55-74	1	22.0		22	22	22	22	22	22	22	1	6.0		6	[illegible]	[illegible]	6	6	6	6
75 +																				
ALL AGES	14	7.0	55	1	1	4	10	22	23	23	4	4.5	14	1	1	4	7	9	9	9
SUBTOTAL	**23**	**8.7**	**109**	**1**	**1**	**5**	**11**	**22**	**31**	**45**	**9**	**2.6**	**8**	**1**	**1**	**1**	**3**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	7	13.1	185	1	2	10	14	36	42	42										
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	10	17.1	240	1	2	12	21	44	47	47										
B. FEMALE																				
0-12 YRS.	2	20.5	265	9	9	20	32	32	32	32	1	6.0		6	6	6	6	6	6	6
13-17	2	10.5	13	8	8	10	13	13	13	13										
18-24	2	4.0	18	1	1	4	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	7	10.4	107	1	1	8	12	28	32	32	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**17**	**14.4**	**185**	**1**	**2**	**10**	**16**	**40**	**45**	**47**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**40**	**11.1**	**146**	**1**	**1**	**7**	**14**	**27**	**43**	**47**	**10**	**2.9**	**9**	**1**	**1**	**1**	**6**	**8**	**9**	**9**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	17.5	766	1	1	5	23	49	86	99	3	3.0	3	2	2	2	4	5	5	5
13-17	27	11.8	104	1	2	8	16	28	34	38	1	5.0		5	5	5	5	5	5	5
18-24	4	26.8	274	9	9	27	62	99+	99+	99+	1	1.0		1	1	1	1	1	1	1
25-34	7	6.7	18	1	1	7	10	11	11	11										
35-54	3	8.0	127	1	1	2	16	21	21	21										
55-74	2	17.0	98	10	10	17	24	24	24	24										
75 +																				
ALL AGES	58	13.7	283	1	1	8	20	36	49	99+	5	3.0	4	1	1	2	5	5	5	5
B. FEMALE																				
0-12 YRS.	14	11.3	363	1	1	3	10	27	63	73	3	7.0	19	4	4	5	10	12	12	12
13-17	16	15.2	199	1	2	12	25	51	85	99+	3	9.7	175	2	2	2	19	25	25	25
18-24	6	7.3	40	1	1	6	10	17	18	18	2	5.0	32	1	1	5	9	9	9	9
25-34	2	8.0	18	5	5	8	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	4	12.0	40	4	4	13	17	18	18	18	1	6.0		6	6	6	6	6	6	6
55-74	1	11.0		11	11	11	11	11	11	11										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	43	12.1	199	1	2	9	18	27	62	99+	11	6.4	50	1	1	4	8	17	24	25
SUBTOTAL	**101**	**13.0**	**246**	**1**	**1**	**8**	**19**	**29**	**52**	**99+**	**16**	**5.3**	**37**	**1**	**1**	**3**	**6**	**12**	**21**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	18.6	214	3	3	15	31	43	45	45	3	17.0	675	2	2	2	36	47	47	47
13-17	39	18.3	380	2	3	12	27	57	73	99+	1	47.0		47	47	47	47	47	47	47
18-24											1	3.0		3	3	3	3	3	3	3
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	7.5	41	3	3	7	12	12	12	12										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	56	17.8	319	2	3	12	25	45	62	99	6	17.5	523	2	2	3	47	47	47	47
B. FEMALE																				
0-12 YRS.	6	9.8	66	3	3	8	11	24	25	25	1	2.0		2	2	2	2	2	2	2
13-17	24	15.5	175	1	1	12	22	42	65	99+	3	2.0	3	1	1	1	3	4	4	4
18-24																				
25-34																				
35-54	1	36.0		36	36	36	36	36	36	36										
55-74											1	7.0		7	7	7	7	7	7	7
75 +	2	13.5	181	4	4	13	23	23	23	23										
ALL AGES	33	15.0	160	1	2	12	23	37	52	99+	5	3.0	7	1	1	2	5	7	7	7
SUBTOTAL	**89**	**16.7**	**262**	**1**	**3**	**12**	**23**	**43**	**57**	**99+**	**11**	**10.9**	**322**	**1**	**1**	**3**	**6**	**47**	**47**	**47**
GRAND TOTAL	**190**	**14.7**	**257**	**1**	**2**	**10**	**21**	**38**	**57**	**99+**	**27**	**7.6**	**153**	**1**	**1**	**3**	**6**	**22**	**47**	**47**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	24.4	116	8	10	26	33	38	40	40										
13-17	10	24.8	373	4	4	20	45	52	55	55										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	24.6	225	5	6	25	35	47	52	55										
B. FEMALE																				
0-12 YRS.	7	20.1	208	3	4	23	30	40	42	42										
13-17	3	27.3	169	13	13	31	36	38	38	38										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	22.3	186	3	4	24	31	40	42	42										
SUBTOTAL	**31**	**23.8**	**210**	**4**	**6**	**25**	**33**	**43**	**49**	**55**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	45.4	508	8	21	48	72	83	99+	99+	1	54.0		54	54	54	54	54	54	54
13-17	19	37.4	495	6	13	30	61	76	90	99+	1	6.0		6	6	6	6	6	6	6
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	41	41.7	505	8	16	40	68	81	99+	99+	2	30.0	1152	6	6	30	54	54	54	54
B. FEMALE																				
0-12 YRS.	7	45.4	661	23	24	37	80	98	99+	99+										
13-17	12	29.9	221	1	5	31	38	47	54	55										
18-24	1	33.0		33	33	33	33	33	33	33										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	35.5	391	4	16	33	42	77	97	99+										
SUBTOTAL	**61**	**39.7**	**467**	**7**	**17**	**34**	**60**	**81**	**99+**	**99+**	**2**	**30.0**	**1152**	**6**	**6**	**30**	**54**	**54**	**54**	**54**
GRAND TOTAL	**92**	**34.3**	**437**	**5**	**8**	**31**	**50**	**73**	**91**	**99+**	**2**	**30.0**	**1152**	**6**	**6**	**30**	**54**	**54**	**54**	**54**

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.0	32	3	3	7	11	11	11	11										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.0	32	3	3	7	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	3	5.7	21	3	3	3	9	11	11	11										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	5.7	21	3	3	3	9	11	11	11										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	98.0		98	98	98	98	98	98	98										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	98.0		98	98	98	98	98	98	98	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**98.0**		**98**	**98**	**98**	**98**	**98**	**98**	**98**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.	2	10.5	85	4	4	10	17	17	17	17										
13-17	1	35.0		35	35	35	35	35	35	35										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	18.7	240	4	4	17	30	35	35	35										
SUBTOTAL	**4**	**17.3**	**167**	**4**	**4**	**15**	**26**	**35**	**35**	**35**										
GRAND TOTAL	**5**	**33.4**	**1431**	**4**	**4**	**17**	**51**	**98**	**98**	**98**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	24.7	384	4	5	20	39	63	77	99 +	3	15.0	139	5	5	12	24	28	28	28
13-17	28	26.9	255	4	5	27	40	52	57	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	53	25.8	314	4	5	24	40	55	69	99 +	3	15.0	139	5	5	12	24	28	28	28
B. FEMALE																				
0-12 YRS.	17	30.9	449	6	12	28	35	56	82	95										
13-17	41	21.2	426	3	4	13	29	50	59	99	3	19.3	254	1	1	28	29	29	29	29
18-24	1	56.0		56	56	56	56	56	56	56										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	59	24.6	454	3	4	19	34	56	60	99	3	19.3	254	1	1	28	29	29	29	29
SUBTOTAL	**112**	**25.2**	**383**	**3**	**5**	**21**	**38**	**56**	**63**	**99 +**	**6**	**17.2**	**161**	**1**	**1**	**20**	**28**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	25	36.1	400	7	11	35	50	71	86	99 +	1	6.0		6	6	6	6	6	6	6
13-17	33	26.6	245	5	7	27	41	53	90	99 +	7	36.0	339	12	13	37	49	61	63	63
18-24	3	6.7	2	5	5	7	8	8	8	8										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	61	29.5	341	5	7	31	42	60	88	99 +	8	32.3	399	6	8	33	47	60	63	63
B. FEMALE																				
0-12 YRS.	11	37.9	320	9	18	45	60	99 +	99 +	99 +	1	3.0		3	3	3	3	3	3	3
13-17	40	25.4	446	1	3	24	40	73	99 +	99 +	10	23.3	212	1	4	26	32	42	51	51
18-24	5	26.2	485	5	5	15	49	51	51	51										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	56	27.9	436	2	5	28	49	89	99 +	99 +	11	21.5	226	1	2	24	31	40	50	51
SUBTOTAL	**117**	**28.8**	**380**	**4**	**6**	**30**	**45**	**70**	**99 +**	**99 +**	**19**	**26.0**	**314**	**2**	**4**	**28**	**36**	**52**	**58**	**63**
GRAND TOTAL	**229**	**27.0**	**385**	**3**	**5**	**26**	**41**	**60**	**97**	**99 +**	**25**	**23.9**	**283**	**1**	**3**	**28**	**32**	**51**	**55**	**63**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	42.0		42	42	42	42	42	42	42
13-17	3	2.3	3	1	1	2	3	4	4	4	1	13.0		13	13	13	13	13	13	13
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.3	3	1	1	2	3	4	4	4	2	27.5	421	13	13	27	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	2.3	3	1	1	2	3	4	4	4	2	27.5	421	13	13	27	42	42	42	42
GRAND TOTAL	5	2.0	2	1	1	2	3	4	4	4	2	27.5	421	13	13	27	42	42	42	42

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	43	21.8	328	3	3	21	30	41	59	86	5	18.0	423	2	2	5	35	48	48	48
13-17	15	26.4	275	4	6	28	37	49	54	56										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	60	22.4	313	3	4	22	30	48	56	84	5	18.0	423	2	2	5	35	48	48	48
B. FEMALE																				
0-12 YRS.	14	23.1	539	2	3	26	35	88	97	99 +	2	2.5	1	2	2	2	3	3	3	3
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	14	23.1	539	2	3	26	35	88	97	99 +	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**74**	**22.5**	**351**	**3**	**3**	**22**	**32**	**49**	**61**	**97**	**7**	**13.6**	**338**	**2**	**2**	**4**	**24**	**45**	**48**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	75	31.1	468	3	5	30	49	70	95	99 +	6	7.8	48	1	1	7	12	18	19	19
13-17	33	24.8	242	2	4	24	39	44	60	99 +	1	42.0		42	42	42	42	42	42	42
18-24	5	28.8	331	7	7	22	46	51	51	51										
25-34	4	22.3	305	6	6	20	37	42	42	42										
35-54																				
55-74																				
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	117	28.9	395	3	5	29	44	62	88	99 +	8	12.6	178	1	1	10	16	35	42	42
B. FEMALE																				
0-12 YRS.	10	33.6	490	5	8	38	66	99 +	99 +	99 +										
13-17	3	31.7	139	22	22	28	41	45	45	45										
18-24	3	7.0	13	4	4	6	10	11	11	11										
25-34																				
35-54	2	20.5	113	13	13	20	28	28	28	28										
55-74																				
75 +																				
ALL AGES	18	27.4	389	4	5	28	44	87	99 +	99 +										
SUBTOTAL	**135**	**28.7**	**392**	**3**	**5**	**29**	**44**	**64**	**94**	**99 +**	**8**	**12.6**	**178**	**1**	**1**	**10**	**16**	**35**	**42**	**42**
GRAND TOTAL	**209**	**26.5**	**384**	**3**	**4**	**27**	**42**	**58**	**86**	**99 +**	**15**	**13.1**	**233**	**1**	**1**	**6**	**17**	**42**	**46**	**48**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	44.0		44	44	44	44	44	44	44										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	44.0		44	44	44	44	44	44	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	44.0		44	44	[illegible]	44	44	44	44										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	44.0		44	44	44	44	44	44	44										

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	35.0	777	4	4	43	54	58	58	58										
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	33.3	526	4	4	35	50	58	58	58										
B. FEMALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	42.0		42	42	42	42	42	42	42										
SUBTOTAL	**5**	**35.0**	**413**	**4**	**4**	**42**	**47**	**58**	**58**	**58**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	14.8	202	5	5	9	23	36	36	36										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.8	202	5	5	9	23	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**14.8**	**202**	**5**	**5**	**9**	**23**	**36**	**36**	**36**										
GRAND TOTAL	**9**	**26.0**	**397**	**4**	**4**	**28**	**42**	**52**	**58**	**58**										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	1	7.0		7	7	7	7	7	7	7										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	7.0		7	7	7	7	7	7	7										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	2	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	4	4.3	4	2	2	4	6	6	6	6	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											6	3.8		3	3	4	4	4	4	4
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											7	3.9		3	3	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											7	3.9		3	3	4	4	4	4	4
GRAND TOTAL	4	4.3	4	2	2	4	6	6	6	6	8	3.8		3	3	4	4	4	4	4

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	417	19.5	369	1	1	14	33	52	69	99 +	119	5.9	98	1	1	2	4	20	30	47
13-17	1024	20.4	365	1	2	14	32	45	61	95	270	13.8	281	1	1	4	27	36	45	65
18-24	1663	12.8	146	1	1	9	20	29	34	56	614	12.7	150	1	1	8	21	29	34	47
25-34	4200	12.7	134	1	2	9	20	28	32	53	1735	13.9	130	1	2	11	22	29	32	47
35-54	5219	12.8	117	1	2	10	21	28	31	46	2176	12.5	132	1	2	7	21	28	31	45
55-74	2179	14.0	131	2	2	11	20	28	34	57	943	10.8	113	1	2	6	17	28	30	42
75 +	776	13.3	124	2	3	10	18	28	35	52	372	7.8	52	2	2	6	9	17	24	30
ALL AGES	15478	13.7	153	1	2	10	21	29	36	59	6229	12.3	134	1	1	7	21	29	31	47
B. FEMALE																				
0-12 YRS.	282	18.2	390	1	1	12	28	50	82	99 +	77	5.4	97	1	1	2	4	12	38	87
13-17	1437	18.8	329	1	2	13	29	44	59	96	286	12.4	252	1	1	4	22	35	43	73
18-24	1698	12.4	150	1	2	8	18	29	36	59	525	10.9	172	1	1	5	16	30	40	70
25-34	4132	12.8	127	1	2	10	19	28	33	53	1142	11.0	130	1	2	6	17	27	33	53
35-54	5899	13.8	124	1	2	11	19	28	34	54	1490	12.2	160	1	2	7	20	29	36	55
55-74	3843	16.2	146	2	3	14	22	31	39	59	979	10.4	132	1	2	6	14	25	34	61
75 +	1598	13.9	125	2	3	11	18	29	37	53	700	7.8	70	1	2	6	9	16	21	44
ALL AGES	18889	14.4	155	1	2	11	20	30	39	62	5199	10.8	143	1	1	6	15	28	34	56
SUBTOTAL	**34367**	**14.1**	**154**	**1**	**2**	**11**	**21**	**29**	**37**	**62**	**11428**	**11.6**	**139**	**1**	**1**	**6**	**20**	**28**	**32**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	412	29.4	465	3	5	29	45	72	94	99 +	48	16.3	511	1	1	6	16	52	74	87
13-17	1572	25.6	385	2	3	23	42	52	72	99 +	376	25.1	377	1	2	26	34	49	63	99
18-24	1922	14.6	146	1	2	12	23	30	35	51	792	15.2	134	1	2	16	23	30	32	44
25-34	4900	13.2	119	1	2	10	21	28	31	45	2536	12.6	111	1	2	8	22	28	30	38
35-54	5110	12.5	102	2	2	10	20	27	30	42	2447	10.4	97	2	2	5	20	26	29	35
55-74	1535	14.9	145	2	3	12	21	30	37	55	669	9.2	88	1	2	5	11	24	30	40
75 +	375	14.7	130	3	4	12	20	29	37	58	151	9.4	78	2	2	6	12	21	29	40
ALL AGES	15826	15.0	175	2	2	11	22	31	41	71	7019	12.4	136	1	2	7	22	28	31	47
B. FEMALE																				
0-12 YRS.	173	29.7	588	2	4	28	50	78	99	99 +	13	3.9	4	1	2	4	7	99 +	99 +	99 +
13-17	1569	24.3	410	2	3	20	38	55	71	99 +	286	21.3	317	1	2	21	32	46	54	94
18-24	1796	15.2	198	1	2	11	22	32	43	72	489	12.9	129	1	2	7	22	29	30	49
25-34	3970	13.6	134	2	2	10	20	29	35	54	1173	10.8	112	1	2	5	20	27	30	43
35-54	4466	14.3	134	2	3	11	20	29	35	55	1057	11.3	133	1	2	6	20	29	32	51
55-74	2189	16.9	161	2	4	14	23	32	41	64	464	10.6	111	2	2	7	14	24	31	50
75 +	798	15.6	129	3	4	13	21	29	36	60	213	9.4	93	2	2	7	11	18	28	50
ALL AGES	14961	15.9	192	2	3	12	22	33	43	72	3695	11.9	143	1	2	6	21	29	33	55
SUBTOTAL	**30787**	**15.4**	**184**	**2**	**3**	**12**	**22**	**32**	**42**	**72**	**10714**	**12.2**	**139**	**1**	**2**	**6**	**21**	**29**	**31**	**50**
GRAND TOTAL	**65154**	**14.7**	**169**	**1**	**2**	**11**	**21**	**30**	**40**	**66**	**22142**	**11.9**	**139**	**1**	**2**	**6**	**21**	**28**	**32**	**51**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All long-term care hospitals, i.e., hospitals with average patient stays more than 30 days, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. Hospitals were then grouped according to presence or absence of a psychiatric acute care unit defined in the 1986 AHA magnetic tape.

Hospitals recording the presence of a psychiatric service unit were separated and labeled: hospitals with a psychiatric unit/beds. All other hospitals were labeled: hospitals without a psychiatric unit/beds.

Both hospital service types, however, may offer one or more of these services as defined in the *AHA Guide*, 1987 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth. The purpose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accreditation of Healthcare Organizations

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	86	26.3	40,752	24.0	199	23.2	17,192	24.4
North Central	106	32.4	65,154	38.3	214	25.0	22,142	31.4
South	55	16.8	25,625	15.0	201	23.5	12,411	17.6
West	80	24.5	38,527	22.7	243	28.3	18,705	26.6
U.S.	327	100.0	170,058	100.0	857	100.0	70,450	100.0

APPENDIX 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other specified drug-induced mental disorders	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other specified transient organic mental disorders	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	29
295.1	Disorganized type schizophrenia	30
295.2	Catatonic type schizophrenia	31
295.3	Paranoid type schizophrenia	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type schizophrenia	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other manic-depressive psychosis	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52
297.8	Other specified paranoid states	53

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active state	
	1 Residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified childhood psychosis	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other anxiety states	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other neurotic disorders	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other personality disorders	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.2	Pedophilia	85
302.3	Transvestism	86
302.4	Exhibitionism	87
302.5	Trans-sexualism	88
302.50	Trans-sexualism with unspecified sexual history	88
302.51	Trans-sexualism with asexual history	88
302.52	Trans-sexualism with homosexual history	88
302.53	Trans-sexualism with heterosexual history	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	Psychosexual dysfunction with inhibited sexual desire	89
302.72	Psychosexual dysfunction with inhibited sexual excitement	89
302.73	Psychosexual dysfunction with inhibited female orgasm	89
302.74	Psychosexual dysfunction with inhibited male orgasm	89
302.75	Psychosexual dysfunction with premature ejaculation	89
302.76	Psychosexual dysfunction with functional dyspareunia	89
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90
302.89	Other specified psychosexual disorders	90
302.9	Unspecified psychosexual disorder	91
303	**Alcohol dependence syndrome** Fifth-digit subclassification for use with 303: 0 Unspecified drinking behavior 1 Continuous drinking behavior 2 Episodic drinking behavior 3 In remission	
303.0	Acute alcoholic intoxication	92
303.9	Other and unspecified alcohol dependence	93

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
304.0	Opioid type dependence	94
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	95
304.2	Cocaine dependence	96
304.3	Cannabis dependence	97
304.4	Amphetamine and other psychostimulant dependence	98
304.5	Hallucinogen dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other drug dependence	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	114
306.1	Respiratory malfunction arising from mental factors	115
306.2	Cardiovascular malfunction arising from mental factors	116
306.3	Skin disorder arising from mental factors	117
306.4	Gastrointestinal malfunction arising from mental factors	118
306.5	Genitourinary malfunction arising from mental factors	119
306.50	Psychogenic genitourinary malfunction, unspecified	119
306.51	Psychogenic vaginismus	119
306.52	Psychogenic dysmenorrhea	119
306.53	Psychogenic dysuria	119
306.59	Other genitourinary malfunction arising from mental factors	119
306.6	Endocrine disorder arising from mental factors	120
306.7	Disorder of organs of special sense arising from mental factors	121
306.8	Other specified psychophysiological malfunction	122
306.9	Unspecified psychophysiological malfunction	123
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	124
307.1	Anorexia nervosa	125
307.2	Tics	126

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.20	Tic disorder, unspecified	126
307.21	Transient tic disorder of childhood	126
307.22	Chronic motor tic disorder	126
307.23	Gilles de la Tourette's disorder	126
307.3	Stereotyped repetitive movements	127
307.4	Specific disorders of sleep of nonorganic origin	128
307.40	Nonorganic sleep disorder, unspecified	128
307.41	Transient disorder of initiating or maintaining sleep	128
307.42	Persistent disorder of initiating or maintaining sleep	128
307.43	Transient disorder of initiating or maintaining wakefulness	128
307.44	Persistent disorder of initiating or maintaining wakefulness	128
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	128
307.46	Somnambulism or night terrors	128
307.47	Other dysfunctions of sleep stages or arousal from sleep	128
307.48	Repetitive intrusions of sleep	128
307.49	Other specific disorders of sleep of nonorganic origin	128
307.5	Other and unspecified disorders of eating	129
307.50	Eating disorder, unspecified	129
307.51	Bulimia	129
307.52	Pica	129
307.53	Psychogenic rumination	129
307.54	Psychogenic vomiting	129
307.59	Other disorders of eating	129
307.6	Enuresis	130
307.7	Encopresis	131
307.8	Psychalgia	132
307.80	Psychogenic pain, site unspecified	132
307.81	Tension headache	132
307.89	Other psychalgia	132
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	133
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	134
308.1	Predominant disturbance of consciousness	135
308.2	Predominant psychomotor disturbance	136
308.3	Other acute reactions to stress	137
308.4	Mixed disorders as reaction to stress	138
308.9	Unspecified acute reaction to stress	139
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	140
309.1	Adjustment reaction with prolonged depressive reaction	141
309.2	Adjustment reaction with predominant disturbance of other emotions	142
309.21	Separation anxiety disorder	142
309.22	Emancipation disorder of adolescence and early adult life	142
309.23	Specific academic or work inhibition	142
309.24	Adjustment reaction with anxious mood	142
309.28	Adjustment reaction with mixed emotional features	142
309.29	Other adjustment reactions with predominant disturbance of other emotions	142
309.3	Adjustment reaction with predominant disturbance of conduct	143
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	144
309.8	Other specified adjustment reactions	145
309.81	Prolonged posttraumatic stress disorder	145
309.82	Adjustment reaction with physical symptoms	145
309.83	Adjustment reaction with withdrawal	145
309.89	Other specified adjustment reactions	145

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.9	Unspecified adjustment reaction	146
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	147
310.1	Organic personality syndrome	148
310.2	Postconcussion syndrome	149
310.8	Other specified nonpsychotic mental disorders following organic brain damage	150
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	151
311	Depressive disorder, not elsewhere classified	152
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	153
312.1	Undersocialized conduct disorder, unaggressive type	154
312.2	Socialized conduct disorder	155
312.3	Disorders of impulse control, not elsewhere classified	156
312.30	Impulse control disorder, unspecified	156
312.31	Pathological gambling	156
312.32	Kleptomania	156
312.33	Pyromania	156
312.34	Intermittent explosive disorder	156
312.35	Isolated explosive disorder	156
312.39	Other disorders of impulse control	156
312.4	Mixed disturbance of conduct and emotions	157
312.8	Other specified disturbances of conduct, not elsewhere classified	158
312.9	Unspecified disturbance of conduct	159
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	160
313.1	Misery and unhappiness disorder specific to childhood and adolescence	161
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	162
313.21	Shyness disorder of childhood	162
313.22	Introverted disorder of childhood	162
313.23	Elective mutism specific to childhood and adolescence	162
313.8	Other or mixed emotional disturbances of childhood or adolescence	163
313.81	Oppositional disorder of childhood or adolescence	163
313.82	Identity disorder of childhood or adolescence	163
313.83	Academic underachievement disorder of childhood or adolescence	163
313.89	Other emotional disturbances of childhood or adolescence	163
313.9	Unspecified emotional disturbance of childhood or adolescence	164
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	165
314.00	Attention deficit disorder of childhood without mention of hyperactivity	165
314.01	Attention deficit disorder of childhood with hyperactivity	165
314.1	Hyperkinesis of childhood with developmental delay	166
314.2	Hyperkinetic conduct disorder of childhood	167
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	168
314.9	Unspecified hyperkinetic syndrome of childhood	169
290-314.9	**All psychiatric diagnosis codes**	170

APPENDIX 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	163
Acute alcoholic intoxication	303.0	92
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	142
Adjustment reaction with brief depressive reaction	309.0	140
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	144
Adjustment reaction with mixed emotional features	309.28	142
Adjustment reaction with physical symptoms	309.82	145
Adjustment reaction with predominant disturbance of conduct	309.3	143
Adjustment reaction with predominant disturbance of other emotions	309.2	142
Adjustment reaction with prolonged depressive reaction	309.1	141
Adjustment reaction with withdrawal	309.83	145
Affective personality disorder	301.1	76
Affective personality disorder, unspecified	301.10	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	92-93
Fifth-digit subclassification for use with 303:		
0 Unspecified drinking behavior		
1 Continuous drinking behavior		
2 Episodic drinking behavior		
3 In remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	98
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	125
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia, uncomplicated	290.40	5
Attention deficit disorder of childhood	314.0	165
Attention deficit disorder of childhood with hyperactivity	314.01	165
Attention deficit disorder of childhood without mention of hyperactivity	314.00	165
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	95
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Bulimia	307.51	129
Cannabis abuse	305.2	106
Cannabis dependence	304.3	97
Cardiovascular malfunction arising from mental factors	306.2	116
Catatonic type schizophrenia	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	126
Cocaine abuse	305.6	110
Cocaine dependence	304.2	96
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other drug dependence	304.7	101
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	152
Depressive type psychosis	298.0	55
Disorder of organs of special sense arising from mental factors	306.7	121
Disorders of impulse control, not elsewhere classified	312.3	156
Disorganized type schizophrenia	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	153-155
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Drug dependence	304.0-304.9	94-103
Fifth-digit subclassification for use with 304:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17
Eating disorder, unspecified	307.50	129
Elective mutism specific to childhood and adolescence	313.23	162
Emancipation disorder of adolescence and early adult life	309.22	142
Encopresis	307.7	131
Endocrine disorder arising from mental factors	306.6	120
Enuresis	307.6	130
Excitative type psychosis	298.1	56
Exhibitionism	302.4	87
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	90
Frontal lobe syndrome	310.0	147
Gastrointestinal malfunction arising from mental factors	306.4	118
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	65
Genitourinary malfunction arising from mental factors	306.5	119
Gilles de la Tourette's disorder	307.23	126
Hallucinogen abuse	305.3	107
Hallucinogen dependence	304.5	99
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Hyperkinesis of childhood with developmental delay	314.1	166
Hyperkinetic conduct disorder of childhood	314.2	167
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder of childhood or adolescence	313.82	163
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	156
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	156
Introverted disorder of childhood	313.22	162
Introverted personality	301.21	77
Isolated explosive disorder	312.35	156
Kleptomania	312.32	156
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.1	40
Manic disorder, single episode	296.0	39
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder specific to childhood and adolescence	313.1	161
Mixed disorders as reaction to stress	308.4	138
Mixed disturbance of conduct and emotions	312.4	157
Multiple personality	300.14	66
Musculoskeletal malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	104-113
Fifth-digit subclassification for use with 305:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	128
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	109
Opioid type dependence	304.0	94
Oppositional disorder of childhood or adolescence	313.81	163
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	148
Other acute reactions to stress	308.3	137
Other adjustment reactions with predominant disturbance of other emotions	309.29	142
Other alcoholic dementia	29	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	93
Other and unspecified disorders of eating	307.5	129
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	133
Other anxiety states	300.09	65
Other disorders of eating	307.59	129
Other disorders of impulse control	312.39	156
Other dysfunctions of sleep stages or arousal from sleep	307.47	128
Other emotional disturbances of childhood or adolescence	313.89	163
Other genitourinary malfunction arising from mental factors	306.59	119
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other manic-depressive psychosis	296.89	47
Other neurotic disorders	300.8	73
Other neurotic disorders	300.89	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	163
Other personality disorders	301.8	83
Other personality disorders	301.89	83
Other psychalgia	307.89	132
Other specific disorders of sleep of nonorganic origin	307.49	128
Other specified adjustment reactions	309.8	145
Other specified adjustment reactions	309.89	145
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	158
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	19
Other specified drug-induced mental disorders	292.89	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	168
Other specified nonpsychotic mental disorders following organic brain damage	310.8	150
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	122

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Other specified psychosexual disorders	302.8	90
Other specified psychosexual disorders	302.89	90
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified transient organic mental disorders	293.89	23
Other specified types of schizophrenia	295.8	37
Other, mixed, or unspecified drug abuse	305.9	113
Overanxious disorder specific to childhood and adolescence	313.0	160
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid personality disorder	301.0	75
Paranoid state, simple	297.0	49
Paranoid type schizophrenia	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	156
Pedophilia	302.2	85
Persistent disorder of initiating or maintaining sleep	307.42	128
Persistent disorder of initiating or maintaining wakefulness	307.44	128
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	128
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	129
Postconcussion syndrome	310.2	149
Predominant disturbance of consciousness	308.1	135
Predominant disturbance of emotions	308.0	134
Predominant psychomotor disturbance	308.2	136
Presenile dementia	290.1	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Presenile dementia, uncomplicated	290.10	2
Prolonged posttraumatic stress disorder	309.81	145
Psychalgia	307.8	132
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	119
Psychogenic dysuria	306.53	119
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	119
Psychogenic pain, site unspecified	307.80	132
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	129
Psychogenic vaginismus	306.51	119
Psychogenic vomiting	307.54	129
Psychoss with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 Current or active state		
1 Residual state		
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction with functional dyspareunia	302.76	89
Psychosexual dysfunction with inhibited female orgasm	302.73	89
Psychosexual dysfunction with inhibited male orgasm	302.74	89

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction with inhibited sexual desire	302.71	89
Psychosexual dysfunction with inhibited sexual excitement	302.72	89
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	89
Psychosexual dysfunction with premature ejaculation	302.75	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	156
Reactive confusion	298.2	57
Repetitive intrusions of sleep	307.48	128
Residual schizophrenia	295.6	35
Respiratory malfunction arising from mental factors	306.1	115
Schizo-affective type schizophrenia	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	77
Senile dementia with delirium	290.3	4
Senile dementia with delusional features	290.20	3
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with depressive features	290.21	3
Senile dementia, uncomplicated	290.0	1
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	162
Separation anxiety disorder	309.21	142
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	162
Simple type schizophrenia	295.0	29
Skin disorder arising from mental factors	306.3	117
Social phobia	300.23	67
Socialized conduct disorder	312.2	155
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	128
Specific academic or work inhibition	309.23	142
Specific disorders of sleep of nonorganic origin	307.4	128
Stammering and stuttering	307.0	124
Stereotyped repetitive movements	307.3	127
Subacute delirium	293.1	22
Tension headache	307.81	132
Tic disorder, unspecified	307.20	126
Tics	307.2	126
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	88
Trans-sexualism with asexual history	302.51	88
Trans-sexualism with heterosexual history	302.53	88
Trans-sexualism with homosexual history	302.52	88
Trans-sexualism with unspecified sexual history	302.50	88

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Transient disorder of initiating or maintaining sleep	307.41	128
Transient disorder of initiating or maintaining wakefulness	307.43	128
Transient tic disorder of childhood	307.21	126
Transvestism	302.3	86
Undersocialized conduct disorder, aggressive type	312.0	153
Undersocialized conduct disorder, unaggressive type	312.1	154
Unspecified acute reaction to stress	308.9	139
Unspecified adjustment reaction	309.9	146
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified childhood psychosis	299.9	64
Unspecified disturbance of conduct	312.9	159
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	164
Unspecified hyperkinetic syndrome of childhood	314.9	169
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	151
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	123
Unspecified psychosexual disorder	302.9	91
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	90

R3750-23-u

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Northeastern Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1988

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the second annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1987
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1987
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1987
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1987
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1987
ISSN 0898-0535

The Length of Stay series has been published annually since 1964. The 1987 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1987 and Pediatric Length of Stay by Diagnosis and Operation, United States 1987. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and CPHA Publications iv

Preface v

Description of the Database

- Data Collection vii
- Data Quality ix
- Database Characteristics ix

Organization of Psychiatric Length of Stay Tables xiv

Explanation of Psychiatric Length of Stay Statistics xvi

Application of Psychiatric Length of Stay Tables xvii

Trends in Psychiatric Length of Stay xviii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 167

Appendix 2: Teaching Intensity Program Calculation 168

Appendix 3: State Inclusions and Hospital Counts by Region 169

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 170

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 177

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the healthcare industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of healthcare professionals in a variety of settings.

Copyright ©1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the healthcare industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. This series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1987 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager
Joyce Beach, Senior Programmer
Lale A. Olson, Senior Electronic Publishing Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Publications staff: Linda E. Vanek, MSW, Product Manager, for marketing assistance, Rhonda A. Gregory, Customer Service Representative, for clerical assistance, and James Chesney, PhD., for research advice.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Maureen Rieschl, and Billie Thompson. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and the Wyoming Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1987 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,184 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages xi-xiii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1986 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1986 AHA magnetic tape), includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1986 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1987 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	480	1,445	1,925	1,382	3,355	4,737	168	175	343	2,030	4,975	7,005
Sample	39	185	224	288	672	960	0	0	0	327	857	1,184
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	8.1	12.8	11.6	20.8	20.0	20.3	0	0	0	16.1	17.2	16.9
Number of Urban Hospitals												
Universe	355	346	701	1,165	1,966	3,131	140	94	234	1,660	2,406	4,066
Sample	24	43	67	221	366	587	0	0	0	245	409	654
Urban Hospitals as Percent of Universe												
Universe	74.0	23.9	36.4	84.3	58.6	66.1	83.3	53.7	68.2	81.8	48.4	58.0
Sample	5.0	3.0	3.5	16.0	10.9	12.4	0	0	0	12.1	8.2	9.3
Number of High/Medium Teaching Intensity Hospitals												
Universe	175	53	228	532	379	911	111	31	142	818	463	1,281
Sample	17	6	23	130	96	226	0	0	0	147	102	249
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	36.5	3.7	11.8	38.5	11.3	19.2	66.1	17.7	41.4	40.3	9.3	18.3
Sample	3.5	.4	1.2	9.4	2.9	4.8	0	0	0	7.2	2.1	3.6
Average Occupancy as Percent of Universe												
Universe	77.6	48.7	55.9	67.4	54.4	58.2	73.3	56.1	64.5	70.3	52.8	57.9
Sample	63.5	47.9	50.6	66.4	57.7	60.3	0	0	0	66.1	55.6	58.5

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals recording facility information on the 1986 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	327	100.0	170,058	100.0
Control				
Public	39	11.9	16,406	9.6
Private	288	88.1	153,652	90.4
Bedsize				
< 100 Beds	21	6.4	4,068	2.4
100-199	79	24.1	28,841	17.0
200-299	78	23.9	37,376	22.0
300-399	63	19.3	38,117	22.4
400-499	33	10.1	21,409	12.6
500+	53	16.2	40,247	23.7
Teaching Intensity				
Low	180	55.1	79,718	46.9
Medium	88	26.9	50,023	29.4
High	59	18.0	40,317	23.7
Location				
Rural	82	25.1	27,350	16.1
Urban	245	74.9	142,708	83.9

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	857	100.0	70,450	100.0
Control				
Public	185	21.6	10,190	14.5
Private	672	78.4	60,260	85.5
Bedsize				
< 100 Beds	445	51.9	17,716	25.1
100-199	224	26.1	19,794	28.1
200-299	108	12.6	16,318	23.2
300-399	42	4.9	6,262	8.9
400-499	21	2.5	7,447	10.6
500+	17	2.0	2,913	4.1
Teaching Intensity				
Low	755	88.1	52,857	75.0
Medium	82	9.6	16,031	22.8
High	20	2.3	1,562	2.2
Location				
Rural	448	52.3	21,608	30.7
Urban	409	47.7	48,842	69.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

c. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The first Psychiatric Length of Stay series, profiling 1986 data, offered a baseline year for monitoring national and regional length of stay trends for hospital patients with psychiatric conditions.

The 1987 Psychiatric Length of Stay series affords a glimpse of emerging patterns for further investigation. The tables that follow highlight data from the 1986 and the new 1987 publications in two areas of interest to users:

(1) regional length of stay differences for selected psychiatric diagnoses; and
(2) sex length of stay differences for selected psychiatric diagnoses.

Table 1 below displays 1986 and 1987 average lengths of stay in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 900 patient discharges in each region, and for all psychiatric diagnoses. The table is categorized by geographic region.

For all of the five common psychiatric diagnoses, except other and unspecified alcohol dependence (303.9), the western region length of stay remains the lowest, following a 22 year old pattern for all diagnoses, in which the Northeast has the highest lengths of stay, and the West, the lowest.

For example, in 1987 the average length of stay in the Northeast for paranoid schizophrenia (295.3) is 21 days; it is 11.1 days in the West, a difference of 9.9 days. Similarly, the 1987 average length of stay in the Northeast for a diagnosis of major depressive disorder, single episode (296.2) is 18.5 days, while it is 13.8 days in the West, a 4.7 day difference. For all psychiatric diagnoses, the difference between the northeastern and the western regions in 1987 is 2.5 days.

Lengths of stay for all psychiatric diagnoses from 1986 to 1987, rose or remained constant in three of the four regions, including the West. The exception is the north central region, where average lengths of stay for all psychiatric diagnoses dropped 0.2 days. The southern and northeastern regions recorded the highest increases: 0.9 days from 1986 to 1987. The western region rose 0.5 days. In the U.S. for all psychiatric diagnoses, average lengths of stay rose 0.4 days, from 13.7 in 1986 to 14.1 in 1987.

Table 1
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals with a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Paranoid schizophrenia	295.3	20.0	21.0	16.7	16.8	13.0	13.8	11.5	11.1	15.4	15.6
Major depressive disorder, single episode	296.2	18.5	18.5	16.8	16.8	17.2	17.9	13.9	13.8	16.7	16.7
Neurotic depression	300.4	14.5	15.7	14.8	14.7	11.9	13.2	11.3	10.6	13.5	13.6
Other and unspecified alcohol dependence	303.9	10.1	11.4	18.0	17.7	13.5	14.6	17.3	19.7	15.0	15.8
Brief depressive reaction	309.0	9.6	9.9	10.3	9.9	8.3	8.8	5.8	5.8	8.8	8.8
All psychiatric codes	290.0-314.9	13.9	14.8	14.9	14.7	13.2	14.1	11.8	12.3	13.7	14.1

The differences in average length of stay for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses, in hospitals without a psychiatric acute care service unit/beds, are also illuminating.

As Table 2 reveals below, the regional differences do not uniformly show the expected pattern of higher average lengths of stay in the Northeast, North Central, and South and lower stays in the West. In 1987, three of the five examined diagnoses show higher average lengths of stay in the West than in all other regions. For example, in the southern region a diagnosis of acute alcoholic intoxication (303.0) has an average length of stay of 8.9 days; the average stay in the West is 11.1 days. For a diagnosis of depressive disorder (311), the average length of stay in the north central region is 7 days; in the West 10.6 days.

On the other hand, from 1986 to 1987, average lengths of stay for each region for the five common psychiatric diagnoses have gone up in the Northeast by an average 2.3 days, 1 day in the north central region, 0.6 days in the South, and 0.4 in the West.

Similarly, for all psychiatric diagnoses the average length of stay has declined in the West from 1986 to 1987 from 11.6 to 11.4 days and has increased in the other three regions, ranging from 0.6 days in the South to 1.1 days in the Northeast.

Table 2
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals without a Psychiatric Unit/Beds

		Northeast		**North Central**		**South**		**West**		**U.S.**	
Type of Patient	***ICD-9-CM* Code**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Other specified alcoholic psychosis	291.8	5.1	5.2	4.9	4.9	4.1	4.7	5.6	7.4	5.0	5.5
Major depressive disorder, recurrent episode	296.3	9.8	15.8	13.2	17.3	10.8	11.5	14.6	10.0	12.7	14.1
Acute alcoholic intoxication	303.0	4.6	5.9	8.7	8.8	7.8	8.9	10.4	11.1	8.4	8.6
Cocaine dependence	304.2	5.4	8.4	14.9	14.1	24.6	25.9	18.5	19.0	16.7	14.8
Depressive disorder, not elsewhere classified	311	9.3	10.5	5.5	7.0	6.5	6.0	7.1	10.6	6.6	8.1
All psychiatric codes	290.0-314.9	7.6	8.7	10.9	11.9	9.7	10.3	11.6	11.4	10.4	10.7

Table 3 shows average lengths of stay by sex in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses. For the five common psychiatric diagnoses with a few exceptions, e.g., neurotic depression (300.4), in all regions and the U.S., women have higher average lengths of stay in 1986 and 1987. This finding is often cited in the literature examining psychiatric lengths of stay. To illustrate, in 1986, men with a diagnosis of brief depressive reaction (309.0) stay an average 8.3 days, while women stay 9 days in the U.S. For all psychiatric diagnoses in the U.S. in 1986, men stay 13.1 days to women's average 14.3 days, a 1.2 day difference.

In 1987, the national length of stay differential between men and women for brief depressive reaction (309.0) increases. Men stay an average 8.2 days, while women stay 9.3 days. The same holds true for all psychiatric diagnoses: men stay an average 13.4 and women 14.6 days, a 0.1 increase in the differential between average stays for men and women from 1986 to 1987.

Moreover, there are regional variations in lengths of stay by sex. In the Northeast, men and women diagnosed with a major depressive disorder, recurrent episode (296.3), have an average stay of 19.8 and 21.3 days respectively in 1987. Men and women in the West with the same diagnosis stay an average 13.6 and 14.6 days. Cocaine dependence (304.2) reveals the opposite pattern, in which the West has higher average stays for men and women, 19.6 and 18 days respectively, than in the Northeast, where average stays are 8.6 days for men and women diagnosed with cocaine dependence (304.2).

Overall, regional average lengths of stay by sex from 1986 to 1987 increase. The north central region records the only decline: 0.1 days for men and 0.2 days for women. For all psychiatric diagnoses, the lengths of stay for men in the Northeast increase by 0.9 days and 1 day for women; in the South the increase is 1.1 days for men and 0.8 days for women.

Table 3

Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals with a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	***ICD-9-CM* Code**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Major depressive disorder, recurrent episode	296.3	19.6	19.8	21.0	21.3	17.3	16.1	18.3	17.1
Neurotic depression	300.4	16.0	16.8	13.6	15.0	14.6	14.4	15.0	14.8
Acute alcoholic intoxication	303.0	6.5	6.2	7.6	6.3	7.1	6.5	6.9	6.9
Cocaine dependence	304.2	13.1	8.6	13.0	8.6	16.0	14.6	13.7	12.3
Brief depressive reaction	309.0	9.3	8.9	9.8	10.6	9.5	9.3	10.8	10.3
All psychiatric codes	290.0-314.9	12.2	13.1	15.5	16.5	14.5	14.4	15.3	15.1

		South				West			
		Male		Female		Male		Female	
English Description	***ICD-9-CM* Code**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Major depressive disorder, recurrent episode	296.3	16.0	17.1	17.2	17.3	12.9	13.6	14.3	14.6
Neurotic depression	300.4	11.9	14.1	12.0	12.7	12.0	10.9	11.0	10.5
Acute alcoholic intoxication	303.0	9.7	8.0	9.7	9.0	6.9	6.6	7.0	5.5
Cocaine dependence	304.2	17.2	16.2	14.8	14.8	20.2	19.6	16.6	18.0
Brief depressive reaction	309.0	8.3	8.3	8.3	9.1	5.3	5.2	6.1	6.2
All psychiatric codes	290.0-314.9	12.4	13.5	13.8	14.6	11.8	12.3	11.9	12.4

		U.S.			
		Male		Female	
English Description	***ICD-9-CM* Code**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Major depressive disorder, recurrent episode	296.3	16.6	16.6	17.9	17.6
Neurotic depression	300.4	13.8	13.8	13.3	13.4
Acute alcoholic intoxication	303.0	7.1	6.5	7.4	6.5
Cocaine dependence	304.2	16.6	14.7	14.2	12.6
Brief depressive reaction	309.0	8.3	8.2	9.0	9.3
All psychiatric codes	290.0-314.9	13.1	13.4	14.3	14.6

Table 4 displays average lengths of stay by sex in hospitals without a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 90 patient discharges in each region, and for all psychiatric diagnoses.

As the statistics in Table 2 suggest, these hospitals do not appear to follow the expected pattern of higher stays for women with psychiatric conditions. For example, a high frequency diagnosis for women (diagnosed two times more) is neurotic depression (300.4). In 1986, women stay 6.9 days to men's 7.8 in the U.S. In 1987, the difference is greater: men stay an average 9.5 days to women's 7.7, almost a 2 day spread. At the same time, for all psychiatric diagnoses in the U.S. for both years, women stay fewer days: 1.1 days in 1986 and 0.6 days in 1987. On the other hand, acute alcoholic intoxication (303.0), a high frequency diagnosis for men (diagnosed three times more), men stay 0.3 days less in 1986, and 0.6 days less in 1987 than do women.

Furthermore, regional variations in lengths of stay by sex do not correspond to the expected regional pattern. In the Northeast in 1987, the average stay for cocaine dependence (304.2) is 7.2 days for men and 7.4 for women. In the West, the average stay is 14.6 and 10.1 for men and women respectively. In 1987, for all psychiatric diagnoses in the Northeast, the average stay is 7.7 for men and 10.2 for women, in comparison to 12 days for men and 10.7 days for women in the West.

Like the regional average lengths of stay by sex for hospitals with a psychiatric acute care service unit/beds, from 1986 to 1987, the average lengths of stay for hospitals without such a unit increase. In the Northeast, the average stay increases 0.9 days for men and 1.6 days for women. The latter average stay equals the increase for women in the north central region as well (1.6), where men have increased stays by 0.7 days. In the South, the increase is 0.8 for men and 0.4 days for women. Only in the West is there a decline of 0.5 days for women, while stays for men remain the same over the two years.

To summarize, a preliminary examination of the 1986 and 1987 Psychiatric Length of Stay series reveals:

1. For hospitals with a psychiatric acute care service unit/beds and for the psychiatric diagnoses examined (5), there are higher stays in the Northeast and lower stays in the West, overall following a well-acknowledged length of stay pattern for all diagnoses that began in 1965.

2. For hospitals without a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), the same pattern does not exist.

3. For hospitals with a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), women stay longer than men, a pattern often cited in the literature. In hospitals without such a unit, the statistics do not point to the same pattern.

4. Lengths of stay for all psychiatric diagnoses in two regions for both hospital service types show increases for 1986 and 1987. Lengths of stay decline in the north central and western regions for at least one of the hospital service types during the two year period.

The four tables introduce a few of the many cross tabulations that can be accomplished using the Psychiatric Length of Stay series. As users conduct their own inquiries, it is essential to remember the statistics in this section are merely descriptive, and not the subject of critical analysis. Thus it is also important that users routinely:

1) examine the characteristics of the database (pp. ix-xiii and Appendix 3);
2) look at the patient counts in each diagnosis table; and
3) acknowledge any clinical, financial, legal, and social issues for each psychiatric diagnosis covered in the Psychiatric Length of Stay series.

Such caution, paired with expertise, will make the statistics and tables presented in the next section more valuable as hospital cost and quality of care information on patients with psychiatric conditions.

Table 4

Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals without a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	7.7	15.0	10.5	16.1	11.7	17.6	13.6	17.1
Neurotic depression	300.4	8.3	7.2	6.8	7.4	8.3	9.1	7.4	8.1
Acute alcoholic intoxication	303.0	4.7	5.8	4.3	6.2	8.9	8.7	8.2	9.2
Cocaine dependence	304.2	5.6	8.3	5.0	8.4	16.3	15.4	11.5	11.0
Brief depressive reaction	309.0	4.3	5.0	6.0	4.6	9.2	7.2	6.2	8.0
All psychiatric codes	290.0-314.9	6.8	7.7	8.6	10.2	11.7	12.4	9.7	11.3

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	10.7	12.1	10.8	11.3	14.8	8.5	14.4	10.7
Neurotic depression	300.4	6.5	6.4	6.1	6.0	8.7	14.6	7.8	10.1
Acute alcoholic intoxication	303.0	7.4	8.9	9.5	8.7	10.1	10.8	11.3	11.9
Cocaine dependence	304.2	24.5	25.6	24.8	27.1	18.8	18.6	17.4	19.3
Brief depressive reaction	309.0	3.6	5.7	4.1	5.0	4.0	4.2	4.2	5.1
All psychiatric codes	290.0-314.9	11.0	11.8	8.4	8.8	12.0	12.0	11.2	10.7

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	12.7	14.0	12.7	14.2
Neurotic depression	300.4	7.8	9.5	6.9	7.7
Acute alcoholic intoxication	303.0	8.3	8.5	8.6	9.1
Cocaine dependence	304.2	17.5	15.6	14.6	12.9
Brief depressive reaction	309.0	4.9	5.5	4.8	5.8
All psychiatric codes	290.0-314.9	10.9	11.0	9.8	10.4

Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	20.9	395	3	4	14	32	55	59	59	7	14.1	686	1	1	5	9	60	73	73
75 +	39	22.4	455	2	5	15	33	70	81	99 +	22	16.4	264	2	4	10	19	49	54	56
ALL AGES	50	22.1	432	3	4	15	33	61	81	99 +	29	15.9	344	1	2	9	17	51	57	73
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	62.0		62	62	62	62	62	62	62										
55-74	13	16.5	567	2	3	7	17	41	81	91	6	13.3	145	1	1	12	16	33	35	35
75 +	57	21.1	417	3	5	13	27	63	70	99 +	57	17.3	389	1	2	10	19	46	62	94
ALL AGES	71	20.8	460	3	5	12	27	63	72	99	63	16.9	365	1	2	11	19	45	59	92
SUBTOTAL	**121**	**21.3**	**447**	**3**	**4**	**14**	**29**	**62**	**78**	**99 +**	**92**	**16.6**	**354**	**1**	**2**	**10**	**19**	**46**	**56**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	8.0	39	3	3	10	57	99 +	99 +	99 +										
75 +	6	14.8	72	1	2	14	22	25	25	25	5	17.6	576	2	2	6	28	59	59	59
ALL AGES	9	12.6	64	1	2	14	22	62	99 +	99 +	5	17.6	576	2	2	6	28	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	12.3	167	3	3	7	22	27	27	27	1	40.0		40	40	40	40	40	40	40
75 +	11	24.1	670	4	5	16	29	69	85	87	9	10.3	161	2	2	7	10	30	43	43
ALL AGES	14	21.6	565	3	4	14	27	60	81	87	10	13.3	230	2	2	7	11	41	43	43
SUBTOTAL	**23**	**18.0**	**380**	**2**	**3**	**14**	**24**	**60**	**91**	**99 +**	**15**	**14.7**	**318**	**2**	**2**	**7**	**16**	**43**	**55**	**59**
GRAND TOTAL	**144**	**20.8**	**434**	**3**	**4**	**14**	**27**	**62**	**81**	**99 +**	**107**	**16.3**	**348**	**1**	**2**	**10**	**19**	**46**	**57**	**84**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	14.0	162	5	5	14	23	23	23	23										
55-74	15	10.6	40	3	5	10	15	24	77	99+	8	31.9	918	3	4	22	47	83	92	92
75 +	35	19.6	382	2	4	15	30	73	99+	99+	53	15.5	222	3	4	13	21	39	77	99+
ALL AGES	52	16.8	286	2	5	12	21	63	99+	99+	61	17.7	329	3	4	13	22	45	87	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	5.5	41	1	1	5	10	10	10	10										
55-74	33	16.1	428	1	2	11	23	99+	99+	99+	27	22.4	595	3	4	11	31	67	81	92
75 +	52	21.3	612	2	4	11	32	79	97	99+	72	14.9	247	2	3	10	16	38	61	95
ALL AGES	87	18.9	535	1	3	11	28	84	99+	99+	99	17.0	346	2	3	10	20	43	69	96
SUBTOTAL	**139**	**18.1**	**441**	**2**	**3**	**11**	**23**	**78**	**99+**	**99+**	**160**	**17.2**	**340**	**3**	**4**	**11**	**22**	**43**	**74**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	8	9.0	22	3	3	9	12	15	16	16	2	10.5	5	9	9	10	12	12	12	12
75 +	6	8.7	20	3	3	8	14	14	14	14	4	12.8	10	10	10	14	38	99+	99+	99+
ALL AGES	14	8.9	19	3	3	8	14	14	16	16	6	12.0	9	9	9	12	16	83	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	23.9	351	3	4	19	35	54	60	61	6	17.0	170	4	4	15	23	36	38	38
75 +	10	26.8	1018	3	3	9	66	75	76	76	6	7.5	16	2	2	8	11	11	11	11
ALL AGES	21	25.3	635	3	3	17	40	70	75	76	12	12.3	108	2	3	9	17	27	36	38
SUBTOTAL	**35**	**18.7**	**449**	**3**	**3**	**11**	**19**	**61**	**73**	**76**	**18**	**12.2**	**73**	**3**	**4**	**11**	**16**	**32**	**72**	**99+**
GRAND TOTAL	**174**	**18.2**	**441**	**2**	**3**	**11**	**22**	**75**	**99+**	**99+**	**178**	**16.7**	**314**	**3**	**4**	**11**	**22**	**42**	**75**	**99+**

SENILE DELUSION/DEPRES[illegible]0.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	8	23.0	90	6	8	24	30	33	33	33	2	9.5	41	5	5	9	14	14	14	14
75 +	26	23.8	330	3	3	23	36	50	61	62	9	33.1	541	1	3	29	49	66	75	75
ALL AGES	34	23.6	269	3	4	23	33	48	59	62	11	28.8	529	1	3	26	46	61	74	75
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	15	19.3	204	2	2	20	27	54	87	99 +	8	12.9	81	3	4	10	16	28	32	32
75 +	59	21.8	283	2	6	20	26	41	74	99	19	26.3	629	4	5	13	40	65	78	88
ALL AGES	74	21.3	264	2	4	20	26	42	76	99 +	27	22.3	497	3	5	12	31	61	69	88
SUBTOTAL	**108**	**22.0**	**266**	**3**	**4**	**21**	**28**	**45**	**62**	**99 +**	**38**	**24.2**	**500**	**3**	**5**	**14**	**39**	**60**	**71**	**88**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	3	28.0	79	21	21	25	35	38	38	38										
75 +	5	21.6	346	1	1	26	36	44	44	44	2	33.5	1405	7	7	33	60	60	60	60
ALL AGES	8	24.0	231	1	2	25	35	42	44	44	2	33.5	1405	7	7	33	60	60	60	60
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	6	14.8	145	2	2	12	20	34	36	36	1	70.0		70	70	70	70	70	70	70
75 +	16	26.8	529	4	6	23	34	88	99	99 +	9	28.8	689	1	3	19	47	66	74	74
ALL AGES	22	23.5	443	3	5	20	31	64	97	99 +	10	32.9	784	1	3	31	55	72	74	74
SUBTOTAL	**30**	**23.7**	**374**	**2**	**4**	**21**	**33**	**49**	**94**	**99 +**	**12**	**33.0**	**769**	**1**	**4**	**31**	**57**	**71**	**74**	**74**
GRAND TOTAL	**138**	**22.4**	**286**	**2**	**4**	**21**	**29**	**46**	**66**	**99 +**	**50**	**26.3**	**566**	**3**	**5**	**16**	**44**	**64**	**74**	**88**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	21.1	799	1	2	8	28	71	84	84	6	12.5	164	4	4	7	16	35	37	37
75 +	22	26.0	606	3	5	18	43	78	90	99 +	19	14.1	175	1	2	14	20	43	78	99 +
ALL AGES	31	24.5	646	2	4	13	41	78	85	99 +	25	13.7	166	2	2	11	16	36	65	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	16.5	144	3	5	15	30	39	85	99 +	9	15.7	414	4	4	8	14	51	67	67
75 +	62	16.6	334	2	3	13	25	99 +	99 +	99 +	55	17.8	365	2	4	10	25	50	73	99
ALL AGES	76	16.6	296	3	4	14	25	99 +	99 +	99 +	64	17.5	366	3	4	10	24	51	69	98
SUBTOTAL	**107**	**18.9**	**405**	**2**	**4**	**14**	**31**	**85**	**99 +**	**99 +**	**89**	**16.4**	**312**	**2**	**4**	**10**	**24**	**47**	**67**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	6.5	25	3	3	6	10	10	10	10	4	20.3	70	9	9	21	26	29	29	29
75 +	9	32.2	894	5	7	23	42	84	94	94	1	5.0		5	5	52	99 +	99 +	99 +	99 +
ALL AGES	11	27.5	827	3	4	18	32	78	93	94	5	17.2	101	5	5	21	29	93	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	4	7.3	9	3	3	8	9	10	10	10										
75 +	6	27.8	164	9	13	32	73	99 +	99 +	99 +	9	18.1	235	6	6	16	19	78	99 +	99 +
ALL AGES	11	19.0	189	4	6	23	39	99 +	99 +	99 +	9	18.1	235	6	6	16	19	78	99 +	99 +
SUBTOTAL	**22**	**23.3**	**500**	**3**	**5**	**20**	**35**	**95**	**99 +**	**99 +**	**14**	**17.8**	**175**	**5**	**6**	**18**	**26**	**95**	**99 +**	**99 +**
GRAND TOTAL	**129**	**19.7**	**418**	**3**	**4**	**14**	**32**	**85**	**99 +**	**99 +**	**103**	**16.6**	**291**	**2**	**4**	**11**	**24**	**55**	**77**	**99 +**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	18	16.3	355	2	3	8	22	64	88	99 +	15	12.3	86	2	4	10	17	33	80	99 +
75 +	29	21.7	470	5	6	13	29	61	97	99 +	40	15.2	184	3	4	10	19	44	55	99 +
ALL AGES	48	19.4	417	4	5	12	27	61	97	99 +	56	14.2	156	2	3	10	19	38	56	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	20	27.3	561	3	4	26	42	78	88	99 +	8	24.3	393	6	6	21	47	85	99 +	99 +
75 +	55	19.4	357	3	4	14	29	39	49	94	42	25.5	535	2	5	19	43	80	99 +	99 +
ALL AGES	76	21.3	415	3	4	14	32	50	78	98	50	25.3	504	2	5	19	43	81	99 +	99 +
SUBTOTAL	**124**	**20.5**	**416**	**3**	**4**	**13**	**30**	**53**	**80**	**99 +**	**106**	**19.4**	**350**	**2**	**4**	**14**	**26**	**62**	**99**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	22.3	176	4	6	20	35	40	41	41	2	19.0	98	12	12	19	26	26	26	26
75 +	4	46.3	1907	4	4	84	88	99 +	99 +	99 +	7	11.1	45	4	4	8	15	21	23	23
ALL AGES	15	28.7	655	4	5	23	40	84	95	99 +	9	12.9	57	4	5	12	17	25	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	15.3	148	6	6	12	32	80	99 +	99 +	4	12.0	21	6	6	13	38	99 +	99 +	99 +
75 +	6	20.7	226	6	6	18	27	43	45	45	7	27.0	1232	3	3	15	73	99	99 +	99 +
ALL AGES	13	17.8	176	6	6	12	32	50	89	99 +	11	21.5	805	3	3	13	62	99 +	99 +	99 +
SUBTOTAL	**28**	**23.6**	**450**	**4**	**6**	**19**	**37**	**84**	**99 +**	**99 +**	**20**	**17.7**	**464**	**3**	**4**	**13**	**23**	**98**	**99 +**	**99 +**
GRAND TOTAL	**152**	**21.1**	**419**	**4**	**4**	**14**	**32**	**54**	**87**	**99 +**	**126**	**19.2**	**362**	**3**	**4**	**14**	**25**	**63**	**99 +**	**99 +**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	5.5	41	1	1	5	10	10	10	10										
ALL AGES	2	5.5	41	1	1	5	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	1	13.0		13	13	13	13	13	13	13										
SUBTOTAL	**3**	**8.0**	**39**	**1**	**1**	**10**	**12**	**13**	**13**	**13**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**8.0**	**39**	**1**	**1**	**10**	**12**	**13**	**13**	**13**										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											3	9.7	32	3	3	13	13	13	13	13
75 +																				
ALL AGES											3	9.7	32	3	3	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +											1	36.0		36	36	36	36	36	36	36
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	36.0		36	36	36	36	36	36	36
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**	**4**	**16.3**	**193**	**3**	**3**	**13**	**25**	**36**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**2**	**15.0**	**72**	**9**	**9**	**15**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**3**	**16.0**	**39**	**9**	**9**	**18**	**20**	**21**	**21**	**21**	**4**	**16.3**	**193**	**3**	**3**	**13**	**25**	**36**	**36**	**36**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	6	8.8	121	2	2	5	6	28	31	31	5	4.6	4	1	1	5	6	6	6	6
35-54	28	6.1	10	2	2	5	7	10	12	17	19	5.1	6	2	2	5	6	9	10	10
55-74	18	8.8	26	3	3	7	11	17	19	19	14	10.8	115	2	2	8	13	24	39	43
75 +	5	7.8	30	3	3	6	10	17	17	17	3	9.0	31	3	3	10	13	14	14	14
ALL AGES	58	7.3	28	2	3	6	9	15	18	30	41	7.3	49	2	2	6	8	13	18	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.5	25	2	2	5	9	9	9	9	1	8.0		8	8	8	8	8	8	8
35-54	5	4.6	7	1	1	5	6	8	8	8	3	4.7	9	2	2	4	7	8	8	8
55-74	5	9.8	64	5	5	6	12	24	24	24	1	6.0		6	6	6	6	6	6	6
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	13	6.9	32	1	2	6	8	12	22	24	5	5.6	7	2	2	6	8	8	8	8
SUBTOTAL	**71**	**7.3**	**27**	**2**	**3**	**6**	**9**	**15**	**18**	**30**	**46**	**7.1**	**45**	**2**	**2**	**6**	**8**	**13**	**16**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	145	3	3	11	20	20	20	20	2	4.5	1	4	4	4	5	5	5	5
25-34	29	4.8	14	1	1	4	6	11	13	16	28	4.9	7	1	3	4	6	7	9	16
35-54	106	7.1	55	2	3	5	8	13	20	44	86	6.7	20	2	3	6	8	12	15	26
55-74	48	10.5	168	2	2	6	10	24	33	77	39	7.9	20	2	3	7	11	15	16	18
75 +	4	9.3	50	5	5	6	13	20	20	20	3	17.0	7	14	14	18	19	19	19	19
ALL AGES	189	7.7	80	2	2	5	8	14	23	54	158	6.8	21	2	3	6	8	14	16	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34	8	6.6	11	2	3	6	9	11	12	12	3	10.0	112	2	2	6	18	22	22	22
35-54	25	11.3	214	2	2	7	11	21	41	73	26	6.3	23	1	2	5	6	14	17	21
55-74	11	8.5	53	1	1	6	13	21	22	22	19	8.0	66	1	2	6	8	22	29	30
75 +											3	8.3	33	2	2	10	12	13	13	13
ALL AGES	44	9.7	138	1	2	6	11	20	25	73	52	7.2	42	2	2	6	8	15	22	30
SUBTOTAL	**233**	**8.1**	**91**	**2**	**2**	**5**	**9**	**16**	**23**	**62**	**210**	**6.9**	**26**	**2**	**2**	**6**	**8**	**14**	**16**	**27**
GRAND TOTAL	**304**	**7.9**	**76**	**2**	**2**	**6**	**9**	**16**	**22**	**51**	**256**	**7.0**	**28**	**2**	**2**	**6**	**8**	**14**	**16**	**28**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	21.5	761	2	2	21	41	41	41	41
55-74																				
75 +	2	13.5	13	11	11	13	16	16	16	16	1	19.0		19	19	19	19	19	19	19
ALL AGES	2	13.5	13	11	11	13	16	16	16	16	3	20.7	380	2	2	19	35	41	41	41
SUBTOTAL	**3**	**10.7**	**29**	**5**	**5**	**11**	**15**	**16**	**16**	**16**	**4**	**16.0**	**342**	**2**	**2**	**11**	**30**	**41**	**41**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	9.5	13	7	7	9	12	12	12	12										
35-54	2	10.5	41	6	6	10	15	15	15	15	1	8.0		8	8	8	8	8	8	8
55-74	2	5.5	1	5	5	53	99 +	99 +	99 +	99 +	6	21.8	133	8	8	21	30	37	38	38
75 +	1	14.0		14	14	14	14	14	14	14	1	48.0		48	48	48	48	48	48	48
ALL AGES	7	9.3	18	5	5	12	36	99 +	99 +	99 +	8	23.4	215	8	8	21	34	45	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	9.0		9	9	9	9	9	9	9	2	12.0		12	12	12	12	12	12	12
55-74	2	15.0	18	12	12	15	18	18	18	18	3	16.0	109	4	4	21	22	23	23	23
75 +	1	11.0		11	11	11	11	11	11	11	1	27.0		27	27	27	27	27	27	27
ALL AGES	5	10.4	33	2	2	11	13	18	18	18	6	16.5	74	4	5	17	23	27	27	27
SUBTOTAL	**12**	**9.8**	**21**	**3**	**5**	**11**	**15**	**99 +**	**99 +**	**99 +**	**14**	**20.4**	**159**	**5**	**7**	**19**	**27**	**39**	**46**	**48**
GRAND TOTAL	**15**	**9.9**	**23**	**3**	**5**	**11**	**15**	**83**	**99 +**	**99 +**	**18**	**19.4**	**186**	**2**	**3**	**18**	**27**	**40**	**45**	**48**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
35-54	2	5.5	1	5	5	5	6	6	6	6	3	28.0	676	2	2	28	47	54	54	54
55-74	2	34.5	1013	12	12	34	57	57	57	57	7	19.3	266	2	2	13	34	40	41	41
75 +	1	33.0		33	33	33	33	33	33	33	3	41.0	2548	7	7	17	78	99	99	99 +
ALL AGES	7	16.7	433	1	1	6	28	52	57	57	14	24.9	723	2	2	15	34	58	90	99
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	4.5	13	2	2	4	7	7	7	7	1	14.0		14	14	14	14	14	14	14
55-74	3	34.3	628	7	7	48	78	99 +	99 +	99 +	4	13.0	18	10	10	12	16	19	19	19
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	6	20.2	494	2	3	9	52	91	99 +	99 +	5	13.2	14	10	10	13	15	19	19	19
SUBTOTAL	**13**	**18.3**	**427**	**1**	**2**	**8**	**40**	**61**	**91**	**99 +**	**19**	**21.8**	**554**	**2**	**2**	**13**	**32**	**49**	**79**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	14	16.9	361	1	2	13	19	44	66	72	4	4.5	4	2	2	5	30	99 +	99 +	99 +
55-74	12	25.7	731	3	4	14	35	75	84	85	10	11.6	61	1	3	9	13	25	27	27
75 +	2	10.5	41	6	6	10	15	15	15	15	1	4.0		4	4	4	4	4	4	4
ALL AGES	28	20.2	500	2	3	14	22	63	73	85	16	8.7	53	1	1	8	11	26	74	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.5	25	8	8	11	15	15	15	15										
55-74	6	12.7	124	2	2	9	17	31	33	33	6	30.3	653	7	7	21	45	72	75	75
75 +	1	15.0		15	15	57	99 +	99 +	99 +	99 +	2	9.0	50	4	4	9	14	14	14	14
ALL AGES	9	12.7	81	2	4	13	17	66	99 +	99 +	8	25.0	569	4	5	17	34	66	75	75
SUBTOTAL	**37**	**18.4**	**403**	**2**	**3**	**14**	**22**	**63**	**80**	**99 +**	**24**	**14.1**	**270**	**1**	**2**	**9**	**21**	**45**	**81**	**99 +**
GRAND TOTAL	**50**	**18.4**	**399**	**2**	**3**	**12**	**25**	**61**	**84**	**99 +**	**43**	**17.5**	**401**	**2**	**2**	**11**	**23**	**46**	**82**	**99 +**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	2.0		2	2	2	2	2	2	2	4	4.3	2	2	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21	2	4.5	5	3	3	4	6	6	6	6
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	49.0		49	49	49	49	49	49	49
ALL AGES	2	11.0	200	1	1	11	21	21	21	21	3	19.3	664	3	3	6	38	49	49	49
SUBTOTAL	**3**	**8.0**	**127**	**1**	**1**	**2**	**16**	**21**	**21**	**21**	**7**	**10.7**	**288**	**2**	**2**	**5**	**6**	**40**	**49**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											1	6.0		6	6	6	6	6	6	6
25-34	7	12.0	96	3	3	8	19	27	29	29	3	5.7	9	3	3	5	8	9	9	9
35-54	20	7.7	57	1	1	6	9	17	27	33	7	7.3	10	4	4	6	9	12	13	13
55-74	7	12.3	161	1	1	9	19	33	36	36	3	11.0	57	3	3	12	16	18	18	18
75 +																				
ALL AGES	35	9.3	84	1	2	6	12	21	32	36	14	7.6	19	3	3	6	9	13	17	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21										
25-34	3	9.3	95	1	1	7	17	20	20	20										
35-54	13	8.5	39	1	2	9	10	16	23	25	3	5.3	34	2	2	2	10	12	12	12
55-74	2	15.0	98	8	8	15	22	22	22	22	1	1.0		1	1	1	1	1	1	1
75 +											1	34.0		34	34	34	34	34	34	34
ALL AGES	19	10.0	53	1	2	9	13	22	24	25	5	10.2	197	1	1	2	17	34	34	34
SUBTOTAL	**54**	**9.6**	**71**	**1**	**2**	**7**	**13**	**21**	**28**	**36**	**19**	**8.3**	**59**	**1**	**2**	**6**	**11**	**16**	**27**	**34**
GRAND TOTAL	**57**	**9.5**	**72**	**1**	**1**	**7**	**13**	**21**	**28**	**36**	**26**	**9.0**	**112**	**1**	**2**	**5**	**9**	**17**	**37**	**49**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.0	18	1	1	4	7	7	7	7										
35-54	3	3.0	4	1	1	3	4	5	5	5	2	2.0	2	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	3.4	7	1	1	3	5	7	7	7	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**6**	**3.2**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**3.2**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											3	5.0	1	4	4	5	6	6	6	6
55-74																				
75 +																				
ALL AGES											3	5.0	1	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	5.0		5	5	5	5	5	5	5										
SUBTOTAL	2	5.0		5	5	5	5	5	5	5	3	5.0	1	4	4	5	6	6	6	6
GRAND TOTAL	2	5.0		5	5	5	5	5	5	5	3	5.0	1	4	4	5	6	6	6	6

ALCOHOLIC PSYCHOSIS NEC (291.8)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.0		5	5	5	5	5	5	5										
18-24	17	4.0	2	1	1	5	5	5	5	5	6	2.3	2	1	1	2	3	5	5	5
25-34	133	4.9	3	2	3	5	5	6	6	11	24	5.0	7	1	1	5	6	8	11	12
35-54	326	5.1	7	3	4	5	5	5	6	23	69	4.8	8	2	2	5	6	8	9	18
55-74	83	5.6	17	2	3	5	5	8	10	29	36	5.9	9	2	3	5	7	10	13	16
75 +	2	5.0		5	5	5	5	5	5	5	3	8.7	43	3	3	7	14	16	16	16
ALL AGES	563	5.1	8	2	4	5	5	6	7	23	138	5.1	9	1	2	5	6	8	11	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.0		5	5	5	5	5	5	5	4	10.3	36	6	6	8	14	19	19	19
25-34	25	4.9	3	2	2	5	5	6	8	11	3	4.7		4	4	5	5	5	5	5
35-54	69	5.6	26	3	5	5	5	6	7	40	16	4.6	6	1	1	4	6	8	10	11
55-74	21	6.0	8	3	4	5	5	11	13	14	10	6.2	30	2	2	4	7	15	20	20
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	118	5.5	18	3	4	5	5	6	9	25	33	5.[illegible]	18	1	2	5	6	10	18	20
SUBTOTAL	**681**	**5.2**	**9**	**2**	**4**	**5**	**5**	**6**	**7**	**22**	**171**	[illegible]	[illegible]	**1**	**2**	**5**	**6**	**9**	**11**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.5	13	1	1	3	6	6	6	6	1	5.0		5	5	5	5	5	5	5
18-24	22	5.0	3	3	3	5	5	8	9	10	35	4.8	1	3	3	5	5	5	7	7
25-34	176	5.1	5	3	3	5	5	6	9	15	497	4.9	2	3	4	5	5	5	6	9
35-54	257	6.2	17	2	3	5	6	11	14	21	1503	5.2	3	4	5	5	5	5	7	12
55-74	93	8.0	47	2	3	5	10	14	21	39	373	5.4	4	3	4	5	5	7	9	16
75 +	8	16.1	257	2	3	9	25	43	48	48	17	6.2	18	1	2	5	6	13	17	18
ALL AGES	558	6.2	23	2	3	5	6	11	14	31	2426	5.2	2	4	5	5	5	5	7	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	10	5.1	2	4	4	5	5	7	8	8	21	4.0	2	1	2	5	5	5	5	5
25-34	38	5.4	7	2	3	5	5	9	12	15	103	5.4	6	3	4	5	5	8	12	15
35-54	47	7.0	21	3	3	5	8	14	15	27	299	5.3	4	3	5	5	5	6	8	15
55-74	24	7.7	37	2	3	6	8	15	24	25	64	5.9	20	3	4	5	5	7	12	33
75 +	2	3.0	2	2	2	3	4	4	4	4	2	9.5	41	5	5	9	14	14	14	14
ALL AGES	122	6.4	19	3	3	5	7	12	14	26	489	5.4	6	3	4	5	5	6	10	16
SUBTOTAL	**680**	**6.2**	**23**	**2**	**3**	**5**	**5**	**12**	**14**	**27**	**2915**	**5.2**	**3**	**3**	**5**	**5**	**5**	**6**	**7**	**14**
GRAND TOTAL	**1361**	**5.7**	**16**	**2**	**3**	**5**	**5**	**8**	**13**	**26**	**3086**	**5.2**	**4**	**3**	**4**	**5**	**5**	**6**	**7**	**15**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	2	13.5	221	3	3	13	24	24	24	24										
SUBTOTAL	**2**	**13.5**	**221**	**3**	**3**	**13**	**24**	**24**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34											2	3.0	2	2	2	3	4	4	4	4
35-54	4	3.8	10	1	1	3	6	7	7	7	2	9.0	72	3	3	9	15	15	15	15
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	4.0	8	1	1	5	6	7	7	7	5	5.0	33	1	1	3	7	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	15.0		15	15	15	15	15	15	15	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	8.0	98	1	1	7	15	15	15	15	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**7**	**5.1**	**26**	**1**	**1**	**5**	**7**	**13**	**15**	**15**	**7**	**4.4**	**24**	**1**	**1**	**3**	**5**	**13**	**15**	**15**
GRAND TOTAL	**9**	**7.0**	**60**	**1**	**1**	**5**	**9**	**20**	**24**	**24**	**7**	**4.4**	**24**	**1**	**1**	**3**	**5**	**13**	**15**	**15**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17												3	6.0	3	5	5	5	7	8	8	8
18-24												11	4.2	3	1	2	4	6	7	7	7
25-34	4	3.0	2	1	1	3	4	4	4	4	23	6.1	3	3	4	6	7	8	9	11
35-54	4	7.5	23	3	3	7	11	13	13	13	27	6.6	12	2	2	6	8	11	14	15
55-74	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	10	5.2	13	1	2	4	6	11	13	13	65	5.9	8	2	3	6	7	9	11	15
B. FEMALE																						
0-12 YRS.	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
13-17											2	3.5	5	2	2	3	5	5	5	5
18-24	2	2.0	2	1	1	2	3	3	3	3	3	6.7		6	6	7	7	7	7	7
25-34	3	5.3	18	2	2	4	8	10	10	10	16	6.8	7	2	3	6	9	10	11	11
35-54	3	13.7		13	13	13	15	15	15	15	5	5.6	6	3	3	7	7	8	8	8
55-74	4	3.8	5	2	2	3	5	7	7	7	4	4.0	3	2	2	4	5	6	6	6
75 +	1	26.0		26	26	26	26	26	26	26	2	6.0		6	6	6	6	6	6	6
ALL AGES	14	8.1	51	1	2	6	13	16	24	26	33	5.9	6	2	3	6	7	10	10	11
SUBTOTAL	**24**	**6.9**	**36**	**1**	**2**	**4**	**11**	**13**	**18**	**26**	**98**	**5.9**	**7**	**2**	**3**	**6**	**7**	**9**	**11**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17											11	5.6	8	1	2	5	7	9	12	12
18-24	3	4.0	7	1	1	5	6	6	6	6	41	6.1	8	3	4	6	7	8	10	21
25-34	21	9.7	39	1	2	9	14	18	21	25	106	6.1	8	2	4	6	7	9	11	17
35-54	16	7.9	77	1	1	4	11	14	30	37	71	6.9	7	3	4	6	9	10	11	15
55-74	3	5.3	10	2	2	6	7	8	8	8	3	3.7	5	1	1	5	5	5	5	5
75 +	1	49.0		49	49	49	49	49	49	49										
ALL AGES	44	9.2	87	1	1	7	12	18	29	49	232	6.3	7	2	4	6	7	10	11	16
B. FEMALE																						
0-12 YRS.																						
13-17											10	5.9	1	5	5	6	6	7	7	7
18-24	6	8.3	33	4	4	6	12	17	18	18	15	5.8	6	1	2	6	7	9	10	11
25-34	17	8.6	30	1	2	9	14	16	17	17	46	6.6	7	3	3	6	8	10	11	14
35-54	15	12.1	87	2	4	9	17	30	31	31	19	7.4	28	1	2	6	9	16	19	21
55-74	10	15.7	188	2	3	11	27	37	43	43	5	5.4	10	3	3	4	6	11	11	11
75 +	2	10.5	1	10	10	10	11	11	11	11	3	7.7	2	6	6	8	9	9	9	9
ALL AGES	50	11.1	81	2	3	9	15	23	31	43	98	6.6	9	2	3	6	7	11	13	19
SUBTOTAL	**94**	**10.2**	**84**	**1**	**2**	**8**	**14**	**19**	**31**	**46**	**330**	**6.4**	**8**	**2**	**4**	**6**	**7**	**10**	**11**	**18**
GRAND TOTAL	**118**	**9.6**	**74**	**1**	**2**	**7**	**13**	**18**	**29**	**45**	**428**	**6.3**	**8**	**2**	**3**	**6**	**7**	**10**	**11**	**16**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	2	5.0	2	4	4	5	6	6	6	6	1	6.0		6	6	6	6	6	6	6
25-34	1	27.0		27	27	27	27	27	27	27	1	3.0		3	3	3	3	3	3	3
35-54											1	5.0		5	5	5	5	5	5	5
55-71	4	12.0	163	4	4	6	19	31	31	31	8	10.8	200	2	2	5	12	36	44	44
75 +	2	10.5	25	7	7	10	14	14	14	14	4	15.8	273	3	3	10	26	40	40	40
ALL AGES	9	11.8	105	4	4	7	17	29	31	31	16	10.3	168	1	2	5	10	38	43	44
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	2	13.0		13	13	13	13	13	13	13										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	1.0		1	1	1	1	1	1	1	2	3.5	1	3	3	3	4	4	4	4
75 +	4	6.0	18	3	3	5	9	12	12	12	5	11.0	71	3	3	9	16	24	24	24
ALL AGES	9	7.3	32	1	1	6	13	14	14	14	8	7.9	59	1	2	4	11	21	24	24
SUBTOTAL	**18**	**9.6**	**69**	**1**	**2**	**7**	**13**	**23**	**29**	**31**	**24**	**9.5**	**129**	**1**	**2**	**5**	**10**	**26**	**41**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	7	7.4	13	2	3	7	9	13	14	14	4	6.3	96	1	1	2	11	21	21	21
25-34	7	18.7	233	1	1	22	36	81	99 +	99 +	4	5.8	17	3	3	4	8	12	12	12
35-54	4	7.8	25	2	2	8	12	12	12	12	2	10.0	98	3	3	10	17	17	17	17
55-74	1	21.0		21	21	21	21	21	21	21	1	8.0		8	8	8	8	8	8	8
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	22	11.7	109	1	2	8	15	36	60	99 +	11	6.9	47	1	1	3	11	19	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24											2	1.5	1	1	1	1	2	2	2	2
25-34	7	6.1	7	2	2	7	8	9	9	9	3	2.0	3	1	1	1	3	4	4	4
35-54	4	11.3	49	4	4	10	16	21	21	21	2	19.5	181	10	10	19	29	29	29	29
55-74	7	10.0	78	3	3	8	10	25	29	29	2	13.5	145	5	5	13	22	22	22	22
75 +	4	12.8	35	7	7	11	17	21	21	21	2	14.0	32	10	10	14	18	18	18	18
ALL AGES	23	9.2	43	2	3	8	11	21	24	29	11	9.4	93	1	1	5	16	25	29	29
SUBTOTAL	**45**	**10.4**	**76**	**2**	**2**	**8**	**13**	**28**	**36**	**99 +**	**22**	**8.1**	**69**	**1**	**1**	**4**	**12**	**21**	**25**	**29**
GRAND TOTAL	**63**	**10.2**	**72**	**2**	**2**	**8**	**13**	**27**	**32**	**91**	**46**	**8.8**	**99**	**1**	**1**	**5**	**12**	**22**	**31**	**44**

Northeastern Region January - December 1987

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54																				
55-74	2	4.5	5	3	3	4	6	6	6	6										
75 +																				
ALL AGES	2	4.5	5	3	3	4	6	6	6	6	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	3	4.3	3	3	3	4	5	6	6	6	1	6.0		6	6	6	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54																				
55-74																				
75 +											1	8.0		8	8	3	8	8	8	8
ALL AGES	3	3.3	3	2	2	3	4	5	5	5	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	4	5.3	16	2	2	4	8	11	11	11	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	7	4.9	9	2	2	4	6	10	11	11	2	7.0	2	6	6	7	8	8	8	8

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	2	6.0	18	3	3	6	9	9	9	9										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
55-74	14	7.1	34	2	2	5	9	19	20	20	3	7.7	8	6	6	6	10	11	11	11
75 +	9	9.8	43	1	2	10	15	19	21	21	3	3.0	1	2	2	3	4	4	4	4
ALL AGES	29	7.2	35	1	2	5	10	18	20	21	9	4.0	11	1	1	3	6	9	11	11
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
25-34	1	22.0		22	22	22	22	22	22	22	2	4.0	2	3	3	4	5	5	5	5
35-54	4	8.0	25	4	4	6	11	15	15	15	2	3.0	8	1	1	3	5	5	5	5
55-74	15	9.5	80	1	2	8	12	19	32	36	16	4.6	12	1	1	4	3	11	12	12
75 +	19	8.5	64	1	1	4	14	19	26	31	23	7.7	10	3	4	8	11	13	13	13
ALL AGES	40	9.2	64	1	2	7	13	19	26	36	45	6.0	13	1	1	5	9	11	13	13
SUBTOTAL	**69**	**8.3**	**53**	**1**	**2**	**5**	**11**	**19**	**21**	**35**	**54**	**5.6**	**14**	**1**	**1**	**5**	**8**	**11**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	2	7.5	25	4	4	7	11	11	11	11										
25-34	4	8.3	76	1	1	5	13	21	21	21	3	4.0	13	1	1	3	7	8	8	8
35-54	6	5.5	2	4	4	5	6	8	8	8	1	8.0		8	8	8	8	8	8	8
55-74	4	8.3	87	1	1	5	14	22	22	22	3	6.7	30	3	3	4	11	13	13	13
75 +	7	19.7	1208	3	3	6	13	81	98	98	1	2.0		2	2	2	2	2	2	2
ALL AGES	24	11.5	380	1	3	6	9	22	46	98	8	5.3	16	1	1	4	8	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.3	23	5	5	12	13	14	14	14										
25-34	5	7.2	65	1	1	4	12	20	20	20	2	8.5	41	4	4	8	13	13	13	13
35-54	6	13.5	105	3	3	9	22	29	30	30	4	5.8	1	4	4	6	7	7	7	7
55-74	15	13.1	44	5	6	11	15	24	26	26	3	10.7	153	3	3	4	20	25	25	25
75 +	13	13.8	337	2	3	8	18	31	63	71	7	7.3	19	1	2	6	9	14	15	15
ALL AGES	42	12.5	138	2	3	10	15	24	28	71	16	7.7	34	2	3	6	9	15	22	25
SUBTOTAL	**66**	**12.1**	**222**	**1**	**3**	**8**	**14**	**24**	**27**	**94**	**24**	**6.9**	**28**	**1**	**2**	**6**	**8**	**13**	**18**	**25**
GRAND TOTAL	**135**	**10.2**	**138**	**1**	**2**	**7**	**13**	**21**	**24**	**75**	**78**	**6.0**	**18**	**1**	**1**	**5**	**8**	**12**	**13**	**22**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	3.5	13	1	1	3	6	6	6	6										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	5	6.4	35	1	1	6	9	16	16	16	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	23.3	1148	4	4	7	42	74	74	74	2	16.5	221	6	6	16	27	27	27	27
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	4	23.3	1148	4	4	7	42	74	74	74	3	14.7	119	6	6	11	23	27	27	27
SUBTOTAL	**9**	**13.9**	**528**	**1**	**1**	**6**	**11**	**51**	**74**	**74**	**4**	**11.5**	**120**	**2**	**2**	**8**	**19**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	3	14.3	112	4	4	14	22	25	25	25	1	4.0		4	4	4	4	4	4	4
25-34	3	8.3	121	2	2	2	16	21	21	21										
35-54	2	22.5	181	13	13	22	32	32	32	32										
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	10	13.2	102	2	2	12	21	28	32	32	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	3	5.7	14	3	3	4	8	10	10	10										
25-34	2	15.0	162	6	6	15	24	24	24	24	1	4.0		4	4	4	4	4	4	4
35-54	2	16.5	41	12	12	16	21	21	21	21										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	10	13.4	83	3	3	11	21	28	32	32	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**20**	**13.3**	**90**	**2**	**3**	**11**	**21**	**28**	**32**	**32**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**29**	**13.5**	**212**	**2**	**2**	**10**	**17**	**29**	**34**	**74**	**6**	**9.0**	**87**	**2**	**2**	**5**	**11**	**25**	**27**	**27**

ACUTE DELIRIUM (293.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	3.7	1	3	3	3	5	5	5	5										
35-54	9	6.3	22	2	2	5	7	14	18	18	1	5.0		5	5	5	5	5	5	5
55-74	20	9.4	57	2	2	8	11	18	28	33	15	7.7	60	1	2	4	11	24	25	25
75 +	20	15.3	633	2	3	7	11	50	88	92	23	8.2	21	3	3	8	10	16	46	99 +
ALL AGES	54	10.4	270	1	2	6	10	17	31	92	41	7.6	35	2	2	6	11	17	24	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	9.7	7	8	8	8	12	13	13	13	1	1.0		1	1	1	1	1	1	1
35-54	5	9.4	31	3	3	10	13	17	17	17	7	4.3	20	1	1	3	5	12	14	14
55-74	17	8.6	63	1	2	6	10	22	29	31	27	6.7	22	1	2	6	10	14	15	19
75 +	45	11.7	121	2	3	9	15	25	32	58	51	12.4	269	2	3	7	13	27	68	99 +
ALL AGES	70	10.7	95	2	3	8	14	24	30	54	86	9.8	177	1	2	7	11	19	39	94
SUBTOTAL	**124**	**10.6**	**169**	**2**	**3**	**7**	**12**	**19**	**30**	**86**	**127**	**9.1**	**132**	**1**	**2**	**7**	**11**	**19**	**25**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	2	16.0	288	4	4	16	28	28	28	28										
35-54	8	8.5	26	3	3	7	11	16	18	18	1	2.0		2	2	2	2	2	2	2
55-74	6	4.3	7	1	1	4	7	7	7	7	7	10.6	9	7	7	11	13	15	15	15
75 +	11	10.2	123	1	1	5	15	29	34	35	12	11.0	356	2	2	5	9	30	64	70
ALL AGES	27	8.8	77	1	2	6	12	24	29	35	21	10.0	206	1	2	7	11	14	40	70
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	7.0	50	2	2	7	12	12	12	12
25-34	1	8.0		8	8	8	8	8	8	8	1	21.0		21	21	21	21	21	21	21
35-54	2	15.0	32	11	11	15	19	19	19	19	5	3.4	2	2	2	3	5	5	5	5
55-74	7	10.6	123	2	2	7	12	30	34	34	9	8.4	32	2	2	9	11	16	20	20
75 +	19	11.3	201	2	3	7	13	44	81	99 +	11	14.2	169	4	5	11	18	65	95	99 +
ALL AGES	29	11.3	157	2	2	7	14	30	62	99 +	28	10.1	96	2	2	9	12	22	52	99 +
SUBTOTAL	**56**	**10.1**	**118**	**2**	**2**	**7**	**13**	**27**	**35**	**97**	**49**	**10.1**	**139**	**2**	**2**	**8**	**12**	**20**	**50**	**99 +**
GRAND TOTAL	**180**	**10.4**	**153**	**2**	**2**	**7**	**12**	**24**	**32**	**90**	**176**	**9.4**	**133**	**1**	**2**	**7**	**11**	**19**	**30**	**99 +**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	9.0	32	5	5	9	13	13	13	13	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**11.7**	**36**	**5**	**5**	**13**	**16**	**17**	**17**	**17**	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**3**	**11.7**	**36**	**5**	**5**	**13**	**16**	**17**	**17**	**17**	**3**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	33.5	545	17	17	33	50	50	50	50										
18-24	8	27.8	523	1	2	22	46	62	64	64										
25-34	15	16.5	186	2	2	11	27	34	43	46										
35-54	20	18.9	143	4	5	17	27	37	39	40										
55-74	20	18.9	412	2	3	14	23	52	71	74	2	6.5	5	5	5	6	8	8	8	8
75 +	14	16.9	192	3	3	9	28	37	42	43	1	2.0		2	2	2	2	2	2	2
ALL AGES	79	19.4	268	2	3	15	27	39	54	73	3	5.0	9	2	2	5	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	16	18.8	279	1	2	14	23	44	60	66	1	1.0		1	1	1	1	1	1	1
35-54	16	28.7	417	7	9	22	37	53	75	84	1	14.0		14	14	14	14	14	14	14
55-74	40	20.3	130	5	7	19	27	38	43	49	1	13.0		13	13	13	13	13	13	13
75 +	23	15.3	189	1	2	14	17	38	51	54	1	4.0		4	4	4	4	4	4	4
ALL AGES	96	20.1	228	3	6	17	26	44	51	76	4	8.0	42	1	1	8	13	14	14	14
SUBTOTAL	**175**	**19.8**	**244**	**2**	**4**	**16**	**27**	**42**	**51**	**73**	**7**	**6.7**	**27**	**1**	**1**	**5**	**12**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	50.0		50	50	50	50	50	50	50
13-17	4	13.0	124	2	2	11	21	28	28	28										
18-24	13	21.8	141	10	11	19	28	38	49	51	1	4.0		4	4	4	4	4	4	4
25-34	15	12.4	42	2	3	12	16	20	25	27	1	14.0		14	14	14	14	14	14	14
35-54	19	20.2	306	2	3	16	27	47	62	67										
55-74	17	19.4	129	3	8	18	23	40	43	44										
75 +	6	33.0	510	11	12	28	38	71	75	75	1	50.0		50	50	50	50	50	50	50
ALL AGES	74	19.4	202	2	6	16	27	36	50	73	4	29.5	577	4	4	32	50	50	50	50
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	26.0	510	10	10	17	40	59	59	59										
25-34	18	15.4	58	5	7	12	21	27	28	29										
35-54	7	39.0	785	4	7	33	51	82	90	90										
55-74	12	26.1	380	5	6	21	31	54	74	77	2	19.5	265	8	8	19	31	31	31	31
75 +	9	14.7	150	4	4	12	19	35	41	41	2	18.5	41	14	14	18	23	23	23	23
ALL AGES	50	22.0	329	4	5	18	27	47	59	90	4	19.0	102	8	8	18	27	31	31	31
SUBTOTAL	**124**	**20.4**	**255**	**3**	**5**	**17**	**27**	**41**	**52**	**80**	**8**	**24.3**	**320**	**4**	**5**	**19**	**40**	**50**	**50**	**50**
GRAND TOTAL	**299**	**20.0**	**250**	**3**	**4**	**17**	**27**	**42**	**51**	**76**	**15**	**16.1**	**253**	**1**	**2**	**13**	**21**	**50**	**50**	**50**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	4	8.3	1	7	7	8	9	10	10	10	1	1.0		1	1	1	1	1	1	1
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	9	5.0	12	1	1	4	8	10	10	10	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	3	12.0	201	1	1	7	23	28	28	28	2	4.0	2	3	3	4	5	5	5	5
75 +	3	7.0	4	5	5	7	8	9	9	9	6	2.5	10	1	1	1	2	8	9	9
ALL AGES	9	10.1	87	1	2	7	13	26	28	28	8	2.9	8	1	1	2	4	8	9	9
SUBTOTAL	**18**	**7.6**	**53**	**1**	**1**	**6**	**9**	**20**	**26**	**28**	**11**	**2.9**	**6**	**1**	**1**	**2**	**4**	**7**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24																				
25-34	3	8.7	96	2	2	4	16	20	20	20										
35-54	1	33.0		33	33	33	33	33	33	33										
55-74	4	11.3	19	8	8	9	14	18	18	18										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	10	13.3	101	2	3	9	20	28	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	14.5	13	12	12	14	17	17	17	17	2	12.5	1	12	12	12	13	13	13	13
75 +																				
ALL AGES	2	14.5	13	12	12	14	17	17	17	17	2	12.5	1	12	12	12	13	13	13	13
SUBTOTAL	**12**	**13.5**	**84**	**2**	**3**	**11**	**19**	**27**	**32**	**33**	**2**	**12.5**	**1**	**12**	**12**	**12**	**13**	**13**	**13**	**13**
GRAND TOTAL	**30**	**9.9**	**73**	**1**	**2**	**7**	**12**	**24**	**28**	**33**	**13**	**4.4**	**18**	**1**	**1**	**3**	**6**	**12**	**13**	**13**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54											1	4.0		4	4	4	4	4	4	4
55-74	2	2.5	1	2	2	3	76	99 +	99 +	99 +	5	22.0	1581	2	2	4	29	93	93	93
75 +	2	15.5	265	4	4	15	27	27	27	27	1	24.0		24	24	24	24	24	24	24
ALL AGES	6	6.7	100	1	1	3	21	85	99 +	99 +	8	17.4	988	1	1	4	16	72	93	93
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	3	8.7	85	1	1	6	16	19	19	19
75 +											1	14.0		14	14	14	[illegible]	14	14	14
ALL AGES	2	2.0		2	2	2	2	2	2	2	4	10.0	65	1	1	10	16	19	19	19
SUBTOTAL	**8**	**5.5**	**76**	**1**	**1**	**3**	**10**	**71**	**99 +**	**99 +**	**12**	**14.9**	**660**	**1**	**1**	**5**	**16**	**45**	**86**	**93**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	43.0		43	43	43	43	43	43	43										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	3	16.0	79	9	9	13	23	26	26	26										
75 +																				
ALL AGES	4	22.8	232	9	9	19	34	43	43	43	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**5**	**19.6**	**226**	**7**	**7**	**13**	**30**	**43**	**43**	**43**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**13**	**10.9**	**171**	**1**	**2**	**5**	**26**	**49**	**89**	**99 +**	**13**	**14.0**	**616**	**1**	**1**	**4**	**15**	**38**	**83**	**93**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	45.0		45	45	45	45	45	45	45												
18-24																						
25-34																						
35-54																						
55-74	7	23.0	1167	1	2	12	19	83	99	99 +		3	12.3	62	6	6	10	18	21	21	21	
75 +	7	12.3	33	5	5	10	18	20	20	20		4	8.3	20	2	2	9	11	13	13	13	
ALL AGES	15	19.5	592	2	5	12	20	45	85	99		7	10.0	36	2	3	10	12	19	21	21	
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	4	15.5	4	13	13	16	17	17	17	17		2	28.0	968	6	6	28	50	50	50	50	
75 +	15	18.1	444	3	7	14	19	23	74	91		7	11.7	157	2	2	9	11	34	39	39	
ALL AGES	19	17.5	349	4	7	15	17	23	60	91		9	15.3	291	2	3	9	19	46	50	50	
SUBTOTAL	**34**	**18.4**	**442**	**3**	**6**	**14**	**19**	**25**	**82**	**99**		**16**	**13.0**	**177**	**2**	**2**	**9**	**12**	**37**	**47**	**50**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	3	37.3	762	19	19	24	58	69	69	69												
75 +	1	33.0		33	33	33	33	33	33	33												
ALL AGES	4	36.3	505	19	19	28	51	69	69	69												
B. FEMALE																						
0-12 YRS.																						
13-17												1	5.0		5	5	5	5	5	5	5	
18-24																						
25-34																						
35-54																						
55-74	1	10.0		10	10	10	10	10	10	10		1	11.0		11	11	55	99 +	99 +	99 +	99 +	
75 +	1	14.0		14	14	14	14	14	14	14		1	4.0		4	4	4	4	4	4	4	
ALL AGES	2	12.0	8	10	10	12	14	14	14	14		3	6.7	14	4	4	8	55	99 +	99 +	99 +	
SUBTOTAL	**6**	**28.2**	**462**	**10**	**10**	**21**	**33**	**65**	**69**	**69**		**3**	**6.7**	**14**	**4**	**4**	**8**	**55**	**99 +**	**99 +**	**99 +**	
GRAND TOTAL	**40**	**19.9**	**445**	**3**	**6**	**15**	**20**	**39**	**80**	**99**		**19**	**12.0**	**154**	**2**	**3**	**9**	**12**	**44**	**75**	**99 +**	

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	26.0		26	26	26	26	26	26	26												
13-17																						
18-24	1	2.0		2	2	2	2	2	2	2												
25-34																						
35-54	1	26.0		26	26	26	26	26	26	26												
55-74	8	11.6	73	3	3	12	18	23	25	25												
75 +	5	32.0	370	4	4	42	47	47	47	47												
ALL AGES	16	19.2	243	2	3	18	26	46	47	47												
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	5.0		5	5	5	5	5	5	5												
35-54	5	29.2	346	6	6	39	42	49	49	49												
55-74	3	25.7	352	4	4	35	37	38	38	38												
75 +	9	19.0	896	2	2	8	16	67	97	97	4	10.8	81	4	4	7	16	24	24	24
ALL AGES	18	22.2	582	2	3	13	38	46	78	97	4	10.8	81	4	4	7	16	24	24	24
SUBTOTAL	**34**	**20.8**	**412**	**2**	**3**	**15**	**35**	**47**	**49**	**97**	**4**	**10.8**	**81**	**4**	**4**	**7**	**16**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	84.0		84	84	84	84	84	84	84												
18-24																						
25-34	4	54.8	2084	5	5	58	93	97	97	97												
35-54	4	28.5	270	9	9	30	42	44	44	44												
55-74	1	17.0		17	17	17	17	17	17	17												
75 +	2	56.5	5	55	55	56	58	58	58	58												
ALL AGES	12	45.6	1009	5	8	42	71	92	96	97	1	2.0		2	2	2	2	2	2	2
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	17.0		17	17	17	17	17	17	17												
25-34	1	45.0		45	45	45	45	45	45	45												
35-54	1	51.0		51	51	51	51	51	51	51												
55-74	3	16.7	189	1	1	22	26	27	27	27												
75 +	3	54.3	500	41	41	42	70	80	80	80												
ALL AGES	9	36.2	523	1	7	41	46	68	80	80												
SUBTOTAL	**21**	**41.6**	**784**	**3**	**7**	**41**	**56**	**86**	**93**	**97**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**55**	**28.7**	**649**	**2**	**3**	**22**	**42**	**58**	**88**	[illegible]	**5**	**9.0**	**77**	**2**	**2**	**6**	**13**	**24**	**24**	**24**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	20.0		20	20	20	20	20	20	20	1	1.0		1	1	1	1	1	1	1
75 +	3	45.7	1118	12	12	46	71	79	79	79	1	5.0		5	5	52	99 +	99 +	99 +	99 +
ALL AGES	5	32.4	919	5	5	20	54	79	79	79	2	3.0	8	1	1	5	76	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17																				
18-24																				
25-34																				
35-54	2	11.5	181	2	2	11	21	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74	3	33.7	118	23	23	45	99 +	99 +	99 +	99 +	2	11.5	25	8	8	11	15	15	15	15
75 +	15	27.9	534	5	6	24	59	99 +	99 +	99 +	7	10.1	31	4	4	9	12	19	21	21
ALL AGES	21	26.3	440	4	6	24	59	99 +	99 +	99 +	10	9.9	26	4	4	9	12	18	21	21
SUBTOTAL	**26**	**27.5**	**504**	**4**	**6**	**23**	**57**	**99 +**	**99 +**	**99 +**	**12**	**8.8**	**29**	**1**	**3**	**8**	**13**	**37**	**88**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	5	25.0	278	9	9	19	38	49	49	49										
75 +	3	21.3	208	5	5	27	31	32	32	32										
ALL AGES	9	21.2	247	2	3	19	33	43	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	22.0	247	4	4	29	32	33	33	33										
55-74	3	17.7	207	1	1	26	63	99 +	99 +	99 +										
75 +	2	20.5	113	13	13	28	82	99 +	99 +	99 +	1	13.0		13	13	13	13	13	3	13
ALL AGES	8	20.0	150	1	2	27	33	99 +	99 +	99 +	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**17**	**20.6**	**191**	**1**	**3**	**26**	**33**	**79**	**99 +**	**99 +**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**43**	**24.8**	**383**	**2**	**4**	**25**	**49**	**99 +**	**99 +**	**99 +**	**13**	**9.1**	**28**	**1**	**4**	**9**	**13**	**29**	**84**	**99 +**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	1	53.0		53	53	53	53	53	53	53										
25-34																					
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	2	12.0	18	9	9	12	15	15	15	15	2	6.0		6	6	6	6	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
ALL AGES	5	18.4	399	2	2	13	24	53	53	53	3	6.7	1	6	6	6	8	8	8	8
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34	1	12.0		12	12	12	12	12	12	12										
35-54											1	4.0		4	4	4	4	4	4	4
55-74	2	22.0	338	9	9	22	35	35	35	35										
75 +	3	10.0	27	7	7	7	14	16	16	16										
ALL AGES	6	14.3	115	7	7	10	16	33	35	35	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	11	16.2	221	2	5	12	16	42	52	53	4	6.0	3	4	4	6	7	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34	2	33.5	761	14	14	33	53	53	53	53										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	27.0	242	16	16	27	38	38	38	38										
75 +																					
ALL AGES	5	25.8	360	8	8	16	42	53	53	53										
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	2	30.5	1	30	30	30	31	31	31	31										
25-34																					
35-54											1	7.0		7	7	7	7	7	7	7
55-74	2	13.0	8	11	11	13	15	15	15	15										
75 +											2	17.5	365	4	4	17	31	31	31	31
ALL AGES	4	21.8	102	11	11	22	30	31	31	31	3	14.0	219	4	4	7	25	31	31	31
SUBTOTAL	9	24.0	224	8	9	16	33	47	53	53	[illegible]	14.0	219	4	4	7	25	31	31	31
GRAND TOTAL	20	19.7	227	4	7	14	30	45	53	53	[illegible]	[illegible].4	93	4	4	6	8	26	31	31

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	3	31.0	247	13	13	38	41	42	42	42	2	42.5	41	38	38	42	47	47	47	47
25-34	12	18.2	324	1	2	12	25	49	58	60										
35-54	4	22.3	166	13	13	17	31	41	41	41										
55-74																					
75 +																					
ALL AGES	19	21.1	275	2	3	14	35	43	53	60	2	42.5	41	38	38	42	47	47	47	47
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	5	10.4	31	6	6	10	19	92	99 +	99 +										
25-34	3	27.7	172	16	16	25	38	42	42	42										
35-54	9	26.3	463	8	8	18	32	60	78	78										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	18	21.1	311	6	7	18	30	64	90	99 +	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**37**	**21.1**	**284**	**3**	**6**	**16**	**31**	**43**	**71**	**99 +**	**3**	**31.0**	**417**	**8**	**8**	**38**	**45**	**47**	**47**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	1	27.0		27	27	27	27	27	27	27										
18-24	2	21.5	545	5	5	21	38	38	38	38										
25-34	2	16.5	265	5	5	16	28	28	28	28										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																					
ALL AGES	6	20.5	177	5	5	23	28	37	38	38	1	6.0		6	6	6	6	6	6	6
B. FEMALE																					
0-12 YRS.																					
13-17	1	61.0		61	61	61	61	61	61	61										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	2	19.5	181	10	10	19	29	29	29	29										
35-54	1	22.0		22	22	22	22	22	22	22										
55-74																					
75 +																					
ALL AGES	5	27.6	398	10	10	22	37	61	61	61										
SUBTOTAL	**11**	**23.7**	**263**	**5**	**5**	**22**	**29**	**47**	**60**	**61**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**48**	**21.7**	**275**	**4**	**5**	**18**	**29**	**43**	**62**	**99 +**	**4**	**24.8**	**431**	**6**	**6**	**23**	**42**	**47**	**47**	**47**

Northeastern Region January - December 1987

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	29.0		29	29	29	29	29	29	29										
35-54	6	22.0	270	6	6	16	41	44	44	44										
55-74	1	6.0		6	6	6	6	6	6	6	2	19.0	338	6	6	19	32	32	32	32
75 +	1	70.0		70	70	70	70	70	70	70	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	10	25.0	439	6	6	16	41	57	70	70	4	14.0	179	2	2	11	24	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	16.7	563	1	1	5	34	44	44	44										
25-34	5	23.2	303	9	9	17	30	53	53	53	1	2.0		2	2	2	2	2	2	2
35-54	10	16.6	127	4	5	13	27	33	38	38	1	5.0		5	5	5	5	5	5	5
55-74	2	24.5	1	24	24	24	25	25	25	25										
75 +	1	16.0		16	16	16	16	16	16	16	1	3.0		3	3	3	3	3	3	3
ALL AGES	21	18.9	186	3	5	16	25	40	48	53	3	3.3	3	2	2	3	4	5	5	5
SUBTOTAL	**31**	**20.9**	**263**	**4**	**5**	**16**	**28**	**44**	**53**	**70**	**7**	**9.4**	**123**	**2**	**2**	**5**	**13**	**29**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	11.0	72	5	5	11	17	17	17	17	3	3.3	5	1	1	4	5	5	5	5
35-54	2	19.5	221	9	9	19	30	30	30	30										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	5	16.4	98	5	5	17	23	30	30	30	3	3.3	5	1	1	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53										
18-24	1	53.0		53	53	53	53	53	53	53										
25-34	3	40.3	34	34	34	43	44	44	44	44	2	5.0	32	1	1	5	9	9	9	9
35-54	2	17.5	145	9	9	17	26	26	26	26										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	8	33.3	352	4	5	38	48	53	53	53	2	5.0	32	1	1	5	9	9	9	9
SUBTOTAL	**13**	**26.8**	**311**	**4**	**5**	**26**	**43**	**53**	**53**	**53**	**5**	**4.0**	**11**	**1**	**1**	**4**	**6**	**9**	**9**	**9**
GRAND TOTAL	**44**	**22.6**	**279**	**4**	**5**	**18**	**32**	**45**	**53**	**70**	**12**	**7.2**	**78**	**1**	**1**	**4**	**7**	**21**	**30**	**32**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	12	13.2	197	3	5	7	17	61	93	99+	1	7.0		7	7	7	7	7	7	7
18-24	132	21.9	315	2	5	18	28	48	64	76	3	4.7	40	1	1	12	99+	99+	99+	99+
25-34	344	21.0	255	3	4	17	28	41	54	82	12	21.3	406	4	5	11	29	54	67	69
35-54	266	21.1	292	2	4	17	28	46	59	97	15	10.5	44	1	2	9	16	18	22	24
55-74	52	28.3	503	3	4	25	36	68	87	99+	3	27.3	719	3	3	23	48	56	56	56
75 +	7	17.3	119	1	2	20	26	30	31	31	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	813	21.5	293	3	4	18	29	45	61	90	36	14.8	237	1	2	10	23	54	87	99+
B. FEMALE																				
0-12 YRS.																				
13-17	6	17.8	55	5	6	19	23	25	25	25										
18-24	52	21.0	211	4	5	19	28	46	50	57	3	19.0	637	2	2	7	38	48	48	48
25-34	169	22.0	318	3	5	18	29	54	60	99	14	10.1	69	1	2	8	13	23	29	31
35-54	259	20.8	252	3	5	17	27	42	57	91	16	12.7	331	1	1	7	16	20	59	76
55-74	149	23.2	285	2	6	20	31	51	68	99+	13	23.3	590	4	6	16	34	80	96	99+
75 +	20	18.6	190	4	5	16	20	39	48	56	4	29.3	187	15	15	27	38	48	48	48
ALL AGES	655	21.5	273	3	5	18	28	48	59	99+	50	16.4	345	1	2	11	20	48	76	99+
SUBTOTAL	**1468**	**21.5**	**284**	**3**	**5**	**18**	**28**	**47**	**59**	**95**	**86**	**15.7**	**298**	**1**	**2**	**11**	**21**	**48**	**76**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	18	15	15	18	21	21	21	21	1	5.0		5	5	5	5	5	5	5
18-24	58	19.3	247	3	4	15	27	37	54	76	5	14.8	161	2	2	10	26	32	32	32
25-34	139	17.4	163	2	4	14	26	39	45	99+	6	20.2	100	2	2	7	16	77	84	84
35-54	109	20.2	293	3	4	16	26	46	54	88	12	12.6	201	4	4	7	11	35	50	53
55-74	22	22.3	241	2	3	24	38	46	69	99+										
75 +	1	18.0		18	18	18	18	18	18	18	1	40.0		40	40	40	40	40	40	40
ALL AGES	331	19.0	224	2	4	15	27	41	51	92	25	15.6	369	2	4	8	18	40	61	84
B. FEMALE																				
0-12 YRS.																				
13-17											1	44.0		44	44	44	44	44	44	44
18-24	22	22.1	286	1	5	18	28	45	61	68	1	94.0		94	94	94	94	94	94	94
25-34	58	17.6	163	3	6	14	20	33	46	61	4	7.8	43	1	1	7	13	16	16	16
35-54	73	21.9	176	4	6	21	29	41	49	91	5	9.0	64	1	1	7	13	22	22	22
55-74	28	21.3	79	8	10	21	28	35	43	99+										
75 +	4	41.3	1396	19	19	29	98	99+	99+	99+	2	13.0	98	6	6	13	20	20	20	20
ALL AGES	185	20.9	200	4	7	18	28	40	54	99+	13	18.5	649	1	1	10	20	54	86	94
SUBTOTAL	**516**	**19.7**	**215**	**3**	**5**	**16**	**27**	**41**	**52**	**99+**	**38**	**16.6**	**451**	**1**	**3**	**8**	**20**	**43**	**72**	**94**
GRAND TOTAL	**1984**	**21.0**	**268**	**3**	**5**	**17**	**28**	**45**	**58**	**97**	**124**	**16.0**	**341**	**1**	**2**	**10**	**20**	**48**	**76**	**99+**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	31.0	861	3	4	23	40	80	95	95										
18-24	21	21.5	224	6	9	16	28	39	53	70	1	1.0		1	1	1	1	1	1	1
25-34	12	20.0	103	8	10	18	25	35	42	43	1	3.0		3	3	3	3	3	3	3
35-54	3	14.0	175	4	4	9	24	29	29	29										
55-74	3	19.0	4	17	17	19	20	21	21	21										
75 +																				
ALL AGES	47	22.1	281	4	8	17	28	40	48	95	2	2.0	2	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	3	52.0	2107	3	3	59	85	94	94	94										
18-24	17	22.5	128	9	11	18	33	38	44	47										
25-34	14	14.0	64	3	3	12	18	22	32	35	2	4.0	2	3	3	4	5	5	5	5
35-54	13	19.8	107	7	9	17	27	33	41	43	3	5.7	6	3	3	6	7	8	8	8
55-74	4	36.3	775	3	3	39	59	64	64	64	2	9.0	2	8	8	9	10	10	10	10
75 +																				
ALL AGES	52	22.1	299	3	8	16	27	44	58	93	7	6.1	8	3	3	6	8	10	10	10
SUBTOTAL	**99**	**22.1**	**287**	**3**	**8**	**17**	**28**	**42**	**57**	**95**	**9**	**5.2**	**9**	**1**	**1**	**5**	**8**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	22.2	103	6	6	24	30	32	32	32										
18-24	6	21.3	151	7	8	18	26	41	43	43										
25-34	2	19.0	512	3	3	19	35	35	35	35	1	3.0		3	3	3	3	3	3	3
35-54	2	19.5	265	8	8	19	31	31	31	31										
55-74																				
75 +																				
ALL AGES	15	21.1	138	4	6	20	30	35	41	43	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	28.0	343	7	7	35	40	42	42	42										
18-24	5	30.8	529	7	7	30	50	60	60	60										
25-34	4	11.5	52	6	6	9	16	22	22	22										
35-54	4	8.8	36	1	1	9	13	15	15	15	2	10.0	72	4	4	10	16	16	16	16
55-74																				
75 +																				
ALL AGES	16	19.9	311	2	6	11	32	46	56	60	2	10.0	72	4	4	10	16	16	16	16
SUBTOTAL	**31**	**20.5**	**219**	**3**	**6**	**17**	**31**	**42**	**47**	**60**	**3**	**7.7**	**52**	**3**	**3**	**4**	**13**	**16**	**16**	**16**
GRAND TOTAL	**130**	**21.7**	**271**	**3**	**7**	**17**	**29**	**42**	**54**	**94**	**12**	**5.8**	**18**	**1**	**2**	**4**	**8**	**12**	**15**	**16**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74																				
75 +																				
ALL AGES	2	12.0	200	2	2	12	22	22	22	22										
SUBTOTAL	**3**	**8.3**	**141**	**1**	**1**	**2**	**17**	**22**	**22**	**22**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54	1	47.0		47	47	47	47	47	47	47										
55-74																				
75 +																				
ALL AGES	2	28.5	685	10	10	28	47	47	47	47										
SUBTOTAL	**3**	**19.7**	**574**	**2**	**2**	**10**	**38**	**47**	**47**	**47**										
GRAND TOTAL	**6**	**14.0**	**325**	**1**	**1**	**6**	**22**	**44**	**47**	**47**										

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.0	1800	2	2	32	62	62	62	62										
18-24	55	18.7	204	2	5	14	27	37	54	98	2	41.5	2381	7	7	41	76	76	76	76
25-34	131	16.6	263	1	2	13	22	34	46	93	3	4.3	34	1	1	1	9	11	11	11
35-54	113	18.4	173	4	6	14	26	37	49	73	6	7.5	158	1	1	2	5	30	33	33
55-74	26	20.0	305	2	3	14	29	38	58	77	3	10.7	21	7	7	9	14	16	16	16
75 +																				
ALL AGES	327	18.0	227	2	3	14	25	37	50	93	14	12.4	408	1	1	6	11	37	67	76
B. FEMALE																				
0-12 YRS.																				
13-17	4	16.5	26	13	13	14	19	24	24	24										
18-24	45	21.3	246	4	6	18	31	48	62	99 +	2	9.0	50	4	4	9	14	14	14	14
25-34	117	22.9	366	2	5	18	30	45	65	97	4	5.8	55	2	2	2	10	17	17	17
35-54	158	20.3	257	3	4	16	27	43	52	79	8	14.9	157	3	3	13	31	73	99 +	99 +
55-74	109	21.4	217	2	6	17	30	46	52	77	9	31.1	706	2	4	24	48	73	83	83
75 +	9	19.8	178	6	6	16	29	41	44	44	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	442	21.3	271	3	5	17	29	45	55	83	25	17.9	407	2	2	13	31	57	86	99 +
SUBTOTAL	**769**	**19.9**	**255**	**2**	**4**	**15**	**27**	**42**	**53**	**90**	**39**	**15.9**	**405**	**1**	**1**	**8**	**24**	**51**	**79**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	32	19.3	263	2	3	15	26	38	60	65										
25-34	97	17.9	283	4	5	13	22	30	54	90	2	14.5	5	13	13	14	16	16	16	16
35-54	51	16.7	222	3	3	13	24	32	37	87	5	9.2	33	2	2	8	15	15	15	15
55-74	17	16.9	90	2	7	18	24	30	31	32	1	18.0		18	18	59	99 +	99 +	99 +	99 +
75 +	2	21.0	98	14	14	21	28	28	28	28										
ALL AGES	199	17.8	242	3	4	14	23	33	50	86	8	11.6	32	2	4	15	16	67	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	16	17.8	113	3	5	19	24	42	81	99 +										
25-34	48	16.2	119	2	4	13	22	32	37	42	2	5.5	25	2	2	5	9	9	9	9
35-54	46	19.5	300	1	3	15	27	43	62	72	7	9.3	47	2	2	8	14	20	21	21
55-74	30	24.1	464	3	4	19	33	44	77	97	4	19.3	454	5	5	10	31	51	51	51
75 +	2	32.5	1013	10	10	32	55	55	55	55										
ALL AGES	144	19.4	259	2	4	15	27	41	56	97	13	11.8	168	2	2	8	13	27	46	51
SUBTOTAL	**343**	**18.5**	**248**	**3**	**4**	**14**	**24**	**37**	**51**	**87**	**21**	**11.7**	**113**	**2**	**2**	**9**	**16**	**30**	**71**	**99 +**
GRAND TOTAL	**1112**	**19.4**	**255**	**2**	**4**	**15**	**26**	**41**	**53**	**89**	**60**	**14.4**	**304**	**1**	**2**	**9**	**17**	**46**	**79**	**99 +**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	77.0		77	77	77	77	77	77	77										
13-17	3	38.3	436	23	23	46	81	99+	99+	99+										
18-24	49	22.6	303	1	4	22	31	49	89	99+	2	21.5	1	21	21	21	22	22	22	22
25-34	144	19.6	261	3	4	15	27	39	61	99+	3	14.3	88	4	4	17	21	22	22	22
35-54	117	19.7	207	2	5	16	26	39	52	65	7	16.6	176	5	5	12	21	39	43	43
55-74	48	26.2	324	4	6	21	35	56	63	77	1	13.0		13	13	13	13	13	13	13
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	363	21.2	270	2	5	18	29	45	62	99+	13	16.5	110	4	5	17	22	27	40	43
B. FEMALE																				
0-12 YRS.																				
13-17	6	32.0	966	4	4	24	53	78	81	81	1	29.0		29	29	29	29	29	29	29
18-24	58	25.3	407	1	5	22	34	49	85	99	3	4.3	11	2	2	3	7	8	8	8
25-34	142	22.0	341	3	5	16	32	52	79	99+	16	14.9	226	2	2	10	19	36	53	60
35-54	295	23.0	335	4	6	18	29	51	63	85	16	17.8	396	1	2	13	18	37	68	82
55-74	129	25.0	230	7	9	21	33	49	62	99+	9	15.0	30	9	10	14	20	63	99+	99+
75 +	9	35.9	738	5	9	36	70	93	99+	99+	1	18.0		18	18	18	18	18	18	18
ALL AGES	639	23.7	331	4	6	20	31	51	69	99+	46	15.6	228	2	2	13	19	36	63	99+
SUBTOTAL	**1002**	**22.8**	**310**	**3**	**6**	**19**	**31**	**50**	**65**	**99+**	**59**	**15.8**	**200**	**2**	**3**	**13**	**20**	**35**	**51**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	49.5	613	32	32	49	67	67	67	67										
18-24	34	21.1	337	2	5	16	28	41	59	88										
25-34	73	19.2	231	3	5	15	24	41	50	70	1	2.0		2	2	2	2	2	2	2
35-54	64	19.6	164	4	6	18	27	34	45	67	4	12.5	156	4	4	7	20	31	31	31
55-74	10	15.7	128	2	3	19	29	60	97	99+	1	20.0		20	20	20	20	20	20	20
75 +											1	29.0		29	29	29	29	29	29	29
ALL AGES	183	19.8	231	3	5	17	26	39	52	82	7	14.4	148	2	2	9	27	31	31	31
B. FEMALE																				
0-12 YRS.											1	44.0		44	44	44	44	44	44	44
13-17	3	39.3	896	16	16	29	62	73	73	73										
18-24	35	25.0	533	2	3	20	32	55	84	96	2	12.5	1	12	12	12	13	13	13	13
25-34	84	21.5	210	4	6	19	28	41	52	91	1	5.0		5	5	5	5	5	5	5
35-54	104	24.5	237	5	7	20	33	48	54	68	3	14.0	12	12	12	12	17	18	18	18
55-74	55	23.5	164	5	9	21	30	42	49	63	3	10.0	31	4	4	11	14	15	15	15
75 +	9	28.0	450	1	3	25	43	57	63	63										
ALL AGES	290	23.8	260	4	6	20	31	47	55	86	10	14.6	124	4	4	12	15	31	44	44
SUBTOTAL	**473**	**22.3**	**250**	**4**	**5**	**19**	**29**	**45**	**55**	**85**	**17**	**14.5**	**126**	**3**	**4**	**12**	**18**	**31**	**39**	**44**
GRAND TOTAL	**1475**	**22.6**	**292**	**3**	**6**	**19**	**30**	**48**	**62**	**99**	**76**	**15.5**	**182**	**2**	**3**	**13**	**20**	**33**	**44**	**95**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-24	4	23.5	287	1	1	27	36	38	38	38										
25-34	6	30.0	240	15	15	25	44	52	53	53	3	6.3	18	3	3	5	9	11	11	11
35-54	7	11.1	84	1	1	9	19	22	23	23	1	9.0		9	9	9	9	9	9	9
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	19	23.1	319	1	1	20	34	49	61	67	4	7.0	13	3	3	7	10	11	11	11
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	1	34.0		34	34	34	34	34	34	34										
18-24	2	9.5	145	1	1	9	18	18	18	18										
25-34	5	14.4	104	6	6	12	18	32	32	32	2	10.0	128	2	2	10	18	18	18	18
35-54	19	19.2	354	4	5	10	22	46	65	77	3	30.0	1053	3	3	21	55	66	66	66
55-74	12	21.8	458	2	3	17	26	45	78	83	2	6.0	50	1	1	6	11	11	11	11
75 +																				
ALL AGES	39	19.3	330	3	4	14	26	37	65	83	8	16.0	463	1	1	8	19	52	66	66
SUBTOTAL	**58**	**20.5**	**326**	**1**	**4**	**17**	**27**	**42**	**61**	**83**	**12**	**13.0**	**318**	**1**	**2**	**7**	**15**	**34**	**61**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17																				
18-24	6	31.8	366	5	6	33	44	57	58	58										
25-34	4	11.5	100	4	4	8	18	26	26	26										
35-54	6	14.8	340	1	1	6	25	46	48	48										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	18	19.8	304	2	3	15	29	47	54	58										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	20.3	16	16	16	19	23	26	26	26										
25-34	9	18.2	125	4	6	15	24	36	37	37										
35-54	7	25.0	44	17	17	26	29	34	35	35	1	2.0		2	2	2	2	2	2	2
55-74	2	12.5	145	4	4	12	21	21	21	21										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	23	20.0	83	4	8	18	26	35	36	37	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**41**	**20.0**	**171**	**3**	**4**	**18**	**27**	**37**	**46**	**58**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**99**	**20.3**	**259**	**2**	**4**	**17**	**27**	**39**	**52**	**80**	**13**	**12.2**	**300**	**1**	**2**	**6**	**13**	**30**	**59**	**66**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	10	17.7	68	4	7	17	25	29	32	32										
18-24	42	22.0	341	2	3	19	29	48	61	75	6	23.2	720	1	1	12	42	66	69	69
25-34	78	16.7	222	2	3	13	22	39	45	66	8	12.5	318	1	2	6	10	43	56	56
35-54	59	17.4	241	1	2	15	26	37	43	79	3	3.3	7	1	1	3	5	6	6	6
55-74	16	27.3	329	5	12	21	38	71	91	99 +	6	14.2	228	3	3	8	15	41	44	44
75 +	2	29.0	2	28	28	29	30	30	30	30										
ALL AGES	207	19.0	255	2	3	15	27	41	52	78	23	14.5	358	1	1	7	13	46	61	69
B. FEMALE																				
0-12 YRS.																				
13-17	6	10.0	80	2	2	8	23	85	99 +	99 +										
18-24	41	17.0	170	2	3	16	22	39	51	99 +	2	5.0	32	1	1	5	9	9	9	9
25-34	71	20.5	288	1	3	17	28	45	51	87	6	5.0	31	1	1	2	10	14	14	14
35-54	77	17.6	181	1	3	16	24	34	54	88	4	13.5	58	4	4	14	19	21	21	21
55-74	37	22.3	465	2	4	15	26	51	75	89	6	9.2	25	2	2	9	11	16	17	17
75 +	7	35.9	733	3	6	31	56	77	81	81	5	28.6	803	6	6	15	46	75	75	75
ALL AGES	239	19.4	276	1	3	16	25	45	57	99 +	23	12.7	251	1	1	10	15	24	50	75
SUBTOTAL	**446**	**19.2**	**267**	**2**	**3**	**15**	**26**	**42**	**55**	**92**	**46**	**13.6**	**298**	**1**	**1**	**8**	**14**	**41**	**59**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	27.7	542	6	8	35	82	99 +	99 +	99 +										
18-24	30	15.8	137	2	3	14	22	27	46	48	1	18.0		18	18	18	18	18	18	18
25-34	23	16.9	124	4	5	13	22	34	42	46	2	8.0	2	7	7	8	9	9	9	9
35-54	16	12.7	38	6	7	12	14	24	27	28	3	34.7	1229	11	11	18	61	75	75	75
55-74	5	18.8	98	7	7	15	28	31	31	31										
75 +																				
ALL AGES	80	16.6	144	4	5	14	23	35	48	99 +	6	23.0	670	7	7	14	18	69	75	75
B. FEMALE																				
0-12 YRS.																				
13-17	3	26.7	1295	2	2	10	53	68	68	68										
18-24	17	20.2	383	2	2	16	26	44	69	80	2	10.5	61	5	5	10	16	16	16	16
25-34	22	18.0	117	5	6	16	22	30	41	50	1	69.0		69	69	69	69	69	69	69
35-54	20	19.7	228	1	3	15	29	37	48	58	4	7.0	67	1	1	4	12	19	19	19
55-74	11	10.7	49	2	2	11	17	47	92	99 +	2	6.0	2	5	5	6	7	7	7	7
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	74	18.1	233	2	2	14	26	37	56	95	9	14.4	456	1	2	5	17	49	69	69
SUBTOTAL	**154**	**17.3**	**187**	**2**	**4**	**14**	**24**	**37**	**50**	**99 +**	**15**	**17.9**	**516**	**1**	**3**	**9**	**18**	**69**	**73**	**75**
GRAND TOTAL	**600**	**18.7**	**247**	**2**	**3**	**15**	**26**	**41**	**54**	**99 +**	**61**	**14.7**	**346**	**1**	**1**	**9**	**15**	**43**	**69**	**75**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	82.0		82	82	82	82	82	82	82										
13-17																						
18-24	2	18.0	128	10	10	18	26	26	26	26	1	1.0		1	1	1	1	1	1	1
25-34	4	7.8	52	1	1	7	14	15	15	15	1	3.0		3	3	3	3	3	3	3
35-54	1	8.0		8	8	54	99 +	99 +	99 +	99 +	3	3.3	7	1	1	3	5	6	6	6
55-74	1	13.0		13	13	13	13	13	13	13										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	9	18.9	615	1	1	13	26	91	99 +	99 +	6	5.0	32	1	1	3	6	15	16	16
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	4	11.3	39	4	4	11	16	19	19	19										
25-34	11	12.5	181	1	1	7	15	37	41	41	4	7.8	25	1	1	8	11	13	13	13
35-54	7	11.0	59	4	4	9	14	24	26	26	4	6.0	10	3	3	5	8	10	10	10
55-74	10	21.7	104	7	9	22	28	36	37	37	2	9.5	25	6	6	9	13	13	13	13
75 +	4	33.5	292	17	17	31	47	55	55	55	1	69.0		69	69	69	69	69	69	69
ALL AGES	36	17.0	170	2	3	13	25	37	40	55	11	13.0	360	1	2	7	12	35	66	69
SUBTOTAL	**45**	**17.4**	**247**	**2**	**2**	**13**	**26**	**39**	**60**	**99 +**	**17**	**10.2**	**250**	**1**	**1**	**6**	**11**	**15**	**50**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	4	6.5	83	1	1	2	12	20	20	20										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																						
ALL AGES	6	6.2	50	1	1	4	7	19	20	20	1	4.0		4	4	4	4	4	4	4
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	2	10.5	85	4	4	10	17	17	17	17										
25-34	1	24.0		24	24	24	24	24	24	24										
35-54	2	17.0	72	11	11	17	23	23	23	23										
55-74	6	14.2	81	5	5	10	24	27	27	27										
75 +	2	16.0	72	10	10	16	22	22	22	22	1	65.0		65	65	65	65	65	65	65
ALL AGES	13	15.1	64	4	5	11	23	25	27	27	1	65.0		65	65	65	65	65	65	65
SUBTOTAL	**19**	**12.3**	**74**	**1**	**2**	**10**	**21**	**24**	**26**	**27**	**2**	**34.5**	**1861**	**4**	**4**	**34**	**65**	**65**	**65**	**65**
GRAND TOTAL	**64**	**15.8**	**202**	**1**	**2**	**13**	**23**	**35**	**44**	**97**	**19**	**12.7**	**386**	**1**	**1**	**6**	**12**	**45**	**67**	**69**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15	1	8.0		8	8	8	8	8	8	8
25-34	3	10.0	37	3	3	13	14	14	14	14										
35-54	4	12.5	60	5	5	11	18	23	23	23	2	7.5	25	4	4	7	11	11	11	11
55-74											1	16.0		16	16	16	16	16	16	16
75 +	2	12.0	50	7	7	12	17	17	17	17										
ALL AGES	10	11.9	36	3	4	13	15	20	23	23	4	9.8	24	4	4	9	13	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	5	26.6	564	4	4	20	34	67	67	67										
35-54	12	17.3	546	1	2	8	24	46	79	84	3	7.7	54	2	2	5	13	16	16	16
55-74	2	16.0	8	14	14	16	18	18	18	18	3	11.7	199	3	3	4	22	28	28	28
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	21	18.4	446	1	2	14	21	45	75	84	6	9.7	106	2	2	4	16	27	28	28
SUBTOTAL	**31**	**16.3**	**318**	**2**	**3**	**13**	**20**	**29**	**65**	**84**	**10**	**9.7**	**68**	**2**	**2**	**6**	**16**	**22**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	27.0	2	26	26	27	28	28	28	28	2	13.0	242	2	2	13	24	24	24	24
55-74	1	9.0		9	9	9	9	9	9	9	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	3	21.0	109	9	9	26	27	28	28	28	3	11.3	130	2	2	8	20	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	5	8.6	50	3	3	6	10	21	21	21										
55-74	1	15.0		15	15	15	15	15	15	15	3	3.0	4	1	1	3	4	5	5	5
75 +																				
ALL AGES	8	10.3	68	1	2	7	18	22	23	23	4	2.5	4	1	1	2	4	5	5	5
SUBTOTAL	**11**	**13.2**	**95**	**1**	**2**	**9**	**22**	**27**	**28**	**28**	**7**	**6.3**	**67**	**1**	**1**	**3**	**7**	**21**	**24**	**24**
GRAND TOTAL	**42**	**15.5**	**257**	**2**	**3**	**13**	**21**	**28**	**45**	**84**	**17**	**8.3**	**66**	**1**	**1**	**5**	**12**	**22**	**27**	**28**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	28.5	566	1	2	31	53	78	98	99+	1	25.0		25	25	25	25	25	25	25
13-17	31	20.6	369	4	5	20	38	99+	99+	99+	3	2.0	1	1	1	2	3	3	3	3
18-24	83	16.7	230	3	4	12	21	34	51	97	8	5.6	61	1	1	2	7	19	23	23
25-34	79	13.6	70	2	4	13	18	25	31	36	9	10.6	105	3	3	8	10	27	37	37
35-54	176	16.1	131	2	4	14	22	31	37	54	21	9.0	129	1	1	6	8	24	39	46
55-74	189	19.0	170	4	5	16	23	36	48	65	41	15.2	247	2	3	11	19	35	40	87
75 +	75	21.5	225	3	5	19	30	39	51	97	12	8.0	34	2	3	6	10	19	20	20
ALL AGES	643	17.8	180	3	4	15	23	35	48	99+	95	11.4	166	1	2	7	14	27	37	69
B. FEMALE																				
0-12 YRS.	4	35.8	1096	5	5	28	58	82	82	82	1	30.0		30	30	30	30	30	30	30
13-17	54	19.9	252	3	5	17	24	50	61	98	5	20.0	463	1	1	12	42	45	45	45
18-24	90	16.4	156	2	4	14	22	33	41	54	6	4.8	21	1	1	3	7	12	13	13
25-34	170	15.9	162	2	3	13	21	33	43	55	23	7.2	30	1	1	5	10	17	18	19
35-54	328	15.8	172	2	4	13	20	30	36	75	54	11.2	192	1	2	7	13	21	32	90
55-74	414	20.1	195	2	5	17	27	39	47	77	60	13.1	115	2	3	10	16	28	32	33
75 +	156	21.5	204	4	6	19	29	44	49	80	34	11.6	91	3	4	8	16	24	33	43
ALL AGES	1216	18.3	192	2	4	15	24	36	46	73	183	11.5	133	1	2	8	15	23	33	51
SUBTOTAL	**1859**	**18.1**	**189**	**2**	**4**	**15**	**24**	**36**	**46**	**86**	**278**	**11.5**	**143**	**1**	**2**	**8**	**15**	**25**	**35**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	37.3	894	3	5	29	53	88	92	93	4	18.5	151	1	1	22	27	28	28	28
13-17	35	27.4	504	3	5	21	37	69	79	85	3	10.7	201	1	1	4	21	27	27	27
18-24	89	15.6	220	2	3	12	20	29	61	95	3	6.0	27	3	3	3	10	12	12	12
25-34	178	14.3	114	3	4	12	19	29	35	68	10	5.6	18	1	1	5	6	12	16	16
35-54	199	15.9	124	3	5	13	20	31	37	61	25	7.1	52	1	2	5	9	14	23	34
55-74	102	20.1	175	5	7	15	27	37	51	87	12	12.0	101	2	3	9	12	29	37	38
75 +	45	20.0	300	5	6	14	27	38	52	83	6	22.0	324	8	8	18	22	53	57	57
ALL AGES	663	17.4	210	3	5	14	22	34	48	85	63	10.1	108	1	2	6	12	25	30	55
B. FEMALE																				
0-12 YRS.	5	48.0	1479	9	9	43	86	91	91	91	4	25.0	111	16	16	22	32	40	40	40
13-17	56	25.9	559	4	6	17	41	64	85	99+	6	40.8	1006	1	2	35	77	79	79	79
18-24	96	15.1	182	2	3	11	19	37	49	59	12	12.9	124	1	2	13	17	28	39	41
25-34	226	18.1	242	3	4	13	25	38	51	95	18	7.7	71	1	1	5	8	17	29	36
35-54	246	18.4	198	3	4	14	25	40	51	99+	28	10.2	54	1	2	7	16	22	23	27
55-74	210	23.3	227	5	7	20	30	45	55	86	29	10.6	67	3	3	8	15	24	28	32
75 +	82	21.8	146	7	8	20	28	41	52	99+	21	13.4	50	4	4	15	19	21	24	26
ALL AGES	921	20.0	249	3	5	16	27	43	55	98	118	12.8	158	1	3	8	18	24	34	78
SUBTOTAL	**1584**	**18.9**	**234**	**3**	**5**	**15**	**25**	**39**	**52**	**91**	**181**	**11.9**	**140**	**1**	**2**	**8**	**17**	**25**	**33**	**71**
GRAND TOTAL	**3443**	**18.5**	**209**	**3**	**5**	**15**	**25**	**38**	**49**	**88**	**459**	**11.6**	**143**	**1**	**2**	**8**	**16**	**25**	**34**	**57**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	72.0		72	72	72	72	72	72	72	1	28.0		28	28	28	28	28	28	28
13-17	7	22.9	344	3	5	22	45	88	99 +	99 +	2	17.0	50	12	12	17	22	22	22	22
18-24	32	13.3	136	2	3	11	17	27	56	99 +	2	28.0	800	8	8	28	48	48	48	48
25-34	47	16.4	318	1	2	10	22	31	66	85	8	14.0	97	3	4	10	22	29	29	29
35-54	127	16.6	112	2	3	15	24	29	37	47	29	10.1	65	1	2	8	14	23	25	30
55-74	206	20.8	179	5	6	19	28	43	50	92	45	16.9	126	2	4	16	25	34	43	99 +
75 +	99	26.3	242	4	8	24	36	49	62	88	26	16.1	112	3	5	15	24	30	39	41
ALL AGES	519	20.1	204	3	5	18	27	41	51	90	113	15.1	116	2	3	12	23	30	40	67
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
13-17	10	24.9	722	6	6	14	24	72	90	90										
18-24	64	17.9	326	1	5	14	22	31	49	98	6	8.2	86	1	1	5	9	24	26	26
25-34	155	17.4	182	3	4	14	22	38	47	98	23	13.2	177	1	2	9	18	28	40	61
35-54	385	18.2	163	3	5	16	25	33	42	67	59	11.7	111	1	2	8	18	27	32	46
55-74	622	23.8	248	5	7	21	29	45	56	82	115	18.4	138	3	5	17	26	36	41	49
75 +	257	26.0	268	4	8	24	35	47	59	99	74	19.5	213	2	4	17	28	39	44	72
ALL AGES	1494	21.8	240	4	6	19	29	42	54	88	278	16.6	162	2	3	14	24	34	42	55
SUBTOTAL	**2013**	**21.4**	**229**	**3**	**6**	**19**	**28**	**42**	**52**	**88**	**391**	**16.1**	**151**	**2**	**3**	**13**	**23**	**32**	**41**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	34.0		34	34	34	34	34	34	34
13-17	3	26.3	523	6	6	36	75	99 +	99 +	99 +	2	26.0	968	4	4	26	48	48	48	48
18-24	60	19.7	229	3	4	17	30	35	42	90	4	20.5	447	1	1	19	38	43	43	43
25-34	104	17.6	205	2	3	15	24	35	50	67	8	6.5	46	3	3	4	6	18	23	23
35-54	185	17.8	176	3	5	16	23	34	49	99 +	13	10.7	81	1	2	8	17	25	27	27
55-74	114	23.1	211	5	8	19	31	48	52	62	19	17.4	217	2	3	11	28	44	45	45
75 +	24	20.6	187	5	6	17	29	43	47	51	5	14.8	176	4	4	10	23	36	36	36
ALL AGES	490	19.4	202	3	5	17	26	38	51	98	52	14.7	193	2	3	9	23	38	44	48
B. FEMALE																				
0-12 YRS.																				
13-17	14	24.6	612	1	1	23	40	87	97	99 +										
18-24	74	19.9	280	3	5	14	26	45	61	69	10	13.7	83	2	3	12	16	28	34	34
25-34	234	16.8	165	2	3	13	22	36	47	59	24	11.0	101	1	2	8	17	26	33	39
35-54	345	19.2	170	4	7	16	25	35	43	68	33	14.3	111	3	4	13	19	31	35	41
55-74	274	23.7	268	5	7	21	30	46	55	90	32	14.9	95	2	3	15	21	27	34	41
75 +	94	26.3	255	6	9	25	34	50	57	97	26	20.9	241	7	8	19	21	41	56	77
ALL AGES	1035	20.6	225	3	5	17	27	41	51	83	125	15.1	138	2	3	13	21	31	37	57
SUBTOTAL	**1525**	**20.2**	**219**	**3**	**5**	**17**	**27**	**40**	**51**	**87**	**177**	**15.0**	**152**	**2**	**3**	**12**	**21**	**33**	**41**	**50**
GRAND TOTAL	**3538**	**20.9**	**224**	**3**	**5**	**18**	**28**	**41**	**52**	**87**	**568**	**15.8**	**150**	**2**	**3**	**13**	**22**	**32**	**41**	**51**

BIPOLAR AFFECTIVE, MANIC (296.4)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	32.6	1111	9	9	29	85	98	99+	99+										
18-24	52	19.7	204	2	4	16	30	43	48	99	1	35.0		35	35	35	35	35	35	35
25-34	93	19.4	194	3	5	17	23	35	47	79	2	13.0	162	4	4	13	22	22	22	22
35-54	137	17.5	136	2	6	15	25	30	35	63	8	17.0	324	4	5	12	16	47	60	60
55-74	69	20.0	181	5	5	17	27	40	49	55	10	21.7	311	2	5	18	27	49	64	64
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	357	19.0	183	3	5	16	26	36	47	84	21	19.7	233	3	4	15	24	45	62	64
B. FEMALE																				
0-12 YRS.																				
13-17	13	23.8	298	5	7	19	30	55	61	63										
18-24	48	26.3	323	3	6	22	35	55	61	76	1	6.0		6	6	6	6	6	6	6
25-34	116	21.4	321	4	5	16	25	44	58	89	5	7.8	12	5	5	6	11	12	12	12
35-54	264	18.4	201	3	5	14	24	36	47	75	15	15.1	108	1	2	15	24	35	81	99+
55-74	158	22.9	203	7	9	20	28	43	59	99+	15	14.3	188	1	3	8	16	42	43	44
75 +	20	19.7	88	6	7	19	27	33	35	35	1	18.0		18	18	18	18	18	18	18
ALL AGES	619	20.9	235	4	6	17	27	40	55	85	37	13.6	125	1	2	11	20	34	43	99+
SUBTOTAL	**976**	**20.2**	**217**	**4**	**6**	**17**	**27**	**39**	**51**	**85**	**58**	**15.8**	**187**	**2**	**3**	**12**	**23**	**36**	**53**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	19	22.0	163	4	7	22	33	38	43	46	1	16.0		16	16	16	16	16	16	16
25-34	40	17.9	131	3	5	15	24	35	36	53										
35-54	29	23.6	221	3	8	23	32	54	59	99+										
55-74	11	23.6	320	5	6	20	34	51	56	56	1	14.0		14	14	14	14	14	14	14
75 +	2	6.0	2	5	5	6	7	7	7	7	1	13.0		13	13	13	13	13	13	13
ALL AGES	101	20.7	185	4	6	21	29	37	52	79	3	14.3	4	13	13	14	15	16	16	16
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17																				
18-24	8	28.6	182	15	15	27	36	49	53	53	1	1.0		1	1	1	1	1	1	1
25-34	47	18.5	151	4	6	15	25	35	41	57	2	14.0	242	3	3	14	25	25	25	25
35-54	65	23.9	267	7	8	20	33	48	54	82	2	15.0	2	14	14	15	16	16	16	16
55-74	31	22.6	220	5	7	21	28	36	50	81										
75 +	7	18.9	28	14	14	19	25	78	99+	99+										
ALL AGES	159	22.0	211	6	7	19	28	40	53	82	5	11.8	98	1	1	14	18	25	25	25
SUBTOTAL	**260**	**21.5**	**201**	**5**	**7**	**20**	**29**	**38**	**53**	**82**	**8**	**12.8**	**57**	**1**	**2**	**14**	**16**	**22**	**25**	**25**
GRAND TOTAL	**1236**	**20.5**	**213**	**4**	**6**	**17**	**27**	**39**	**52**	**84**	**66**	**15.4**	**173**	**2**	**3**	**13**	**22**	**35**	**46**	**94**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	25.3	594	3	3	22	45	54	54	54										
18-24	13	9.8	38	1	2	9	12	17	23	25	1	14.0		14	14	14	14	14	14	14
25-34	35	15.3	152	2	4	12	21	26	43	58	2	18.0	2	17	17	18	19	19	19	19
35-54	35	17.0	151	1	5	13	23	42	43	46	10	12.5	63	4	5	12	16	24	32	32
55-74	32	24.8	564	3	4	17	32	60	84	99	8	21.4	215	7	8	16	29	46	49	49
75 +	8	23.1	369	4	5	16	37	53	56	56	2	42.5	761	23	23	62	90	99 +	99 +	99 +
ALL AGES	127	18.4	283	2	4	13	24	42	54	89	23	18.7	203	5	7	16	21	50	73	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	5	15.4	185	3	3	10	29	31	31	31	2	26.5	365	13	13	26	40	40	40	40
18-24	14	13.1	85	2	5	11	18	22	35	39	1	11.0		11	11	11	11	11	11	11
25-34	53	17.1	188	2	4	13	22	36	47	61	7	13.7	42	6	6	13	20	21	21	21
35-54	108	18.6	164	5	6	16	24	35	47	80	20	14.0	127	3	4	12	19	25	38	50
55-74	89	25.1	323	5	7	20	31	52	67	80	23	19.3	98	5	8	17	24	33	39	46
75 +	19	27.6	433	5	7	24	38	49	73	91	4	19.5	106	6	6	20	26	31	31	31
ALL AGES	288	20.6	244	4	6	16	28	41	58	80	57	16.9	109	4	5	16	22	31	39	50
SUBTOTAL	**415**	**19.9**	**258**	**3**	**5**	**16**	**26**	**42**	**57**	**83**	**80**	**17.4**	**135**	**4**	**5**	**16**	**22**	**34**	**47**	**88**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	13	20.7	303	3	3	16	39	43	47	48										
25-34	23	14.5	96	4	6	11	21	26	39	40	2	13.0	18	10	10	13	16	16	16	16
35-54	30	17.3	86	6	7	17	22	29	50	99 +	3	11.0	124	1	1	9	19	23	23	23
55-74	12	20.5	124	3	4	17	30	36	37	37	1	15.0		15	15	15	15	15	15	15
75 +	2	34.0		34	34	34	34	34	34	34	1	20.0		20	20	20	20	20	20	20
ALL AGES	81	17.8	134	3	5	16	24	37	41	84	7	13.4	56	1	3	15	19	22	23	23
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	6	21.0	112	8	8	21	32	33	33	33	1	34.0		34	34	34	34	34	34	34
18-24	11	13.5	74	3	4	10	22	26	29	29										
25-34	37	23.3	344	6	7	19	29	41	62	98	4	9.3	38	2	2	10	14	15	15	15
35-54	51	18.3	212	4	5	13	24	34	54	73	7	18.1	156	8	8	13	26	39	41	41
55-74	26	19.7	194	4	6	16	26	38	53	55	2	10.0	32	6	6	14	78	99 +	99 +	99 +
75 +	7	25.9	85	16	17	23	35	39	39	39										
ALL AGES	139	19.9	226	5	6	17	26	36	53	76	14	15.6	129	3	6	14	26	41	85	99 +
SUBTOTAL	**220**	**19.1**	**194**	**4**	**6**	**16**	**26**	**37**	**47**	**80**	**21**	**14.9**	**100**	**2**	**5**	**14**	**20**	**36**	**65**	**99 +**
GRAND TOTAL	**635**	**19.6**	**236**	**3**	**5**	**16**	**26**	**40**	**53**	**83**	**101**	**16.9**	**127**	**4**	**5**	**15**	**21**	**34**	**47**	**99 +**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	31.5	25	28	28	31	35	35	35	35										
18-24	18	22.4	595	3	4	13	22	62	85	95										
25-34	30	15.4	63	4	6	14	22	27	28	30	4	14.0	88	4	4	13	21	26	26	26
35-54	31	19.7	221	3	4	18	28	40	68	99 +	2	21.5	5	20	20	21	23	23	23	23
55-74	17	20.4	177	4	9	20	24	32	52	62	1	35.0		35	35	35	35	35	35	35
75 +	6	15.0	111	3	3	11	28	28	28	28	1	19.0		19	19	19	19	19	19	19
ALL AGES	104	19.0	223	3	5	15	25	33	46	97	8	19.1	92	4	6	19	24	32	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	4	36.0	419	11	11	38	52	56	56	56										
18-24	15	26.1	264	8	10	24	35	40	63	71	1	12.0		12	12	12	12	12	12	12
25-34	54	17.2	136	3	5	14	25	33	39	50	6	10.7	61	2	2	12	13	22	23	23
35-54	106	17.7	129	5	6	16	23	33	37	61	8	18.1	97	8	8	16	28	30	30	30
55-74	68	21.2	282	3	6	17	28	41	54	88	2	14.5	365	1	1	14	28	28	28	28
75 +	11	14.5	212	1	2	9	18	34	52	54										
ALL AGES	258	19.2	191	4	6	16	25	38	47	71	17	14.7	97	1	2	12	24	29	30	30
SUBTOTAL	**362**	**19.1**	**201**	**4**	**6**	**16**	**25**	**37**	**46**	**75**	**25**	**16.1**	**96**	**2**	**2**	**13**	**24**	**29**	**31**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.3	709	8	8	10	44	55	55	55										
18-24	12	13.2	88	2	3	10	18	28	31	32										
25-34	15	18.3	117	4	6	18	26	32	39	42										
35-54	21	16.9	109	1	2	19	22	36	64	99 +										
55-74	11	22.5	351	7	7	20	27	82	97	99 +										
75 +	2	24.5	313	12	12	24	37	37	37	37										
ALL AGES	64	18.1	170	2	4	18	25	37	59	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	7	40.0	310	14	15	48	57	87	99 +	99 +										
18-24	7	20.7	114	7	8	23	29	33	34	34										
25-34	29	20.9	263	6	6	17	27	38	48	84	2	11.5	145	3	3	11	20	20	20	20
35-54	42	17.2	87	6	7	15	25	30	39	99 +	2	15.0	200	5	5	15	25	25	25	25
55-74	29	22.2	156	8	10	21	28	38	51	59										
75 +	1	51.0		51	51	51	51	51	51	51										
ALL AGES	115	21.3	192	6	7	18	28	45	54	99 +	4	13.3	117	3	3	12	22	25	25	25
SUBTOTAL	**179**	**20.1**	**188**	**5**	**7**	**18**	**27**	**40**	**55**	**99 +**	**4**	**13.3**	**117**	**3**	**3**	**12**	**22**	**25**	**25**	**25**
GRAND TOTAL	**541**	**19.4**	**198**	**4**	**6**	**17**	**26**	**38**	**50**	**95**	**29**	**15.7**	**96**	**2**	**3**	**13**	**24**	**29**	**30**	**35**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	29.8	501	2	2	30	44	57	57	57										
18-24	10	17.0	126	2	3	18	24	32	36	36	1	5.0		5	5	5	5	5	5	5
25-34	17	18.7	324	2	3	12	33	44	55	61	2	8.0	32	4	4	8	12	12	12	12
35-54	29	17.0	145	1	5	14	21	36	43	54	2	12.0	128	4	4	12	20	20	20	20
55-74	8	18.9	130	6	7	16	28	36	36	36	3	12.0	219	2	2	5	23	29	29	29
75 +	4	36.0	154	22	22	35	45	51	51	51										
ALL AGES	72	19.4	211	2	3	15	28	41	50	60	8	10.1	94	2	3	5	16	26	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29	1	27.0		27	27	27	27	27	27	27
18-24	12	20.8	302	3	6	14	26	52	57	58										
25-34	59	14.7	100	2	4	14	19	25	38	51										
35-54	84	17.5	82	5	7	16	23	30	33	46	8	14.8	214	1	2	8	24	38	43	43
55-74	53	22.5	284	6	8	16	28	44	51	90	5	20.0	372	4	4	16	27	53	53	53
75 +	7	29.3	290	17	17	24	32	58	65	65	3	11.3	45	4	4	13	16	17	17	17
ALL AGES	216	18.6	163	4	6	16	23	35	43	66	17	16.4	211	2	4	13	23	40	49	53
SUBTOTAL	**288**	**18.8**	**174**	**3**	**6**	**16**	**23**	**36**	**45**	**63**	**25**	**14.4**	**176**	**2**	**4**	**11**	**20**	**29**	**45**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	55	99 +	99 +	99 +	99 +										
18-24	5	12.2	153	4	4	7	16	34	34	34										
25-34	24	15.5	183	1	2	15	20	30	42	64										
35-54	19	24.9	256	5	8	21	37	50	57	60	1	4.0		4	4	4	4	4	4	4
55-74	8	14.9	118	2	2	17	24	28	29	29	2	18.5	113	11	11	18	26	26	26	26
75 +																				
ALL AGES	57	18.2	207	2	3	15	26	39	58	97	3	13.7	125	4	4	11	22	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	3	23.3	97	15	15	21	31	34	34	34										
18-24	13	18.5	398	2	2	10	28	42	69	75										
25-34	21	20.7	138	7	8	19	24	35	46	59										
35-54	44	19.9	165	4	6	17	26	38	46	55										
55-74	16	21.5	106	7	8	23	28	41	80	99 +										
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	98	20.3	173	5	6	19	28	37	48	88										
SUBTOTAL	**155**	**19.5**	**186**	**2**	**5**	**17**	**27**	**38**	**53**	**98**	**3**	**13.7**	**125**	**4**	**4**	**11**	**22**	**26**	**26**	**26**
GRAND TOTAL	**443**	**19.0**	**180**	**3**	**6**	**16**	**24**	**37**	**47**	**68**	**28**	**14.3**	**167**	**2**	**4**	**11**	**21**	**28**	**44**	**53**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.5	25	3	3	6	10	10	10	10										
18-24	16	14.5	203	2	3	10	20	36	47	52	1	2.0		2	2	2	2	2	2	2
25-34	15	18.7	190	3	4	16	26	34	48	52										
35-54	24	9.3	32	1	3	8	13	17	21	21	2	2.0	2	1	1	1	3	3	3	3
55-74	14	20.2	248	5	5	15	26	45	55	58	1	5.0		5	5	5	5	5	5	5
75 +	3	26.7	935	8	8	10	49	62	62	62	2	9.5	41	5	5	9	14	14	14	14
ALL AGES	74	15.0	185	3	4	10	19	34	50	61	6	5.0	22	1	1	4	5	13	14	14
B. FEMALE																				
0-12 YRS.											1	7.0		7	7	7	7	7	7	7
13-17	6	13.2	394	1	1	5	15	48	52	52										
18-24	10	17.1	82	4	7	14	29	30	30	30	1	29.0		29	29	29	29	29	29	29
25-34	19	15.4	157	1	3	12	22	29	44	53	3	5.0	7	3	3	4	7	8	8	8
35-54	53	15.9	230	2	3	12	20	31	37	78	6	12.0	63	2	2	12	16	23	24	24
55-74	42	19.0	297	3	4	13	24	44	59	78	7	19.9	205	3	3	22	32	36	37	37
75 +	17	16.6	495	1	1	10	20	28	72	96	3	23.7	38	20	20	20	28	31	31	31
ALL AGES	147	16.8	259	1	2	12	22	33	52	79	21	15.9	130	2	3	15	25	32	35	37
SUBTOTAL	**221**	**16.2**	**234**	**2**	**3**	**12**	**21**	**34**	**52**	**78**	**27**	**13.4**	**128**	**1**	**2**	**8**	**22**	**31**	**34**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	10.0	128	2	2	10	18	18	18	18										
18-24	22	20.0	179	5	6	21	27	34	51	60	3	9.3	7	7	7	9	11	12	12	12
25-34	56	18.7	136	4	6	18	23	35	41	56	2	3.5	13	1	1	3	6	6	6	6
35-54	41	18.3	204	3	5	14	21	40	50	67	1	25.0		25	25	25	25	25	25	25
55-74	7	12.7	79	2	3	12	16	26	29	29										
75 +	2	7.5	41	3	3	7	12	12	12	12										
ALL AGES	130	18.2	159	3	5	15	22	35	45	61	6	10.0	67	1	1	8	12	24	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	28	18.6	195	4	6	16	22	38	53	62	1	1.0		1	1	1	1	1	1	1
25-34	52	15.3	185	2	4	13	20	27	44	99 +	4	8.0	78	2	2	4	13	21	21	21
35-54	63	19.9	244	3	5	16	28	38	51	79	4	18.0	143	1	1	21	25	29	29	29
55-74	26	19.7	251	6	6	15	24	32	67	68	3	5.3	21	1	1	5	9	10	10	10
75 +	10	17.5	121	7	8	12	22	37	37	37	2	16.5	41	12	12	16	21	21	21	21
ALL AGES	180	18.2	212	3	5	15	22	35	49	86	14	11.0	95	1	1	8	21	22	27	29
SUBTOTAL	**310**	**18.2**	**189**	**3**	**5**	**15**	**22**	**35**	**46**	**73**	**20**	**10.7**	**83**	**1**	**1**	**8**	**21**	**23**	**27**	**29**
GRAND TOTAL	**531**	**17.4**	**207**	**2**	**4**	**14**	**22**	**34**	**50**	**78**	**47**	**12.3**	**107**	**1**	**1**	**8**	**21**	**29**	**32**	**37**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	10.0	43	3	3	11	15	16	16	16	1	18.0		18	18	18	18	18	18	18
55-74	4	20.5	124	8	8	19	28	35	35	35										
75 +																				
ALL AGES	9	13.2	112	3	3	11	19	29	35	35	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.											1	34.0		34	34	34	34	34	34	34
13-17											6	33.0	194	14	15	30	49	49	49	49
18-24											2	5.5	13	3	3	5	8	8	8	8
25-34	6	27.8	258	5	6	31	35	49	50	50										
35-54	7	14.7	82	3	5	14	25	80	99 +	99 +	1	27.0		27	27	27	27	27	27	27
55-74	4	22.0	182	13	13	16	30	42	42	42	1	11.0		11	11	11	11	11	11	11
75 +	5	27.0	1482	1	1	11	37	95	95	95	3	11.0	4	9	9	11	12	13	13	13
ALL AGES	22	22.4	426	2	5	16	34	59	97	99 +	14	22.4	225	4	7	20	34	49	49	49
SUBTOTAL	**31**	**19.7**	**347**	**3**	**3**	**15**	**29**	**44**	**90**	**99 +**	**15**	**22.1**	**211**	**4**	**8**	**18**	**32**	**49**	**49**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	40.7	152	28	28	41	50	53	53	53
13-17	1	16.0		16	16	16	16	16	16	16	1	34.0		34	34	34	34	34	34	34
18-24	3	31.3	675	13	13	20	51	61	61	61	1	13.0		13	13	13	13	13	13	13
25-34	5	19.0	162	8	8	15	29	37	37	37										
35-54	2	31.5	1301	6	6	31	57	57	57	57	1	2.0		2	2	2	2	2	2	2
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	12	24.0	343	6	7	18	32	58	61	61	6	28.5	346	2	3	31	41	52	53	53
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33	2	22.0	8	20	20	22	24	24	24	24
13-17	1	4.0		4	4	4	4	4	4	4	2	33.5	1301	8	8	33	59	59	59	59
18-24	2	13.0	128	5	5	13	21	21	21	21	2	38.0	8	36	36	38	40	40	40	40
25-34	3	10.3	82	1	1	11	17	19	19	19										
35-54	4	15.8	105	8	8	12	22	31	31	31										
55-74	4	32.8	151	22	22	30	42	49	49	49										
75 +	2	7.5	85	1	1	7	14	14	14	14										
ALL AGES	17	17.8	184	1	2	14	26	35	44	49	6	31.2	315	8	9	30	40	57	59	59
SUBTOTAL	**29**	**20.4**	**248**	**1**	**4**	**16**	**28**	**44**	**57**	**61**	**12**	**29.8**	**306**	**3**	**6**	**31**	**40**	**55**	**58**	**59**
GRAND TOTAL	**60**	**20.1**	**292**	**2**	**4**	**16**	**28**	**45**	**59**	**99 +**	**27**	**25.6**	**254**	**3**	**8**	**26**	**36**	**49**	**54**	**59**

PARANOID STATE, SIMPLE (297.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	36.0	968	14	14	36	58	58	58	58										
ALL AGES	2	36.0	968	14	14	36	58	58	58	58										
SUBTOTAL	**2**	**36.0**	**968**	**14**	**14**	**36**	**58**	**58**	**58**	**58**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	83.0		83	83	83	83	83	83	83										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	83.0		83	83	83	83	83	83	83	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**51.7**	**1215**	**14**	**14**	**58**	**77**	**83**	**83**	**83**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	6.0	12	2	2	8	8	8	8	8										
25-34	6	14.7	138	1	2	12	22	33	34	34	1	11.0		11	11	11	11	11	11	11
35-54	5	9.0	58	2	2	7	11	22	22	22										
55-74	3	16.7	75	7	7	19	23	24	24	24										
75 +																				
ALL AGES	17	11.8	86	1	2	8	20	24	30	34	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	11.5	59	2	2	11	19	21	21	21	1	16.0		16	16	16	16	16	16	16
35-54	16	21.2	670	4	4	11	23	70	88	93										
55-74	10	10.6	81	1	1	8	16	25	29	29										
75 +	6	15.2	26	8	8	14	19	23	23	23	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	38	15.9	327	2	4	11	19	28	57	93	3	12.7	16	8	8	14	15	16	16	16
SUBTOTAL	**55**	**14.7**	**251**	**2**	**2**	**10**	**19**	**26**	**33**	**92**	**4**	**12.3**	**11**	**8**	**8**	**12**	**15**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.5	5	3	3	4	6	6	6	6										
25-34	3	13.7	175	6	6	6	23	29	29	29										
35-54	5	12.0	36	7	7	9	18	19	19	19	1	21.0		21	21	21	21	21	21	21
55-74	3	9.0	109	2	2	4	17	21	21	21										
75 +	3	8.7		8	8	8	10	10	10	10										
ALL AGES	16	10.2	56	2	3	7	14	21	27	29	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.5	1	5	5	5	6	6	6	6										
35-54	3	16.3	144	8	8	11	25	30	30	30	1	10.0		10	10	10	10	10	10	10
55-74	5	21.8	299	10	10	18	27	52	52	52										
75 +	2	21.5	25	18	18	21	25	25	25	25	2	36.5	5	35	35	36	38	38	38	38
ALL AGES	12	17.7	174	5	6	14	22	37	50	52	3	27.7	234	10	10	35	37	38	38	38
SUBTOTAL	**28**	**13.4**	**117**	**3**	**4**	**9**	**18**	**28**	**32**	**52**	**4**	**26.0**	**169**	**10**	**10**	**28**	**36**	**38**	**38**	**38**
GRAND TOTAL	**83**	**14.2**	**206**	**2**	**3**	**10**	**19**	**27**	**31**	**87**	**8**	**19.1**	**133**	**8**	**9**	**15**	**28**	**37**	**38**	**38**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	14.5	61	9	9	14	20	20	20	20
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											3	10.0	91	1	1	9	17	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	3	17.3	6	15	15	18	19	19	19	19										
ALL AGES	3	17.3	6	15	15	18	19	19	19	19										
SUBTOTAL	**3**	**17.3**	**6**	**15**	**15**	**18**	**19**	**19**	**19**	**19**	**3**	**10.0**	**91**	**1**	**1**	**9**	**17**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	36.0		36	36	36	36	36	36	36										
75 +	2	29.0	288	17	17	41	85	99 +	99 +	99 +										
ALL AGES	3	31.3	163	17	17	38	70	99 +	99 +	99 +										
SUBTOTAL	**4**	**30.5**	**110**	**17**	**17**	**36**	**56**	**99 +**	**99 +**	**99 +**										
GRAND TOTAL	**7**	**24.9**	**103**	**15**	**16**	**23**	**38**	**82**	**99 +**	**99 +**	**3**	**10.0**	**91**	**1**	**1**	**9**	**17**	**20**	**20**	**20**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	2	9.0	128	1	1	9	17	17	17	17										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	9.0	128	1	1	9	17	17	17	17										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	2	24.0	18	21	21	24	27	27	27	27	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	17.5	61	12	12	17	23	23	23	23										
55-74	1	7.0		7	7	7	7	7	7	7	1	20.0		20	20	20	20	20	20	20
75 +											1	19.0		19	19	19	19	19	19	19
ALL AGES	3	14.0	67	7	7	12	20	23	23	23	2	19.5	1	19	19	19	20	20	20	20
SUBTOTAL	**5**	**18.0**	**68**	**7**	**7**	**21**	**24**	**27**	**27**	**27**	**3**	**17.7**	**9**	**14**	**14**	**19**	**20**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	27.0		27	27	27	27	27	27	27										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	2	24.0	18	21	21	24	27	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	14.3	267	3	3	7	26	33	33	33										
55-74	2	16.5	181	7	7	16	26	26	26	26	1	5.0		5	5	5	5	5	5	5
75 +	4	25.3	139	14	14	22	33	42	42	42										
ALL AGES	9	19.7	170	3	4	21	28	38	42	42	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**11**	**20.5**	**140**	**3**	**5**	**21**	**27**	**37**	**42**	**42**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**16**	**19.7**	**113**	**4**	**7**	**21**	**26**	**32**	**39**	**42**	**4**	**14.5**	**47**	**5**	**5**	**16**	**19**	**20**	**20**	**20**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.5	41	4	4	8	13	13	13	13	2	6.0	2	5	5	6	7	7	7	7
25-34	10	14.0	71	2	4	13	20	26	27	27										
35-54	11	15.5	157	2	3	8	24	34	41	42	1	2.0		2	2	2	2	2	2	2
55-74	4	11.0	33	3	3	12	15	16	16	16										
75 +	3	15.7	224	1	1	15	27	31	31	31										
ALL AGES	30	13.9	102	2	3	12	20	27	31	42	3	4.7	6	2	2	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24																				
25-34	6	12.2	121	4	4	9	11	32	34	34	1	3.0		3	3	3	3	3	3	3
35-54	17	14.4	203	1	1	9	23	29	47	56										
55-74	21	20.1	114	5	9	20	24	36	41	45	1	11.0		11	11	11	11	11	11	11
75 +	11	27.2	995	1	1	10	49	78	94	95	2	10.5	1	10	10	10	11	11	11	11
ALL AGES	56	18.7	320	1	2	13	24	38	56	93	4	8.8	14	3	3	10	11	11	11	11
SUBTOTAL	**86**	**17.0**	**248**	**1**	**2**	**13**	**22**	**34**	**47**	**85**	**7**	**7.0**	**14**	**2**	**2**	**7**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.5	61	3	3	8	14	14	14	14										
25-34	8	21.8	202	7	8	16	34	42	46	46										
35-54	8	15.4	62	6	7	13	23	26	27	27	3	30.7	901	9	9	18	53	65	65	65
55-74	3	34.3	416	11	11	44	47	48	48	48	2	3.0	2	2	2	3	4	4	4	4
75 +	5	32.0	545	3	3	30	48	65	65	65	1	17.0		17	17	17	17	17	17	17
ALL AGES	26	22.2	264	3	6	16	34	46	51	65	6	19.2	545	2	2	13	18	60	65	65
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	22.6	429	4	4	13	38	54	54	54										
35-54	8	22.4	79	13	14	19	32	34	34	34	2	8.5	5	7	7	8	10	10	10	10
55-74	11	21.7	334	5	5	12	32	50	61	62	4	12.3	87	3	3	10	19	25	25	25
75 +	12	22.6	67	7	11	23	28	31	35	36	3	18.3	238	8	8	11	30	36	36	36
ALL AGES	36	22.3	181	5	6	21	30	36	50	62	9	13.4	110	3	5	10	16	32	36	36
SUBTOTAL	**62**	**22.2**	**215**	**5**	**6**	**19**	**31**	**43**	**50**	**65**	**15**	**15.7**	**267**	**2**	**3**	**10**	**18**	**36**	**58**	**65**
GRAND TOTAL	**148**	**19.2**	**238**	**2**	**4**	**15**	**28**	**37**	**49**	**68**	**22**	**13.0**	**197**	**2**	**3**	**9**	**13**	**28**	**48**	**65**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS											1	14.0		14	14	14	14	14	14	14
13-17																				
18-24																				
25-34	2	11.0	32	7	7	11	15	15	15	15										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	10.0	19	7	7	8	13	15	15	15	2	10.0	32	6	6	10	14	14	14	14
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17																				
18-24	1	36.0		36	36	36	36	36	36	36										
25-34	5	7.6	28	1	1	6	12	14	14	14										
35-54	4	14.8	52	9	9	12	20	25	25	25										
55-74	1	13.0		13	13	56	99 +	99 +	99 +	99 +	3	12.0	37	8	8	9	16	19	19	19
75 +	2	14.0	8	12	12	14	16	16	16	16										
ALL AGES	13	13.4	80	2	5	13	16	42	87	99 +	4	11.8	23	8	8	10	15	19	19	19
SUBTOTAL	**16**	**12.8**	**68**	**2**	**5**	**12**	**15**	**34**	**78**	**99 +**	**6**	**11.2**	**21**	**6**	**6**	**10**	**14**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8	1	14.0		14	14	14	14	14	14	14
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	4	7.8	17	3	3	7	11	13	13	13										
75 +																				
ALL AGES	6	9.0	20	3	3	8	13	15	15	15	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	35.0		35	35	35	35	35	35	35										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	12.7	179	3	3	7	23	28	28	28	1	3.0		3	3	3	3	3	3	3
35-54	3	9.3	122	2	2	4	17	22	22	22	2	4.0	2	3	3	4	5	5	5	5
55-74	2	22.5	421	8	8	22	37	37	37	37										
75 +																				
ALL AGES	10	15.0	197	2	2	7	28	36	37	37	3	3.7	1	3	3	3	5	5	5	5
SUBTOTAL	**16**	**12.8**	**132**	**2**	**3**	**8**	**18**	**34**	**36**	**37**	**4**	**6.3**	**27**	**3**	**3**	**4**	**9**	**14**	**14**	**14**
GRAND TOTAL	**32**	**12.8**	**97**	**2**	**3**	**10**	**15**	**35**	**37**	**99 +**	**10**	**9.2**	**28**	**3**	**3**	**8**	**14**	**17**	**19**	**19**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	61.0		61	61	61	61	61	61	61										
25-34	2	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
35-54	2	3.5	5	2	2	3	5	5	5	5										
55-74	1	61.0		61	61	61	61	61	61	61	2	14.0	200	4	4	14	24	24	24	24
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	7	20.6	763	2	3	5	47	61	61	61	3	10.7	132	4	4	4	19	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	9.5	5	8	8	9	11	11	11	11										
35-54											5	5.8	16	1	1	8	9	10	10	10
55-74	1	7.0		7	7	7	7	7	7	7	1	14.0		14	14	14	14	14	14	14
75 +	1	5.0		5	5	5	5	5	5	5	3	17.0	108	11	11	11	25	29	29	29
ALL AGES	4	7.8	5	5	5	7	9	11	11	11	9	10.4	67	1	1	10	12	23	29	29
SUBTOTAL	**11**	**15.9**	**502**	**2**	**4**	**5**	**10**	**61**	**61**	**61**	**12**	**10.5**	**72**	**1**	**1**	**9**	**13**	**25**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	10.5	25	7	7	10	14	14	14	14	2	3.0	8	1	1	2	5	5	5	5
35-54	2	6.0	50	1	1	5	11	11	11	11										
55-74	2	5.0		5	5	5	5	5	5	5	2	25.5	613	8	8	25	43	43	43	43
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	8	7.6	35	1	1	6	12	16	17	17	4	14.3	374	1	1	6	25	43	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	7.5	13	5	5	7	10	10	10	10										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	4	10.5	36	5	5	9	14	19	19	19	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**12**	**8.6**	**34**	**1**	**1**	**7**	**12**	**18**	**19**	**19**	**5**	**12.6**	**295**	**1**	**1**	**6**	**17**	**43**	**43**	**43**
GRAND TOTAL	**23**	**12.1**	**259**	**1**	**2**	**7**	**11**	**27**	**61**	**61**	**17**	**11.1**	**125**	**1**	**1**	**8**	**12**	**28**	**38**	**43**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	2	5.0	8	3	3	5	7	7	7	7										
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	4	5.3	16	1	1	5	8	10	10	10	2	8.0	50	3	3	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10	3	11.0	73	3	3	10	17	20	20	20
ALL AGES	1	10.0		10	10	10	10	10	10	10	3	11.0	73	3	3	10	17	20	20	20
SUBTOTAL	**5**	**6.2**	**17**	**1**	**1**	**7**	**10**	**10**	**10**	**10**	**5**	**9.8**	**52**	**3**	**3**	**10**	**15**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**5**	**6.2**	**17**	**1**	**1**	**7**	**10**	**10**	**10**	**10**	**5**	**9.8**	**52**	**3**	**3**	**10**	**15**	**20**	**20**	**20**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	17.2	180	6	6	11	25	39	39	39										
55-74																				
75 +																				
ALL AGES	5	17.2	180	6	6	11	25	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	9.5	33	2	2	10	12	17	18	18										
35-54	8	12.4	181	1	1	9	17	34	41	41										
55-74	4	13.0	104	3	3	11	20	27	27	27										
75 +	1	26.0		26	26	26	26	25	26	26	3	10.3	45	3	3	12	15	16	16	16
ALL AGES	19	12.3	111	1	2	12	17	27	35	41	3	10.3	45	3	3	12	15	16	16	16
SUBTOTAL	**24**	**13.3**	**123**	**1**	**2**	**11**	**18**	**28**	**40**	**41**	**3**	**10.3**	**45**	**3**	**3**	**12**	**15**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	2	13.5	1	13	13	13	14	14	14	14	1	2.0		2	2	2	2	2	2	2
35-54	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
55-74	2	5.0	18	2	2	5	8	8	8	8	1	14.0		14	14	14	14	14	14	14
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	7	12.4	72	2	3	13	17	25	27	27	3	8.0	36	2	2	8	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	51.0		51	51	51	51	51	51	51										
55-74	3	30.0	873	6	6	21	52	63	63	63	1	6.0		6	6	6	6	6	6	6
75 +	3	20.3	256	2	2	28	30	31	31	31										
ALL AGES	8	25.6	509	2	2	24	41	59	63	63	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**15**	**19.5**	**329**	**2**	**2**	**14**	**28**	**51**	**60**	**63**	**4**	**7.5**	**25**	**2**	**2**	**7**	**11**	**14**	**14**	**14**
GRAND TOTAL	**39**	**15.7**	**204**	**2**	**2**	**12**	**21**	**36**	**46**	**63**	**7**	**8.7**	**30**	**2**	**2**	**8**	**13**	**16**	**16**	**16**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	49.0		49	49	49	49	49	49	49										
35-54																				
55-74																				
75 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	2	13.5	13	11	11	13	16	16	16	16										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	3	12.0	13	9	9	11	15	16	16	16	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**4**	**21.3**	**348**	**9**	**9**	**13**	**32**	**49**	**49**	**49**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**5**	**18.0**	**316**	**5**	**5**	**11**	**24**	**49**	**49**	**49**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-24	20	13.3	52	2	4	12	18	24	28	29	2	1.0		1	1	1	1	1	1	1
25-34	19	13.4	76	2	3	14	20	26	30	31										
35-54	7	7.7	5	4	5	7	9	11	11	11										
55-74	2	13.0	288	1	1	13	25	25	25	25	4	7.8	50	2	2	5	12	18	18	18
75 +																				
ALL AGES	49	12.8	64	2	3	12	18	26	28	31	6	5.5	43	1	1	3	7	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	5	23.0	662	7	7	8	35	67	67	67										
18-24	17	15.8	160	3	3	9	27	32	39	42										
25-34	15	12.5	90	3	3	10	15	30	34	36	2	4.5	25	1	1	4	8	8	8	8
35-54	28	11.0	41	4	4	8	14	23	23	24	3	5.3	57	1	1	1	11	14	14	14
55-74	11	9.6	24	3	4	10	12	16	20	20	2	10.0	32	6	6	10	14	14	14	14
75 +	10	14.5	105	2	4	13	20	30	37	37	3	35.0	2532	3	3	9	72	93	93	93
ALL AGES	86	13.1	115	3	4	9	16	26	34	58	10	15.0	776	1	1	7	14	54	93	93
SUBTOTAL	**135**	**13.0**	**95**	**3**	**4**	**10**	**17**	**26**	**30**	**46**	**16**	**11.4**	**503**	**1**	**1**	**5**	**11**	**18**	**70**	**93**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	12	16.6	109	6	7	11	23	32	39	40	1	1.0		1	1	1	1	1	1	1
25-34	20	12.5	93	3	4	9	14	25	36	45	2	6.5	25	3	3	6	10	10	10	10
35-54	7	8.4	16	2	3	9	12	13	13	13										
55-74	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	41	12.7	86	4	5	9	13	26	34	45	4	4.3	15	1	1	3	7	10	10	10
B. FEMALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17																				
18-24	14	20.2	179	7	8	20	22	31	54	61										
25-34	16	13.0	58	3	4	13	17	22	29	32										
35-54	15	16.2	114	3	5	13	23	31	38	41	3	7.0	21	2	2	8	10	11	11	11
55-74	3	7.3	9	4	4	9	9	9	9	9	4	9.0	70	2	2	6	14	21	21	21
75 +	2	20.5	265	9	9	20	32	32	32	32										
ALL AGES	51	16.8	155	3	5	15	22	31	41	61	7	8.1	44	2	2	8	10	19	21	21
SUBTOTAL	**92**	**15.0**	**127**	**3**	**5**	**11**	**20**	**28**	**39**	**61**	**11**	**6.7**	**35**	**1**	**1**	**5**	**10**	**15**	**20**	**21**
GRAND TOTAL	**227**	**13.8**	**109**	**3**	**4**	**11**	**19**	**27**	**32**	**61**	**27**	**9.5**	**309**	**1**	**1**	**5**	**10**	**17**	**32**	**93**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	42.5	25	39	39	42	46	46	46	46	2	11.5	221	1	1	11	22	22	22	22
13-17	8	12.6	42	3	4	13	16	21	23	23	4	3.3	4	1	1	3	5	5	5	5
18-24	23	13.9	138	1	1	11	22	31	38	39	2	3.5	13	1	1	3	6	6	6	6
25-34	27	13.9	126	2	3	11	16	29	35	55	4	4.8	32	1	1	2	8	13	13	13
35-54	22	9.9	62	1	2	7	16	22	24	27	3	4.7		4	4	5	5	5	5	5
55-74	30	10.0	98	1	1	7	16	22	33	42	25	13.6	334	2	3	7	11	41	55	78
75 +	30	17.4	427	2	2	11	20	53	57	89	41	13.4	207	2	3	8	15	37	40	71
ALL AGES	142	13.5	185	1	2	10	17	30	40	60	81	11.9	220	1	2	6	13	37	40	76
B. FEMALE																				
0-12 YRS.											3	18.3	102	7	7	22	25	26	26	26
13-17	8	21.5	488	1	1	14	31	59	66	66										
18-24	27	14.0	273	1	1	11	16	29	59	73	4	10.5	95	1	1	8	17	24	24	24
25-34	43	14.8	142	2	2	12	19	32	40	51	2	3.5	5	2	2	3	5	5	5	5
35-54	50	14.3	156	3	3	11	19	25	34	75	6	7.8	56	1	1	6	11	20	21	21
55-74	46	18.1	251	2	4	13	25	34	56	74	30	11.4	367	1	2	6	13	75	99	99 +
75 +	61	16.6	300	2	3	10	19	48	56	74	56	15.7	439	2	2	8	17	44	78	83
ALL AGES	235	15.9	233	2	3	12	19	34	53	74	101	13.6	364	1	2	7	16	32	80	99 +
SUBTOTAL	**377**	**15.0**	**215**	**1**	**2**	**11**	**19**	**33**	**50**	**74**	**182**	**12.8**	**301**	**1**	**2**	**7**	**14**	**36**	**69**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	22.0		22	22	22	22	22	22	22
13-17	7	26.3	620	3	4	17	51	61	62	62										
18-24	28	10.4	92	1	1	9	13	19	31	45	1	6.0		6	6	6	6	6	6	6
25-34	31	14.9	127	2	3	11	18	31	40	48	2	13.5	145	5	5	13	22	22	22	22
35-54	24	14.8	107	2	3	14	22	25	33	45	4	5.3	20	3	3	3	8	12	12	12
55-74	14	13.9	92	3	4	12	21	33	83	99 +	6	5.8	11	3	3	6	8	10	10	10
75 +	6	27.2	320	11	11	22	39	55	57	57	9	9.9	67	3	3	7	10	24	29	29
ALL AGES	110	15.0	162	1	3	11	21	31	45	77	23	8.7	51	3	3	7	10	22	25	29
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.3	546	1	1	8	30	52	52	52										
18-24	19	16.7	222	2	4	15	22	40	54	56	4	32.8	421	9	9	35	50	51	51	51
25-34	31	16.4	86	3	5	15	22	29	33	43	2	4.0	2	3	3	4	5	5	5	5
35-54	48	15.8	143	2	3	14	20	29	44	54	2	8.0		8	8	8	8	8	8	8
55-74	25	13.2	112	2	3	10	20	27	36	38	16	5.4	8	1	2	5	7	12	69	99 +
75 +	20	24.9	635	2	4	16	34	90	95	99 +	13	11.9	82	4	5	9	12	28	34	36
ALL AGES	147	16.9	214	2	3	14	22	33	52	91	37	10.7	136	2	3	7	10	33	50	99 +
SUBTOTAL	**257**	**16.1**	**192**	**2**	**3**	**13**	**22**	**33**	**47**	**91**	**60**	**9.9**	**104**	**2**	**3**	**7**	**10**	**24**	**42**	**95**
GRAND TOTAL	**634**	**15.5**	**204**	**1**	**3**	**12**	**20**	**33**	**49**	**75**	**242**	**12.1**	**252**	**1**	**2**	**7**	**12**	**29**	**54**	**99 +**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7	2	1	1	3	4	4	4	4	2	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.7	2	1	1	3	4	4	4	4	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	2.7	2	1	1	3	4	4	4	4	2	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	3	2.7	2	1	1	3	4	4	4	4	3	2.3	1	2	2	2	3	3	3	3

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	32.7	820	4	5	48	68	95	99 +	99 +										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	32.7	820	4	5	48	68	95	99 +	99 +										
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
SUBTOTAL	**7**	**31.1**	**705**	**4**	**5**	**35**	**62**	**92**	**99 +**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	23.7	470	4	4	20	40	47	47	47	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.7	470	4	4	20	40	47	47	47	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**23.7**	**470**	**4**	**4**	**20**	**40**	**47**	**47**	**47**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**10**	**28.9**	**586**	**4**	**4**	**22**	**49**	**84**	**99**	**99 +**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											3	6.7	54	1	1	4	12	15	15	15
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											4	5.8	39	1	1	3	9	15	15	15
B. FEMALE																				
0-12 YRS.											2	7.5	41	3	3	7	12	12	12	12
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	7.5	41	3	3	7	12	12	12	12
SUBTOTAL											6	6.3	33	1	1	4	12	15	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	3	21.7	1043	3	3	3	45	59	59	59
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	21.7	1043	3	3	3	45	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	3	21.7	1043	3	3	3	45	59	59	59
GRAND TOTAL	1	4.0		4	4	52	99+	99+	99+	99+	9	11.4	342	1	2	3	13	41	59	59

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	5.0	32	1	1	5	9	9	9	9
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24	2	3.5	1	3	3	3	4	4	4	4	5	1.8	2	1	1	1	2	4	4	4
25-34	22	7.9	48	1	1	5	15	18	21	22	18	2.3	3	1	1	2	3	5	6	7
35-54	38	6.2	69	1	1	3	6	13	27	41	37	2.8	5	1	1	2	3	4	8	13
55-74	14	9.8	142	1	1	5	11	30	39	41	24	5.4	33	1	1	3	7	13	19	24
75 +	6	4.0	16	2	2	2	4	11	12	12	12	4.0	14	1	1	3	4	9	14	15
ALL AGES	83	7.0	70	1	1	3	9	17	26	41	100	3.5	13	1	1	2	4	7	12	20
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	3	4.7	40	1	1	1	9	12	12	12	5	1.6	1	1	1	1	2	3	3	3
18-24	13	8.1	47	1	1	6	12	21	21	21	11	2.2	1	1	1	2	3	4	5	5
25-34	38	7.4	36	1	1	6	10	15	19	27	28	2.2	2	1	1	2	3	4	5	5
35-54	48	7.5	82	1	1	4	8	22	26	45	38	2.8	2	1	1	3	3	4	6	8
55-74	53	8.0	53	1	2	6	9	19	24	35	61	3.3	5	1	1	3	4	7	8	10
75 +	20	10.0	209	1	1	5	7	33	49	53	27	4.0	11	1	1	3	5	7	13	16
ALL AGES	176	7.9	72	1	1	5	9	20	25	46	171	3.0	5	1	1	3	4	5	7	12
SUBTOTAL	**259**	**7.6**	**72**	**1**	**1**	**5**	**9**	**19**	**25**	**45**	**271**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	48.5	3445	7	7	48	90	90	90	90										
13-17	3	15.7	560	1	1	3	33	43	43	43	5	3.4	4	1	1	3	5	6	6	6
18-24	8	14.6	171	3	3	11	20	36	42	42	4	4.5	14	2	2	3	7	10	10	10
25-34	29	12.3	100	3	4	8	18	28	36	37	7	3.9	8	1	1	4	5	8	9	9
35-54	30	17.6	278	1	2	13	23	38	58	69	10	2.7	9	1	1	1	3	8	10	10
55-74	16	11.9	162	1	2	7	15	37	39	39	4	2.5	1	2	2	2	3	4	4	4
75 +	2	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	90	14.9	250	2	2	9	20	37	42	82	32	3.2	7	1	1	2	4	7	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.0	27	3	3	3	10	12	12	12	1	1.0		1	1	1	1	1	1	1
18-24	15	9.0	53	1	1	8	12	22	23	24	7	4.4	29	1	1	2	5	14	16	16
25-34	36	10.8	112	1	2	8	14	27	34	48	10	6.7	62	1	1	3	9	20	25	25
35-54	45	14.2	131	2	2	12	23	30	33	55	14	7.8	45	1	2	5	11	15	24	27
55-74	36	12.8	134	1	2	9	19	29	37	49	22	4.4	14	1	1	3	5	9	14	15
75 +	11	9.9	70	2	4	8	13	53	93	99 +	8	4.3	5	1	1	4	6	8	8	8
ALL AGES	146	12.0	113	1	2	9	17	28	33	56	62	5.5	29	1	1	4	7	13	16	27
SUBTOTAL	**236**	**13.1**	**167**	**1**	**2**	**9**	**18**	**30**	**38**	**72**	**94**	**4.7**	**23**	**1**	**1**	**3**	**5**	**10**	**15**	**26**
GRAND TOTAL	**495**	**10.2**	**125**	**1**	**1**	**6**	**14**	**25**	**34**	**54**	**365**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	3.8	3	2	2	4	5	6	6	6	3	3.7	14	1	1	2	6	8	8	8
13-17	6	3.2	7	1	1	2	6	7	7	7	2	4.0	18	1	1	3	7	7	7	7
18-24	6	5.8	20	1	1	5	8	12	13	13	4	3.3	2	1	1	3	4	5	5	5
25-34	11	3.7	11	1	1	3	4	8	13	13	5	2.6	2	1	1	3	4	4	4	4
35-54	6	4.5	12	1	1	4	6	10	10	10	7	3.1	3	1	1	3	5	5	5	5
55-74	6	4.7	22	1	1	3	4	13	14	14	7	3.4	4	2	2	3	4	6	7	7
75 +	1	5.0		5	5	5	5	5	5	5	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	41	4.2	12	1	1	3	6	9	13	14	31	3.3	4	1	1	3	4	6	7	8
B. FEMALE																				
0-12 YRS.	8	3.4	2	1	1	3	5	5	5	5	3	4.7	14	2	2	3	7	9	9	9
13-17	12	3.6	6	1	1	3	5	7	9	9	12	3.8	25	1	1	2	4	9	18	19
18-24	15	4.1	14	1	1	3	6	9	13	14	11	3.5	11	1	1	3	4	9	12	12
25-34	22	8.9	124	1	1	4	12	25	39	40	22	4.0	9	1	1	3	6	8	11	12
35-54	19	4.3	10	1	1	4	5	8	11	14	15	6.5	20	1	2	6	9	15	16	16
55-74	16	8.6	29	2	3	7	13	16	17	18	17	4.5	5	1	2	3	7	8	8	8
75 +	3	5.0	16	1	1	5	8	9	9	9	9	5.2	5	2	2	6	7	8	8	8
ALL AGES	95	5.9	43	1	1	4	7	14	17	39	89	4.6	12	1	1	3	7	9	12	18
SUBTOTAL	**136**	**5.4**	**34**	**1**	**1**	**4**	**6**	**13**	**16**	**38**	**120**	**4.2**	**11**	**1**	**1**	**3**	**6**	**8**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	6.5	13	4	4	6	9	9	9	9
13-17	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
18-24	3	6.7	66	1	1	3	13	16	16	16	2	3.5	1	3	3	3	4	4	4	4
25-34	6	4.3	28	1	1	1	7	13	14	14	3	3.3	7	1	1	3	5	6	6	6
35-54	4	4.5	8	1	1	4	6	8	8	8	3	4.0	4	2	2	4	5	6	6	6
55-74	5	10.0	188	1	1	5	14	34	34	34	4	2.5	6	1	1	2	4	6	6	6
75 +	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
ALL AGES	20	6.3	61	1	1	4	8	15	25	34	16	3.7	6	1	1	3	6	6	8	9
B. FEMALE																				
0-12 YRS.											4	26.5	1050	1	1	17	50	71	71	71
13-17	6	5.3	33	1	1	2	11	14	14	14	3	35.3	1438	3	3	26	64	77	77	77
18-24	6	15.8	276	3	3	8	22	44	47	47	1	4.0		4	4	4	4	4	4	4
25-34	20	7.6	38	1	1	6	13	20	56	99 +	7	2.7	1	2	2	3	3	4	4	4
35-54	17	7.8	26	1	2	7	11	15	18	19	9	4.9	11	1	1	5	7	10	10	10
55-74	8	10.9	106	1	2	6	18	28	30	30	10	5.0	20	2	2	4	5	12	17	17
75 +	1	16.0		16	16	16	16	16	16	16	7	10.4	172	1	1	4	23	30	30	30
ALL AGES	58	8.9	68	1	1	7	13	21	27	95	41	9.8	281	1	1	4	7	29	49	77
SUBTOTAL	**78**	**8.2**	**67**	**1**	**1**	**6**	**12**	**20**	**27**	**8[illegible]**	**57**	**8.1**	**210**	**1**	**1**	**4**	**6**	**24**	**30**	**77**
GRAND TOTAL	**214**	**6.4**	**48**	**1**	**1**	**4**	**8**	**15**	**20**	**42**	**177**	**5.5**	**77**	**1**	**1**	**3**	**6**	**9**	**16**	**60**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.0		5	5	5	5	5	5	5										
25-34											1	8.0		8	8	8	8	8	8	8
35-54	6	5.7	3	3	3	6	7	8	8	8										
55-74																				
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	9	7.6	40	3	3	6	7	18	24	24	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	2	9.0	2	8	8	9	10	10	10	10										
13-17	2	20.5	145	12	12	20	29	29	29	29										
18-24	3	7.7	30	4	4	5	12	14	14	14										
25-34	1	21.0		21	21	21	21	21	21	21	3	5.7	9	3	3	5	8	9	9	9
35-54	5	13.2	103	2	2	11	20	28	28	28	1	11.0		11	11	11	11	11	11	11
55-74	2	12.5	13	10	10	12	15	15	15	15	2	13.5	265	2	2	13	25	25	25	25
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	15	12.9	67	2	4	11	17	28	29	29	7	8.6	62	2	2	5	10	22	25	25
SUBTOTAL	**24**	**10.9**	**62**	**3**	**4**	**8**	**14**	**24**	**28**	**29**	**8**	**8.5**	**54**	**2**	**2**	**7**	**10**	**21**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	65.0		65	65	65	65	65	65	65										
18-24	2	23.5	85	17	17	23	30	30	30	30										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	3	14.0	31	9	9	13	18	20	20	20										
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	23.3	391	9	9	17	27	58	65	65	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	23.0	162	14	14	23	32	32	32	32
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	3	29.3	189	17	17	27	40	44	44	44										
25-34	10	25.3	129	12	15	20	32	44	48	48										
35-54	7	18.3	97	5	5	19	27	30	30	30	1	7.0		7	7	7	7	7	7	7
55-74	6	11.8	25	3	4	13	15	17	17	17										
75 +																				
ALL AGES	28	19.7	134	3	5	18	26	38	44	48	3	17.7	165	7	7	14	27	32	32	32
SUBTOTAL	**35**	**20.4**	**179**	**3**	**6**	**18**	**27**	**40**	**47**	**65**	**4**	**14.3**	**156**	**4**	**4**	**10**	**23**	**32**	**32**	**32**
GRAND TOTAL	**59**	**16.5**	**153**	**3**	**4**	**14**	**21**	**30**	**42**	**63**	**12**	**10.4**	**86**	**2**	**3**	**7**	**12**	**27**	**31**	**32**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	29.5	113	22	22	29	37	37	37	37										
18-24	2	45.5	25	42	42	45	49	49	49	49										
25-34	1	28.0		28	28	28	28	28	28	28	1	6.0		6	6	6	6	6	6	6
35-54	8	25.0	149	6	8	28	34	39	41	41										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	14	27.6	173	6	8	29	37	43	48	49	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.0	98	6	6	13	20	20	20	20										
25-34	4	24.5	431	7	7	19	40	52	52	52										
35-54	4	16.3	4	15	15	15	18	20	20	20										
55-74																				
75 +	4	26.8	521	8	8	19	41	60	60	60										
ALL AGES	14	21.1	262	6	7	16	22	53	58	60										
SUBTOTAL	**28**	**24.4**	**218**	**6**	**7**	**21**	**34**	**47**	**53**	**60**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	4	27.3	475	2	2	44	60	99 +	99 +	99 +										
25-34	7	25.3	1094	4	4	16	21	84	99	99 +	1	16.0		16	16	16	16	16	16	16
35-54	4	43.3	1442	13	13	31	70	97	97	97										
55-74	3	6.0	1	5	5	6	7	7	7	7	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	19	26.0	824	3	4	16	43	98	99 +	99 +	2	13.0	18	10	10	13	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	23.0	221	8	8	20	33	43	43	43	1	1.0		1	1	1	1	1	1	1
25-34	8	28.0	326	8	9	28	45	85	99 +	99 +	1	7.0		7	7	7	7	7	7	7
35-54	2	17.0	450	2	2	32	83	99 +	99 +	99 +	2	27.0	8	25	25	27	29	29	29	29
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	15	25.1	260	4	8	27	40	92	99 +	99 +	4	15.5	185	1	1	16	27	29	29	29
SUBTOTAL	**34**	**25.6**	**560**	**3**	**5**	**20**	**43**	**99**	**99 +**	**99 +**	**6**	**14.7**	**115**	**1**	**2**	**13**	**25**	**29**	**29**	**29**
GRAND TOTAL	**62**	**25.0**	**403**	**5**	**6**	**20**	**37**	**60**	**99**	**99 +**	**7**	**13.4**	**109**	**1**	**2**	**10**	**23**	**28**	**29**	**29**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	28.8	809	6	6	15	45	68	93	97	1	84.0		84	84	84	84	84	84	84
13-17	20	8.6	55	2	3	6	9	22	26	29	2	3.0		3	3	3	3	3	3	3
18-24	19	9.8	75	1	1	7	16	25	25	25	2	6.0	32	2	2	6	10	10	10	10
25-34	25	10.4	104	1	1	6	16	23	29	43	5	5.4	46	1	1	2	9	17	17	17
35-54	29	11.4	126	1	3	9	17	21	24	59	11	8.2	145	1	1	4	7	25	41	43
55-74	23	12.2	99	2	3	10	17	23	37	42	12	6.8	34	1	2	4	10	16	19	20
75 +	10	14.2	296	2	2	8	26	74	98	99 +	6	8.2	79	1	1	4	11	24	25	25
ALL AGES	138	12.4	191	1	2	8	17	25	44	97	39	9.0	217	1	1	4	9	19	35	84
B. FEMALE																				
0-12 YRS.	6	10.5	23	6	6	8	16	17	17	17										
13-17	43	12.0	195	1	1	8	16	37	44	59	6	13.5	262	2	2	5	24	40	42	42
18-24	43	11.6	97	1	2	9	16	24	34	39	5	4.2	13	1	1	3	6	10	10	10
25-34	67	12.5	104	1	2	9	19	24	33	43	19	5.8	51	1	1	4	5	16	24	29
35-54	100	10.5	72	1	3	8	15	22	26	41	35	7.1	63	1	1	5	8	15	21	44
55-74	45	10.9	89	1	2	9	14	21	28	52	46	6.6	31	2	2	5	8	12	15	34
75 +	23	15.6	227	3	4	8	20	36	49	64	28	3.4	104	1	3	6	10	13	19	57
ALL AGES	327	11.7	109	1	2	8	16	24	35	50	139	7.2	65	1	2	5	8	14	21	45
SUBTOTAL	**465**	**11.9**	**133**	**1**	**2**	**8**	**16**	**25**	**37**	**58**	**178**	**7.6**	**98**	**1**	**1**	**5**	**8**	**15**	**24**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	17	50.8	895	6	12	55	79	96	99	99 +	1	8.0		8	8	8	8	8	8	8
13-17	30	25.3	584	1	3	19	53	76	99	99 +	3	2.3	3	1	1	2	3	4	4	4
18-24	62	16.9	130	3	4	16	24	32	36	54	8	5.4	58	1	1	3	4	18	24	24
25-34	82	16.8	140	3	4	16	22	27	32	68	6	5.3	5	2	2	5	7	8	8	8
35-54	84	14.1	81	2	3	13	21	25	30	42	7	7.4	63	1	1	3	12	20	22	22
55-74	23	14.7	75	3	4	17	21	27	29	30	7	3.1	3	1	1	3	4	6	6	6
75 +	5	24.2	194	6	6	28	35	40	40	40	1	3.0		3	3	3	3	3	3	3
ALL AGES	303	18.8	269	3	4	16	23	36	58	99	33	5.1	29	1	1	3	6	9	21	24
B. FEMALE																				
0-12 YRS.	4	59.5	1172	14	14	64	83	96	96	96										
13-17	59	28.1	630	3	4	20	56	71	98	99 +	6	15.0	153	2	2	12	25	33	34	34
18-24	60	13.8	99	1	2	13	20	28	32	37	3	9.0	112	1	1	5	17	21	21	21
25-34	129	15.2	142	2	3	12	22	32	42	61	12	4.7	7	2	2	4	7	9	10	10
35-54	132	13.2	95	1	2	11	20	26	31	43	23	5.7	14	1	2	6	8	12	14	14
55-74	60	21.7	403	2	3	17	30	42	66	94	9	6.8	32	3	3	4	7	16	21	21
75 +	13	18.2	491	3	5	13	22	38	78	88	5	20.0	1016	5	5	6	24	77	77	77
ALL AGES	457	17.4	275	2	3	13	23	38	56	97	58	8.0	123	1	2	5	8	14	23	74
SUBTOTAL	**760**	**18.0**	**271**	**2**	**3**	**14**	**23**	**38**	**57**	**98**	**91**	**6.9**	**91**	**1**	**2**	**4**	**8**	**14**	**22**	**59**
GRAND TOTAL	**1225**	**15.7**	**227**	**2**	**3**	**12**	**21**	**34**	**49**	**95**	**269**	**7.4**	**95**	**1**	**2**	**5**	**8**	**14**	**23**	**55**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	3	3.0	1	2	2	3	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES											1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL											2	6.5	5	5	5	6	8	8	8	8
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	5	4.4	5	2	2	4	6	8	8	8

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**2**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**3**	**10.7**		**10**	**10**	**10**	**12**	**12**	**12**	**12**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	37.0		37	37	37	37	37	37	37										
55-74																				
75 +																				
ALL AGES	1	37.0		37	37	37	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	4	21.8	59	13	13	21	28	31	31	31										
75 +																				
ALL AGES	4	21.8	59	13	13	21	28	31	31	31	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**24.8**	**93**	**13**	**13**	**25**	**32**	**37**	**37**	**37**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +											1	27.0		27	27	27	27	27	27	27
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	1	28.0		28	28	28	28	28	28	28										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	2	21.0	98	14	14	21	28	28	28	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**3**	**16.7**	**104**	**8**	**8**	**14**	**24**	**28**	**28**	**28**	**2**	**16.0**	**242**	**5**	**5**	**16**	**27**	**27**	**27**	**27**
GRAND TOTAL	**8**	**21.8**	**99**	**8**	**9**	**21**	**29**	**35**	**37**	**37**	**3**	**11.3**	**187**	**2**	**2**	**5**	**21**	**27**	**27**	**27**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	6.0		6	6	6	6	6	6	6											
18-24																					
25-34	1	9.0		9	9	9	9	9	9	9											
35-54																					
55-74	2	25.0	2	24	24	25	26	26	26	26											
75 +	1	46.0		45	46	46	46	46	46	46											
ALL AGES	5	22.2	255	6	6	24	31	46	46	46											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	5	3.6	8	1	1	2	6	8	8	8		3	2.3	6	1	1	1	4	5	5	5
25-34	1	14.0		14	14	14	14	14	14	14											
35-54	4	8.5	15	5	5	7	11	14	14	14		1	11.0		11	11	11	11	11	11	11
55-74	4	15.5	270	1	1	14	29	33	33	33		1	6.0		6	6	6	6	6	6	6
75 +	1	7.0		7	7	7	7	7	7	7											
ALL AGES	15	9.0	88	1	1	7	12	26	31	33		5	4.8	17	1	1	5	7	11	11	11
SUBTOTAL	**20**	**12.3**	**153**	**1**	**1**	**7**	**19**	**30**	**39**	**46**		**5**	**4.8**	**17**	**1**	**1**	**5**	**7**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34												1	7.0		7	7	7	7	7	7	7
35-54	3	13.3	60	5	5	15	19	20	20	20											
55-74	1	21.0		21	21	21	21	21	21	21		1	15.0		15	15	15	15	15	15	15
75 +																					
ALL AGES	4	15.3	52	5	5	17	20	21	21	21		2	11.0	32	7	7	11	15	15	15	15
B. FEMALE																					
0-12 YRS.																					
13-17												1	3.0		3	3	3	3	3	3	3
18-24	1	10.0		10	10	10	10	10	10	10		1	4.0		4	4	4	4	4	4	4
25-34	1	3.0		3	3	3	3	3	3	3		1	5.0		5	5	5	5	5	5	5
35-54	6	17.5	167	1	2	13	31	35	35	35											
55-74	1	30.0		30	30	30	30	30	30	30											
75 +																					
ALL AGES	9	16.4	157	1	2	12	30	33	35	35		3	4.0	1	3	3	4	5	5	5	5
SUBTOTAL	**13**	**16.1**	**117**	**1**	**3**	**14**	**23**	**32**	**34**	**35**		**5**	**6.8**	**23**	**3**	**3**	**5**	**9**	**15**	**15**	**15**
GRAND TOTAL	**33**	**13.8**	**138**	**1**	**2**	**10**	**22**	**31**	**35**	**46**		**10**	**5.8**	**19**	**1**	**1**	**5**	**7**	**13**	**15**	**15**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	5.1	22	1	1	4	8	12	13	13										
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24	4	2.5	4	1	1	2	4	5	5	5	3	1.7	1	1	1	1	3	3	3	3
25-34	8	9.0	53	2	2	7	17	18	18	18	2	5.0	18	2	2	5	8	8	8	8
35-54	5	3.8	14	1	1	3	5	10	10	10	9	4.1	12	1	1	3	7	9	11	11
55-74	4	10.5	140	2	2	6	17	28	28	28	11	9.3	62	2	3	8	12	20	29	30
75 +	6	11.0	171	3	3	6	11	34	37	37	11	8.6	29	1	2	7	12	16	19	19
ALL AGES	36	6.9	64	1	1	4	8	18	25	37	36	6.9	37	1	1	5	10	13	17	30
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	9	1.8	1	1	1	1	2	4	4	4
13-17	10	10.3	166	1	1	5	9	34	38	38	7	1.7	1	1	1	1	3	3	3	3
18-24	5	1.8	1	1	1	2	2	3	3	3	8	1.6	2	1	1	1	2	4	5	5
25-34	2	4.5	25	1	1	4	8	8	8	8	4	4.5	33	1	1	2	8	13	13	13
35-54	9	6.4	61	1	1	3	8	20	24	24	6	4.5	30	1	1	1	11	12	12	12
55-74	6	3.5	5	1	1	3	5	7	7	7	11	11.4	369	3	3	5	8	34	66	69
75 +	7	16.7	1260	1	1	2	7	79	97	97	28	14.5	149	1	2	10	21	34	36	50
ALL AGES	41	7.9	264	1	1	3	6	18	34	97	73	8.5	143	1	1	4	10	22	34	65
SUBTOTAL	**77**	**7.4**	**169**	**1**	**1**	**3**	**8**	**17**	**29**	**61**	**109**	**7.9**	**109**	**1**	**1**	**4**	**10**	**20**	**30**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	3.8	4	2	2	3	5	7	7	7	2	2.5	5	1	1	2	4	4	4	4
13-17	9	3.4	8	1	1	2	6	8	8	8	4	1.5		1	1	1	2	2	2	2
18-24	12	5.8	42	1	1	3	8	18	19	19	5	3.0	5	1	1	3	4	6	6	6
25-34	15	8.2	98	1	1	5	11	16	33	39	7	2.7	4	1	1	2	3	6	7	7
35-54	10	9.6	100	1	1	6	14	24	33	33	4	2.3	6	1	1	1	4	6	6	6
55-74	6	16.3	781	1	1	5	10	67	73	73	8	9.8	37	1	2	9	14	19	20	20
75 +	4	11.8	83	1	1	12	19	22	22	22	3	8.7	16	4	4	11	56	99 +	99 +	99 +
ALL AGES	60	8.0	132	1	1	5	10	17	27	70	33	4.8	23	1	1	3	7	13	19	99 +
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	7	13.6	666	1	1	4	6	59	72	72	6	2.7	4	1	1	2	4	6	6	6
18-24	6	8.7	52	1	1	8	15	19	19	19	5	1.6	1	1	1	1	2	3	3	3
25-34	9	8.0	103	1	1	2	14	25	27	27	9	2.8	3	1	1	3	4	5	6	6
35-54	10	16.6	301	1	1	13	21	45	51	51	6	3.2	4	1	1	3	3	7	7	7
55-74	2	11.5	113	4	4	11	19	19	19	19	8	7.6	67	1	1	5	11	21	24	24
75 +	4	7.3	12	4	4	6	10	12	12	12	15	6.6	12	2	3	5	9	13	13	13
ALL AGES	39	11.5	223	1	1	5	18	25	46	72	49	4.7	19	1	1	3	6	9	13	24
SUBTOTAL	**99**	**9.4**	**168**	**1**	**1**	**5**	**11**	**21**	**36**	**73**	**82**	**4.7**	**21**	**1**	**1**	**3**	**7**	**12**	**15**	**75**
GRAND TOTAL	**176**	**8.5**	**169**	**1**	**1**	**4**	**9**	**20**	**32**	**73**	**191**	**6.6**	**72**	**1**	**1**	**4**	**8**	**14**	**22**	**61**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	4	10.8	40	3	3	11	16	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	5	9.2	43	3	3	8	15	17	17	17										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	85	5	5	11	18	18	18	18	1	1.0		1	1	1	1	1	1	1
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	4	18.3	144	9	9	14	25	36	36	36										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	8	15.0	87	5	6	13	16	31	36	36	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	8	15.0	87	5	6	13	16	31	36	36	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	13	12.8	73	3	3	13	16	22	33	36	1	1.0		1	1	1	1	1	1	1

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	55.0	72	49	49	61	90	99 +	99 +	99 +										
13-17	3	13.3	118	1	1	18	20	21	21	21										
18-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	3	21.3	42	14	14	25	25	25	25	25										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	11	20.4	379	1	1	19	37	73	96	99 +										
B. FEMALE																				
0-12 YRS.	1	65.0		65	65	65	65	65	65	65										
13-17	5	29.0	1462	4	4	12	45	95	95	95										
18-24	3	17.0	196	7	7	11	27	33	33	33										
25-34	2	35.5	685	17	17	35	54	54	54	54										
35-54	2	7.5	5	6	6	7	9	9	9	9										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	13	26.7	799	4	5	12	38	71	90	95	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**24**	**23.8**	**593**	**1**	**3**	**17**	**37**	**65**	**96**	**99 +**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17																				
18-24	6	12.8	52	4	4	15	18	20	20	20										
25-34	5	16.2	87	7	7	13	22	31	31	31										
35-54	7	12.1	74	5	5	10	13	27	30	30										
55-74	3	22.7	122	10	10	27	30	31	31	31										
75 +																				
ALL AGES	22	15.3	78	4	5	13	20	30	31	31										
B. FEMALE																				
0-12 YRS.																				
13-17	9	13.9	197	1	2	10	33	71	99 +	99 +										
18-24	5	9.6	63	2	2	7	17	19	19	19										
25-34	7	9.3	58	1	1	9	11	22	24	24	1	9.0		9	9	9	9	9	9	9
35-54	6	15.2	53	2	3	16	20	23	23	23	1	18.0		18	18	18	18	18	18	18
55-74	2	14.0	200	4	4	14	24	24	24	24										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	30	12.0	101	1	2	10	19	28	42	99 +	2	13.5	41	9	9	13	18	18	18	18
SUBTOTAL	**52**	**13.4**	**92**	**2**	**3**	**12**	**19**	**30**	**33**	**98**	**2**	**13.5**	**41**	**9**	**9**	**13**	**18**	**18**	**18**	**18**
GRAND TOTAL	**76**	**16.7**	**267**	**2**	**3**	**12**	**24**	**39**	**63**	**99 +**	**3**	**10.3**	**51**	**4**	**4**	**9**	**16**	**18**	**18**	**18**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	4	25.0	617	3	3	20	45	56	56	56										
18-24	2	15.5	421	1	1	15	30	30	30	30										
25-34	7	10.3	82	2	3	8	10	26	30	30										
35-54	4	20.8	364	1	1	18	35	45	45	45										
55-74																				
75 +																				
ALL AGES	18	18.2	296	1	1	9	30	44	52	56										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	36.0	1800	6	6	36	66	66	66	66										
25-34	2	27.0	392	13	13	27	41	41	41	41										
35-54	1	35.0		35	35	35	35	35	35	35										
55-74																				
75 +																				
ALL AGES	5	32.2	571	6	6	35	47	66	66	66										
SUBTOTAL	**23**	**21.2**	**369**	**1**	**2**	**11**	**35**	**47**	**59**	**66**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-17	2	62.5	61	57	57	62	68	68	68	68										
18-24	5	8.8	17	3	3	10	11	14	14	14										
25-34	5	17.4	338	4	4	5	34	43	43	43										
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	14	23.4	590	3	4	10	43	64	67	68										
B. FEMALE																				
0-12 YRS.	1	32.0		32	32	32	32	[illegible]	32	32										
13-17																				
18-24	1	18.0		18	18	18	18	[illegible]	18	18										
25-34	2	17.5	421	3	3	17	32	32	32	32										
35-54	4	28.3	491	8	8	22	41	60	60	60										
55-74																				
75 +																				
ALL AGES	8	24.8	305	3	4	22	32	52	60	60										
SUBTOTAL	**22**	**23.9**	**468**	**3**	**4**	**16**	**32**	**61**	**66**	**68**										
GRAND TOTAL	**45**	**22.5**	**411**	**2**	**3**	**13**	**34**	**57**	**64**	**68**										

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20	1	1.0		1	1	1	1	1	1	1
18-24	2	8.0	2	7	7	8	9	9	9	9										
25-34																				
35-54	2	5.5	1	5	5	5	6	6	6	6	2	6.0	18	3	3	6	9	9	9	9
55-74																				
75 +																				
ALL AGES	5	9.4	37	5	5	7	12	20	20	20	3	4.3	18	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	2	7.0	50	2	2	7	12	12	12	12	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**7**	**8.7**	**35**	**2**	**3**	**7**	**11**	**18**	**20**	**20**	**4**	**3.5**	**14**	**1**	**1**	**2**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.0	2	2	2	3	4	4	4	4										
18-24	3	10.0	7	7	7	11	12	12	12	12										
25-34	3	12.0	111	2	2	11	20	23	23	23	1	1.0		1	1	1	1	1	1	1
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	8	9.0	49	2	2	9	12	20	23	23	2	5.0	32	1	1	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	2	5.0	2	4	4	5	6	6	6	6										
SUBTOTAL	**10**	**8.2**	**41**	**2**	**2**	**6**	**11**	**17**	**23**	**23**	**2**	**5.0**	**32**	**1**	**1**	**5**	**9**	**9**	**9**	**9**
GRAND TOTAL	**17**	**8.4**	**36**	**2**	**2**	**7**	**11**	**18**	**22**	**23**	**6**	**4.0**	**16**	**1**	**1**	**2**	**9**	**9**	**9**	**9**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
B. FEMALE																						
0-1[illegible] YRS.																						
13-17	1	45.0		45	45	45	45	45	45	45												
18-24	2	35.5	1513	8	8	35	63	63	63	63												
25-34																						
35-54	1	25.0		25	25	25	25	25	25	25												
55-74																						
75 +																						
ALL AGES	4	35.3	566	8	8	35	54	63	63	63												
SUBTOTAL	**4**	**35.3**	**566**	**8**	**8**	**35**	**54**	**63**	**63**	**63**												
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	22.0		22	22	22	22	22	22	22												
25-34	2	23.0	338	10	10	23	36	36	36	36	1	23.0		23	23	23	23	23	23	23
35-54											1	4.0		4	4	4	4	4	4	4
55-74																						
75 +																						
ALL AGES	3	22.7	167	10	10	22	32	36	36	36	2	13.5	181	4	4	13	23	23	23	23
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	1	36.0		36	36	36	36	36	36	36	1	5.0		5	5	5	5	5	5	5
75 +																						
ALL AGES	1	36.0		36	36	36	36	36	36	36	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**4**	**26.0**	**157**	**10**	**10**	**29**	**36**	**36**	**36**	**36**	**3**	**10.7**	**113**	**4**	**4**	**5**	**18**	**23**	**23**	**23**
GRAND TOTAL	**8**	**30.6**	**338**	**8**	**9**	**30**	**41**	**58**	**63**	**63**	**3**	**10.7**	**113**	**4**	**4**	**5**	**18**	**23**	**23**	**23**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54											1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	28.0		28	28	28	28	28	28	28	1	1.0		1	1	1	1	1	1	1
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	8	4.5	11	1	1	4	7	9	10	10	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	12	7.3	59	1	1	5	9	18	27	28	3	2.0	3	1	1	1	3	4	4	4
SUBTOTAL	13	7.2	54	1	1	6	9	17	26	28	4	3.5	11	1	1	3	6	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	83.0		83	83	83	83	83	83	83
13-17																				
18-24	3	4.3	7	2	2	4	6	7	7	7										
25-34	3	7.0	1	6	6	7	8	8	8	8	1	3.0		3	3	3	3	3	3	3
35-54	3	9.0	12	7	7	7	12	13	13	13	3	8.3	7	6	6	8	10	11	11	11
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	9	6.8	9	2	3	7	8	11	13	13	6	19.5	975	3	3	7	11	76	83	83
SUBTOTAL	11	6.3	9	2	2	7	7	10	13	13	8	14.9	769	1	1	6	9	61	83	83
GRAND TOTAL	24	6.8	32	1	2	6	8	13	18	28	12	11.1	524	1	1	5	8	33	76	83

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	36.0		36	36	36	36	36	36	36										
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	13.7	373	2	2	3	28	36	36	36										
SUBTOTAL	**4**	**11.0**	**278**	**2**	**2**	**3**	**20**	**36**	**36**	**36**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.0	50	6	6	11	16	16	16	16										
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	4	14.8	34	6	6	17	18	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	2.5	1	2	2	2	3	3	3	3
25-34	4	31.5	1566	3	3	16	54	90	90	90										
35-54	1	38.0		38	38	38	38	38	38	38	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	5	32.8	1183	3	3	19	51	90	90	90	4	3.8	8	2	2	3	5	8	8	8
SUBTOTAL	**9**	**24.8**	**694**	**3**	**4**	**18**	**24**	**69**	**90**	**90**	**4**	**3.8**	**8**	**2**	**2**	**3**	**5**	**8**	**8**	**8**
GRAND TOTAL	**13**	**20.5**	**578**	**2**	**3**	**16**	**23**	**48**	**82**	**90**	**4**	**3.8**	**8**	**2**	**2**	**3**	**5**	**8**	**8**	**8**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	4.3	4	2	2	4	6	7	7	7										
18-24	4	5.5	59	1	1	2	10	17	17	17										
25-34	2	5.5	41	1	1	5	10	10	10	10										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	11	4.7	25	1	1	2	6	13	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	5	5	5	6	8	8	8	8										
SUBTOTAL	**13**	**5.0**	**21**	**1**	**1**	**3**	**7**	**11**	**16**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-24	6	7.0	52	1	1	4	14	18	18	18										
25-34	5	10.8	98	1	1	9	20	23	23	23	1	15.0		15	15	15	15	15	15	15
35-54	5	9.2	32	1	1	9	14	15	15	15										
55-74																				
75 +																				
ALL AGES	18	8.2	52	1	1	6	14	19	21	23	2	8.5	85	2	2	8	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	35.0		35	35	35	35	35	35	35										
55-74																				
75 +																				
ALL AGES	1	35.0		35	35	35	35	35	35	35										
SUBTOTAL	**19**	**9.6**	**87**	**1**	**1**	**7**	**15**	**21**	**30**	**35**	**2**	**8.5**	**85**	**2**	**2**	**8**	**15**	**15**	**15**	**15**
GRAND TOTAL	**32**	**7.7**	**65**	**1**	**1**	**5**	**12**	**18**	**23**	**35**	**2**	**8.5**	**85**	**2**	**2**	**8**	**15**	**15**	**15**	**15**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17	3	14.7	181	1	1	28	99 +	99 +	99 +	99 +	1	10.0		10	10	10	10	10	10	10
18-24	11	8.5	50	1	2	7	10	21	23	23	3	2.3	1	2	2	2	3	3	3	3
25-34	9	8.4	103	1	1	7	9	24	34	34	1	2.0		2	2	2	2	2	2	2
35-54	3	18.3	244	2	2	20	30	33	33	33										
55-74	2	8.5	41	4	4	8	13	13	13	13										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	29	11.6	144	1	1	8	20	40	97	99 +	6	3.7	10	2	2	3	3	9	10	10
B. FEMALE																				
0-12 YRS.	2	64.5	1513	37	37	64	92	92	92	92										
13-17	14	23.7	662	3	4	15	25	78	83	84	1	1.0		1	1	1	1	1	1	1
18-24	31	10.7	135	1	1	8	14	22	40	51	2	21.5	85	15	15	21	28	28	28	28
25-34	44	11.5	166	1	1	8	14	39	48	99 +	4	12.5	72	6	6	9	17	25	25	25
35-54	20	10.6	94	1	2	7	14	25	34	38										
55-74	3	17.7	8	15	15	17	20	21	21	21	3	7.7	97	1	1	3	15	19	19	19
75 +	2	25.5	221	15	15	25	36	36	36	36	1	1.0		1	1	1	1	1	1	1
ALL AGES	116	13.9	269	1	1	9	16	37	49	95	11	10.7	96	1	1	9	18	26	28	28
SUBTOTAL	**145**	**13.4**	**245**	**1**	**1**	**9**	**17**	**37**	**51**	**99 +**	**17**	**8.2**	**76**	**1**	**1**	**3**	**11**	**24**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	38.0		38	38	38	38	38	38	38
13-17											1	3.0		3	3	3	3	3	3	3
18-24	9	11.7	118	1	2	8	16	29	37	37	2	6.5	1	6	6	6	7	7	7	7
25-34	14	9.5	52	2	2	8	14	17	26	29	1	1.0		1	1	1	1	1	1	1
35-54	8	23.5	541	2	4	18	24	62	78	78										
55-74																				
75 +																				
ALL AGES	31	13.7	217	2	2	9	16	27	37	78	5	11.0	234	1	1	6	15	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17	11	21.3	449	1	2	12	58	99 +	99 +	99 +										
18-24	23	12.5	116	1	1	10	19	31	36	37	5	8.0	29	1	1	8	10	16	16	16
25-34	36	14.5	191	1	2	12	19	37	59	99 +	6	5.0	8	1	1	5	6	9	9	9
35-54	31	18.1	446	1	2	9	18	54	64	86	5	9.2	56	2	2	8	15	20	20	20
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	102	15.8	277	1	2	10	20	48	63	99 +	16	7.3	28	1	1	7	9	16	19	20
SUBTOTAL	**133**	**15.3**	**262**	**1**	**2**	**10**	**19**	**39**	**63**	**99 +**	**21**	**8.1**	**71**	**1**	**1**	**6**	**8**	**18**	**28**	**38**
GRAND TOTAL	**278**	**14.3**	**254**	**1**	**2**	**9**	**18**	**38**	**59**	**99 +**	**38**	**8.2**	**70**	**1**	**1**	**6**	**10**	**20**	**27**	**38**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	3	43.7	460	27	27	36	60	68	68	68											
18-24	2	2.5	1	2	2	2	3	3	3	3											
25-34	2	12.0	128	4	4	12	20	20	20	20	1	9.0		9	9	9	9	9	9	9
35-54																					
55-74																					
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	7	22.9	568	2	2	20	34	62	68	68	2	7.5	5	6	6	7	9	9	9	9
B. FEMALE																					
0-12 YRS.																					
13-17											1	4.0		4	4	4	4	4	4	4
18-24	3	9.7	71	1	1	10	16	18	18	18	1	8.0		8	8	8	8	8	8	8
25-34	7	18.4	742	1	1	6	22	67	77	77	1	1.0		1	1	1	1	1	1	1
35-54	2	5.0		5	5	5	5	5	5	5	2	10.5	25	7	7	10	14	14	14	14
55-74	1	6.0		6	6	6	6	6	6	6											
75 +																					
ALL AGES	13	13.4	417	1	1	6	13	36	69	77	5	6.8	24	1	1	7	9	14	14	14
SUBTOTAL	**20**	**16.7**	**465**	**1**	**1**	**6**	**23**	**52**	**72**	**77**	**7**	**7.0**	**17**	**1**	**2**	**7**	**9**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	6	7.8	30	2	2	6	14	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	6	10.3	81	1	1	9	20	21	21	21	2	6.5	41	2	2	6	11	11	11	11
35-54	3	7.3	17	3	3	8	10	11	11	11	2	1.5	1	1	1	1	2	2	2	2
55-74	2	15.0	8	13	13	15	17	17	17	17											
75 +																					
ALL AGES	17	9.5	42	1	2	8	14	19	21	21	5	3.6	17	1	1	2	4	11	11	11
B. FEMALE																					
0-12 YRS.																					
13-17	3	23.7	410	10	10	14	39	47	47	47	1	49.0		49	49	49	49	49	49	49
18-24											1	3.0		3	3	3	3	3	3	3
25-34	9	12.8	51	1	2	14	19	21	21	21	2	3.0	8	1	1	3	5	5	5	5
35-54	2	9.0	18	6	6	9	12	12	12	12	4	15.5	324	1	1	18	55	99 +	99 +	99 +
55-74	4	12.0	167	3	3	7	20	31	31	31	1	64.0		64	64	64	64	64	64	64
75 +																					
ALL AGES	18	14.0	125	2	3	11	19	28	41	47	9	20.4	590	1	1	11	49	82	99 +	99 +
SUBTOTAL	**35**	**11.8**	**88**	**1**	**2**	**10**	**16**	**21**	**29**	**47**	**14**	**14.4**	**438**	**1**	**1**	**3**	**34**	**64**	**91**	**99 +**
GRAND TOTAL	**55**	**13.6**	**224**	**1**	**2**	**10**	**18**	**27**	**44**	**77**	**21**	**12.0**	**301**	**1**	**1**	**5**	**14**	**53**	**78**	**99 +**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	23.0		23	23	23	23	23	23	23										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
SUBTOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**										
GRAND TOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**										

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.5	1	10	10	10	11	11	11	11	2	5.0	32	1	1	5	9	9	9	9
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.5	1	10	10	10	11	11	11	11	2	5.0	32	1	1	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	8.0		8	8	8	8	8	8	8	4	8.5	1	7	7	9	9	9	9	9
35-54											2	9.5	1	9	9	9	10	10	10	10
55-74																				
75 +																				
ALL AGES	2	6.0	8	4	4	6	8	8	8	8	6	8.8	2	7	7	9	9	10	10	10
SUBTOTAL	**4**	**8.3**	**8**	**4**	**4**	**9**	**10**	**11**	**11**	**11**	**8**	**7.9**	**8**	**1**	**3**	**9**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**8.3**	**8**	**4**	**4**	**9**	**10**	**11**	**11**	**11**	**8**	**7.9**	**8**	**1**	**3**	**9**	**9**	**10**	**10**	**10**

PSYCHOSEXUAL DYSFUNCTION (302.7)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	4	2.8	5	1	1	2	4	6	6	6	2	3.0	2	2	2	3	4	4	4	4
55-74	9	3.2	4	1	1	3	5	6	6	6	14	2.5	2	1	1	2	4	4	5	5
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	15	2.9	4	1	1	3	5	6	6	6	18	2.4	2	1	1	2	4	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	15	2.9	4	1	1	3	5	6	6	6	18	2.4	2	1	1	2	4	4	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	15	2.9	4	1	1	3	5	6	6	6	18	2.4	2	1	1	2	4	4	5	5

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	10.0		10	10	10	10	10	10	10										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
GRAND TOTAL	2	7.5	13	5	5	7	10	10	10	10										

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	7	2.7	21	1	1	1	1	11	13	13	15	1.7	1	1	1	2	2	2	4	4
18-24	32	5.5	14	1	1	5	9	10	10	15	31	2.9	3	1	1	3	5	5	6	7
25-34	132	5.5	11	1	2	6	6	9	10	20	99	3.6	4	1	1	4	5	6	7	10
35-54	324	5.8	13	1	2	6	6	8	12	21	160	3.9	6	1	1	4	5	6	7	14
55-74	106	6.0	21	1	2	5	6	10	13	29	62	5.1	33	1	1	4	5	9	19	31
75 +	4	7.3	37	1	1	6	12	15	15	15	16	8.9	301	1	1	3	10	14	55	72
ALL AGES	605	5.7	15	1	2	6	6	10	12	22	384	4.0	23	1	1	4	5	6	8	23
B. FEMALE																				
0-12 YRS.																				
13-17	8	1.4		1	1	1	2	2	2	2	9	1.2		1	1	1	1	2	2	2
18-24	6	5.5	8	1	1	5	6	10	10	10	15	3.2	2	1	1	4	4	5	6	6
25-34	43	4.9	27	1	1	4	6	9	10	33	19	3.6	3	1	2	3	4	6	8	9
35-54	73	5.8	22	1	2	5	6	9	13	30	28	4.9	25	1	2	4	5	10	13	27
55-74	23	5.8	11	1	2	5	7	11	13	15	28	4.4	20	1	1	3	5	9	17	20
75 +	2	14.5	181	5	5	14	24	24	24	24	3	4.7	16	1	1	4	8	9	9	9
ALL AGES	155	5.4	23	1	1	5	6	9	13	32	102	3.9	15	1	1	3	4	7	10	23
SUBTOTAL	**760**	**5.7**	**16**	**1**	**2**	**6**	**6**	**10**	**12**	**24**	**486**	**4.0**	**21**	**1**	**1**	**3**	**5**	**6**	**9**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	13	8.7	91	1	1	6	7	29	31	31	8	3.5	5	1	1	3	5	7	8	8
18-24	118	6.1	16	1	2	6	6	10	12	26	67	5.8	25	1	1	4	7	14	18	22
25-34	561	6.3	21	2	3	6	6	8	14	28	220	6.6	27	1	2	5	8	14	20	24
35-54	1037	6.4	27	2	3	6	6	8	13	28	413	6.4	25	1	2	5	8	14	20	22
55-74	192	6.7	25	2	3	6	6	10	16	28	177	6.3	67	2	2	4	7	13	20	98
75 +	13	7.1	16	1	2	6	10	13	14	14	17	11.8	371	2	2	5	8	30	62	79
ALL AGES	1934	6.4	25	2	3	6	6	8	13	28	903	6.5	40	1	2	5	8	14	20	26
B. FEMALE																				
0-12 YRS.																				
13-17	7	5.9	9	1	2	6	7	10	11	11	2	4.0	8	2	2	4	6	6	6	6
18-24	47	5.5	9	1	1	6	6	7	10	19	29	8.1	50	1	2	6	8	22	23	25
25-34	149	6.8	31	2	2	6	6	10	23	29	93	6.5	34	1	2	4	8	15	21	24
35-54	254	6.4	27	1	3	6	6	8	19	29	131	6.6	38	1	2	4	8	16	21	28
55-74	59	7.8	43	2	3	6	8	13	26	34	77	7.5	131	1	2	4	8	15	22	76
75 +	9	8.6	78	4	4	6	7	22	32	32	8	6.0	53	1	1	3	6	19	23	23
ALL AGES	525	6.6	29	1	3	6	6	10	19	29	340	6.9	58	1	2	4	8	16	22	26
SUBTOTAL	**2459**	**6.5**	**25**	**2**	**3**	**6**	**6**	**9**	**14**	**28**	**1243**	**6.6**	**45**	**1**	**2**	**5**	**8**	**14**	**21**	**26**
GRAND TOTAL	**3219**	**6.3**	**23**	**1**	**2**	**6**	**6**	**9**	**13**	**28**	**1729**	**5.9**	**39**	**1**	**1**	**4**	**7**	**11**	**19**	**25**

ALCOHOL DEPEND NEC/NOS (303.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6										
13-17	8	12.9	167	1	1	6	28	29	29	29	10	6.2	45	1	1	5	7	16	24	24
18-24	112	9.1	76	2	2	5	11	26	28	34	75	9.1	93	1	2	4	10	28	28	32
25-34	558	8.7	58	2	3	6	9	25	28	28	287	8.5	71	1	2	5	13	28	28	28
35-54	1115	8.5	55	3	3	6	8	21	27	29	494	8.9	68	2	3	5	11	27	28	28
55-74	341	9.0	57	2	4	6	10	21	26	29	198	8.2	58	2	2	5	10	19	28	31
75 +	12	11.6	78	2	3	7	21	23	25	25	6	9.3	55	3	3	6	12	22	23	23
ALL AGES	2148	8.7	57	2	3	6	8	22	27	29	1070	8.7	68	2	2	5	11	27	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	3	11.0	148	3	3	5	20	25	25	25
18-24	32	9.3	69	2	3	6	12	23	26	32	27	11.6	121	2	2	6	24	28	29	35
25-34	182	9.5	73	3	3	6	10	26	28	36	100	11.0	94	1	2	6	14	28	28	30
35-54	264	8.6	52	2	4	6	8	22	27	34	128	9.0	59	2	3	6	13	27	28	28
55-74	104	10.7	77	3	4	6	15	27	28	38	73	9.3	61	2	3	6	14	21	28	35
75 +	9	9.3	53	5	5	7	11	64	99 +	99 +	11	10.3	109	1	1	7	14	26	36	37
ALL AGES	592	9.3	64	2	3	6	10	25	28	36	342	9.9	77	2	3	6	14	28	28	32
SUBTOTAL	**2740**	**8.8**	**59**	**2**	**3**	**6**	**9**	**22**	**28**	**30**	**1412**	**9.0**	**70**	**2**	**2**	**5**	**13**	**28**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	26.0		26	26	26	26	26	26	26
13-17	98	20.6	89	3	5	26	28	28	30	34	44	15.4	104	3	4	9	25	28	30	32
18-24	272	15.1	111	2	3	14	25	28	28	37	192	12.3	93	2	3	7	23	26	28	28
25-34	686	13.9	101	2	3	9	24	28	28	32	464	10.4	72	2	3	7	14	26	28	28
35-54	704	12.0	92	2	3	6	21	26	28	35	473	9.7	60	3	3	6	14	24	27	28
55-74	161	13.1	136	3	4	8	21	28	28	89	122	10.0	68	2	3	6	14	24	27	36
75 +	7	13.0	88	3	4	9	21	26	27	27	9	8.6	37	3	3	6	13	18	21	21
ALL AGES	1928	13.6	106	2	3	9	24	28	28	35	1305	10.5	74	2	3	7	14	25	28	29
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	61	22.4	102	3	5	28	28	31	33	40	29	16.9	129	2	3	13	28	31	32	35
18-24	121	18.5	100	2	3	21	28	28	29	37	90	13.6	101	2	3	10	25	28	28	30
25-34	271	14.4	112	2	3	11	24	28	28	43	205	12.4	85	3	3	8	21	28	28	32
35-54	202	13.0	106	2	3	8	22	28	29	38	169	9.9	72	2	2	6	14	25	27	32
55-74	52	13.8	168	2	3	8	21	28	41	65	64	9.9	59	2	3	7	14	21	27	32
75 +	2	7.0	8	5	5	7	9	9	9	9	7	14.1	104	4	4	10	22	30	31	31
ALL AGES	710	15.3	119	2	3	13	25	28	29	42	564	11.8	86	2	3	7	20	28	28	32
SUBTOTAL	**2638**	**14.1**	**109**	**2**	**3**	**10**	**24**	**28**	**28**	**35**	**1869**	**10.9**	**78**	**2**	**3**	**7**	**15**	**26**	**28**	**31**
GRAND TOTAL	**5378**	**11.4**	**91**	**2**	**3**	**6**	**21**	**28**	**28**	**34**	**3281**	**10.1**	**75**	**2**	**3**	**6**	**14**	**26**	**28**	**30**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.5	13	7	7	9	12	12	12	12	15	3.7	2	1	2	4	5	6	6	6
25-34	18	11.1	52	3	5	9	14	23	26	28	51	4.9	11	2	3	4	5	7	11	22
35-54	16	8.1	38	1	2	6	12	13	22	26	24	5.9	11	1	1	5	7	11	13	14
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	37	9.5	44	2	4	7	12	20	25	28	90	5.0	9	2	2	4	6	8	11	19
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	9.7	11	6	6	10	12	13	13	13	6	4.7	1	3	3	5	5	6	6	6
25-34	9	8.6	27	1	2	7	11	17	19	19	24	5.3	11	1	1	5	6	8	14	15
35-54	3	13.0	171	4	4	7	23	28	28	28	8	4.5	2	2	2	5	5	7	7	7
55-74	1	6.0		6	6	6	6	6	6	6	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	16	9.4	44	1	4	7	12	18	25	28	40	5.0	8	1	2	5	6	7	11	15
SUBTOTAL	**53**	**9.5**	**43**	**2**	**4**	**7**	**12**	**20**	**26**	**28**	**130**	**5.0**	**9**	**1**	**2**	**5**	**6**	**8**	**11**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	19.0	338	6	6	19	32	32	32	32
18-24	6	8.2	100	1	1	5	8	26	28	28	8	8.3	50	2	2	6	11	20	23	23
25-34	24	11.0	94	3	4	7	11	29	35	35	55	8.2	32	2	3	7	13	16	20	24
35-54	22	11.7	45	3	5	11	14	22	26	27	24	7.9	25	3	4	6	12	14	17	21
55-74											2	15.0	98	8	8	15	22	22	22	22
75 +																				
ALL AGES	52	11.0	71	3	4	8	13	27	28	35	91	8.5	38	2	3	7	13	16	22	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	5.7	16	1	1	8	8	8	8	8	7	9.9	45	4	4	7	14	20	22	22
25-34	25	12.6	47	5	6	11	17	21	27	28	37	9.6	[illegible]	2	3	7	14	20	23	25
35-54	5	20.2	69	7	7	21	26	29	29	29	16	10.0	55	3	4	7	14	21	27	29
55-74	3	9.3	11	7	7	8	12	13	13	13	4	7.5	10	3	3	8	9	10	10	10
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	36	12.8	55	4	6	11	18	25	28	29	65	9.6	41	3	3	7	14	20	23	28
SUBTOTAL	**88**	**11.7**	**66**	**3**	**4**	**9**	**15**	**26**	**28**	**35**	**156**	**9.0**	**38**	**2**	**3**	**7**	**14**	**18**	**22**	**29**
GRAND TOTAL	**141**	**10.9**	**57**	**2**	**4**	**8**	**13**	**24**	**28**	**35**	**286**	**7.2**	**29**	**2**	**3**	**5**	**8**	**14**	**20**	**25**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	2	5.5	1	5	5	5	6	6	6	6
25-34	3	7.3	33	1	1	9	11	12	12	12	2	8.0	8	6	6	8	10	10	10	10
35-54	3	13.3	4	12	12	13	14	15	15	15	2	10.0	32	6	6	10	14	14	14	14
55-74	2	10.0	32	6	6	10	14	14	14	14	4	7.0	33	1	1	6	11	14	14	14
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	10	10.0	23	1	2	12	14	15	15	15	10	7.5	18	1	2	6	10	14	14	14
B. FEMALE																				
0-12 YRS																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	5	14.2	26	10	10	13	16	23	23	23	6	7.2	12	4	4	6	7	13	14	14
35-54	3	10.3	15	6	6	12	13	13	13	13	8	11.6	70	5	5	7	19	24	25	25
55-74	4	13.5	110	4	4	13	22	24	24	24	3	11.0	9	8	8	11	13	14	14	14
75 +	1	13.0		13	13	13	13	13	13	13	1	21.0		21	21	21	21	21	21	21
ALL AGES	13	13.0	41	4	5	13	15	23	24	24	19	10.2	44	3	4	7	14	22	24	25
SUBTOTAL	**23**	**11.7**	**34**	**3**	**4**	**12**	**14**	**21**	**23**	**24**	**29**	**9.2**	**37**	**3**	**4**	**7**	**14**	**19**	**23**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	7.3	45	3	3	4	12	15	15	15
25-34	10	11.3	103	2	2	7	17	27	34	34	16	7.4	34	1	2	6	9	13	22	26
35-54	10	10.9	80	3	3	6	22	24	26	26	7	6.6	22	2	2	5	9	14	15	15
55-74	3	11.7	99	4	4	8	19	23	23	23	1	29.0		29	29	29	29	29	29	29
75 +	1	12.0		12	12	12	12	12	12	12	1	29.0		29	29	29	29	29	29	29
ALL AGES	24	11.2	81	3	3	7	19	24	28	34	28	8.7	61	2	2	6	10	23	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.5	1	5	5	5	6	6	6	6										
25-34	11	16.2	97	4	5	16	27	28	28	28	17	13.7	90	3	4	14	16	29	34	36
35-54	21	14.1	104	3	3	13	23	28	32	36	24	13.6	69	3	5	12	18	27	29	29
55-74	11	18.6	70	7	7	21	26	28	29	29	6	8.5	41	4	4	5	12	19	20	20
75 +	6	16.0	83	4	4	15	23	28	29	29										
ALL AGES	51	15.4	91	3	4	14	24	28	29	36	47	13.0	73	3	4	13	17	27	30	36
SUBTOTAL	**75**	**14.1**	**89**	**3**	**4**	**12**	**23**	**28**	**29**	**35**	**75**	**11.4**	**72**	**2**	**3**	**9**	**15**	**26**	**29**	**35**
GRAND TOTAL	**98**	**13.5**	**78**	**3**	**4**	**12**	**22**	**27**	**29**	**35**	**104**	**10.8**	**62**	**3**	**4**	**8**	**14**	**25**	**29**	**33**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	4.6	4	3	3	4	6	8	8	8	3	8.7	8	6	6	8	11	12	12	12
18-24	59	6.4	6	3	4	6	7	10	13	14	42	5.0	8	2	3	4	6	8	13	14
25-34	69	7.0	23	3	3	6	7	13	14	32	88	5.0	15	2	3	4	5	8	13	25
35-54	19	6.0	6	2	3	6	7	8	12	14	27	4.6	7	2	3	4	5	7	12	14
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	153	6.5	14	3	3	6	7	11	14	18	160	5.0	12	2	3	4	5	8	13	14
B. FEMALE																				
0-12 YRS.																				
13-17	5	7.4	24	1	1	6	11	14	14	14										
18-24	39	6.3	9	2	4	6	7	11	13	18	33	4.3	2	2	3	4	5	7	7	7
25-34	64	6.9	26	2	3	6	7	14	15	30	46	5.8	19	2	3	5	6	13	15	23
35-54	6	8.0	19	4	4	6	13	14	14	14	8	5.5	15	2	2	5	6	12	14	14
55-74																				
75 +																				
ALL AGES	114	6.8	19	2	3	6	7	14	14	28	87	5.2	12	2	2	5	6	7	14	21
SUBTOTAL	**267**	**6.6**	**17**	**3**	**3**	**6**	**7**	**12**	**14**	**26**	**247**	**5.1**	**12**	**2**	**3**	**4**	**5**	**8**	**13**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	11.4	49	6	6	7	18	20	20	20	4	4.3	2	2	2	4	5	6	6	6
18-24	76	8.7	57	2	3	6	9	22	28	28	58	13.9	62	2	3	14	21	24	27	31
25-34	148	10.2	74	2	3	6	13	26	28	33	135	10.3	46	2	3	9	14	21	22	26
35-54	38	10.1	68	3	3	6	12	24	27	34	44	7.2	30	1	2	5	11	14	19	24
55-74											2	8.5	41	4	4	8	13	13	13	13
75 +																				
ALL AGES	267	9.8	67	2	3	6	12	24	28	33	243	10.5	51	2	3	8	15	21	23	28
B. FEMALE																				
0-12 YRS.																				
13-17	8	13.4	193	4	4	6	18	38	42	42	2	12.5	61	7	7	12	18	18	18	18
18-24	38	9.9	53	2	3	7	14	19	28	30	42	11.1	59	2	3	8	17	22	24	26
25-34	64	10.1	54	3	4	7	13	21	28	32	68	10.8	75	1	3	8	14	21	26	47
35-54	12	9.4	55	5	5	6	10	19	29	31	13	8.8	30	2	3	7	14	15	17	17
55-74																				
75 +																				
ALL AGES	122	10.2	61	3	4	7	13	21	28	35	125	10.7	64	2	3	8	14	21	25	36
SUBTOTAL	**389**	**9.9**	**66**	**3**	**3**	**6**	**13**	**24**	**28**	**33**	**368**	**10.6**	**55**	**2**	**3**	**8**	**15**	**21**	**24**	**30**
GRAND TOTAL	**656**	**8.6**	**47**	**3**	**3**	**6**	**9**	**20**	**27**	**32**	**615**	**8.4**	**45**	**2**	**3**	**5**	**14**	**19**	**21**	**28**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	17.5	135	6	6	18	27	28	28	28	1	14.0		14	14	14	14	14	14	14
18-24											2	5.5	41	1	1	5	10	10	10	10
25-34	3	11.0	9	8	8	11	13	14	14	14	1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	7	14.7	83	6	6	11	24	28	28	28	4	8.0	30	1	1	8	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	28.0		28	28	28	28	28	28	28	1	4.0		4	4	4	4	4	4	4
25-34	3	7.0	43	1	1	6	12	14	14	14										
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	5	15.4	154	1	1	14	28	28	28	28	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**12**	**15.0**	**101**	**1**	**4**	**12**	**27**	**28**	**28**	**28**	**5**	**7.2**	**26**	**1**	**1**	**7**	**11**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	56	19.7	113	2	2	26	28	30	30	32	8	18.0	151	5	6	16	31	31	31	31
18-24	25	22.2	90	2	5	24	28	29	34	41	6	16.8	107	5	5	19	26	27	27	27
25-34	27	17.3	93	2	2	22	24	28	28	28	5	12.6	98	2	2	9	22	25	25	25
35-54	8	14.4	67	4	4	15	19	26	28	28	2	16.0	162	7	7	16	25	25	25	25
55-74																				
75 +																				
ALL AGES	116	19.3	103	2	3	24	28	28	30	35	21	16.2	111	3	5	14	25	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	14	19.0	167	1	3	22	28	31	40	42	3	19.0	219	2	2	26	28	29	29	29
18-24	9	18.9	112	4	4	23	28	29	30	30	2	15.5	221	5	5	15	26	26	26	26
25-34	8	12.8	100	1	2	12	22	24	24	24	4	14.3	72	4	4	14	20	25	25	25
35-54											2	23.0	8	21	21	23	25	25	25	25
55-74																				
75 +																				
ALL AGES	31	17.4	132	1	3	21	28	29	30	42	11	17.4	99	2	3	21	26	27	29	29
SUBTOTAL	**147**	**18.9**	**109**	**2**	**3**	**23**	**28**	**29**	**30**	**41**	**32**	**16.6**	**104**	**2**	**4**	**18**	**26**	**29**	**31**	**31**
GRAND TOTAL	**159**	**18.6**	**109**	**2**	**3**	**23**	**28**	**28**	**30**	**40**	**37**	**15.3**	**104**	**2**	**4**	**14**	**25**	**29**	**31**	**31**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24												1	5.0		5	5	5	5	5	5	5
25-34	2	5.0		5	5	5	5	5	5	5	2	4.5	5	3	3	4	6	6	6	6
35-54																						
55-74																						
75 +																						
ALL AGES	2	5.0		5	5	5	5	5	5	5	3	4.7	2	3	3	5	6	6	6	6
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24												1	4.0		4	4	4	4	4	4	4
25-34												3	5.0	12	3	3	3	8	9	9	9
35-54												2	7.0	18	4	4	7	10	10	10	10
55-74																						
75 +																						
ALL AGES												6	5.5	10	3	3	4	9	10	10	10
SUBTOTAL	**2**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**9**	**5.2**	**7**	**3**	**3**	**4**	**7**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	2	13.5	113	6	6	13	21	21	21	21	2	12.5	145	4	4	12	21	21	21	21
25-34	4	14.5	142	4	4	13	24	28	28	28	2	3.5	1	3	3	3	4	4	4	4
35-54	3	17.3	168	3	3	21	26	28	28	28	1	5.0		5	5	5	5	5	5	5
55-74																						
75 +																						
ALL AGES	9	15.2	112	3	3	21	23	28	28	28	5	7.4	58	3	3	4	9	21	21	21
B. FEMALE																						
0-12 YRS.																						
13-17												2	28.0	32	24	24	28	32	32	32	32
18-24	3	25.0	12	21	21	27	27	27	27	27	2	4.0	2	3	3	4	5	5	5	5
25-34	4	16.5	70	4	4	20	21	21	21	21	1	14.0		14	14	14	14	14	14	14
35-54												1	5.0		5	5	5	5	5	5	5
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																						
ALL AGES	8	18.8	64	4	5	21	24	27	27	27	6	13.8	142	3	3	10	24	31	32	32
SUBTOTAL	**17**	**16.9**	**87**	**3**	**4**	**21**	**23**	**28**	**28**	**28**	**11**	**10.9**	**106**	**3**	**3**	**5**	**19**	**27**	**32**	**32**
GRAND TOTAL	**19**	**15.6**	**93**	**3**	**4**	**21**	**21**	**28**	**28**	**28**	**20**	**8.4**	**66**	**3**	**3**	**5**	**9**	**22**	**28**	**32**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0	2	3	3	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34											4	4.3		4	4	4	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	5	3.8	1	2	2	4	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	8.0		8	8	8	8	8	8	8
18-24																				
25-34											2	5.0	2	4	4	5	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES											3	6.0	4	4	4	6	7	8	8	8
SUBTOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**	**8**	**4.6**	**3**	**2**	**2**	**4**	**5**	**7**	**8**	**8**
GRAND TOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**	**8**	**4.6**	**3**	**2**	**2**	**4**	**5**	**7**	**8**	**8**

DRUG DEPENDENCE NEC (304.6)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	2	10.0	72	4	4	10	16	16	16	16	2	5.0	2	4	4	5	6	6	6	6
35-54	2	19.0	50	14	14	19	24	24	24	24	5	6.6	18	4	4	5	8	14	14	14
55-74																				
75 +																				
ALL AGES	5	14.8	51	4	4	16	18	24	24	24	7	6.1	13	4	4	5	6	12	14	14
SUBTOTAL	**5**	**14.8**	**51**	**4**	**4**	**16**	**18**	**24**	**24**	**24**	**8**	**5.9**	**11**	**4**	**4**	**5**	**6**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.5	13	6	6	8	11	11	11	11										
25-34	2	10.0	32	6	6	10	14	14	14	14	5	5.6	12	2	2	4	8	11	11	11
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	5	7.8	22	2	2	6	12	14	14	14	6	7.5	32	2	2	6	11	16	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	12.0		12	12	12	12	12	12	12
25-34	2	8.0	32	4	4	8	12	12	12	12										
35-54	1	20.0		20	20	20	20	20	20	20	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	3	12.0	64	4	4	12	18	20	20	20	2	8.0	32	4	4	8	12	12	12	12
SUBTOTAL	**8**	**9.4**	**35**	**2**	**3**	**9**	**13**	**18**	**20**	**20**	**8**	**7.6**	**28**	**2**	**2**	**6**	**11**	**15**	**17**	**17**
GRAND TOTAL	**13**	**11.5**	**44**	**2**	**3**	**12**	**16**	**21**	**23**	**24**	**16**	**6.8**	**18**	**2**	**4**	**5**	**9**	**14**	**16**	**17**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24	2	6.5	5	5	5	6	8	8	8	8	4	3.8	1	2	2	4	5	5	5	5
25-34	8	10.8	72	4	4	7	15	25	27	27	10	6.0	10	3	3	5	6	11	13	13
35-54	5	14.4	160	2	2	9	28	28	28	28	13	6.4	20	3	3	5	6	15	17	18
55-74																				
75 +																				
ALL AGES	15	11.4	90	2	4	7	18	28	28	28	28	5.8	13	3	3	5	6	12	14	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0		4	4	4	4	4	4	4	3	5.7	32	1	1	4	10	12	12	12
25-34	5	16.2	118	5	5	14	27	28	28	28	18	6.3	13	3	3	5	8	13	14	14
35-54	2	9.5	13	7	7	9	12	12	12	12	3	6.0	3	4	4	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	9	12.0	89	4	4	7	17	28	28	28	24	6.2	13	2	3	5	8	12	14	14
SUBTOTAL	**24**	**11.6**	**86**	**3**	**4**	**7**	**17**	**28**	**28**	**28**	**52**	**6.0**	**12**	**3**	**3**	**5**	**7**	**12**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	49.0		49	49	49	49	49	49	49	2	2.0	2	1	1	2	3	3	3	3
18-24	2	7.5	5	6	6	7	9	9	9	9	3	11.7	133	4	4	6	20	25	25	25
25-34	6	12.0	101	3	3	7	21	27	28	28	10	5.4	19	2	2	3	7	12	16	16
35-54	6	13.5	95	2	2	13	21	26	27	27	5	5.6	5	3	3	5	7	9	9	9
55-74																				
75 +																				
ALL AGES	15	14.5	165	2	3	9	21	28	44	49	20	6.1	30	1	2	4	7	13	20	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	18.5	265	7	7	18	30	30	30	30	1	5.0		5	5	5	5	5	5	5
25-34	2	24.0	32	20	20	24	28	28	28	28	4	4.8	7	2	2	4	7	8	8	8
35-54	2	3.5	1	3	3	3	4	4	4	4	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +																				
ALL AGES	6	15.3	151	3	3	13	28	30	30	30	6	6.3	19	2	2	5	8	13	14	14
SUBTOTAL	**21**	**14.7**	**154**	**2**	**3**	**9**	**23**	**29**	**39**	**49**	**26**	**6.1**	**28**	**2**	**2**	**5**	**7**	**14**	**18**	**25**
GRAND TOTAL	**45**	**13.1**	**116**	**3**	**4**	**8**	**21**	**28**	**29**	**49**	**78**	**6.0**	**18**	**2**	**3**	**5**	**7**	**13**	**14**	**23**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	6	5.8	1	5	5	6	7	7	7	7	3	1.7		1	1	2	2	2	2	2
25-34	6	5.7	1	4	4	6	6	7	7	7	9	4.2	5	1	1	4	5	7	8	8
35-54	8	5.8	13	1	1	5	7	11	13	13	7	4.9		4	4	5	6	6	6	6
55-74																				
75 +																				
ALL AGES	21	5.7	5	1	3	5	7	8	10	13	19	4.1	3	1	1	4	5	6	7	8
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	2	5.0	2	4	4	5	6	6	6	6	2	4.0		4	4	4	4	4	4	4
25-34	9	7.7	24	1	2	8	9	16	18	18	5	3.8	4	2	2	3	5	7	7	7
35-54	2	6.5	1	6	6	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
55-74																						
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	13	7.1	17	1	3	6	8	13	17	18	9	4.4	4	2	2	4	5	8	8	8
SUBTOTAL	**34**	**6.2**	**10**	**1**	**3**	**6**	**7**	**9**	**13**	**18**	**28**	**4.2**	**3**	**1**	**1**	**4**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	13	20.5	94	2	4	28	28	29	29	29	9	4.0	2	2	2	4	5	6	7	7
18-24	18	13.1	111	1	2	7	22	28	30	32	18	3.9	3	1	2	4	5	6	7	7
25-34	10	17.0	82	4	7	20	28	57	96	99 +	37	3.6	3	2	2	3	4	6	7	10
35-54	6	14.3	113	5	5	10	27	28	28	28	19	3.5	3	1	1	3	5	5	7	8
55-74											2	4.5	5	3	3	4	6	6	6	6
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	47	16.1	105	2	4	15	28	28	29	99 +	86	3.8	4	2	2	3	4	6	7	12
B. FEMALE																						
0-12 YRS.																						
13-17	1	28.0		28	28	28	28	28	28	28	13	3.8	1	3	3	3	5	5	5	5
18-24	6	15.8	172	2	2	14	28	32	32	32	16	3.8	5	2	2	3	5	5	9	11
25-34	8	18.9	145	3	3	27	28	28	28	28	23	4.3	5	1	2	4	5	7	9	10
35-54	1	5.0		5	5	5	5	5	5	5	4	2.8	1	1	1	3	4	4	4	4
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																						
ALL AGES	16	17.4	146	2	3	24	28	28	31	32	58	3.9	4	2	2	4	5	6	8	11
SUBTOTAL	**63**	**16.5**	**111**	**2**	**4**	**16**	**28**	**28**	**30**	**90**	**144**	**3.9**	**3**	**2**	**2**	**3**	**5**	**6**	**7**	**11**
GRAND TOTAL	**97**	**12.9**	**99**	**2**	**4**	**7**	**25**	**28**	**28**	**67**	**172**	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**8**	**11**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3	3	2.7	1	2	2	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	4.0	8	2	2	4	6	6	6	6	1	5.0		5	5	5	5	5	5	5
35-54	2	9.5	5	8	8	9	11	11	11	11	2	16.0	288	4	4	16	28	28	28	28
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	6	9.0	38	2	2	7	11	19	20	20	3	12.3	186	4	4	5	22	28	28	28
SUBTOTAL	**8**	**7.5**	**35**	**2**	**2**	**6**	**9**	**17**	**20**	**20**	**6**	**7.5**	**102**	**2**	**2**	**4**	**5**	**26**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	14.0		14	14	14	14	14	14	14
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	2	3.0	2	2	2	3	4	4	4	4	6	7.3	31	1	1	6	14	14	14	14
35-54	2	7.5	1	7	7	7	8	8	8	8	3	2.7	4	1	1	2	4	5	5	5
55-74	1	9.0		9	9	9	9	9	9	9	1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	6	6.8	12	2	2	7	9	11	11	11	11	7.5	34	1	1	5	14	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	3	27.7	2	27	27	28	28	28	28	28	2	11.5	25	8	8	11	15	15	15	15
35-54											1	5.0		5	5	5	5	5	5	5
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	27.7	2	27	27	28	28	28	28	28	5	7.4	21	3	3	6	10	15	15	15
SUBTOTAL	**9**	**13.8**	**115**	**2**	**3**	**9**	**27**	**28**	**28**	**28**	**16**	**7.4**	**29**	**1**	**1**	**6**	**14**	**15**	**16**	**16**
GRAND TOTAL	**17**	**10.8**	**84**	**2**	**2**	**8**	**13**	**28**	**28**	**28**	**22**	**7.5**	**44**	**1**	**2**	**5**	**14**	**15**	**21**	**28**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.8	1	1	1	2	2	3	3	3	2	1.5	1	1	1	1	2	2	2	2
13-17	41	1.5	1	1	1	1	1	3	5	6	69	1.2		1	1	1	1	2	2	4
18-24	20	3.1	23	1	1	1	2	8	15	21	41	1.1		1	1	1	1	2	2	2
25-34	49	3.9	11	1	1	3	6	6	8	17	26	2.1	3	1	1	1	2	5	7	7
35-54	118	5.4	14	1	1	6	6	7	11	21	31	3.2	8	1	1	2	5	6	7	14
55-74	16	4.1	4	1	1	4	6	6	8	8	25	2.8	6	1	1	2	4	6	8	10
75 +	8	3.4	3	1	1	3	5	6	6	6	4	2.8	1	1	1	3	4	4	4	4
ALL AGES	256	4.1	13	1	1	4	6	6	10	21	198	1.9	3	1	1	1	2	4	6	9
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
13-17	34	1.5	6	1	1	1	1	2	2	15	46	1.2		1	1	1	1	2	2	2
18-24	11	2.8	36	1	1	1	1	9	20	21	19	1.2		1	1	1	1	2	3	3
25-34	9	3.7	5	1	1	4	6	6	6	6	16	1.9	6	1	1	1	2	4	8	10
35-54	28	4.5	26	1	1	4	6	8	12	27	18	2.2	2	1	1	2	3	4	5	5
55-74	10	4.1	8	1	1	5	6	7	8	8	12	2.6	4	1	1	2	4	6	7	7
75 +	4	3.0	7	1	1	2	5	7	7	7	4	2.0	1	1	1	2	3	3	3	3
ALL AGES	97	3.0	17	1	1	1	5	6	8	24	118	1.6	2	1	1	1	2	3	4	8
SUBTOTAL	**353**	**3.8**	**14**	**1**	**1**	**3**	**6**	**6**	**9**	**21**	**316**	**1.8**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	33	10.4	149	1	1	3	27	28	31	32	8	2.0	3	1	1	1	2	5	6	6
18-24	44	9.1	92	1	1	5	13	22	29	40	7	2.9	4	1	1	2	5	6	6	6
25-34	74	7.7	63	1	1	6	8	16	25	45	14	2.8	10	1	1	1	3	6	11	13
35-54	73	7.7	50	1	2	6	7	21	24	30	16	4.3	5	1	1	4	6	8	8	8
55-74	7	6.7	4	5	5	6	7	10	11	11	6	3.3	9	1	1	2	6	8	8	8
75 +	2	5.5	5	4	4	5	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	235	8.2	75	1	1	6	9	23	28	35	54	3.1	7	1	1	2	5	7	8	13
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	28	9.5	161	1	1	3	8	33	36	40	13	1.8	2	1	1	1	2	4	6	6
18-24	24	7.0	60	1	1	4	9	21	23	26	9	2.4	4	1	1	2	3	6	7	7
25-34	26	4.7	51	1	1	2	5	6	26	31	10	3.8	21	1	1	2	4	12	14	14
35-54	19	5.5	20	1	1	4	9	13	14	14	8	3.3	3	1	1	3	4	6	7	7
55-74	7	6.0	13	2	2	5	10	11	11	11	8	8.9	175	1	1	4	10	32	40	40
75 +	4	12.3	109	2	2	10	19	27	27	27	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	109	6.9	77	1	1	3	7	22	29	38	50	3.7	36	1	1	2	4	7	14	40
SUBTOTAL	**344**	**7.8**	**75**	**1**	**1**	**5**	**8**	**22**	**28**	**36**	**104**	**3.4**	**21**	**1**	**1**	**2**	**4**	**7**	**9**	**26**
GRAND TOTAL	**697**	**5.8**	**48**	**1**	**1**	**4**	**5**	**12**	**23**	**32**	**420**	**2.2**	**8**	**1**	**1**	**1**	**2**	**5**	**6**	**13**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

CANNABIS ABUSE (305.2)

	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
				PERCENTILES										PERCENTILES								
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	21.0	578	4	4	21	38	38	38	38	1	3.0		3	3	3	3	3	3	3
18-24											1	2.0		2	2	2	2	2	2	2
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	2	21.0	578	4	4	21	38	38	38	38	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	**2**	**21.0**	**578**	**4**	**4**	**21**	**38**	**38**	**38**	**38**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	47	9.6	109	1	2	4	14	28	29	32											
18-24	3	9.3	53	1	1	13	14	14	14	14											
25-34	5	9.2	113	3	3	4	12	28	28	28											
35-54	1	5.0		5	5	5	5	5	5	5											
55-74																						
75 +																						
ALL AGES	56	9.4	103	1	2	4	13	28	28	32											
B. FEMALE																						
0-12 YRS.																						
13-17	12	12.2	175	2	2	5	21	33	41	42											
18-24	5	4.2	11	1	1	4	7	8	8	8	1	2.0		2	2	2	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3											
35-54																						
55-74																						
75 +																						
ALL AGES	18	9.4	133	1	1	4	8	28	37	42	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**74**	**9.4**	**109**	**1**	**2**	**4**	**13**	**28**	**29**	**40**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**76**	**9.8**	**115**	**1**	**2**	**5**	**13**	**28**	**29**	**41**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	2	4.0	18	1	1	4	7	7	7	7	1	1.0		1	1	1	1	1	1	1
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																					
75 +																					
ALL AGES	3	6.3	26	1	1	7	10	11	11	11	2	1.0		1	1	1	1	1	1	1
B. FEMALE																					
0-12 YRS.																					
13-17	1	1.0		1	1	1	1	1	1	1											
18-24											1	1.0		1	1	1	1	1	1	1
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**5.0**	**24**	**1**	**1**	**4**	**9**	**11**	**11**	**11**	**3**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	3	11.3	71	6	6	7	17	21	21	21	1	4.0		4	4	4	4	4	4	4
18-24	5	5.8	29	1	1	3	11	13	13	13	1	1.0		1	1	1	1	1	1	1
25-34	1	8.0		8	8	8	8	8	8	8											
35-54																					
55-74																					
75 +																					
ALL AGES	9	7.9	39	1	1	7	11	18	21	21	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																					
0-12 YRS.																					
13-17	1	1.0		1	1	1	1	1	1	1											
18-24																					
25-34	1	3.0		3	3	3	3	3	3	3											
35-54																					
55-74																					
75 +																					
ALL AGES	2	2.0	2	1	1	1	3	3	3	3											
SUBTOTAL	**11**	**6.8**	**37**	**1**	**1**	**6**	**9**	**16**	**21**	**21**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**15**	**6.3**	**33**	**1**	**1**	**6**	**9**	**13**	**19**	**21**	**5**	**1.6**	**2**	**1**	**1**	**1**	**2**	**4**	**4**	**4**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	2	9.5	85	3	3	9	16	16	16	16	2	7.0	2	6	6	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	38.0		38	38	38	38	38	38	38	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	1	38.0		38	38	38	38	38	38	38	2	6.5	61	1	1	6	12	12	12	12
SUBTOTAL	**3**	**19.0**	**313**	**3**	**3**	**16**	**32**	**38**	**38**	**38**	**4**	**6.8**	**20**	**1**	**1**	**7**	**10**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	14.0		14	14	14	14	14	14	14
35-54	2	14.0	200	4	4	14	24	24	24	24										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	9.7	155	1	1	4	19	24	24	24	2	10.0	32	6	6	10	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11	2	19.5	545	3	3	19	36	36	36	36
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	6	9.7	53	3	3	7	16	20	21	21	2	2.0	2	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	8	8.8	47	1	2	7	13	19	21	21	5	8.8	232	1	1	3	11	36	36	36
SUBTOTAL	**11**	**9.0**	**65**	**1**	**1**	**7**	**15**	**22**	**24**	**24**	**7**	**9.1**	**161**	**1**	**1**	**3**	**12**	**32**	**36**	**36**
GRAND TOTAL	**14**	**11.1**	**117**	**1**	**1**	**7**	**16**	**25**	**35**	**38**	**11**	**8.3**	**104**	**1**	**1**	**6**	**11**	**23**	**35**	**36**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	4.0		4	4	4	4	4	4	4										
35-54	2	4.5	5	3	3	4	6	6	6	6	2	5.5	5	4	4	5	7	7	7	7
55-74																				
75 +																				
ALL AGES	5	4.2	1	3	3	4	5	6	6	6	2	5.5	5	4	4	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**7**	**3.9**	**1**	**2**	**2**	**4**	**4**	**6**	**6**	**6**	**3**	**5.7**	**2**	**4**	**4**	**6**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	10.5	61	5	5	10	16	16	16	16										
25-34	8	6.1	16	1	1	6	8	12	13	13	3	6.0	48	2	2	2	11	14	14	14
35-54	3	4.7	4	3	3	4	6	7	7	7	2	7.5	85	1	1	7	14	14	14	14
55-74																				
75 +																				
ALL AGES	14	6.3	18	1	1	5	8	13	15	16	5	6.6	46	1	1	2	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.0	32	5	5	9	13	13	13	13										
25-34	5	9.2	14	5	5	8	11	15	15	15	1	14.0		14	14	14	14	14	14	14
35-54	3	9.0	48	5	5	5	14	17	17	17										
55-74											1	24.0		24	24	24	24	24	24	24
75 +																				
ALL AGES	10	9.1	20	5	5	8	13	16	17	17	2	19.0	50	14	14	19	24	24	24	24
SUBTOTAL	**24**	**7.5**	**19**	**1**	**3**	**6**	**9**	**15**	**16**	**17**	**7**	**10.1**	**76**	**1**	**1**	**14**	**14**	**22**	**24**	**24**
GRAND TOTAL	**31**	**6.6**	**19**	**1**	**2**	**5**	**8**	**14**	**16**	**17**	**10**	**8.8**	**56**	**1**	**1**	**6**	**14**	**19**	**24**	**24**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	12	4.3	45	1	1	2	4	12	23	25	3	10.3	41	3	3	14	14	14	14	14
25-34	18	6.1	34	1	1	5	7	15	20	22	7	3.7	22	1	1	2	4	12	14	14
35-54	6	7.2	110	1	1	4	6	26	28	28	3	1.7	1	1	1	1	3	3	3	3
55-74																				
75 +																				
ALL AGES	36	5.7	47	1	1	3	6	16	24	28	13	4.8	28	1	1	3	6	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.5	1	2	2	2	3	3	3	3
18-24	15	8.1	55	1	1	5	13	21	21	21	3	9.7	132	3	3	3	18	23	23	23
25-34	7	5.6	25	2	2	3	7	14	16	16	3	4.0	1	3	3	4	5	5	5	5
35-54	2	8.0	72	2	2	8	14	14	14	14										
55-74																				
75 +																				
ALL AGES	24	7.3	45	1	2	4	11	21	21	21	8	5.8	49	2	2	3	4	18	23	23
SUBTOTAL	**60**	**6.4**	**45**	**1**	**1**	**4**	**7**	**18**	**22**	**28**	**21**	**5.1**	**35**	**1**	**1**	**3**	**4**	**14**	**18**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	14.7	157	3	3	13	24	28	28	28	1	9.0		9	9	9	9	9	9	9
18-24	23	9.1	111	1	1	4	9	28	30	32	15	7.0	23	1	1	5	11	14	14	14
25-34	34	8.5	56	1	2	7	10	21	27	28	12	8.3	37	1	1	9	14	14	14	14
35-54	11	10.0	34	4	4	8	14	19	21	21	7	6.0	31	2	2	4	11	14	14	14
55-74																				
75 +																				
ALL AGES	71	9.2	72	1	2	6	12	26	28	31	35	7.3	28	1	1	5	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.7	5	4	4	8	8	8	8	8	2	8.0	8	6	6	8	10	10	10	10
18-24	18	10.5	117	1	1	6	18	27	35	39	3	7.3	35	3	3	5	12	14	14	14
25-34	22	11.5	58	2	3	12	15	24	25	25	6	4.5	23	1	1	3	4	13	14	14
35-54	8	10.0	53	4	4	7	14	22	24	24										
55-74																				
75 +																				
ALL AGES	51	10.6	74	1	2	7	15	24	25	39	11	5.9	22	1	1	4	9	14	14	14
SUBTOTAL	**122**	**9.8**	**73**	**1**	**2**	**7**	**13**	**25**	**28**	**34**	**46**	**7.0**	**26**	**1**	**1**	**5**	**14**	**14**	**14**	**14**
GRAND TOTAL	**182**	**8.7**	**65**	**1**	**1**	**6**	**12**	**22**	**27**	**31**	**67**	**6.4**	**29**	**1**	**1**	**4**	**13**	**14**	**14**	**22**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	4.0	1	3	3	4	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	2	18.5	181	9	9	18	28	28	28	28										
SUBTOTAL	**5**	**9.8**	**109**	**3**	**3**	**5**	**14**	**28**	**28**	**28**										
GRAND TOTAL	**5**	**9.8**	**109**	**3**	**3**	**5**	**14**	**28**	**28**	**28**										

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	9.3	146	1	1	4	17	27	27	27	1	4.0		4	4	4	4	4	4	4
18-24	13	8.4	54	1	1	6	15	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	21	8.0	63	1	1	3	14	21	24	27	5	3.4	2	1	1	4	4	5	5	5
35-54	7	10.1	73	1	1	9	19	21	21	21	3	6.7	54	1	1	4	12	15	15	15
55-74	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	46	8.5	63	1	1	5	14	21	22	27	12	4.1	14	1	1	4	5	8	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	12.8	101	4	4	10	21	27	28	28										
25-34	11	14.1	274	2	2	4	25	38	53	54	4	4.3	4	2	2	4	6	7	7	7
35-54	6	9.8	97	1	1	7	9	27	29	29										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	24	12.5	166	2	3	7	21	28	36	54	4	4.3	4	2	2	4	6	7	7	7
SUBTOTAL	**70**	**9.9**	**99**	**1**	**1**	**6**	**15**	**24**	**28**	**49**	**16**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	9.9	118	1	1	4	23	26	28	28	4	2.3		2	2	2	3	3	3	3
18-24	45	11.5	131	1	2	8	15	20	35	56	1	4.0		4	4	4	4	4	4	4
25-34	41	7.7	41	1	1	6	11	17	20	26	2	7.5	61	2	2	7	13	13	13	13
35-54	26	9.0	26	2	3	8	13	17	18	20	2	2.5	5	1	1	2	4	4	4	4
55-74																				
75 +																				
ALL AGES	122	9.5	79	1	2	7	13	19	24	55	9	3.7	13	1	1	2	4	9	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	5	8.0	43	1	1	8	14	15	15	15	1	2.0		2	2	2	2	2	2	2
18-24	13	18.1	240	1	2	14	30	41	47	49	3	11.0	31	5	5	12	15	16	16	16
25-34	18	11.2	72	2	2	9	13	26	28	28	4	7.3	47	1	1	5	12	17	17	17
35-54	14	15.7	201	1	2	11	21	37	46	48	1	14.0		14	14	14	14	14	14	14
55-74	1	20.0		20	20	20	20	20	20	20	3	4.0	7	1	1	5	6	6	6	6
75 +																				
ALL AGES	51	14.1	149	1	2	10	21	31	39	49	12	7.5	33	1	1	6	13	16	17	17
SUBTOTAL	**173**	**10.9**	**102**	**1**	**2**	**8**	**15**	**23**	**29**	**53**	**21**	**5.9**	**27**	**1**	**1**	**4**	**8**	**15**	**16**	**17**
GRAND TOTAL	**243**	**10.6**	**101**	**1**	**2**	**7**	**15**	**23**	**28**	**54**	**37**	**5.1**	**21**	**1**	**1**	**4**	**6**	**14**	**16**	**17**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24											1	3.0		3	3	3	3	3	3	3
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	3	5.3	35	1	1	3	10	12	12	12	3	4.0	7	2	2	3	6	7	7	7
SUBTOTAL	**4**	**4.5**	**26**	**1**	**1**	**2**	**7**	**12**	**12**	**12**	**3**	**4.0**	**7**	**2**	**2**	**3**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	1	19.0		19	19	19	19	[illegible]	19	19	1	25.0		25	25	25	25	25	25	25
75 +																				
ALL AGES	2	12.5	85	6	6	12	19	19	19	19	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	6.5	13	4	4	6	9	9	9	9
35-54	1	31.0		31	31	31	31	31	31	31										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	1	31.0		31	31	31	31	31	31	31	3	6.3	7	4	4	6	8	9	9	9
SUBTOTAL	**3**	**18.7**	**154**	**6**	**6**	**19**	**28**	**31**	**31**	**31**	**4**	**11.0**	**91**	**4**	**4**	**7**	**17**	**25**	**25**	**25**
GRAND TOTAL	**7**	**10.6**	**122**	**1**	**1**	**6**	**17**	**29**	**31**	**31**	**7**	**8.0**	**62**	**2**	**2**	**6**	**8**	**22**	**25**	**25**

PSYCHOGENIC RESFIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	2	2.0	2	1	1	2	3	3	3	3	2	6.0	8	4	4	6	8	8	8	8
18-24	2	5.0	32	1	1	4	9	9	9	9	2	1.5	1	1	1	1	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1	4	2.8	1	1	1	3	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3	8	2.4	1	1	1	2	3	4	4	4
55-74	3	3.0	7	1	1	2	5	6	6	6	6	2.3	2	1	1	2	3	4	4	4
75 +											2	3.5	5	2	2	3	5	5	5	5
ALL AGES	10	2.8	7	1	1	2	3	7	9	9	25	2.7	3	1	1	2	4	4	6	8
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	3	5.3	9	2	2	7	7	7	7	7										
25-34	6	2.5	2	1	1	2	4	4	4	4	3	1.3		1	1	1	2	2	2	2
35-54	9	2.4	5	1	1	1	3	6	7	7	11	3.0	3	1	1	3	4	6	7	7
55-74	10	3.1	1	2	2	3	4	5	5	5	12	3.3	6	1	1	2	4	7	10	10
75 +	1	11.0		11	11	11	11	11	11	11	6	4.5	6	2	2	4	5	9	9	9
ALL AGES	32	3.3	5	1	1	3	4	7	7	11	34	3.1	5	1	1	2	4	6	9	10
SUBTOTAL	**42**	**3.2**	**6**	**1**	**1**	**3**	**4**	**7**	**8**	**11**	**59**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**8**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
55-74	3	3.7		3	3	4	4	4	4	4										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	7	3.6	1	2	2	3	4	6	6	6	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											1	43.0		43	43	43	43	43	43	43
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											4	5.3	72	1	1	1	9	18	18	18
35-54	1	1.0		1	1	1	1	1	1	1	9	2.8	2	1	1	3	4	5	5	5
55-74	3	2.7	2	1	1	3	4	4	4	4	6	1.8	1	1	1	2	2	3	3	3
75 +	3	10.0	169	2	2	3	19	25	25	25	7	4.7	27	1	1	3	5	14	16	16
ALL AGES	8	5.0	67	1	1	2	4	19	25	25	27	4.9	75	1	1	2	4	14	22	43
SUBTOTAL	**15**	**4.3**	**35**	**1**	**1**	**3**	**4**	**6**	**20**	**25**	**30**	**4.6**	**68**	**1**	**1**	**2**	**4**	**11**	**18**	**43**
GRAND TOTAL	**57**	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**8**	**24**	**89**	**3.5**	**26**	**1**	**1**	**2**	**4**	**5**	**9**	**33**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
55-74	5	7.8	24	3	3	7	11	15	15	15	4	4.0	5	2	2	3	5	7	7	7
75 +	1	4.0		4	4	4	4	4	4	4	2	10.5	85	4	4	10	17	17	17	17
ALL AGES	9	5.7	18	2	2	4	8	13	15	15	8	5.3	24	2	2	3	6	14	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74											1	12.0		12	12	12	12	12	12	12
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	7.0	19	4	4	5	10	12	12	12
SUBTOTAL	10	5.2	19	1	1	4	7	12	15	15	11	5.7	22	2	2	4	6	14	17	17
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	3.0		3	3	3	3	3	3	3	2	3.0		3	3	3	3	3	3	3
55-74	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	5.0	3	3	3	6	6	6	6	6	3	3.3	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54											1	2.0		2	2	2	2	2	2	2
55-74											3	5.3	18	2	2	4	8	10	10	10
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4	5	4.2	11	2	2	3	5	10	10	10
SUBTOTAL	4	4.8	2	3	3	5	6	6	6	6	8	3.9	6	2	2	3	4	8	10	10
GRAND TOTAL	14	5.1	13	1	2	4	6	10	14	15	19	4.9	16	2	2	4	5	11	15	17

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	14.0		14	14	14	14	14	14	14
35-54											2	3.5	5	2	2	3	5	5	5	5
55-74	1	8.0		8	8	8	8	8	8	8	2	5.0	2	4	4	5	6	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	4.7	8	3	3	3	7	8	8	8	8	4.8	16	1	1	4	5	12	14	14
B. FEMALE																				
0-12 YRS.											2	2.0		2	2	2	2	2	2	2
13-17	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	1	10.0		10	10	10	10	10	10	10	5	1.6	1	1	1	1	2	3	3	3
25-34	2	3.5	5	2	2	3	5	5	5	5	3	3.3	3	2	2	3	4	5	5	5
35-54	1	3.0		3	3	3	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2	8	4.5	6	1	2	4	6	8	9	9
75 +	1	6.0		6	6	6	6	6	6	6	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	4.3	9	2	2	3	6	9	10	10	22	3.4	5	1	1	3	5	7	8	9
SUBTOTAL	**10**	**4.4**	**8**	**2**	**2**	**3**	**6**	**9**	**10**	**10**	**30**	**3.7**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9										
35-54	2	17.5	365	4	4	17	31	31	31	31	1	6.0		6	6	6	6	6	6	6
55-74	2	7.0	2	6	6	7	8	8	8	8	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	6	9.8	117	1	1	7	9	29	31	31	3	7.3	18	4	4	6	10	12	12	12
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
18-24	1	52.0		52	52	52	52	52	52	52										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
55-74	4	24.3	978	3	3	12	44	70	70	70	4	5.3	6	2	2	5	7	8	8	8
75 +	4	5.0	13	1	1	5	8	9	9	9	1	7.0		7	7	7	7	7	7	7
ALL AGES	11	17.0	514	1	2	7	17	59	69	70	9	5.1	8	2	2	5	7	9	10	10
SUBTOTAL	**17**	**14.5**	**369**	**1**	**2**	**7**	**14**	**48**	**64**	**70**	**12**	**5.7**	**10**	**2**	**2**	**5**	**7**	**11**	**12**	**12**
GRAND TOTAL	**27**	**10.7**	**256**	**1**	**2**	**6**	**9**	**29**	**55**	**70**	**42**	**4.3**	**9**	**1**	**1**	**4**	**6**	**8**	**11**	**14**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +											1	65.0		65	65	65	65	65	65	65
ALL AGES	2	5.5	25	2	2	5	9	9	9	9	3	25.3	1183	5	5	6	50	65	65	65
SUBTOTAL	3	4.3	17	2	2	2	7	9	9	9	4	19.5	923	2	2	5	35	65	65	65
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	3	4.3	17	2	2	2	7	9	9	9	5	16.2	747	2	2	5	21	65	65	65

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	17.0		17	17	17	17	17	17	17										
GRAND TOTAL	2	10.5	85	4	4	10	17	17	17	17										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	1	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	6.5	1	6	6	6	7	7	7	7										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	5.3	5	3	3	6	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	5.3	5	3	3	6	7	7	7	7										
GRAND TOTAL	4	6.3	5	3	3	6	8	9	9	9	1	1.0		1	1	1	1	1	1	1

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54											1	2.0		2	2	2	2	2	2	2
55-74											3	5.7	21	3	3	3	9	11	11	11
75 +																				
ALL AGES											5	4.4	14	2	2	3	5	11	11	11
SUBTOTAL											6	4.0	12	2	2	3	3	10	11	11
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	5	3.0	6	1	1	2	4	7	7	7	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	5	3.0	6	1	1	2	4	7	7	7	7	4.1	11	2	2	3	5	10	11	11

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24												2	40.0	200	30	30	40	50	50	50	50
25-34												2	2.5	5	1	1	2	4	4	4	4
35-54												1	44.0		44	44	44	44	44	44	44
55-74																						
75 +																						
ALL AGES												5	25.8	506	1	1	30	45	50	50	50
B. FEMALE																						
0-12 YRS.	2	10.5	85	4	4	10	17	17	17	17	3	36.7	51	31	31	34	42	45	45	45
13-17	23	43.3	657	1	1	49	63	84	99 +	99 +	34	29.1	551	4	4	27	42	60	65	99
18-24	30	24.8	596	1	2	19	37	66	76	79	23	20.0	353	1	2	12	29	53	59	68
25-34	11	15.2	196	1	2	11	17	39	47	48	12	24.4	254	3	4	30	38	41	44	44
35-54	4	27.5	195	12	12	27	38	44	44	44	8	17.3	304	4	4	11	19	47	58	58
55-74	1	56.0		56	56	56	56	56	56	56										
75 +											2	6.5	5	5	5	6	8	8	8	8
ALL AGES	71	29.5	615	1	2	24	49	68	79	99 +	82	24.4	417	3	4	20	37	55	61	89
SUBTOTAL	**71**	**29.5**	**615**	**1**	**2**	**24**	**49**	**68**	**79**	**99 +**	**87**	**24.5**	**416**	**2**	**4**	**21**	**38**	**54**	**60**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24												1	4.0		4	4	4	4	4	4	4
25-34	1	94.0		94	94	97	99 +	99 +	99 +	99 +	1	8.0		8	8	8	8	8	8	8
35-54																						
55-74	2	10.5	145	2	2	10	19	19	19	19										
75 +																						
ALL AGES	3	38.3	2400	2	2	56	97	99 +	99 +	99 +	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																						
0-12 YRS.											4	40.5	505	11	11	46	58	59	59	59
13-17	15	35.4	675	2	3	55	84	99 +	99 +	99 +	29	36.6	726	2	3	33	61	80	86	99 +
18-24	22	41.7	1094	1	2	56	85	99 +	99 +	99 +	13	22.6	297	1	2	27	39	58	91	99 +
25-34	16	21.1	324	4	5	15	31	42	60	68	5	18.0	214	3	3	18	31	35	35	35
35-54	7	32.4	258	5	7	40	42	45	45	45	5	17.0	352	4	4	5	30	47	47	47
55-74											1	19.0		19	19	19	19	19	19	19
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES	60	33.6	722	2	3	38	62	99 +	99 +	99 +	58	29.7	565	2	3	27	50	73	84	99 +
SUBTOTAL	**63**	**33.8**	**767**	**2**	**3**	**38**	**65**	**99 +**	**99 +**	**99 +**	**60**	**29.0**	**559**	**2**	**3**	**26**	**48**	**72**	**84**	**99 +**
GRAND TOTAL	**134**	**31.5**	**688**	**1**	**3**	**33**	**58**	**86**	**99 +**	**99 +**	**147**	**26.3**	**478**	**2**	**4**	**24**	**40**	**59**	**70**	**99 +**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	25.3	719	1	1	21	46	54	54	54										
13-17	3	4.3	5	2	2	5	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	6	14.8	422	1	1	5	21	51	54	54	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**6**	**14.8**	**422**	**1**	**1**	**5**	**21**	**51**	**54**	**54**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	3.5	1	3	3	3	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.0	18	4	4	7	10	10	10	10										
SUBTOTAL	**2**	**7.0**	**18**	**4**	**4**	**7**	**10**	**10**	**10**	**10**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**8**	**12.9**	**315**	**1**	**1**	**5**	**15**	**44**	**54**	**54**	**3**	**4.7**	**4**	**3**	**3**	**4**	**6**	**7**	**7**	**7**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.0		1	1	1	1	[illegible]	1	1	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	3	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	4	2.0	2	1	1	1	3	4	4	4	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	5	1.8	2	1	1	1	2	4	4	4	3	3.3	17	1	1	1	6	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	6	1.7	1	1	1	1	2	4	4	4	3	3.3	17	1	1	1	6	8	8	8

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	3	38.7	176	29	29	33	49	54	54	54
13-17	2	40.0	200	30	30	40	50	50	50	50	2	7.5	61	2	2	7	13	13	13	13
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +	1	41.0		41	41	41	41	41	41	41										
ALL AGES	6	21.2	480	1	1	16	41	49	50	50	6	22.8	387	2	2	21	33	52	54	54
B. FEMALE																				
0-12 YRS.	3	7.0	91	1	1	2	14	18	18	18	4	46.5	146	4	4	69	83	99 +	99 +	99 +
13-17	13	23.4	311	1	1	21	43	47	50	51	8	17.3	156	2	2	16	30	31	31	31
18-24	15	23.3	445	1	3	24	46	57	87	99 +	23	22.7	107	2	4	28	29	30	32	36
25-34	5	20.6	247	3	3	25	35	35	35	35	10	20.5	119	2	2	25	28	29	30	30
35-54	1	92.0		92	92	92	92	92	92	92	2	11.0	200	1	1	11	21	21	21	21
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	38	23.1	458	1	2	20	42	54	76	99 +	49	22.0	245	1	2	26	30	33	69	99 +
SUBTOTAL	**44**	**22.9**	**448**	**1**	**2**	**20**	**41**	**51**	**66**	**99 +**	**55**	**22.1**	**253**	**1**	**2**	**26**	**30**	**35**	**64**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56	1	71.0		71	71	71	71	71	71	71
13-17	1	57.0		57	57	57	57	57	57	57										
18-24																				
25-34	6	2.5	2	1	1	2	3	5	5	5	2	5.0		5	5	5	5	5	5	5
35-54	1	83.0		83	83	83	83	83	83	83	1	51.0		51	51	51	51	51	51	51
55-74																				
75 +																				
ALL AGES	9	23.4	1049	1	1	3	56	73	83	83	4	33.0	1112	5	5	28	61	71	71	71
B. FEMALE																				
0-12 YRS.											1	57.0		57	57	57	57	57	57	57
13-17	15	45.4	703	3	4	56	63	70	84	89	15	33.4	358	4	5	33	46	51	69	75
18-24	8	32.5	401	11	12	30	47	90	99 +	99 +	14	27.8	427	5	11	30	31	92	98	99 +
25-34	13	28.0	407	4	5	30	46	55	62	64	8	32.1	603	2	8	28	31	71	88	88
35-54	4	32.3	268	8	8	38	59	99 +	99 +	99 +	5	35.0	1312	10	10	25	47	98	98	98
55-74	1	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8	3	7.7	22	4	4	6	11	13	13	13
ALL AGES	42	34.5	541	4	7	36	56	71	92	99 +	47	30.0	503	4	5	28	36	70	93	99 +
SUBTOTAL	**51**	**32.5**	**633**	**2**	**3**	**34**	**56**	**71**	**88**	**99 +**	**51**	**30.2**	**533**	**4**	**5**	**28**	**40**	**72**	**92**	**99 +**
GRAND TOTAL	**95**	**28.1**	**562**	**1**	**2**	**28**	**49**	**65**	**87**	**99 +**	**106**	**26.0**	**400**	**2**	**3**	**27**	**30**	**53**	**79**	**99 +**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	34.0		34	34	34	34	34	34	34
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	34.0		34	34	34	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	34.0		34	34	34	34	34	34	34
GRAND TOTAL											1	34.0		34	34	34	34	34	34	34

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57	2	46.0	578	29	29	46	63	63	63	63
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	57.0		57	57	57	57	57	57	57	2	46.0	578	29	29	46	63	63	63	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	57.0		57	57	57	57	57	57	57	2	46.0	578	29	29	46	63	63	63	63
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	61.0		61	61	61	61	61	61	61
13-17											1	29.0		29	29	29	29	29	29	29
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	45.0	512	29	29	45	61	61	61	61
B. FEMALE																				
0-12 YRS.											2	44.0	162	35	35	44	53	53	53	53
13-17	2	32.0	882	11	11	32	53	53	53	53										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	32.0	882	11	11	32	53	53	53	53	2	44.0	162	35	35	44	53	53	53	53
SUBTOTAL	2	32.0	882	11	11	32	53	53	53	53	4	44.5	225	29	29	44	57	61	61	61
GRAND TOTAL	3	40.3	653	11	11	53	56	57	57	57	6	45.0	251	29	29	44	61	63	63	63

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.5	85	1	1	7	14	14	14	14										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	3.0		3		3	3	3	3	3	3	3.3	11	1	1	2	6	7	7	7
25-34	3	2.7	4	1	1	2	4	5	5	5	1	3.0		3	3	3	3	3	3	3
35-54	5	4.0	9	1	1	3	5	9	9	9	5	2.8	3	1	1	3	4	5	5	5
55-74	2	5.0		5	5	5	5	5	5	5	2	2.0		2	2	2	2	2	2	2
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	14	4.4	12	1	1	4	5	9	13	14	12	2.9	3	1	1	3	4	6	7	7
B. FEMALE																				
0-12 YRS.	3	4.7	10	1	1	6	7	7	7	7	2	3.0		3	3	3	3	3	3	3
13-17	3	4.3	6	3	3	3	6	7	7	7	3	3.0	1	2	2	3	4	4	4	4
18-24	4	2.5	6	1	1	2	4	6	6	6	3	1.7	1	1	1	1	2	3	3	3
25-34	10	3.5	6	1	1	3	4	7	8	8	8	4.6	8	2	2	4	6	9	10	10
35-54	11	8.1	150	1	1	4	9	26	42	43	18	3.3	5	1	1	3	6	6	7	7
55-74	9	3.4	8	1	1	3	5	8	9	9	8	3.6	4	1	1	3	5	7	7	7
75 +	1	1.0		1	1	1	1	1	1	1	4	3.8		3	3	4	4	5	5	5
ALL AGES	41	4.7	46	1	1	3	6	8	12	43	46	3.5	4	1	1	3	5	6	7	10
SUBTOTAL	**55**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**42**	**58**	**3.4**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	5.0	32	1	1	5	9	9	9	9
25-34		16.0	338	3	3	16	29	29	29	29										
35-54	4	10.3	53	5	5	7	15	21	21	21	2	5.5	13	3	3	5	8	8	8	8
55-74	2	2.0	2	1	1	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	8	9.6	101	1	2	5	15	27	29	29	5	5.2	11	1	1	5	8	9	9	9
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-24	3	3.7	4	2	2	3	5	6	6	6	3	4.3	7	2	2	4	6	7	7	7
25-34	5	3.4	11	1	1	3	5	9	9	9	4	4.0	12	1	1	3	6	9	9	9
35-54	9	7.7	36	3	3	5	10	18	20	20	3	4.0	19	1	1	2	7	9	9	9
55-74	8	5.6	11	1	2	5	8	10	11	11	5	3.2	15	1	1	1	5	10	10	10
75 +	2	4.0		4	4	4	4	4	4	4	4	5.0	1	4	4	5	6	6	6	6
ALL AGES	27	5.6	19	1	1	4	8	11	16	20	20	4.2	8	1	1	4	6	9	10	10
SUBTOTAL	**35**	**6.5**	**38**	**1**	**1**	**4**	**8**	**15**	**21**	**29**	**25**	**4.4**	**8**	**1**	**1**	**4**	**6**	**9**	**9**	**10**
GRAND TOTAL	**90**	**5.3**	**39**	**1**	**1**	**4**	**6**	**10**	**15**	**37**	**83**	**3.7**	**5**	**1**	**1**	**3**	**5**	**7**	**9**	**10**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	1.3		1	1	1	2	2	2	2
25-34																				
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	1	31.0		31	31	31	31	31	31	31	4	2.3	3	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	15.0		15	15	15	15	15	15	15
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74											1	9.0		9	9	9	9	9	9	9
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	1	2.0		2	2	2	2	2	2	2	4	9.0	19	5	5	8	12	15	15	15
SUBTOTAL	2	16.5	421	2	2	16	31	31	31	31	8	5.6	23	1	1	5	8	13	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	17.0		17	17	17	17	17	17	17	1	61.0		61	61	61	61	61	61	61
75 +	1	38.0		38	38	38	38	38	38	38	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	3	18.7	342	1	1	17	33	38	38	38	3	22.3	1125	2	2	4	47	61	61	61
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
75 +	1	8.0		8	8	8	8	8	8	8	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	3	6.3	15	2	2	8	9	9	9	9	5	3.6	6	1	1	3	5	7	7	7
SUBTOTAL	6	12.5	189	1	1	8	17	36	38	38	8	10.6	419	1	1	3	6	45	61	61
GRAND TOTAL	8	13.5	199	1	1	8	24	36	38	38	16	8.1	213	1	1	4	7	14	47	61

STRESS REACT, EMOTIONAL (308.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.0		3	3	3	3	3	3	3										
25-34	1	2.0		2	2	2	2	2	2	2	2	1.0		1	1	1	1	1	1	1
35-54	3	4.0	7	2	2	3	6	7	7	7	8	2.9	9	1	1	2	3	8	10	10
55-74	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	7	3.0	4	1	1	3	3	6	7	7	12	2.3	7	1	1	1	3	6	9	10
B. FEMALE																				
0-12 YRS.																				
13-17											1	36.0		36	36	36	36	36	36	36
18-24																				
25-34	2	4.5	13	2	2	4	7	7	7	7	2	2.0		2	2	2	2	2	2	2
35-54	5	4.4	15	1	1	2	8	10	10	10	10	2.8	3	1	1	3	4	5	6	6
55-74	3	3.0		3	3	3	3	3	3	3	7	2.9	4	1	1	2	3	6	7	7
75 +	2	4.0	18	1	1	4	7	7	7	7										
ALL AGES	12	4.0	9	1	1	3	7	8	10	10	20	4.4	58	1	1	2	4	6	21	36
SUBTOTAL	**19**	**3.6**	**7**	**1**	**1**	**3**	**6**	**7**	**9**	**10**	**32**	**3.6**	**39**	**1**	**1**	**2**	**3**	**6**	**10**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	2	3.0	2	2	2	3	4	4	4	4
35-54	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	5.7	2	4	4	6	7	7	7	7	4	2.5	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	1.5	1	1	1	1	2	2	2	2
25-34	3	23.3	561	5	5	15	41	50	50	50	1	5.0		5	5	5	5	5	5	5
35-54	3	4.0	4	2	2	4	5	6	6	6	3	4.0	27	1	1	1	8	10	10	10
55-74											4	9.3	118	1	1	5	16	25	25	25
75 +	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
ALL AGES	7	12.7	288	2	2	6	13	43	50	50	11	5.6	51	1	1	3	7	16	24	25
SUBTOTAL	**10**	**10.6**	**204**	**2**	**3**	**6**	**7**	**32**	**50**	**50**	**15**	**4.8**	**39**	**1**	**1**	**3**	**5**	**10**	**21**	**25**
GRAND TOTAL	**29**	**6.0**	**82**	**1**	**1**	**3**	**7**	**9**	**17**	**50**	**47**	**4.0**	**38**	**1**	**1**	**2**	**4**	**8**	**12**	**36**

STRESS REACTION, FUGUE (308.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	1	7.0		7	7	7	7	7	7	7										
GRAND TOTAL	1	7.0		7	7	7	7	7	7	7										

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										
GRAND TOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	19.0		19	19	19	19	19	19	19
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	3	34.7	839	5	5	36	56	63	63	63	2	1.5	1	1	1	1	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2	1	10.0		10	10	10	10	10	10	10
55-74	1	8.0		8	8	8	8	8	8	8	2	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	6	19.2	629	1	1	6	36	60	63	63	7	5.9	43	1	1	2	9	17	19	19
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
13-17	1	5.0		5	5	5	5	5	5	5	1	10.0		10	10	10	10	10	10	10
18-24	4	4.5	6	1	1	5	6	6	6	6										
25-34	5	6.6	43	2	2	4	9	18	18	18										
35-54	2	1.5	1	1	1	1	2	2	2	2	3	3.0	7	1	1	2	5	6	6	6
55-74	5	7.6	26	2	2	7	11	15	15	15	2	2.5	1	2	2	2	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	19	5.6	20	1	1	5	7	13	17	18	8	4.4	10	1	1	3	7	9	10	10
SUBTOTAL	**25**	**8.8**	**183**	**1**	**1**	**5**	**7**	**18**	**43**	**63**	**15**	**5.1**	**24**	**1**	**1**	**3**	**7**	**10**	**17**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.0		4	4	4	4	4	4	4										
13-17	1	23.0		23	23	23	23	23	23	23	1	22.0		22	22	22	22	22	22	22
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	15.0		15	15	15	15	15	15	15	2	2.5	1	2	2	2	3	3	3	3
35-54	4	25.5	242	6	6	26	35	44	44	44										
55-74	2	15.5	13	13	13	15	18	18	18	18										
75 +																				
ALL AGES	11	17.7	141	4	4	16	24	34	43	44	3	9.0	127	2	2	3	17	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28	1	6.0		6	6	6	6	6	6	6
18-24	8	15.8	73	7	7	12	24	28	29	29	2	2.5	5	1	1	2	4	4	4	4
25-34	4	24.3	542	1	1	25	67	99 +	99 +	99 +	2	5.5	25	2	2	5	9	9	9	9
35-54	5	10.0	62	3	3	6	18	19	19	19	1	2.0		2	2	2	2	2	2	2
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	19	16.2	172	2	3	14	25	42	78	99 +	6	4.0	9	1	1	3	6	9	9	9
SUBTOTAL	**30**	**16.8**	**154**	**3**	**4**	**15**	**25**	**35**	**55**	**99 +**	**9**	**5.7**	**43**	**1**	**1**	**3**	**7**	**17**	**22**	**22**
GRAND TOTAL	**55**	**13.2**	**179**	**1**	**2**	**7**	**19**	**29**	**52**	**98**	**24**	**5.3**	**30**	**1**	**1**	**3**	**7**	**11**	**20**	**22**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	3	1.7		1	1	2	2	2	2	2										
SUBTOTAL	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	10.0	128	2	2	10	18	18	18	18	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	3	8.3	73	2	2	5	15	18	18	18	3	2.7	4	1	1	2	4	5	5	5
SUBTOTAL	5	6.8	44	2	2	5	10	18	18	18	5	2.0	3	1	1	1	3	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	6	6.3	37	2	2	4	7	17	18	18	8	2.8	3	1	1	2	4	5	5	5

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	10.2	196	1	1	5	13	35	35	35										
13-17	47	10.4	94	1	2	7	15	23	27	50	1	1.0		1	1	1	1	1	1	1
18-24	86	7.3	58	1	1	5	9	15	25	39	3	2.0	1	1	1	2	3	3	3	3
25-34	69	7.8	57	1	2	6	8	20	22	38	2	2.0		2	2	2	2	2	2	2
35-54	87	7.2	49	1	1	6	9	16	20	38	8	3.1	5	1	1	2	5	6	6	6
55-74	19	7.5	35	1	1	6	11	16	19	21	3	9.7	39	6	6	6	14	17	17	17
75 +	11	11.5	212	4	4	7	10	29	53	55	10	6.0	8	2	2	6	8	10	11	11
ALL AGES	324	8.0	67	1	1	6	10	18	24	42	27	4.6	14	1	1	4	6	9	12	17
B. FEMALE																				
0-12 YRS.	3	28.0	1249	1	1	15	55	68	68	68										
13-17	148	11.6	151	1	1	7	15	25	36	74	7	3.6	5	1	1	3	5	7	8	8
18-24	128	7.4	88	1	1	5	9	16	21	48	20	3.4	6	1	1	3	5	7	8	9
25-34	141	8.6	65	1	1	6	11	20	25	38	15	3.4	6	1	1	3	4	7	9	10
35-54	133	7.5	40	1	1	6	11	17	21	27	16	5.1	18	1	1	3	6	13	14	14
55-74	47	11.6	100	1	2	10	16	26	31	48	3	2.7	4	1	1	2	4	5	5	5
75 +	27	14.7	113	3	4	11	23	30	35	44	7	4.7	9	2	2	4	6	10	11	11
ALL AGES	627	9.4	99	1	1	7	12	21	28	44	68	3.9	9	1	1	3	5	8	11	14
SUBTOTAL	**951**	**8.9**	**89**	**1**	**1**	**6**	**11**	**21**	**26**	**44**	**95**	**4.1**	**10**	**1**	**1**	**3**	**6**	**8**	**11**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	7.3	71	2	2	3	13	17	17	17										
13-17	54	12.1	183	2	3	8	14	26	42	69	2	1.5	1	1	1	1	2	2	2	2
18-24	118	9.4	114	2	2	7	11	18	23	61	5	1.6	1	1	1	1	2	3	3	3
25-34	165	9.3	67	1	2	7	13	20	24	44	9	7.8	80	1	1	3	11	23	25	25
35-54	123	9.1	76	1	2	6	12	19	22	55	7	4.3	20	1	1	3	5	12	14	14
55-74	34	8.6	75	2	2	6	12	15	25	47	3	8.7	21	5	5	7	12	14	14	14
75 +	6	12.7	72	5	5	10	16	27	28	28	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	503	9.5	94	1	2	7	12	20	25	50	28	5.4	38	1	1	3	7	14	21	25
B. FEMALE																				
0-12 YRS.	2	5.5	41	1	1	5	10	10	10	10										
13-17	129	16.1	243	2	3	11	21	40	54	86	3	2.7		2	2	3	3	3	3	3
18-24	147	11.4	144	1	2	8	14	23	33	67	4	6.5	71	1	1	3	11	19	19	19
25-34	174	9.7	79	1	2	7	13	22	26	44	8	10.4	41	1	2	11	14	19	21	21
35-54	149	10.7	90	2	2	8	13	24	29	48	8	3.1	3	1	1	3	4	6	6	6
55-74	38	12.7	69	2	3	11	17	25	28	36	5	7.4	18	2	2	7	11	13	13	13
75 +	7	5.3	19	1	1	5	7	13	14	14	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	646	11.7	133	1	2	8	15	25	35	61	30	6.3	30	1	1	4	10	14	19	21
SUBTOTAL	**1149**	**10.7**	**118**	**1**	**2**	**7**	**14**	**23**	**30**	**57**	**58**	**5.9**	**33**	**1**	**1**	**3**	**8**	**14**	**20**	**25**
GRAND TOTAL	**2100**	**9.9**	**105**	**1**	**2**	**7**	**13**	**21**	**29**	**53**	**153**	**4.8**	**19**	**1**	**1**	**3**	**6**	**11**	**14**	**21**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	8	6	6	8	10	10	10	10										
18-24	3	14.3	122	8	8	8	22	27	27	27										
25-34	4	6.8	5	4	4	6	8	10	10	10										
35-54											1	5.0		5	5	5	5	5	5	5
55-74	2	8.0	32	4	4	8	12	12	12	12										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	12	9.4	38	4	4	8	11	16	25	27	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.3	358	4	4	20	37	41	41	41	1	15.0		15	15	15	15	15	15	15
18-24	5	12.6	98	6	6	9	16	30	30	30										
25-34	5	11.4	141	4	4	6	16	32	32	32	2	6.5	25	3	3	6	10	10	10	10
35-54	6	10.0	110	3	3	6	8	29	31	31	3	6.0	13	3	3	5	9	10	10	10
55-74	2	4.5	25	1	1	4	8	8	8	8	7	15.6	379	1	1	7	26	49	53	53
75 +	3	11.3	43	5	5	11	16	18	18	18	5	13.2	195	3	3	4	25	33	33	33
ALL AGES	25	12.3	133	2	4	8	13	32	36	41	18	12.3	198	2	3	6	15	33	45	53
SUBTOTAL	**37**	**11.4**	**101**	**3**	**4**	**8**	**11**	**31**	**33**	**41**	**19**	**11.9**	**191**	**2**	**3**	**6**	**14**	**33**	**44**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	25	4	4	7	11	11	11	11										
18-24																				
25-34	5	10.0	16	4	4	12	13	14	14	14	1	1.0		1	1	1	1	1	1	1
35-54	5	6.6	43	2	2	4	9	18	18	18										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	16.0		16	16	16	16	16	16	16	1	12.0		12	12	12	12	12	12	12
ALL AGES	14	9.0	27	2	3	9	12	16	18	18	2	6.5	61	1	1	6	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.0	642	3	3	14	38	60	60	60										
18-24	9	13.0	82	3	4	12	13	27	35	35	2	2.5	1	2	2	2	3	3	3	3
25-34	7	23.9	536	7	7	20	51	92	99 +	99 +	1	3.0		3	3	3	3	3	3	3
35-54	9	13.7	175	1	2	7	24	35	35	35	1	4.0		4	4	4	4	4	4	4
55-74	6	16.5	142	5	5	13	26	34	35	35	2	3.0		3	3	3	3	3	3	3
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	36	17.0	247	3	3	12	26	35	68	99 +	6	3.0		2	2	3	3	4	4	4
SUBTOTAL	**50**	**14.7**	**198**	**3**	**3**	**12**	**17**	**35**	**59**	**99 +**	**8**	**3.9**	**11**	**1**	**1**	**3**	**4**	**10**	**12**	**12**
GRAND TOTAL	**87**	**13.3**	**158**	**3**	**4**	**10**	**15**	**33**	**36**	**89**	**27**	**9.5**	**149**	**1**	**2**	**4**	**10**	**30**	**36**	**53**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	15.9	244	1	1	10	28	38	44	44	1	3.0		3	3	3	3	3	3	3
13-17	19	13.7	381	2	4	9	14	21	60	91	3	3.0	7	1	1	2	5	6	6	6
18-24	21	8.3	95	1	2	5	8	16	31	47										
25-34	22	6.3	13	1	1	7	9	11	12	12	1	2.0		2	2	2	2	2	2	2
35-54	33	7.7	32	1	2	6	10	15	17	28	1	5.0		5	5	5	5	5	5	5
55-74	15	10.1	75	3	3	8	12	17	33	38	1	2.0		2	2	2	2	2	2	2
75 +	5	11.0	94	4	4	7	16	27	27	27										
ALL AGES	125	9.5	120	1	2	7	11	17	28	58	7	3.0	3	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	9	16.6	372	1	2	11	20	49	63	63	1	3.0		3	3	3	3	3	3	3
13-17	50	10.8	91	1	2	8	14	25	29	44	4	1.5		1	1	1	2	2	2	2
18-24	41	7.5	34	1	2	6	9	18	20	22	3	2.0	1	1	1	2	3	3	3	3
25-34	43	7.9	32	1	2	6	12	18	18	19	5	3.0	2	2	2	3	4	5	5	5
35-54	48	7.6	63	1	1	4	10	20	22	35	13	4.8	11	1	2	3	6	9	13	14
55-74	21	12.0	123	1	2	9	18	21	35	50	6	5.5	9	1	1	5	7	10	10	10
75 +	6	9.5	32	4	4	8	13	18	19	19	1	23.0		23	23	23	23	23	23	23
ALL AGES	218	9.2	78	1	2	7	13	19	24	46	33	4.5	19	1	1	3	5	8	13	23
SUBTOTAL	**343**	**9.3**	**93**	**1**	**2**	**7**	**12**	**19**	**27**	**47**	**40**	**4.3**	**16**	**1**	**1**	**3**	**5**	**7**	**12**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	34.0	1058	11	11	57	89	99 +	99 +	99 +	1	25.0		25	25	25	25	25	25	25
13-17	28	17.5	327	1	2	12	23	39	49	88										
18-24	40	8.3	55	1	2	5	12	18	23	34	5	10.2	121	1	1	6	15	29	29	29
25-34	53	9.0	88	1	2	6	10	19	35	46										
35-54	54	8.4	101	1	2	6	10	14	21	65	3	3.0	3	1	1	4	4	4	4	4
55-74	15	16.9	104	1	1	17	25	32	32	32										
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	193	10.9	142	1	2	7	13	27	35	78	9	9.4	108	1	1	5	14	27	29	29
B. FEMALE																				
0-12 YRS.	6	59.2	591	36	36	50	88	90	90	90	1	3.0		3	3	3	3	3	3	3
13-17	40	12.2	118	2	2	11	16	24	30	58	1	1.0		1	1	1	1	1	1	1
18-24	60	10.1	77	2	2	7	13	21	29	45	7	3.4	8	1	1	2	5	8	8	8
25-34	104	10.0	81	1	2	8	13	20	26	45	4	3.8	17	1	1	2	6	10	10	10
35-54	74	8.9	112	1	2	7	11	14	20	73	6	5.7	11	2	2	7	10	82	99 +	99 +
55-74	27	15.4	339	1	1	9	22	29	62	83										
75 +	2	17.5	61	12	12	17	23	23	23	23	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	313	11.5	168	1	2	8	13	23	35	84	21	3.9	9	1	1	3	7	10	47	99 +
SUBTOTAL	**506**	**11.3**	**157**	**1**	**2**	**8**	**13**	**24**	**35**	**85**	**30**	**5.6**	**42**	**1**	**1**	**4**	**7**	**17**	**29**	**99 +**
GRAND TOTAL	**849**	**10.5**	**132**	**1**	**2**	**7**	**13**	**22**	**32**	**63**	**70**	**4.8**	**28**	**1**	**1**	**3**	**6**	**10**	**23**	**85**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.5	41	2	2	6	11	11	11	11	2	2.5	5	1	1	2	4	4	4	4
13-17	5	7.8	17	5	5	5	11	14	14	14										
18-24	4	12.0	135	4	4	7	19	29	29	29										
25-34	4	5.0	5	2	2	5	6	7	7	7										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	16	7.9	42	2	2	6	10	14	24	29	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	5	21.8	808	1	1	4	43	66	66	66	1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	8.5	55	2	2	6	13	19	19	19										
35-54	3	10.3	41	3	3	14	14	14	14	14										
55-74	2	6.5	61	1	1	6	12	12	12	12										
75 +																				
ALL AGES	15	12.5	305	1	1	5	14	35	58	66	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**31**	**10.1**	**169**	**1**	**1**	**5**	**12**	**23**	**35**	**66**	**3**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	18.0		18	18	18	18	18	18	18
13-17	6	12.8	73	2	2	12	22	23	23	23										
18-24	7	7.9	19	3	3	8	12	14	14	14										
25-34	7	5.1	18	1	1	3	7	12	13	13										
35-54	3	11.7	43	4	4	15	16	16	16	16										
55-74	2	11.0	128	3	3	11	19	19	19	19										
75 +																				
ALL AGES	26	8.8	43	2	2	7	14	19	22	23	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	7	15.4	163	4	4	12	20	37	41	41	1	14.0		14	14	14	14	14	14	14
18-24	3	14.7	43	7	7	18	19	19	19	19										
25-34	1	19.0		19	19	19	19	19	19	19										
35-54	6	8.3	88	1	1	4	17	22	23	23										
55-74																				
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	18	13.6	108	1	2	13	19	24	34	41	2	8.5	61	3	3	8	14	14	14	14
SUBTOTAL	**44**	**10.8**	**72**	**1**	**2**	**8**	**16**	**22**	**23**	**41**	**3**	**11.7**	**59**	**3**	**3**	**14**	**17**	**18**	**18**	**18**
GRAND TOTAL	**75**	**10.5**	**111**	**1**	**2**	**7**	**14**	**22**	**28**	**60**	**6**	**6.8**	**54**	**1**	**1**	**3**	**14**	**18**	**18**	**18**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	11.9	237	1	1	7	14	34	53	53	1	8.0		8	8	8	8	8	8	8
13-17	32	14.1	182	2	3	12	17	31	33	70	1	2.0		2	2	2	2	2	2	2
18-24	15	8.1	61	1	3	7	9	14	28	33										
25-34	15	7.1	38	1	1	5	11	16	18	19	1	2.0		2	2	2	2	2	2	2
35-54	9	6.8	44	1	1	7	8	17	22	22										
55-74	4	3.0	2	2	2	3	4	5	5	5										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	86	10.2	124	1	1	7	14	21	32	64	3	4.0	12	2	2	2	7	8	8	8
B. FEMALE																				
0-12 YRS.	3	8.3	5	6	6	9	55	99 +	99 +	99 +	1	26.0		26	26	26	26	26	26	26
13-17	53	14.9	228	2	3	11	21	27	32	86	4	13.0	81	1	1	14	19	22	22	22
18-24	21	9.1	64	1	2	6	14	19	25	33										
25-34	14	6.5	33	1	1	4	10	14	19	21										
35-54	27	8.4	52	2	3	5	13	21	23	23	2	6.5	25	3	3	6	10	10	10	10
55-74	6	7.3	22	3	3	6	12	13	13	13	3	9.0	49	4	4	6	14	17	17	17
75 +	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
ALL AGES	125	11.0	134	1	2	8	16	23	29	90	11	11.1	70	1	2	10	17	24	26	26
SUBTOTAL	**211**	**10.7**	**129**	**1**	**2**	**7**	**14**	**22**	**30**	**76**	**14**	**9.6**	**65**	**1**	**2**	**7**	**17**	**22**	**25**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	72	99 +	99 +	99 +	99 +										
13-17	23	21.3	584	2	3	8	30	62	75	80										
18-24	34	8.6	71	1	1	6	11	23	29	33	1	3.0		3	3	3	3	3	3	3
25-34	17	9.1	170	1	1	5	10	14	42	57										
35-54	16	7.6	60	1	2	6	9	13	28	34	1	2.0		2	2	2	2	2	2	2
55-74	7	20.6	203	4	5	18	30	43	45	45										
75 +	2	11.0		11	11	11	11	11	11	11										
ALL AGES	100	12.7	247	1	2	7	13	33	57	90	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45										
13-17	21	16.3	298	1	1	9	18	48	58	59										
18-24	26	10.8	71	1	2	9	16	25	27	29	1	2.0		2	2	2	2	2	2	2
25-34	24	10.9	81	2	2	7	14	22	31	39										
35-54	27	9.3	30	2	2	8	14	16	19	22	2	3.0	8	1	1	2	5	5	5	5
55-74	5	8.0	82	1	1	6	12	23	23	23	1	8.0		8	8	8	8	8	8	8
75 +	3	23.0	19	18	18	25	26	26	26	26										
ALL AGES	107	12.1	121	1	2	9	16	25	34	58	4	4.0	10	1	1	3	6	8	8	8
SUBTOTAL	**207**	**12.4**	**180**	**1**	**2**	**8**	**15**	**29**	**45**	**76**	**6**	**3.5**	**7**	**1**	**1**	**3**	**5**	**8**	**8**	**8**
GRAND TOTAL	**418**	**11.5**	**156**	**1**	**2**	**8**	**15**	**25**	**33**	**75**	**20**	**7.8**	**54**	**1**	**1**	**5**	**11**	**20**	**24**	**26**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.0		6	6	6	6	6	6	6										
13-17	4	8.3	27	4	4	6	11	16	16	16	2	2.5	1	2	2	2	3	3	3	3
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	3	13.3	172	3	3	9	23	28	28	28										
35-54	4	11.0	264	1	1	4	21	35	35	35										
55-74																				
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	15	11.2	104	1	1	7	17	28	33	35	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	3	47.7	1453	19	19	33	76	91	91	91
13-17	6	14.2	171	1	1	13	20	34	36	36	2	5.5	5	4	4	5	7	7	7	7
18-24	4	7.5	6	6	6	7	9	11	11	11	2	4.0	18	1	1	4	7	7	7	7
25-34											1	3.0		3	3	3	3	3	3	3
35-54	3	7.3	35	3	3	5	12	14	14	14										
55-74																				
75 +																				
ALL AGES	14	10.0	88	1	1	7	14	22	33	36	8	20.6	923	1	2	7	26	74	91	91
SUBTOTAL	**29**	**10.6**	**94**	**1**	**1**	**7**	**15**	**25**	**35**	**36**	**10**	**17.0**	**775**	**1**	**1**	**5**	**19**	**62**	**91**	**91**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											4	37.5	273	21	21	36	51	57	57	57
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	9.3	41	2	2	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
35-54	8	11.9	100	3	3	8	18	28	29	29	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	14	11.4	92	2	2	8	13	28	29	29	6	26.7	445	3	3	24	45	56	57	57
B. FEMALE																				
0-12 YRS.											2	54.5	1013	32	32	54	77	77	77	77
13-17	6	11.5	47	1	1	12	15	20	21	21	2	63.5	265	52	52	63	75	75	75	75
18-24	7	14.9	168	2	2	13	26	31	32	32	2	6.5	25	3	3	6	10	10	10	10
25-34	9	7.2	29	1	2	7	10	16	16	16	1	13.0		13	13	13	13	13	13	13
35-54	3	9.0	43	2	2	12	57	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	[illegible]
55-74											1	5.0		5	5	5	5	5	5	[illegible]
75 +																				
ALL AGES	25	10.6	75	1	2	9	15	27	46	99 +	9	29.8	949	1	2	13	58	76	77	77
SUBTOTAL	**39**	**10.9**	**79**	**1**	**2**	**9**	**15**	**27**	**30**	**99 +**	**15**	**28.5**	**707**	**1**	**3**	**21**	**50**	**75**	**76**	**77**
GRAND TOTAL	**68**	**10.8**	**83**	**1**	**2**	**7**	**15**	**27**	**32**	**88**	**25**	**23.9**	**736**	**1**	**2**	**10**	**36**	**75**	**80**	**91**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.7	408	1	1	3	28	37	37	37	2	18.0	98	11	11	18	25	25	25	25
13-17	11	10.2	59	1	2	8	17	21	23	23	1	7.0		7	7	7	7	7	7	7
18-24	5	8.8	23	2	2	9	12	15	15	15										
25-34	3	11.3	5	9	9	12	13	13	13	13										
35-54	4	4.0	9	1	1	3	6	8	8	8										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	28	9.5	66	1	1	8	14	19	24	37	3	14.3	91	7	7	11	21	25	25	25
B. FEMALE																				
0-12 YRS.	2	29.5	1513	2	2	29	57	57	57	57										
13-17	8	6.0	11	1	1	7	8	10	10	10	5	2.6	1	1	1	3	3	4	4	4
18-24	10	7.8	38	1	1	5	14	15	16	16	2	6.0	32	2	2	6	10	10	10	10
25-34	9	7.4	43	1	1	6	12	17	18	18	1	1.0		1	1	1	1	1	1	1
35-54	4	6.3	53	1	1	3	11	17	17	17	1	9.0		9	9	9	9	9	9	9
55-74	2	14.5	5	13	13	14	16	16	16	16										
75 +	2	8.5	5	7	7	8	10	10	10	10										
ALL AGES	37	8.7	97	1	1	6	13	16	18	57	9	3.9	11	1	1	3	5	10	10	10
SUBTOTAL	**65**	**9.1**	**82**	**1**	**1**	**7**	**13**	**17**	**21**	**54**	**12**	**6.5**	**47**	**1**	**1**	**4**	**9**	**15**	**24**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17	2	13.0	72	7	7	13	19	19	19	19	4	2.3	3	1	1	2	3	5	5	5
18-24	10	4.3	8	1	1	3	6	8	10	10	1	3.0		3	3	3	3	3	3	3
25-34	10	10.4	86	1	1	9	15	23	31	31										
35-54	10	8.3	42	3	3	6	10	20	20	20										
55-74											1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	33	7.8	49	1	1	6	11	19	20	31	7	4.4	28	1	1	3	5	14	16	16
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	8	11.3	144	1	1	9	17	31	35	35	3	3.0	1	2	2	3	4	4	4	4
18-24	5	10.2	49	2	2	8	14	21	21	21										
25-34	26	6.7	30	1	2	5	9	16	19	21	1	2.0		2	2	2	2	2	2	2
35-54	12	6.8	41	1	1	5	8	18	21	21	2	1.0		1	1	1	1	1	1	1
55-74	2	8.5	85	2	2	8	15	15	15	15										
75 +																				
ALL AGES	53	7.8	51	1	1	5	11	19	21	35	7	2.3	1	1	1	2	3	4	4	4
SUBTOTAL	**86**	**7.8**	**50**	**1**	**1**	**6**	**11**	**19**	**21**	**34**	**14**	**3.4**	**14**	**1**	**1**	**2**	**3**	**6**	**14**	**16**
GRAND TOTAL	**151**	**8.4**	**63**	**1**	**1**	**6**	**12**	**18**	**21**	**37**	**26**	**4.8**	**31**	**1**	**1**	**3**	**5**	**11**	**18**	**25**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	10.0		10	10	10	10	10	10	10
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7	2	12.0	18	9	9	12	15	15	15	15
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	12.0	18	9	9	12	15	15	15	15
SUBTOTAL	2	5.5	5	4	4	5	7	7	7	7	3	11.3	11	9	9	10	14	15	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	5.5	5	4	4	5	7	7	7	7	3	11.3	11	9	9	10	14	15	15	15

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	5.0	37	1	1	2	9	12	12	12										
18-24	1	35.0		35	35	35	35	35	35	35										
25-34	2	9.0	2	8	8	9	10	10	10	10										
35-54	3	11.3	111	1	1	11	19	22	22	22										
55-74	4	17.8	59	10	10	18	24	25	25	25	3	17.0	592	1	1	5	35	45	45	45
75 +	3	19.3	172	7	7	25	66	99 +	99 +	99 +	9	18.3	473	6	6	13	16	52	75	75
ALL AGES	16	14.4	116	1	1	12	24	35	77	99 +	12	18.0	451	1	4	10	17	54	72	75
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	2.0		2	2	2	2	2	2	2
55-74	7	16.9	83	6	7	13	24	30	31	31	1	2.0		2	2	2	2	2	2	2
75 +	4	5.5	10	3	3	4	7	10	10	10	8	27.5	637	3	5	14	49	66	71	71
ALL AGES	13	11.8	80	3	3	10	15	25	30	31	11	20.5	590	1	1	10	37	61	70	71
SUBTOTAL	**29**	**13.3**	**96**	**1**	**2**	**11**	**23**	**32**	**35**	**99 +**	**23**	**19.2**	**495**	**1**	**2**	**10**	**18**	**57**	**72**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	24.7	508	1	1	27	41	46	46	46										
35-54	2	20.5	365	7	7	20	34	34	34	34										
55-74	3	23.7	95	17	17	19	31	35	35	35										
75 +	3	19.7	479	7	7	7	36	45	45	45										
ALL AGES	11	22.3	258	1	4	19	35	45	46	46										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	80.0		80	80	80	80	80	80	80										
35-54																				
55-74											2	4.5	5	3	3	4	6	6	6	6
75 +											2	18.0	200	8	8	18	28	28	28	28
ALL AGES	1	80.0		80	80	80	80	80	80	80	4	11.3	127	3	3	7	18	28	28	28
SUBTOTAL	**12**	**27.1**	**512**	**2**	**5**	**23**	**40**	**56**	**77**	**80**	**4**	**11.3**	**127**	**3**	**3**	**7**	**18**	**28**	**28**	**28**
GRAND TOTAL	**41**	**17.3**	**250**	**1**	**3**	**12**	**25**	**38**	**60**	**99 +**	**27**	**18.0**	**443**	**1**	**2**	**10**	**18**	**52**	**72**	**75**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	2.5	14	1	1	1	2	4	9	21	24	2.3	8	1	1	1	3	9	34	99+
13-17	15	2.0	2	1	1	2	3	4	5	5	18	5.0	15	1	1	4	7	11	13	14
18-24	18	4.8	27	1	1	4	6	6	17	24	60	6.0	11	1	1	7	8	10	12	15
25-34	31	4.4	12	1	1	4	5	7	10	19	105	6.8	13	2	3	7	8	11	14	22
35-54	23	4.0	5	1	1	4	6	7	7	7	142	6.5	11	1	2	6	8	10	11	17
55-74	4	4.0	15	1	1	3	7	9	9	9	34	7.3	24	3	3	7	9	10	11	31
75 +	5	10.4	80	2	2	8	15	25	25	25	1	9.0		9	9	9	9	9	9	9
ALL AGES	128	3.9	16	1	1	3	5	7	9	24	384	6.2	14	1	1	6	8	10	12	23
B. FEMALE																				
0-12 YRS.	19	2.1	2	1	1	2	3	4	6	6	18	3.6	42	1	1	2	3	5	20	29
13-17	7	2.7	3	1	1	3	4	5	5	5	12	3.2	6	1	1	2	5	7	7	7
18-24	28	4.7	14	1	1	4	5	10	11	18	54	6.2	13	1	2	6	8	12	13	14
25-34	28	4.2	6	1	1	4	6	8	8	9	97	7.6	18	2	3	7	9	12	16	25
35-54	30	5.4	27	1	1	4	7	11	27	99+	113	8.5	49	2	3	7	9	14	16	47
55-74	15	5.1	26	1	1	3	7	9	18	21	29	6.3	12	2	2	6	8	10	16	16
75 +	9	6.2	23	1	1	6	8	13	17	17	8	6.9	35	2	2	5	8	17	20	20
ALL AGES	136	4.4	16	1	1	4	6	9	11	37	331	7.2	30	1	2	7	9	12	16	29
SUBTOTAL	**264**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**25**	**715**	**6.7**	**21**	**1**	**2**	**6**	**8**	**11**	**14**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	41.0	597	24	25	84	99+	99+	99+	99+
13-17											4	52.0	1329	1	1	60	75	87	87	87
18-24	2	5.0	2	4	4	5	6	6	6	6										
25-34	3	2.7	4	1	1	2	4	5	5	5	4	3.0	11	1	1	2	5	8	8	8
35-54	3	3.7	6	1	1	4	5	6	6	6	3	15.3	326	3	3	7	29	36	36	36
55-74											1	33.0		33	33	33	33	33	33	33
75 +											2	7.5	5	6	6	7	9	9	9	9
ALL AGES	8	3.6	4	1	1	4	5	6	6	6	17	25.7	778	1	1	30	73	99+	99+	99+
B. FEMALE																				
0-12 YRS.											1	22.0		22	22	99+	99+	99+	99+	99+
13-17											1	17.0		17	17	17	17	17	17	17
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	1	82.0		82	82	82	82	82	82	82	4	2.3	3	1	1	2	3	5	5	5
35-54	9	6.8	43	1	1	5	8	17	23	23	4	5.0	4	2	2	6	6	6	6	6
55-74											2	10.0	18	7	7	10	13	13	13	13
75 +	3	12.7	43	7	7	11	18	20	20	20	3	6.0	7	3	3	7	8	8	8	8
ALL AGES	15	12.3	414	1	1	7	10	23	67	82	15	7.1	36	1	1	7	21	99+	99+	99+
SUBTOTAL	**23**	**9.3**	**282**	**1**	**1**	**5**	**8**	**21**	**44**	**82**	**32**	**17.0**	**506**	**1**	**1**	**9**	**66**	**99+**	**99+**	**99+**
GRAND TOTAL	**287**	**4.6**	**38**	**1**	**1**	**3**	**6**	**8**	**11**	**27**	**747**	**7.1**	**46**	**1**	**2**	**7**	**8**	**12**	**16**	**99+**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	96TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	42.0		42	42	42	42	42	42	42										
35-54	2	8.5	41	4	4	8	13	13	13	13										
55-74																				
75 +	1	43.0		43	43	43	43	43	43	43	3	29.3	755	13	13	14	49	61	61	61
ALL AGES	4	25.5	399	4	4	27	42	43	43	43	3	29.3	755	13	13	14	49	61	61	61
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	2	32.5	1861	2	2	32	63	63	63	63										
75 +	9	11.2	17	6	6	12	17	99 +	99 +	99 +	2	10.0	32	6	6	10	14	14	14	14
ALL AGES	12	14.7	249	3	6	12	17	99 +	99 +	99 +	2	10.0	32	6	6	10	14	14	14	14
SUBTOTAL	**16**	**17.4**	**286**	**3**	**5**	**12**	**42**	**89**	**99 +**	**99 +**	**5**	**21.6**	**496**	**6**	**6**	**14**	**26**	**61**	**61**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	2	13.5	13	11	11	13	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	30.0		30	30	30	30	30	30	30										
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**3**	**19.0**	**97**	**11**	**11**	**16**	**26**	**30**	**30**	**30**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**19**	**17.6**	**251**	**3**	**5**	**13**	**33**	**78**	**99 +**	**99 +**	**6**	**19.3**	**429**	**6**	**6**	**13**	**14**	**56**	**61**	**61**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	1	17.0		17	17	17	17	17	17	17	3	5.7	4	4	4	5	7	8	8	8
55-74	14	15.2	576	2	3	7	12	35	82	95	7	7.1	58	2	2	5	15	77	99 +	99 +
75 +	23	18.3	218	2	3	16	26	44	73	99 +	31	19.8	565	2	4	11	30	77	99 +	99 +
ALL AGES	40	16.4	328	2	3	10	21	40	76	99 +	42	16.3	457	2	3	8	21	71	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54	5	18.2	23	11	11	20	21	23	23	23	2	9.5	145	1	1	59	99 +	99 +	99 +	99 +
55-74	19	15.1	238	1	1	10	25	47	80	99 +	20	13.0	211	1	2	8	16	33	49	60
75 +	57	18.1	502	2	3	9	24	71	93	99 +	72	17.0	374	3	3	10	27	68	98	99 +
ALL AGES	82	17.3	403	1	2	10	23	60	89	99 +	95	15.9	330	2	3	10	25	64	99 +	99 +
SUBTOTAL	**122**	**17.0**	**376**	**2**	**2**	**10**	**23**	**48**	**88**	**99 +**	**137**	**16.0**	**367**	**2**	**3**	**9**	**24**	**70**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0		6	6	6	6	6	6	6										
18-24	2	60.0	1922	29	29	60	91	91	91	91										
25-34	1	25.0		25	25	25	25	25	25	25										
35-54	2	13.0	288	1	1	13	25	25	25	25										
55-74	7	15.0	84	1	2	14	21	28	29	29	3	20.3	384	4	4	28	71	99 +	99 +	99 +
75 +	7	15.9	271	4	5	9	16	45	52	52	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	21	19.0	417	1	3	14	25	38	70	91	5	14.6	253	4	4	11	42	94	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	34.0	72	28	28	34	40	40	40	40										
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
55-74	2	8.5	41	4	4	8	13	13	13	13	4	12.5	58	5	5	11	18	22	22	22
75 +	21	13.4	162	4	4	8	27	99 +	99 +	99 +	21	16.0	429	2	3	8	20	56	96	99 +
ALL AGES	26	14.8	170	4	4	10	28	79	99 +	99 +	26	15.0	357	2	3	8	20	38	95	99 +
SUBTOTAL	**47**	**16.7**	**277**	**4**	**4**	**13**	**25**	**50**	**99 +**	**99 +**	**31**	**15.0**	**330**	**2**	**4**	**8**	**21**	**52**	**99**	**99 +**
GRAND TOTAL	**169**	**16.9**	**347**	**2**	**3**	**10**	**24**	**49**	**94**	**99 +**	**168**	**15.8**	**359**	**2**	**3**	**9**	**23**	**69**	**99 +**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.0	882	3	3	24	45	45	45	45	4	34.8	300	15	15	34	48	55	55	55
13-17	8	10.9	82	2	2	8	19	24	24	24	4	18.5	423	1	1	15	35	43	43	43
18-24	10	8.8	28	1	2	8	10	16	21	21	1	4.0		4	4	4	4	4	4	4
25-34	13	9.1	102	1	1	5	10	24	35	37	3	3.7	4	2	2	3	5	6	6	6
35-54	21	13.5	185	1	2	10	16	29	43	60	7	15.0	235	3	3	10	22	41	45	45
55-74	10	15.6	148	1	3	12	23	33	40	40	13	8.9	34	1	1	9	13	16	20	21
75 +	5	6.4	14	3	3	6	9	12	12	12	7	4.4	3	3	3	4	6	7	7	7
ALL AGES	69	11.8	130	1	2	8	15	25	37	57	39	12.3	187	1	2	7	14	36	44	55
B. FEMALE																				
0-12 YRS.																				
13-17	11	11.4	104	1	2	7	14	29	34	35	5	10.4	187	1	1	7	15	34	34	34
18-24	14	10.6	81	3	4	7	12	29	29	29	6	4.5	45	1	1	1	4	17	18	18
25-34	28	13.2	202	1	1	9	14	38	51	52	12	5.4	14	1	2	5	7	11	14	14
35-54	39	12.9	149	1	2	10	15	31	42	55	24	6.5	66	1	1	4	6	18	29	30
55-74	33	8.7	52	1	1	6	12	20	26	27	20	10.3	212	2	2	5	11	20	44	67
75 +	17	14.0	185	1	3	9	20	48	82	99 +	25	7.9	34	1	2	6	11	14	20	25
ALL AGES	142	11.8	130	1	2	8	14	29	40	58	92	7.7	85	1	1	5	9	17	25	53
SUBTOTAL	**211**	**11.8**	**129**	**1**	**2**	**8**	**15**	**27**	**39**	**57**	**131**	**9.0**	**120**	**1**	**1**	**5**	**10**	**21**	**30**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	4	24.3	192	4	4	28	32	36	36	36
13-17	4	5.5	33	2	2	3	9	14	14	14	3	33.3	398	16	16	29	48	55	55	55
18-24	10	6.5	16	1	1	6	10	12	12	12	3	6.0	75	1	1	1	12	16	16	16
25-34	22	13.9	190	1	2	7	22	33	47	48	4	6.8	15	1	1	8	9	10	10	10
35-54	28	16.4	215	1	2	14	24	30	37	72	13	4.8	11	1	1	4	8	9	10	10
55-74	11	26.0	1088	2	2	10	33	86	98	99	10	9.4	130	1	2	6	8	27	40	40
75 +	5	11.0	54	5	5	7	17	22	22	22										
ALL AGES	81	14.7	300	2	2	9	20	31	47	92	37	10.8	159	1	1	7	11	29	39	55
B. FEMALE																				
0-12 YRS.											5	23.8	154	3	3	29	32	33	33	33
13-17	10	5.7	22	1	1	5	10	12	13	13	8	26.9	843	1	1	24	31	75	92	92
18-24	24	14.8	256	2	3	10	15	39	55	66	2	15.5	221	5	5	15	26	26	26	26
25-34	32	9.3	42	1	2	8	13	18	21	27	4	2.0	1	1	1	2	3	3	3	3
35-54	40	15.7	197	1	3	15	19	28	45	73	15	6.5	88	1	1	3	6	31	80	99 +
55-74	22	15.3	181	2	3	11	24	38	43	50	4	12.0	153	2	2	8	19	30	30	30
75 +	8	14.9	200	4	4	8	21	39	45	45	10	15.7	279	2	2	7	35	41	42	42
ALL AGES	136	13.2	161	1	2	10	17	27	40	67	48	14.1	302	1	1	6	27	35	44	99 +
SUBTOTAL	**217**	**13.8**	**211**	**1**	**2**	**10**	**17**	**29**	**43**	**74**	**85**	**12.6**	**241**	**1**	**1**	**6**	**22**	**34**	**41**	**97**
GRAND TOTAL	**428**	**12.8**	**172**	**1**	**2**	**9**	**16**	**28**	**40**	**72**	**216**	**10.5**	**168**	**1**	**1**	**5**	**13**	**29**	**38**	**75**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	21.3	456	4	5	15	48	78	98	99 +										
13-17	14	15.8	359	3	4	7	26	59	90	99 +	1	26.0		26	26	26	26	26	26	26
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	26	17.6	367	3	4	8	26	62	99 +	99 +	1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.	2	40.5	685	22	22	40	59	59	59	59										
13-17	5	3.8	4	2	2	4	5	7	7	7										
18-24																				
25-34	2	19.0	72	13	13	19	25	25	25	25										
35-54																				
55-74	2	13.5	1	13	13	13	14	14	14	14										
75 +																				
ALL AGES	11	15.0	274	2	2	13	20	39	57	59										
SUBTOTAL	37	16.8	333	2	3	9	23	59	84	99 +	1	26.0		26	26	26	26	26	26	26
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	53.1	765	21	23	72	99 +	99 +	99 +	99 +	2	15.5	313	3	3	15	28	28	28	28
13-17	12	29.6	1039	1	2	13	49	82	96	98	2	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	19	38.3	1022	2	5	37	87	99 +	99 +	99 +	4	8.3	173	1	1	2	15	28	28	28
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	99 +	99 +	99 +	99 +	99 +										
13-17	4	30.3	481	4	4	30	46	57	57	57										
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	6	24.8	389	4	5	30	78	99 +	99 +	99 +										
SUBTOTAL	25	35.0	887	3	5	33	87	99 +	99 +	99 +	4	8.3	173	1	1	2	15	28	28	28
GRAND TOTAL	62	24.2	623	3	4	17	56	99	99 +	99 +	5	11.8	194	1	1	3	26	28	28	28

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	30.4	705	1	1	41	52	57	57	57	1	1.0		1	1	1	1	1	1	1
13-17	8	22.9	529	4	5	14	32	61	72	72										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	25.8	557	1	3	19	43	60	70	72	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	14	20.8	540	1	2	13	43	76	94	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	22.1	531	1	2	14	43	74	93	99 +										
SUBTOTAL	**28**	**23.8**	**527**	**1**	**2**	**16**	**42**	**66**	**77**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	12.5	181	3	3	12	22	22	22	22
13-17	9	27.7	537	1	2	24	48	56	61	61										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	27.7	537	1	2	24	48	56	61	61	2	12.5	181	3	3	12	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	8	24.6	480	5	6	16	38	61	66	66										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	24.6	480	5	6	16	38	61	66	66										
SUBTOTAL	**17**	**26.2**	**483**	**1**	**4**	**17**	**48**	**59**	**64**	**66**	**2**	**12.5**	**181**	**3**	**3**	**12**	**22**	**22**	**22**	**22**
GRAND TOTAL	**45**	**24.7**	**501**	**1**	**3**	**17**	**46**	**61**	**73**	**99 +**	**3**	**8.7**	**133**	**1**	**1**	**3**	**17**	**22**	**22**	**22**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	38.8	1015	2	3	45	73	92	99 +	99 +	1	72.0		72	72	72	72	72	72	72
13-17	35	25.6	481	2	3	21	46	59	63	79	1	2.0		2	2	2	2	2	2	2
18-24	2	25.0	32	21	21	25	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	54	29.7	656	2	3	22	50	73	78	99 +	2	37.0	2450	2	2	37	72	72	72	72
B. FEMALE																				
0-12 YRS.	6	26.8	505	4	5	41	51	90	99 +	99 +										
13-17	20	12.3	183	1	1	6	18	31	44	52	1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	27	15.1	276	1	1	7	25	51	57	99 +	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**81**	**24.8**	**574**	**1**	**3**	**14**	**48**	**61**	**78**	**99 +**	**4**	**20.0**	**1205**	**1**	**1**	**3**	**38**	**72**	**72**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	30.7	541	3	4	28	63	99 +	99 +	99 +	1	28.0		28	28	28	28	28	28	28
13-17	46	27.7	650	2	3	20	56	68	88	99 +	1	3.0		3	3	3	3	3	3	3
18-24	1	82.0		82	82	82	82	82	82	82										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	60	29.3	676	3	4	22	58	78	94	99 +	2	15.5	313	3	3	15	28	28	28	28
B. FEMALE																				
0-12 YRS.	3	25.0	1029	5	5	8	48	62	62	62										
13-17	45	19.0	266	2	4	15	25	50	55	59	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	48	19.4	294	2	4	15	27	50	56	62	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**108**	**24.9**	**526**	**3**	**4**	**17**	**44**	**62**	**82**	**99 +**	**3**	**10.7**	**225**	**1**	**1**	**3**	**22**	**28**	**28**	**28**
GRAND TOTAL	**189**	**24.8**	**546**	**2**	**3**	**17**	**47**	**62**	**79**	**99 +**	**7**	**16.0**	**703**	**1**	**1**	**3**	**22**	**63**	**72**	**72**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.3	9	2	2	7	54	99 +	99 +	99 +	1	8.0		8	8	8	8	8	8	8
13-17	3	14.3	256	1	1	10	26	32	32	32										
18-24	8	19.5	231	7	8	13	21	45	55	55										
25-34	2	14.5	1	14	14	14	15	15	15	15										
35-54	7	14.0	94	1	1	17	21	26	27	27										
55-74																				
75 +																				
ALL AGES	23	14.9	142	1	2	13	21	34	68	99 +	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17	1	47.0		47	47	47	47	47	47	47										
18-24	2	4.0		4	4	4	4	4	4	4										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	5	14.4	337	4	4	8	18	47	47	47	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**28**	**14.8**	**166**	**1**	**3**	**12**	**20**	**41**	**57**	**99 +**	**2**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.3	509	2	2	24	41	47	47	47										
18-24	15	11.3	60	1	2	10	17	25	26	26	1	7.0		7	7	7	7	7	7	7
25-34	7	5.9	5	4	4	5	9	73	99 +	99 +										
35-54	4	18.8	117	4	4	21	27	28	28	28	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	30	12.2	109	2	3	9	18	27	46	99 +	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	20.0	273	9	9	12	32	39	39	39										
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	5	16.4	241	1	1	11	24	42	42	42										
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74																				
75 +																				
ALL AGES	12	14.1	175	1	2	10	16	40	42	42										
SUBTOTAL	**42**	**12.7**	**126**	**2**	**3**	**10**	**18**	**30**	**44**	**99 +**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
GRAND TOTAL	**70**	**13.6**	**140**	**1**	**3**	**10**	**19**	**34**	**47**	**99 +**	**4**	**6.3**	**7**	**2**	**2**	**7**	**8**	**8**	**8**	**8**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	32	4	4	8	12	12	12	12	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	18.5	221	8	8	18	29	29	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	18.5	221	8	8	18	29	29	29	29										
SUBTOTAL	4	13.3	119	4	4	10	20	29	29	29	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											4	3.0		3	3	3	3	3	3	3
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18	4	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	18.0		18	18	18	18	18	18	18	4	3.0		3	3	3	3	3	3	3
GRAND TOTAL	5	14.2	95	4	4	12	21	29	29	29	5	3.0		3	3	3	3	3	3	3

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	11.3	147	2	2	16	62	99+	99+	99+	2	2.0		2	2	2	2	2	2	2
13-17	4	10.8	70	2	2	10	17	21	21	21										
18-24	2	21.5	421	7	7	21	36	36	36	36										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	10	12.2	155	2	2	7	24	62	97	99+	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17	2	33.0	8	31	31	33	35	35	35	35										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	7	12.4	211	1	1	4	26	34	35	35	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**17**	**12.3**	**155**	**1**	**1**	**7**	**25**	**36**	**74**	**99+**	**4**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	53.0		53	53	53	53	53	53	53										
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-24	1	7.0		7	7	7	7	7	7	7	2	4.0	18	1	1	4	7	7	7	7
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	7	10.9	349	1	1	4	7	44	53	53	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	4	15.8	148	4	4	13	23	33	33	33										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	7	10.9	119	1	1	10	13	29	33	33										
SUBTOTAL	**14**	**10.9**	**216**	**1**	**1**	**5**	**13**	**35**	**49**	**53**	**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**
GRAND TOTAL	**31**	**11.6**	**178**	**1**	**1**	**6**	**17**	**35**	**51**	**99+**	**6**	**3.2**	**4**	**1**	**1**	**3**	**4**	**7**	**7**	**7**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	16.3	442	2	2	4	31	51	54	54	1	4.0		4	4	4	4	4	4	4
13-17	7	10.0	120	1	1	2	21	23	23	23	2	2.5	5	1	1	2	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	16	12.8	269	1	1	4	21	42	51	54	4	3.0	2	1	1	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	3	31.3	2412	2	2	4	67	88	88	88	1	1.0		1	1	1	1	1	1	1
13-17	7	16.1	552	1	1	6	19	58	67	67	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	11	19.3	882	1	2	5	19	75	87	88	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**27**	**15.4**	**507**	**1**	**1**	**5**	**21**	**52**	**70**	**88**	**6**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	49.4	1858	2	2	58	88	93	93	93	6	21.2	565	1	1	12	36	59	62	62
13-17	6	10.2	71	2	2	8	18	22	22	22	1	9.0		9	9	9	9	9	9	9
18-24	1	24.0		24	24	24	24	24	24	24										
25-34																				
35-54	3	32.0	1981	1	1	12	65	83	83	83	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	15	28.5	1146	1	2	12	49	87	91	93	8	17.9	441	1	2	8	27	54	62	62
B. FEMALE																				
0-12 YRS.	2	53.0	32	49	49	53	57	57	57	57										
13-17	7	13.1	120	1	1	10	20	29	31	31	1	21.0		21	21	21	21	21	21	21
18-24											1	27.0		27	27	27	27	27	27	27
25-34																				
35-54																				
55-74											2	5.0	2	4	4	5	6	6	6	6
75 +																				
ALL AGES	9	22.0	402	1	1	20	35	54	57	57	4	14.5	127	4	4	13	24	27	27	27
SUBTOTAL	**24**	**26.1**	**846**	**1**	**2**	**15**	**40**	**83**	**89**	**93**	**12**	**16.8**	**317**	**1**	**2**	**8**	**24**	**44**	**59**	**62**
GRAND TOTAL	**51**	**20.5**	**679**	**1**	**1**	**7**	**23**	**62**	**87**	**93**	**18**	**12.1**	**252**	**1**	**1**	**5**	**18**	**33**	**52**	**62**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS: TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES: 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	16.7	133	4	4	15	27	32	33	33										
13-17	4	23.5		23	23	23	24	24	24	24										
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	11	17.8	107	2	3	23	24	29	33	33										
B. FEMALE																				
0-12 YRS.	3	9.7	176	1	1	3	19	25	25	25										
13-17	6	14.0	50	5	5	13	20	24	24	24										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	12.6	72	1	2	12	20	24	25	25										
SUBTOTAL	**21**	**15.3**	**93**	**2**	**3**	**15**	**24**	**26**	**30**	**33**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	51.5	1446	4	4	57	86	94	95	95										
13-17	4	23.3	18	18	18	23	26	29	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	40.2	1023	4	6	26	60	90	95	95										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	4	34.8	483	12	12	31	48	65	65	65										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	33.8	370	12	12	30	40	65	65	65										
SUBTOTAL	**15**	**38.1**	**770**	**5**	**9**	**30**	**59**	**86**	**93**	**95**										
GRAND TOTAL	**36**	**24.8**	**492**	**2**	**4**	**22**	**25**	**59**	**80**	**95**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	34.0		34	34	34	34	34	34	34										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	34.0		34	34	34	34	34	34	34										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	34.0		34	34	34	34	34	34	34										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	41.8	637	4	6	51	68	99 +	99 +	99 +										
13-17	8	30.4	599	11	12	23	34	73	86	86	1	7.0		7	7	7	7	7	7	7
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	37.5	621	5	8	41	60	89	99 +	99 +	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	5	29.2	551	1	4	33	91	99 +	99 +	99 +										
13-17	16	20.7	377	2	3	14	30	56	58	58	2	2.5	5	1	1	2	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	21	22.7	408	1	2	16	47	71	99 +	99 +	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**42**	**30.1**	**558**	**2**	**3**	**27**	**55**	**86**	**99 +**	**99 +**	**3**	**4.0**	**9**	**1**	**1**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	38.6	689	5	6	29	68	83	96	99 +	2	24.5	841	4	4	24	45	45	45	45
13-17	10	26.0	349	1	4	25	35	52	65	65										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	24	33.3	570	4	6	29	54	77	87	99 +	2	24.5	841	4	4	24	45	45	45	45
B. FEMALE																				
0-12 YRS.	3	39.7	205	23	23	47	48	49	49	49	1	55.0		55	55	55	55	55	55	55
13-17	10	14.4	95	3	3	14	19	29	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	20.2	230	3	3	17	27	47	49	49	1	55.0		55	55	55	55	55	55	55
SUBTOTAL	**37**	**28.7**	**481**	**3**	**4**	**25**	**46**	**69**	**81**	**99 +**	**3**	**34.7**	**727**	**4**	**4**	**45**	**52**	**55**	**55**	**55**
GRAND TOTAL	**79**	**29.5**	**512**	**3**	**4**	**26**	**51**	**78**	**99 +**	**99 +**	**6**	**19.3**	**579**	**1**	**1**	**6**	**45**	**54**	**55**	**55**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	96.0		96	96	96	96	96	96	96
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	96.0		96	96	96	96	96	96	96
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	96.0		96	96	96	96	96	96	96
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
GRAND TOTAL											2	50.0	4232	4	4	50	96	96	96	96

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	37.9	944	1	2	27	66	77	84	92	4	10.8	81	2	2	10	18	20	20	20
13-17	9	24.0	213	2	5	22	37	44	44	44	1	4.0		4	4	4	4	4	4	4
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	42	34.4	795	1	2	25	62	74	83	92	5	9.4	71	2	2	4	18	20	20	20
B. FEMALE																				
0-12 YRS.	8	24.0	813	1	1	17	59	88	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-17	3	11.7	99	4	4	8	19	23	23	23										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	20.6	624	1	1	12	49	80	97	99 +	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**53**	**31.5**	**781**	**1**	**1**	**23**	**61**	**73**	**84**	**99 +**	**6**	**8.2**	**65**	**2**	**2**	**4**	**17**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	25	24.3	549	2	3	21	37	65	98	99 +	17	19.7	445	3	3	8	39	64	87	99 +
13-17	10	33.4	753	3	7	29	59	96	99 +	99 +	2	3.0		3	3	3	76	99 +	99 +	99 +
18-24	3	14.0	103	3	3	16	21	23	23	23										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	40	25.3	550	3	3	21	33	76	99	99 +	19	17.9	425	3	3	7	40	80	99 +	99 +
B. FEMALE																				
0-12 YRS.	3	30.7	18	28	28	28	34	36	36	36	2	4.5	1	4	4	4	5	5	5	5
13-17	3	28.0	624	8	8	20	47	56	56	56										
18-24																				
25-34																				
35-54											1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	6	29.3	263	8	9	28	36	54	56	56	3	5.7	4	4	4	5	7	8	8	8
SUBTOTAL	**46**	**25.8**	**509**	**3**	**3**	**22**	**34**	**68**	**98**	**99 +**	**22**	**16.3**	**381**	**3**	**3**	**6**	**36**	**70**	**99 +**	**99 +**
GRAND TOTAL	**99**	**28.9**	**654**	**1**	**2**	**23**	**50**	**72**	**93**	**99 +**	**28**	**14.5**	**322**	**2**	**3**	**5**	**30**	**61**	**99 +**	**99 +**

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	3.5	5	2	2	3	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	31.0		31	31	31	31	31	31	31										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	31.0		31	31	31	31	31	31	31										
SUBTOTAL	1	31.0		31	31	31	31	31	31	31										
GRAND TOTAL	3	12.7	253	2	2	5	24	31	31	31										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	1	7.0		7	7	7	7	7	7	7	2	4.0	2	3	3	4	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
GRAND TOTAL	2	4.5	13	2	2	4	7	7	7	7	2	4.0	2	3	3	4	5	5	5	5

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	237	21.9	654	1	1	8	47	72	93	99 +	76	12.4	400	1	1	3	16	40	69	99
13-17	480	14.6	284	1	1	8	22	44	62	99 +	172	3.5	29	1	1	2	4	8	12	28
18-24	1128	13.7	201	1	2	9	19	32	44	77	373	6.2	82	1	1	4	7	14	28	64
25-34	2456	12.5	157	1	2	7	17	28	37	64	872	6.6	48	1	1	4	7	14	26	28
35-54	3542	11.0	118	2	3	6	14	26	32	55	1269	7.1	51	1	2	5	7	14	26	30
55-74	1602	14.6	198	2	3	10	20	32	44	78	740	9.6	129	1	2	6	11	24	33	73
75 +	584	19.9	320	2	3	15	28	47	64	99 +	418	13.3	233	2	3	8	16	37	57	99 +
ALL AGES	10029	13.2	188	1	2	7	18	30	42	79	3920	8.0	99	1	1	5	8	19	28	61
B. FEMALE																				
0-12 YRS.	116	14.7	451	1	1	5	19	63	90	99 +	74	10.6	321	1	1	3	10	34	63	98
13-17	688	15.0	302	1	1	9	20	41	57	92	206	10.1	255	1	1	2	10	34	46	65
18-24	1103	14.3	215	1	2	9	20	33	45	81	339	7.6	94	1	1	4	8	25	29	49
25-34	2183	14.8	206	1	3	10	20	34	45	77	657	7.6	63	1	1	5	9	18	28	36
35-54	3400	15.5	193	2	3	12	21	32	43	76	830	8.6	90	1	2	5	11	20	28	66
55-74	2697	19.6	243	2	4	16	27	41	54	93	845	11.3	161	1	2	7	14	28	37	79
75 +	1289	19.8	322	2	4	15	28	46	66	99 +	830	14.9	289	2	3	9	19	37	63	99 +
ALL AGES	11476	16.7	236	1	3	13	23	37	51	91	3781	10.4	167	1	1	6	13	27	36	80
SUBTOTAL	**21505**	**15.0**	**219**	**1**	**3**	**10**	**21**	**34**	**47**	**86**	**7701**	**9.2**	**133**	**1**	**1**	**5**	**10**	**24**	**31**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	132	33.7	861	2	3	28	60	93	99 +	99 +	78	21.3	410	2	3	21	36	61	82	99 +
13-17	645	19.1	327	1	2	14	28	45	64	99 +	149	10.8	191	1	1	5	14	29	32	87
18-24	1520	13.3	152	2	2	9	20	28	35	62	537	9.2	71	1	2	5	14	25	27	31
25-34	3280	11.9	121	2	3	7	18	27	30	52	1736	7.3	41	2	2	5	8	16	24	28
35-54	3701	11.1	113	2	3	6	14	25	30	57	2851	6.4	27	2	3	5	6	11	17	28
55-74	1118	14.1	170	2	3	9	20	31	41	37	868	7.5	54	2	3	5	8	15	24	44
75 +	242	18.6	314	3	4	13	27	40	56	94	133	11.8	196	2	2	7	15	30	60	99 +
ALL AGES	10638	12.9	164	2	3	7	19	28	35	77	6352	7.5	53	2	3	5	7	16	25	36
B. FEMALE																				
0-12 YRS.	44	35.3	767	2	4	36	59	91	99 +	99 +	40	26.7	531	2	3	24	44	73	90	99 +
13-17	694	19.8	359	1	3	13	29	56	65	99 +	176	19.8	480	1	1	9	30	54	76	90
18-24	1166	15.3	210	1	2	11	22	31	46	85	364	11.0	142	1	2	6	16	28	32	99
25-34	2372	14.3	157	2	3	10	21	29	39	72	805	8.9	73	1	2	5	12	22	27	35
35-54	2523	15.3	171	2	3	11	21	32	42	67	986	7.8	55	2	2	5	8	18	25	35
55-74	1321	19.1	232	3	4	16	26	38	50	87	505	8.9	97	1	2	5	11	21	28	83
75 +	489	20.4	281	3	4	17	29	45	77	99 +	263	13.7	229	2	3	8	18	35	51	99 +
ALL AGES	8609	16.3	214	2	3	12	23	35	48	90	3139	10.0	134	1	2	5	13	25	31	78
SUBTOTAL	**19247**	**14.4**	**190**	**2**	**3**	**9**	**21**	**30**	**42**	**85**	**9491**	**8.3**	**81**	**2**	**2**	**5**	**8**	**21**	**26**	**55**
GRAND TOTAL	**40752**	**14.8**	**203**	**2**	**3**	**10**	**21**	**32**	**45**	**86**	**17192**	**8.7**	**105**	**1**	**2**	**5**	**9**	**21**	**28**	**66**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All long-term care hospitals, i.e., hospitals with average patient stays more than 30 days, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. Hospitals were then grouped according to presence or absence of a psychiatric acute care unit defined in the 1986 AHA magnetic tape.

Hospitals recording the presence of a psychiatric service unit were separated and labeled: hospitals with a psychiatric unit/beds. All other hospitals were labeled: hospitals without a psychiatric unit/beds.

Both hospital service types, however, may offer one or more of these services as defined in the *AHA Guide*, 1987 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth. The purpose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\ (JCA) + 14.0\ (CP) + 28.0\ (RES) + 14.7\ (MS) + 13.3\ (PNS) + 20.1\ (COT)$$

JCA: Accreditation by Joint Commission of Accreditation of Healthcare Organizations

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	86	26.3	40,752	24.0	199	23.2	17,192	24.4
North Central	106	32.4	65,154	38.3	214	25.0	22,142	31.4
South	55	16.8	25,625	15.0	201	23.5	12,411	17.6
West	80	24.5	38,527	22.7	243	28.3	18,705	26.6
U.S.	327	100.0	170,058	100.0	857	100.0	70,450	100.0

APPENDIX 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoïd and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other specified drug-induced mental disorders	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other specified transient organic mental disorders	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	29
295.1	Disorganized type schizophrenia	30
295.2	Catatonic type schizophrenia	31
295.3	Paranoid type schizophrenia	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type schizophrenia	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other manic-depressive psychosis	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52
297.8	Other specified paranoid states	53

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active state	
	1 Residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified childhood psychosis	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other anxiety states	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other neurotic disorders	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other personality disorders	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.0	Homosexuality	85
302.3	Transvestism	86
302.5	Trans-sexualism	87
302.50	Trans-sexualism with unspecified sexual history	87
302.51	Trans-sexualism with asexual history	87
302.52	Trans-sexualism with homosexual history	87
302.53	Trans-sexualism with heterosexual history	87
302.7	Psychosexual dysfunction	88
302.70	Psychosexual dysfunction, unspecified	88
302.71	Psychosexual dysfunction with inhibited sexual desire	88
302.72	Psychosexual dysfunction with inhibited sexual excitement	88
302.73	Psychosexual dysfunction with inhibited female orgasm	88
302.74	Psychosexual dysfunction with inhibited male orgasm	88
302.75	Psychosexual dysfunction with premature ejaculation	88
302.76	Psychosexual dysfunction with functional dyspareunia	88
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	88
302.8	Other specified psychosexual disorders	89
302.81	Fetishism	89
302.82	Voyeurism	89
302.83	Sexual masochism	89
302.84	Sexual sadism	89
302.85	Gender identity disorder of adolescent or adult life	89
302.89	Other specified psychosexual disorders	89
302.9	Unspecified psychosexual disorder	90
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified drinking behavior	
	1 Continuous drinking behavior	
	2 Episodic drinking behavior	
	3 In remission	
303.0	Acute alcoholic intoxication	91
303.9	Other and unspecified alcohol dependence	92

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
304.0	Opioid type dependence	93
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	94
304.2	Cocaine dependence	95
304.3	Cannabis dependence	96
304.4	Amphetamine and other psychostimulant dependence	97
304.5	Hallucinogen dependence	98
304.6	Other specified drug dependence	99
304.7	Combinations of opioid type drug with any other drug dependence	100
304.8	Combinations of drug dependence excluding opioid type drug	101
304.9	Unspecified drug dependence	102
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
305.0	Alcohol abuse	103
305.1	Tobacco use disorder	104
305.2	Cannabis abuse	105
305.3	Hallucinogen abuse	106
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	107
305.5	Opioid abuse	108
305.6	Cocaine abuse	109
305.7	Amphetamine or related acting sympathomimetic abuse	110
305.8	Antidepressant type abuse	111
305.9	Other, mixed, or unspecified drug abuse	112
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	113
306.1	Respiratory malfunction arising from mental factors	114
306.2	Cardiovascular malfunction arising from mental factors	115
306.3	Skin disorder arising from mental factors	116
306.4	Gastrointestinal malfunction arising from mental factors	117
306.5	Genitourinary malfunction arising from mental factors	118
306.50	Psychogenic genitourinary malfunction, unspecified	118
306.51	Psychogenic vaginismus	118
306.52	Psychogenic dysmenorrhea	118
306.53	Psychogenic dysuria	118
306.59	Other genitourinary malfunction arising from mental factors	118
306.6	Endocrine disorder arising from mental factors	119
306.8	Other specified psychophysiological malfunction	120
306.9	Unspecified psychophysiological malfunction	121
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	122
307.1	Anorexia nervosa	123
307.2	Tics	124
307.20	Tic disorder, unspecified	124
307.21	Transient tic disorder of childhood	124

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.22	Chronic motor tic disorder	124
307.23	Gilles de la Tourette's disorder	124
307.3	Stereotyped repetitive movements	125
307.4	Specific disorders of sleep of nonorganic origin	126
307.40	Nonorganic sleep disorder, unspecified	126
307.41	Transient disorder of initiating or maintaining sleep	126
307.42	Persistent disorder of initiating or maintaining sleep	126
307.43	Transient disorder of initiating or maintaining wakefulness	126
307.44	Persistent disorder of initiating or maintaining wakefulness	126
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	126
307.46	Somnambulism or night terrors	126
307.47	Other dysfunctions of sleep stages or arousal from sleep	126
307.48	Repetitive intrusions of sleep	126
307.49	Other specific disorders of sleep of nonorganic origin	126
307.5	Other and unspecified disorders of eating	127
307.50	Eating disorder, unspecified	127
307.51	Bulimia	127
307.52	Pica	127
307.53	Psychogenic rumination	127
307.54	Psychogenic vomiting	127
307.59	Other disorders of eating	127
307.6	Enuresis	128
307.7	Encopresis	129
307.8	Psychalgia	130
307.80	Psychogenic pain, site unspecified	130
307.81	Tension headache	130
307.89	Other psychalgia	130
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	131
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	132
308.1	Predominant disturbance of consciousness	133
308.2	Predominant psychomotor disturbance	134
308.3	Other acute reactions to stress	135
308.4	Mixed disorders as reaction to stress	136
308.9	Unspecified acute reaction to stress	137
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	138
309.1	Adjustment reaction with prolonged depressive reaction	139
309.2	Adjustment reaction with predominant disturbance of other emotions	140
309.21	Separation anxiety disorder	140
309.22	Emancipation disorder of adolescence and early adult life	140
309.23	Specific academic or work inhibition	140
309.24	Adjustment reaction with anxious mood	140
309.28	Adjustment reaction with mixed emotional features	140
309.29	Other adjustment reactions with predominant disturbance of other emotions	140
309.3	Adjustment reaction with predominant disturbance of conduct	141
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	142
309.8	Other specified adjustment reactions	143
309.81	Prolonged posttraumatic stress disorder	143
309.82	Adjustment reaction with physical symptoms	143
309.83	Adjustment reaction with withdrawal	143
309.89	Other specified adjustment reactions	143
309.9	Unspecified adjustment reaction	144

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	145
310.1	Organic personality syndrome	146
310.2	Postconcussion syndrome	147
310.8	Other specified nonpsychotic mental disorders following organic brain damage	148
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	149
311	Depressive disorder, not elsewhere classified	150
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	151
312.1	Undersocialized conduct disorder, unaggressive type	152
312.2	Socialized conduct disorder	153
312.3	Disorders of impulse control, not elsewhere classified	154
312.30	Impulse control disorder, unspecified	154
312.31	Pathological gambling	154
312.32	Kleptomania	154
312.33	Pyromania	154
312.34	Intermittent explosive disorder	154
312.35	Isolated explosive disorder	154
312.39	Other disorders of impulse control	154
312.4	Mixed disturbance of conduct and emotions	155
312.8	Other specified disturbances of conduct, not elsewhere classified	156
312.9	Unspecified disturbance of conduct	157
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	158
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	159
313.21	Shyness disorder of childhood	159
313.22	Introverted disorder of childhood	159
313.23	Elective mutism specific to childhood and adolescence	159
313.8	Other or mixed emotional disturbances of childhood or adolescence	160
313.81	Oppositional disorder of childhood or adolescence	160
313.82	Identity disorder of childhood or adolescence	160
313.83	Academic underachievement disorder of childhood or adolescence	160
313.89	Other emotional disturbances of childhood or adolescence	160
313.9	Unspecified emotional disturbance of childhood or adolescence	161
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	162
314.00	Attention deficit disorder of childhood without mention of hyperactivity	162
314.01	Attention deficit disorder of childhood with hyperactivity	162
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	163
314.9	Unspecified hyperkinetic syndrome of childhood	164
290-314.9	**All psychiatric diagnosis codes**	165

APPENDIX 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	160
Acute alcoholic intoxication	303.0	91
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	140
Adjustment reaction with brief depressive reaction	309.0	138
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	142
Adjustment reaction with mixed emotional features	309.28	140
Adjustment reaction with physical symptoms	309.82	143
Adjustment reaction with predominant disturbance of conduct	309.3	141
Adjustment reaction with predominant disturbance of other emotions	309.2	140
Adjustment reaction with prolonged depressive reaction	309.1	139
Adjustment reaction with withdrawal	309.83	143
Affective personality disorder	301.1	76
Affective personality disorder, unspecified	301.10	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	103
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	91-92
Fifth-digit subclassification for use with 303:		
0 Unspecified drinking behavior		
1 Continuous drinking behavior		
2 Episodic drinking behavior		
3 In remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	97
Amphetamine or related acting sympathomimetic abuse	305.7	110
Anorexia nervosa	307.1	123
Antidepressant type abuse	305.8	111
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia, uncomplicated	290.40	5
Attention deficit disorder of childhood	314.0	162
Attention deficit disorder of childhood with hyperactivity	314.01	162
Attention deficit disorder of childhood without mention of hyperactivity	314.00	162
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	107
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	94
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Bulimia	307.51	127
Cannabis abuse	305.2	105
Cannabis dependence	304.3	96
Cardiovascular malfunction arising from mental factors	306.2	115
Catatonic type schizophrenia	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	124
Cocaine abuse	305.6	109
Cocaine dependence	304.2	95
Combinations of drug dependence excluding opioid type drug	304.8	101
Combinations of opioid type drug with any other drug dependence	304.7	100
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	150
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	154
Disorganized type schizophrenia	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	312.0-312.2	151-153
Drug dependence Fifth-digit subclassification for use with 304: 0 Unspecified use 1 Continuous use 2 Episodic use 3 In remission	304.0-304.9	93-102
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17
Eating disorder, unspecified	307.50	127
Elective mutism specific to childhood and adolescence	313.23	159
Emancipation disorder of adolescence and early adult life	309.22	140
Encopresis	307.7	129
Endocrine disorder arising from mental factors	306.6	119
Enuresis	307.6	128
Excitative type psychosis	298.1	56
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	89
Frontal lobe syndrome	310.0	145
Gastrointestinal malfunction arising from mental factors	306.4	117
Gender identity disorder of adolescent or adult life	302.85	89
Generalized anxiety disorder	300.02	65
Genitourinary malfunction arising from mental factors	306.5	118
Gilles de la Tourette's disorder	307.23	124
Hallucinogen abuse	305.3	106
Hallucinogen dependence	304.5	98
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Homosexuality	302.0	85
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder of childhood or adolescence	313.82	160
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	154
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	154
Introverted disorder of childhood	313.22	159
Introverted personality	301.21	77
Isolated explosive disorder	312.35	154
Kleptomania	312.32	154
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.1	40
Manic disorder, single episode	296.0	39
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Mixed disorders as reaction to stress	308.4	136
Mixed disturbance of conduct and emotions	312.4	155
Multiple personality	300.14	66
Musculoskeletal malfunction arising from mental factors	306.0	113
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	103-112
Fifth-digit subclassification for use with 305:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	126
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	108
Opioid type dependence	304.0	93
Oppositional disorder of childhood or adolescence	313.81	160
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	146
Other acute reactions to stress	308.3	135
Other adjustment reactions with predominant disturbance of other emotions	309.29	140
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	92
Other and unspecified disorders of eating	307.5	127
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	131
Other anxiety states	300.09	65
Other disorders of eating	307.59	127
Other disorders of impulse control	312.39	154
Other dysfunctions of sleep stages or arousal from sleep	307.47	126
Other emotional disturbances of childhood or adolescence	313.89	160
Other genitourinary malfunction arising from mental factors	306.59	118
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other manic-depressive psychosis	296.89	47
Other neurotic disorders	300.8	73
Other neurotic disorders	300.89	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	160
Other personality disorders	301.8	83
Other personality disorders	301.89	83
Other psychalgia	307.89	130
Other specific disorders of sleep of nonorganic origin	307.49	126
Other specified adjustment reactions	309.8	143
Other specified adjustment reactions	309.89	143
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	156
Other specified drug dependence	304.6	99
Other specified drug-induced mental disorders	292.8	19
Other specified drug-induced mental disorders	292.89	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	163
Other specified nonpsychotic mental disorders following organic brain damage	310.8	148
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Other specified psychophysiological malfunction	306.8	120
Other specified psychosexual disorders	302.8	89
Other specified psychosexual disorders	302.89	89
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified transient organic mental disorders	293.89	23
Other specified types of schizophrenia	295.8	37
Other, mixed, or unspecified drug abuse	305.9	112
Overanxious disorder specific to childhood and adolescence	313.0	158
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid personality disorder	301.0	75
Paranoid state, simple	297.0	49
Paranoid type schizophrenia	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	154
Persistent disorder of initiating or maintaining sleep	307.42	126
Persistent disorder of initiating or maintaining wakefulness	307.44	126
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	126
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	127
Postconcussion syndrome	310.2	147
Predominant disturbance of consciousness	308.1	133
Predominant disturbance of emotions	308.0	132
Predominant psychomotor disturbance	308.2	134
Presenile dementia	290.1	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Presenile dementia, uncomplicated	290.10	2
Prolonged posttraumatic stress disorder	309.81	143
Psychalgia	307.8	130
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	118
Psychogenic dysuria	306.53	118
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	118
Psychogenic pain, site unspecified	307.80	130
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	127
Psychogenic vaginismus	306.51	118
Psychogenic vomiting	307.54	127
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 Current or active state		
1 Residual state		
Psychosexual dysfunction	302.7	88
Psychosexual dysfunction with functional dyspareunia	302.76	88
Psychosexual dysfunction with inhibited female orgasm	302.73	88
Psychosexual dysfunction with inhibited male orgasm	302.74	88

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction with inhibited sexual desire	302.71	88
Psychosexual dysfunction with inhibited sexual excitement	302.72	88
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	88
Psychosexual dysfunction with premature ejaculation	302.75	88
Psychosexual dysfunction, unspecified	302.70	88
Pyromania	312.33	154
Reactive confusion	298.2	57
Repetitive intrusions of sleep	307.48	126
Residual schizophrenia	295.6	35
Respiratory malfunction arising from mental factors	306.1	114
Schizo-affective type schizophrenia	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	77
Senile dementia with delirium	290.3	4
Senile dementia with delusional features	290.20	3
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with depressive features	290.21	3
Senile dementia, uncomplicated	290.0	1
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	159
Separation anxiety disorder	309.21	140
Sexual masochism	302.83	89
Sexual sadism	302.84	89
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	159
Simple type schizophrenia	295.0	29
Skin disorder arising from mental factors	306.3	116
Social phobia	300.23	67
Socialized conduct disorder	312.2	153
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	126
Specific academic or work inhibition	309.23	140
Specific disorders of sleep of nonorganic origin	307.4	126
Stammering and stuttering	307.0	122
Stereotyped repetitive movements	307.3	125
Subacute delirium	293.1	22
Tension headache	307.81	130
Tic disorder, unspecified	307.20	124
Tics	307.2	124
Tobacco use disorder	305.1	104
Trans-sexualism	302.5	87
Trans-sexualism with asexual history	302.51	87
Trans-sexualism with heterosexual history	302.53	87
Trans-sexualism with homosexual history	302.52	87
Trans-sexualism with unspecified sexual history	302.50	87

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Transient disorder of initiating or maintaining sleep	307.41	126
Transient disorder of initiating or maintaining wakefulness	307.43	126
Transient tic disorder of childhood	307.21	124
Transvestism	302.3	86
Undersocialized conduct disorder, aggressive type	312.0	151
Undersocialized conduct disorder, unaggressive type	312.1	152
Unspecified acute reaction to stress	308.9	137
Unspecified adjustment reaction	309.9	144
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified childhood psychosis	299.9	64
Unspecified disturbance of conduct	312.9	157
Unspecified drug dependence	304.9	102
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	161
Unspecified hyperkinetic syndrome of childhood	314.9	164
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	149
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	121
Unspecified psychosexual disorder	302.9	90
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	89

R3850-2.4-U

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Southern Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1988

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the second annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1987
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1987
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1987
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1987
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1987
ISSN 0898-0535

The Length of Stay series has been published annually since 1964. The 1987 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1987 and Pediatric Length of Stay by Diagnosis and Operation, United States 1987. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and CPHA Publications iv

Preface v

Description of the Database

Data Collection vii
Data Quality ix
Database Characteristics ix

Organization of Psychiatric Length of Stay Tables xiv

Explanation of Psychiatric Length of Stay Statistics xvi

Application of Psychiatric Length of Stay Tables xvii

Trends in Psychiatric Length of Stay xviii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 161

Appendix 2: Teaching Intensity Program Calculation 162

Appendix 3: State Inclusions and Hospital Counts by Region 163

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 164

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 171

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the healthcare industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of healthcare professionals in a variety of settings.

Copyright ©1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the healthcare industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. This series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1987 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager
Joyce Beach, Senior Programmer
Lale A. Olson, Senior Electronic Publishing Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Publications staff: Linda E. Vanek, MSW, Product Manager, for marketing assistance, Rhonda A. Gregory, Customer Service Representative, for clerical assistance, and James Chesney, PhD., for research advice.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Maureen Rieschl, and Billie Thompson. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and the Wyoming Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1987 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,184 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages xi-xiii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1986 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1986 AHA magnetic tape), includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1986 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1987 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	480	1,445	1,925	1,382	3,355	4,737	168	175	343	2,030	4,975	7,005
Sample	39	185	224	288	672	960	0	0	0	327	857	1,184
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	8.1	12.8	11.6	20.8	20.0	20.3	0	0	0	16.1	17.2	16.9
Number of Urban Hospitals												
Universe	355	346	701	1,165	1,966	3,131	140	94	234	1,660	2,406	4,066
Sample	24	43	67	221	366	587	0	0	0	245	409	654
Urban Hospitals as Percent of Universe												
Universe	74.0	23.9	36.4	84.3	58.6	66.1	83.3	53.7	68.2	81.8	48.4	58.0
Sample	5.0	3.0	3.5	16.0	10.9	12.4	0	0	0	12.1	8.2	9.3
Number of High/Medium Teaching Intensity Hospitals												
Universe	175	53	228	532	379	911	111	31	142	818	463	1,281
Sample	17	6	23	130	96	226	0	0	0	147	102	249
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	36.5	3.7	11.8	38.5	11.3	19.2	66.1	17.7	41.4	40.3	9.3	18.3
Sample	3.5	.4	1.2	9.4	2.9	4.8	0	0	0	7.2	2.1	3.6
Average Occupancy as Percent of Universe												
Universe	77.6	48.7	55.9	67.4	54.4	58.2	73.3	56.1	64.5	70.3	52.8	57.9
Sample	63.5	47.9	50.6	66.4	57.7	60.3	0	0	0	66.1	55.6	58.5

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals recording facility information on the 1986 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	327	100.0	170,058	100.0
Control				
Public	39	11.9	16,406	9.6
Private	288	88.1	153,652	90.4
Bedsize				
< 100 Beds	21	6.4	4,068	2.4
100-199	79	24.1	28,841	17.0
200-299	78	23.9	37,376	22.0
300-399	63	19.3	38,117	22.4
400-499	33	10.1	21,409	12.6
500+	53	16.2	40,247	23.7
Teaching Intensity				
Low	180	55.1	79,718	46.9
Medium	88	26.9	50,023	29.4
High	59	18.0	40,317	23.7
Location				
Rural	82	25.1	27,350	16.1
Urban	245	74.9	142,708	83.9

---

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	857	100.0	70,450	100.0
Control				
Public	185	21.6	10,190	14.5
Private	672	78.4	60,260	85.5
Bedsize				
< 100 Beds	445	51.9	17,716	25.1
100-199	224	26.1	19,794	28.1
200-299	108	12.6	16,318	23.2
300-399	42	4.9	6,262	8.9
400-499	21	2.5	7,447	10.6
500+	17	2.0	2,913	4.1
Teaching Intensity				
Low	755	88.1	52,857	75.0
Medium	82	9.6	16,031	22.8
High	20	2.3	1,562	2.2
Location				
Rural	448	52.3	21,608	30.7
Urban	409	47.7	48,842	69.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

c. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The first Psychiatric Length of Stay series, profiling 1986 data, offered a baseline year for monitoring national and regional length of stay trends for hospital patients with psychiatric conditions.

The 1987 Psychiatric Length of Stay series affords a glimpse of emerging patterns for further investigation. The tables that follow highlight data from the 1986 and the new 1987 publications in two areas of interest to users:

(1) regional length of stay differences for selected psychiatric diagnoses; and
(2) sex length of stay differences for selected psychiatric diagnoses.

Table 1 below displays 1986 and 1987 average lengths of stay in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 900 patient discharges in each region, and for all psychiatric diagnoses. The table is categorized by geographic region.

For all of the five common psychiatric diagnoses, except other and unspecified alcohol dependence (303.9), the western region length of stay remains the lowest, following a 22 year old pattern for all diagnoses, in which the Northeast has the highest lengths of stay, and the West, the lowest.

For example, in 1987 the average length of stay in the Northeast for paranoid schizophrenia (295.3) is 21 days; it is 11.1 days in the West, a difference of 9.9 days. Similarly, the 1987 average length of stay in the Northeast for a diagnosis of major depressive disorder, single episode (296.2) is 18.5 days, while it is 13.8 days in the West, a 4.7 day difference. For all psychiatric diagnoses, the difference between the northeastern and the western regions in 1987 is 2.5 days.

Lengths of stay for all psychiatric diagnoses from 1986 to 1987, rose or remained constant in three of the four regions, including the West. The exception is the north central region, where average lengths of stay for all psychiatric diagnoses dropped 0.2 days. The southern and northeastern regions recorded the highest increases: 0.9 days from 1986 to 1987. The western region rose 0.5 days. In the U.S. for all psychiatric diagnoses, average lengths of stay rose 0.4 days, from 13.7 in 1986 to 14.1 in 1987.

Table 1
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals with a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Paranoid schizophrenia	295.3	20.0	21.0	16.7	16.8	13.0	13.8	11.5	11.1	15.4	15.6
Major depressive disorder, single episode	296.2	18.5	18.5	16.8	16.8	17.2	17.9	13.9	13.8	16.7	16.7
Neurotic depression	300.4	14.5	15.7	14.8	14.7	11.9	13.2	11.3	10.6	13.5	13.6
Other and unspecified alcohol dependence	303.9	10.1	11.4	18.0	17.7	13.5	14.6	17.3	19.7	15.0	15.8
Brief depressive reaction	309.0	9.6	9.9	10.3	9.9	8.3	8.8	5.8	5.8	8.8	8.8
All psychiatric codes	290.0-314.9	13.9	14.8	14.9	14.7	13.2	14.1	11.8	12.3	13.7	14.1

The differences in average length of stay for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses, in hospitals without a psychiatric acute care service unit/beds, are also illuminating.

As Table 2 reveals below, the regional differences do not uniformly show the expected pattern of higher average lengths of stay in the Northeast, North Central, and South and lower stays in the West. In 1987, three of the five examined diagnoses show higher average lengths of stay in the West than in all other regions. For example, in the southern region a diagnosis of acute alcoholic intoxication (303.0) has an average length of stay of 8.9 days; the average stay in the West is 11.1 days. For a diagnosis of depressive disorder (311), the average length of stay in the north central region is 7 days; in the West 10.6 days.

On the other hand, from 1986 to 1987, average lengths of stay for each region for the five common psychiatric diagnoses have gone up in the Northeast by an average 2.3 days, 1 day in the north central region, 0.6 days in the South, and 0.4 in the West.

Similarly, for all psychiatric diagnoses the average length of stay has declined in the West from 1986 to 1987 from 11.6 to 11.4 days and has increased in the other three regions, ranging from 0.6 days in the South to 1.1 days in the Northeast.

Table 2
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals without a Psychiatric Unit/Beds

		Northeast		**North Central**		**South**		**West**		**U.S.**	
Type of Patient	***ICD-9-CM* Code**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Other specified alcoholic psychosis	291.8	5.1	5.2	4.9	4.9	4.1	4.7	5.6	7.4	5.0	5.5
Major depressive disorder, recurrent episode	296.3	9.8	15.8	13.2	17.3	10.8	11.5	14.6	10.0	12.7	14.1
Acute alcoholic intoxication	303.0	4.6	5.9	8.7	8.8	7.8	8.9	10.4	11.1	8.4	8.6
Cocaine dependence	304.2	5.4	8.4	14.9	14.1	24.6	25.9	18.5	19.0	16.7	14.8
Depressive disorder, not elsewhere classified	311	9.3	10.5	5.5	7.0	6.5	6.0	7.1	10.6	6.6	8.1
All psychiatric codes	290.0-314.9	7.6	8.7	10.9	11.9	9.7	10.3	11.6	11.4	10.4	10.7

Table 3 shows average lengths of stay by sex in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses. For the five common psychiatric diagnoses with a few exceptions, e.g., neurotic depression (300.4), in all regions and the U.S., women have higher average lengths of stay in 1986 and 1987. This finding is often cited in the literature examining psychiatric lengths of stay. To illustrate, in 1986, men with a diagnosis of brief depressive reaction (309.0) stay an average 8.3 days, while women stay 9 days in the U.S. For all psychiatric diagnoses in the U.S. in 1986, men stay 13.1 days to women's average 14.3 days, a 1.2 day difference.

In 1987, the national length of stay differential between men and women for brief depressive reaction (309.0) increases. Men stay an average 8.2 days, while women stay 9.3 days. The same holds true for all psychiatric diagnoses: men stay an average 13.4 and women 14.6 days, a 0.1 increase in the differential between average stays for men and women from 1986 to 1987.

Moreover, there are regional variations in lengths of stay by sex. In the Northeast, men and women diagnosed with a major depressive disorder, recurrent episode (296.3), have an average stay of 19.8 and 21.3 days respectively in 1987. Men and women in the West with the same diagnosis stay an average 13.6 and 14.6 days. Cocaine dependence (304.2) reveals the opposite pattern, in which the West has higher average stays for men and women, 19.6 and 18 days respectively, than in the Northeast, where average stays are 8.6 days for men and women diagnosed with cocaine dependence (304.2).

Overall, regional average lengths of stay by sex from 1986 to 1987 increase. The north central region records the only decline: 0.1 days for men and 0.2 days for women. For all psychiatric diagnoses, the lengths of stay for men in the Northeast increase by 0.9 days and 1 day for women; in the South the increase is 1.1 days for men and 0.8 days for women.

Table 3
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals with a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	19.6	19.8	21.0	21.3	17.3	16.1	18.3	17.1
Neurotic depression	300.4	16.0	16.8	13.6	15.0	14.6	14.4	15.0	14.8
Acute alcoholic intoxication	303.0	6.5	6.2	7.6	6.3	7.1	6.5	6.9	6.9
Cocaine dependence	304.2	13.1	8.6	13.0	8.6	16.0	14.6	13.7	12.3
Brief depressive reaction	309.0	9.3	8.9	9.8	10.6	9.5	9.3	10.8	10.3
All psychiatric codes	290.0-314.9	12.2	13.1	15.5	16.5	14.5	14.4	15.3	15.1

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.0	17.1	17.2	17.3	12.9	13.6	14.3	14.6
Neurotic depression	300.4	11.9	14.1	12.0	12.7	12.0	10.9	11.0	10.5
Acute alcoholic intoxication	303.0	9.7	8.0	9.7	9.0	6.9	6.6	7.0	5.5
Cocaine dependence	304.2	17.2	16.2	14.8	14.8	20.2	19.6	16.6	18.0
Brief depressive reaction	309.0	8.3	8.3	8.3	9.1	5.3	5.2	6.1	6.2
All psychiatric codes	290.0-314.9	12.4	13.5	13.8	14.6	11.8	12.3	11.9	12.4

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.6	16.6	17.9	17.6
Neurotic depression	300.4	13.8	13.8	13.3	13.4
Acute alcoholic intoxication	303.0	7.1	6.5	7.4	6.5
Cocaine dependence	304.2	16.6	14.7	14.2	12.6
Brief depressive reaction	309.0	8.3	8.2	9.0	9.3
All psychiatric codes	290.0-314.9	13.1	13.4	14.3	14.6

Table 4 displays average lengths of stay by sex in hospitals without a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 90 patient discharges in each region, and for all psychiatric diagnoses.

As the statistics in Table 2 suggest, these hospitals do not appear to follow the expected pattern of higher stays for women with psychiatric conditions. For example, a high frequency diagnosis for women (diagnosed two times more) is neurotic depression (300.4). In 1986, women stay 6.9 days to men's 7.8 in the U.S In 1987, the difference is greater: men stay an average 9.5 days to women's 7.7, almost a 2 day spread. At the same time, for all psychiatric diagnoses in the U.S. for both years, women stay fewer days: 1.1 days in 1986 and 0.6 days in 1987. On the other hand, acute alcoholic intoxication (303.0), a high frequency diagnosis for men (diagnosed three times more), men stay 0.3 days less in 1986, and 0.6 days less in 1987 than do women.

Furthermore, regional variations in lengths of stay by sex do not correspond to the expected regional pattern. In the Northeast in 1987, the average stay for cocaine dependence (304.2) is 7.2 days for men and 7.4 for women. In the West, the average stay is 14.6 and 10.1 for men and women respectively. In 1987, for all psychiatric diagnoses in the Northeast, the average stay is 7.7 for men and 10.2 for women, in comparison to 12 days for men and 10.7 days for women in the West.

Like the regional average lengths of stay by sex for hospitals with a psychiatric acute care service unit/beds, from 1986 to 1987, the average lengths of stay for hospitals without such a unit increase. In the Northeast, the average stay increases 0.9 days for men and 1.6 days for women. The latter average stay equals the increase for women in the north central region as well (1.6), where men have increased stays by 0.7 days. In the South, the increase is 0.8 for men and 0.4 days for women. Only in the West is there a decline of 0.5 days for women, while stays for men remain the same over the two years.

To summarize, a preliminary examination of the 1986 and 1987 Psychiatric Length of Stay series reveals:

1. For hospitals with a psychiatric acute care service unit/beds and for the psychiatric diagnoses examined (5), there are higher stays in the Northeast and lower stays in the West, overall following a well-acknowledged length of stay pattern for all diagnoses that began in 1965.

2. For hospitals without a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), the same pattern does not exist.

3. For hospitals with a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), women stay longer than men, a pattern often cited in the literature. In hospitals without such a unit, the statistics do not point to the same pattern.

4. Lengths of stay for all psychiatric diagnoses in two regions for both hospital service types show increases for 1986 and 1987. Lengths of stay decline in the north central and western regions for at least one of the hospital service types during the two year period.

The four tables introduce a few of the many cross tabulations that can be accomplished using the Psychiatric Length of Stay series. As users conduct their own inquiries, it is essential to remember the statistics in this section are merely descriptive, and not the subject of critical analysis. Thus it is also important that users routinely:

1) examine the characteristics of the database (pp. ix-xiii and Appendix 3);
2) look at the patient counts in each diagnosis table; and
3) acknowledge any clinical, financial, legal, and social issues for each psychiatric diagnosis covered in the Psychiatric Length of Stay series.

Such caution, paired with expertise, will make the statistics and tables presented in the next section more valuable as hospital cost and quality of care information on patients with psychiatric conditions.

Table 4
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals without a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	7.7	15.0	10.5	16.1	11.7	17.6	13.6	17.1
Neurotic depression	300.4	8.3	7.2	6.8	7.4	8.3	9.1	7.4	8.1
Acute alcoholic intoxication	303.0	4.7	5.8	4.3	6.2	8.9	8.7	8.2	9.2
Cocaine dependence	304.2	5.6	8.3	5.0	8.4	16.3	15.4	11.5	11.0
Brief depressive reaction	309.0	4.3	5.0	6.0	4.6	9.2	7.2	6.2	8.0
All psychiatric codes	290.0-314.9	6.8	7.7	8.6	10.2	11.7	12.4	9.7	11.3

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	10.7	12.1	10.8	11.3	14.8	8.5	14.4	10.7
Neurotic depression	300.4	6.5	6.4	6.1	6.0	8.7	14.6	7.8	10.1
Acute alcoholic intoxication	303.0	7.4	8.9	9.5	8.7	10.1	10.8	11.3	11.9
Cocaine dependence	304.2	24.5	25.6	24.8	27.1	18.8	18.6	17.4	19.3
Brief depressive reaction	309.0	3.6	5.7	4.1	5.0	4.0	4.2	4.2	5.1
All psychiatric codes	290.0-314.9	11.0	11.8	8.4	8.8	12.0	12.0	11.2	10.7

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	12.7	14.0	12.7	14.2
Neurotic depression	300.4	7.8	9.5	6.9	7.7
Acute alcoholic intoxication	303.0	8.3	8.5	8.6	9.1
Cocaine dependence	304.2	17.5	15.6	14.6	12.9
Brief depressive reaction	309.0	4.9	5.5	4.8	5.8
All psychiatric codes	290.0-314.9	10.9	11.0	9.8	10.4

Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54	1	14.0		14	14	14	14	14	14	14											
55-74	9	18.7	292	1	4	13	27	46	58	58	7	5.9	3	4	4	6	7	9	9	9
75 +	18	11.7	84	3	3	8	14	28	33	34	18	8.2	47	2	3	6	11	21	24	25
ALL AGES	28	14.0	151	3	3	10	17	30	36	58	25	7.5	36	2	3	6	8	17	23	25
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74	23	15.3	362	3	4	11	16	33	58	92	8	7.8	33	2	2	5	11	17	19	19
75 +	50	10.8	60	1	2	9	16	21	23	32	39	8.1	112	1	2	6	8	15	24	64
ALL AGES	73	12.2	156	1	3	9	16	21	31	80	47	8.1	97	2	2	6	9	17	21	64
SUBTOTAL	**101**	**12.7**	**154**	**2**	**3**	**10**	**16**	**25**	**32**	**75**	**72**	**7.9**	**75**	**2**	**3**	**6**	**8**	**17**	**23**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74	3	5.3	5	3	3	6	7	7	7	7	1	7.0		7	7	7	7	7	7	7
75 +	3	12.7	16	8	8	14	15	16	16	16	3	19.3	48	14	14	17	24	27	27	27
ALL AGES	6	9.0	25	3	3	7	14	16	16	16	4	16.3	67	7	7	15	22	27	27	27
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74	8	19.4	232	4	4	14	31	43	43	43	1	13.0		13	13	13	13	13	13	13
75 +	9	15.1	225	4	4	8	20	41	48	48	9	8.7	11	2	3	10	11	12	13	13
ALL AGES	17	17.1	220	4	4	11	23	43	46	48	10	9.1	12	2	3	10	11	13	13	13
SUBTOTAL	**23**	**15.0**	**178**	**3**	**4**	**11**	**17**	**42**	**45**	**48**	**14**	**11.1**	**37**	**3**	**5**	**10**	**13**	**18**	**25**	**27**
GRAND TOTAL	**124**	**13.2**	**156**	**2**	**3**	**10**	**16**	**28**	**36**	**67**	**86**	**8.4**	**70**	**2**	**3**	**6**	**10**	**17**	**23**	**51**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.0	2	3	3	4	5	5	5	5										
35-54	2	9.5	61	4	4	9	15	15	15	15										
55-74	14	11.0	82	3	5	7	15	39	85	99+	13	9.3	143	2	2	6	8	20	43	48
75 +	25	9.4	73	2	2	6	11	19	26	40	24	9.4	43	2	2	8	15	18	22	23
ALL AGES	43	9.7	71	2	3	7	14	19	39	99+	37	9.4	75	2	2	7	13	18	23	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	24	13.4	177	2	2	9	14	31	42	61	19	7.9	103	2	2	4	7	23	36	40
75 +	26	11.9	82	4	5	8	12	30	31	32	40	7.0	27	2	2	5	8	15	20	23
ALL AGES	51	12.4	126	2	3	9	13	30	32	61	59	7.3	50	2	2	5	8	16	23	39
SUBTOTAL	**94**	**11.2**	**100**	**2**	**3**	**8**	**14**	**28**	**33**	**82**	**96**	**8.1**	**60**	**2**	**2**	**5**	**9**	**17**	**23**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74	5	5.2	19	1	1	5	7	12	12	12	2	15.5	25	12	12	15	19	19	19	19
75 +	1	6.0		6	6	6	6	6	6	6	3	9.0	16	5	5	9	12	13	13	13
ALL AGES	7	7.0	32	1	1	6	11	16	17	17	5	11.6	27	5	5	12	14	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	8	23.6	766	3	3	15	29	71	87	87	6	14.2	85	3	3	12	23	27	27	27
75 +	8	13.9	64	3	4	14	21	24	25	25	2	8.5	61	3	3	8	14	14	14	14
ALL AGES	16	18.8	410	3	3	14	23	32	71	87	8	12.8	76	3	3	11	19	26	27	27
SUBTOTAL	**23**	**15.2**	**320**	**2**	**3**	**12**	**20**	**27**	**52**	**87**	**13**	**12.3**	**55**	**3**	**3**	**12**	**16**	**24**	**26**	**27**
GRAND TOTAL	**117**	**11.9**	**146**	**2**	**3**	**8**	**15**	**28**	**34**	**91**	**109**	**8.6**	**61**	**2**	**2**	**6**	**11**	**18**	**23**	**43**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	9.1	17	2	3	10	11	14	15	15	3	4.3	6	3	3	3	6	7	7	7
75 +	10	10.6	25	5	5	9	12	19	21	21	14	8.9	51	2	2	6	14	20	24	25
ALL AGES	19	9.9	20	3	4	10	12	16	19	21	17	8.1	45	2	2	5	12	19	23	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	18	13.1	142	1	3	10	16	20	42	56	2	7.0	2	6	6	7	8	8	8	8
75 +	34	14.9	171	4	5	10	17	30	43	64	14	9.1	202	1	2	5	7	19	49	57
ALL AGES	52	14.3	158	3	5	10	17	29	45	64	16	8.9	175	1	2	6	7	14	44	57
SUBTOTAL	**71**	**13.1**	**125**	**3**	**5**	**10**	**15**	**24**	**33**	**62**	**33**	**8.5**	**104**	**2**	**2**	**6**	**8**	**16**	**24**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	11.5	25	8	8	11	15	15	15	15	1	12.0		12	12	12	12	12	12	12
75 +	5	18.2	254	5	5	8	34	38	38	38	6	4.8	7	1	1	5	6	9	9	9
ALL AGES	7	16.3	183	5	5	8	28	37	38	38	7	5.9	13	1	2	5	8	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	17.0	84	8	9	14	20	31	38	38										
75 +	13	19.3	209	7	7	17	28	36	53	57	4	6.8	4	4	4	7	8	9	9	9
ALL AGES	22	18.4	151	7	7	15	21	33	46	57	4	6.8	4	4	4	7	8	9	9	9
SUBTOTAL	**29**	**17.9**	**153**	**7**	**7**	**14**	**22**	**36**	**39**	**57**	**11**	**6.2**	**9**	**1**	**3**	**6**	**9**	**10**	**12**	**12**
GRAND TOTAL	**100**	**14.5**	**136**	**4**	**5**	**10**	**17**	**30**	**38**	**60**	**44**	**7.9**	**81**	**2**	**2**	**6**	**8**	**15**	**21**	**57**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	12.4	36	3	4	12	15	21	22	22	11	13.1	221	2	2	8	18	41	42	42
75 +	21	10.0	92	1	2	7	15	29	66	99 +	29	6.4	14	2	3	6	9	12	13	14
ALL AGES	31	10.7	76	2	3	9	15	22	42	99 +	40	8.3	75	2	2	6	10	13	30	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	17	18.4	266	1	3	11	31	46	48	48	10	7.3	19	2	2	7	10	13	16	16
75 +	42	12.2	175	2	3	7	15	31	42	63	50	10.5	139	2	3	7	11	20	33	60
ALL AGES	59	14.0	204	2	3	8	17	36	48	62	60	9.9	121	2	3	7	11	19	27	60
SUBTOTAL	**90**	**12.9**	**160**	**2**	**3**	**8**	**17**	**33**	**48**	**85**	**100**	**9.3**	**101**	**2**	**2**	**6**	**11**	**18**	**27**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	2	10.0		10	10	10	10	10	10	10	7	10.1	132	1	1	5	21	27	28	28
ALL AGES	3	11.0	3	10	10	10	12	13	13	13	7	10.1	132	1	1	5	21	27	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	21.7	236	4	5	19	36	43	44	44	3	9.3	11	7	7	8	12	13	13	13
75 +	11	10.3	9	4	6	10	12	14	16	16	14	9.9	85	2	4	7	11	17	34	39
ALL AGES	18	14.7	122	4	5	11	16	35	43	44	17	9.8	71	2	4	8	12	15	31	39
SUBTOTAL	**21**	**14.2**	**105**	**4**	**6**	**11**	**14**	**29**	**42**	**44**	**24**	**9.9**	**83**	**1**	**2**	**7**	**12**	**25**	**31**	**39**
GRAND TOTAL	**111**	**13.1**	**150**	**2**	**3**	**9**	**16**	**33**	**44**	**77**	**124**	**9.4**	**98**	**2**	**2**	**6**	**11**	**19**	**29**	**59**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	20.5	1	20	20	20	21	21	21	21										
55-74	18	12.3	90	2	4	10	13	22	36	44	12	6.7	12	2	3	6	10	11	12	12
75 +	33	14.2	193	2	2	11	16	45	61	99 +	26	9.7	56	1	2	8	12	23	26	29
ALL AGES	53	13.8	150	2	3	11	16	29	47	99	38	8.7	44	1	2	7	12	18	24	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	18	16.1	172	2	4	13	21	37	47	51	15	8.7	23	2	2	8	14	15	16	16
75 +	26	13.0	136	1	2	9	19	34	59	99 +	32	10.5	91	2	3	8	15	22	47	99 +
ALL AGES	44	14.3	149	1	3	10	20	37	51	99 +	47	9.9	70	2	3	8	14	20	26	99 +
SUBTOTAL	**97**	**14.0**	**149**	**2**	**3**	**11**	**18**	**33**	**50**	**99 +**	**85**	**9.4**	**57**	**2**	**2**	**8**	**13**	**20**	**24**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	8.6	55	4	4	6	8	22	25	25	3	7.7	97	1	1	3	15	19	19	19
75 +	10	12.1	39	6	6	9	17	22	24	24	2	6.0	2	5	5	6	7	7	7	7
ALL AGES	17	10.6	47	4	4	8	14	23	25	25	5	7.0	50	1	1	5	10	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74	3	9.7	11	6	6	10	12	13	13	13	2	11.5	221	1	1	11	22	22	22	22
75 +	11	9.0	44	2	3	7	11	21	23	23	11	13.5	445	3	3	6	13	39	73	76
ALL AGES	16	9.3	31	2	3	8	12	18	22	23	13	13.2	389	1	2	6	14	33	68	76
SUBTOTAL	**33**	**10.0**	**38**	**3**	**4**	**8**	**13**	**21**	**24**	**25**	**18**	**11.4**	**297**	**1**	**2**	**6**	**14**	**21**	**54**	**76**
GRAND TOTAL	**130**	**13.0**	**123**	**2**	**3**	**10**	**17**	**25**	**45**	**99 +**	**103**	**9.8**	**96**	**2**	**2**	**7**	**13**	**20**	**24**	**87**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	4.0		4	4	4	4	4	4	4

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	12.5	221	2	2	12	23	23	23	23										
ALL AGES	2	12.5	221	2	2	12	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	12.5	221	2	2	12	23	23	23	23										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	12.5	221	2	2	12	23	23	23	23										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	13	2	2	4	7	7	7	7	9	3.1	2	1	1	3	4	5	5	5
35-54	14	4.7	10	1	2	3	7	9	11	12	34	4.0	6	1	2	3	5	8	10	10
55-74	7	7.3	100	1	1	3	8	25	29	29	11	6.0	9	2	2	7	9	10	10	10
75 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	23	5.5	35	1	2	3	7	10	18	29	56	4.3	6	1	2	4	6	9	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											3	3.7	8	2	2	2	6	7	7	7
35-54	4	6.0	15	1	1	6	9	10	10	10	8	4.9	4	2	2	5	7	7	7	7
55-74	1	6.0		6	6	6	6	6	6	6	3	4.7	8	3	3	3	7	8	8	8
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	6	7.3	20	1	1	7	10	14	14	14	14	4.6	5	2	2	4	7	7	8	8
SUBTOTAL	**29**	**5.9**	**31**	**1**	**1**	**3**	**8**	**11**	**15**	**29**	**70**	**4.3**	**6**	**2**	**2**	**4**	**7**	**8**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.0	8	7	7	9	11	11	11	11	1	1.0		1	1	1	1	1	1	1
25-34	23	8.1	60	2	3	7	8	14	26	39	24	3.8	28	1	2	3	4	5	12	28
35-54	82	8.8	63	2	2	7	13	18	21	47	76	5.7	25	2	2	4	7	11	16	28
55-74	24	13.4	383	1	2	6	10	44	60	80	29	6.3	34	1	1	5	9	11	13	32
75 +	3	10.7	13	8	8	9	13	15	15	15	3	15.0	79	5	5	18	21	22	22	22
ALL AGES	134	9.5	119	2	2	7	11	18	33	57	133	5.7	30	1	2	4	6	11	18	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.0	72	1	1	7	13	13	13	13										
25-34	3	2.7	2	1	1	3	4	4	4	4	3	4.3	3	3	3	4	5	6	6	6
35-54	11	7.2	16	2	3	8	9	12	17	17	13	5.5	16	1	2	4	7	13	15	15
55-74	2	14.0	2	13	13	14	15	15	15	15	12	8.3	70	1	2	5	12	20	29	30
75 +	1	4.0		4	4	4	4	4	4	4	3	5.3	3	4	4	5	6	7	7	7
ALL AGES	19	7.0	23	1	1	6	9	14	16	17	31	6.5	34	1	2	4	7	14	16	30
SUBTOTAL	**153**	**9.2**	**107**	**2**	**2**	**7**	**11**	**17**	**24**	**52**	**164**	**5.8**	**31**	**1**	**2**	**4**	**7**	**12**	**17**	**30**
GRAND TOTAL	**182**	**8.7**	**96**	**2**	**2**	**6**	**10**	**16**	**23**	**52**	**234**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**14**	**29**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	9.0		9	9	9	9	9	9	9
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES											2	7.5	5	6	6	7	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74											1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**3**	**10.0**	**21**	**6**	**6**	**9**	**13**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	3	44.3	2007	18	18	19	77	96	96	96	2	15.5	13	13	13	15	18	18	18	18
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	5	31.4	1317	10	10	18	38	96	96	96	3	11.3	59	3	3	13	17	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	57	99 +	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
55-74	2	7.0		7	7	7	7	7	7	7	2	16.0	2	15	15	16	17	17	17	17
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	4	10.3	13	7	7	13	35	99 +	99 +	99 +	3	11.0	76	1	1	15	16	17	17	17
SUBTOTAL	**9**	**22.0**	**788**	**7**	**7**	**14**	**19**	**98**	**99 +**	**99 +**	**6**	**11.2**	**53**	**1**	**1**	**14**	**17**	**18**	**18**	**18**
GRAND TOTAL	**10**	**19.9**	**745**	**1**	**4**	**14**	**19**	**98**	**99 +**	**99 +**	**9**	**10.8**	**39**	**1**	**2**	**13**	**16**	**18**	**18**	**18**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	20.0		20	20	20	20	20	20	20										
25-34																				
35-54	2	11.0	98	4	4	11	18	18	18	18										
55-74	6	14.7	65	4	4	15	23	24	24	24	5	5.8	20	2	2	3	10	12	12	12
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	10	13.1	72	1	2	15	20	23	24	24	6	5.2	18	2	2	3	9	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	3	6.0	13	2	2	7	8	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	1	2.0		2	2	2	2	2	2	2	1	14.0		14	14	14	14	14	14	14
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	6	6.0	16	2	2	5	9	12	12	12	2	11.0	18	8	8	11	14	14	14	14
SUBTOTAL	**16**	**10.4**	**62**	**1**	**2**	**8**	**17**	**23**	**24**	**24**	**8**	**6.6**	**23**	**2**	**2**	**6**	**10**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	8	10.1	67	1	1	8	17	22	23	23	5	9.6	33	3	3	10	14	17	17	17
55-74	6	15.5	72	3	4	16	24	24	24	24	9	5.9	8	2	2	6	7	10	11	11
75 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	14	12.4	71	1	2	11	20	24	24	24	18	6.2	18	1	2	5	8	12	15	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	6	10.7	30	3	3	11	14	18	18	18	2	10.0	72	4	4	10	16	16	16	16
75 +	1	37.0		37	37	37	37	37	37	37	4	8.3	16	4	4	7	11	14	14	14
ALL AGES	8	13.0	123	3	3	11	16	31	37	37	6	8.8	26	4	4	7	14	16	16	16
SUBTOTAL	**22**	**12.6**	**86**	**2**	**2**	**11**	**19**	**24**	**29**	**37**	**24**	**6.8**	**21**	**1**	**2**	**6**	**9**	**14**	**16**	**17**
GRAND TOTAL	**38**	**11.7**	**75**	**1**	**2**	**9**	**18**	**24**	**24**	**37**	**32**	**6.8**	**20**	**2**	**2**	**6**	**9**	**14**	**16**	**17**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	2	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-54	2	4.0	8	2	2	4	6	6	6	6	2	4.0		4	4	4	4	4	4	4
55-74	2	2.5	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	2.8	3	2	2	2	3	6	6	6	6	2.7	1	1	1	3	4	4	4	4
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																						
ALL AGES	2	5.5	13	3	3	5	8	8	8	8	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	8	3.5	5	2	2	3	5	7	8	8	7	3.0	2	1	1	3	4	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	4	5.5	59	1	1	2	10	17	17	17	4	2.8	1	2	2	3	3	4	4	4
35-54	13	11.9	212	2	3	7	11	33	51	55	9	3.4	1	2	2	3	4	5	5	5
55-74	3	10.3	83	2	2	9	17	20	20	20	4	6.8	18	3	3	5	9	13	13	13
75 +	2	19.5	113	12	12	19	27	27	27	27										
ALL AGES	23	10.9	151	1	2	7	13	27	37	55	17	4.1	6	2	2	3	5	6	11	13
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	2	11.0	162	2	2	11	20	20	20	20										
35-54	4	6.3	11	2	2	7	9	9	9	9	4	11.0	135	1	1	8	19	27	27	27
55-74	1	12.0		12	12	12	12	12	12	12	2	4.0		4	4	4	4	4	4	4
75 +																						
ALL AGES	7	8.4	41	2	2	9	11	18	20	20	6	8.7	94	1	1	4	12	25	27	27
SUBTOTAL	**30**	**10.3**	**125**	**2**	**2**	**7**	**12**	**24**	**28**	**55**	**23**	**5.3**	**30**	**1**	**2**	**4**	**5**	**12**	**18**	**27**
GRAND TOTAL	**38**	**8.9**	**106**	**2**	**2**	**6**	**10**	**20**	**28**	**55**	**30**	**4.7**	**25**	**1**	**2**	**4**	**5**	**9**	**13**	**27**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	30.0		30	30	30	30	30	30	30
ALL AGES											1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**1**	**19.0**		**19**	**19**	**19**	**19**	**19**	**19**	**19**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	2	11.0	18	8	8	11	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**2**	**11.0**	**18**	**8**	**8**	**11**	**14**	**14**	**14**	**14**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**3**	**13.7**	**29**	**8**	**8**	**14**	**18**	**19**	**19**	**19**	**2**	**18.0**	**288**	**6**	**6**	**18**	**30**	**30**	**30**	**30**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	3.3	1	3	3	3	4	4	4	4	3	3.3	5	1	1	4	5	5	5	5
25-34	11	3.4	6	1	1	3	5	7	8	8	25	3.9	19	1	1	2	5	5	16	20
35-54	45	5.1	27	1	1	4	5	11	16	29	75	3.9	7	1	2	3	5	8	10	13
55-74	20	9.4	77	1	2	7	10	26	29	31	32	4.0	5	2	2	3	5	8	8	11
75 +	4	6.0	5	4	4	5	7	9	9	9										
ALL AGES	83	5.9	38	1	1	4	7	12	21	30	135	3.9	9	1	2	3	5	8	10	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34	3	3.0		3	3	3	3	3	3	3	3	3.3	2	2	2	4	4	4	4	4
35-54	7	6.1	52	1	1	4	6	19	22	22	19	3.7	4	1	1	3	5	7	7	7
55-74	2	4.0	2	3	3	4	5	5	5	5	12	5.1	8	1	2	5	7	9	10	10
75 +																				
ALL AGES	12	5.0	31	1	2	3	5	11	20	22	35	4.2	6	1	1	4	6	7	8	10
SUBTOTAL	**95**	**5.8**	**36**	**1**	**1**	**4**	**7**	**11**	**21**	**30**	**170**	**4.0**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	5.0	16	1	1	3	9	11	11	11	4	1.8		1	1	2	2	2	2	2
25-34	42	5.8	41	2	2	4	6	11	20	32	40	4.0	13	1	1	3	5	7	8	22
35-54	182	5.9	30	1	2	5	7	11	15	26	119	5.2	29	1	1	3	6	12	20	28
55-74	68	8.2	48	1	2	5	11	20	23	27	54	5.6	25	1	2	4	6	11	18	28
75 +	5	6.6	44	2	2	5	9	18	18	18	4	4.3	8	1	1	4	6	8	8	8
ALL AGES	306	6.4	36	1	2	5	8	13	18	29	221	5.0	24	1	1	3	6	10	17	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	12	7.8	52	2	2	4	12	20	22	22	7	3.0	1	2	2	3	4	5	5	5
35-54	31	6.8	36	2	2	4	9	16	23	24	30	5.1	8	1	1	5	7	8	11	13
55-74	18	8.2	32	2	3	6	11	17	22	24	16	6.1	17	1	2	5	9	11	14	16
75 +	2	5.0	2	4	4	5	6	6	6	6	2	11.0	32	7	7	11	15	15	15	15
ALL AGES	65	7.2	35	2	2	5	8	18	22	24	55	5.3	13	1	2	5	7	10	13	16
SUBTOTAL	**371**	**6.5**	**36**	**2**	**2**	**5**	**8**	**14**	**20**	**28**	**276**	**5.1**	**22**	**1**	**1**	**4**	**6**	**10**	**15**	**26**
GRAND TOTAL	**466**	**6.4**	**36**	**1**	**2**	**4**	**7**	**14**	**20**	**29**	**446**	**4.7**	**16**	**1**	**1**	**3**	**6**	**8**	**12**	**22**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23	2	3.0		3	3	3	3	3	3	3
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	2	17.5	61	12	12	17	23	23	23	23	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74											1	2.0		2	2	2	2	2	2	2
75 +											[illegible]	7.0		7	7	7	7	7	7	7
ALL AGES											3	5.3	9	2	2	7	7	7	7	7
SUBTOTAL	2	17.5	61	12	12	17	23	23	23	23	5	4.4	6	2	2	3	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	11.0		11	11	11	11	11	11	11										
55-74											3	10.0	79	3	3	7	17	20	20	20
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	4	7.8	72	1	1	5	13	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											2	5.5	5	4	4	5	7	7	7	7
SUBTOTAL	1	11.0		11	11	11	11	11	11	11	6	7.0	46	1	1	5	7	19	20	20
GRAND TOTAL	3	15.3	46	11	11	12	20	23	23	23	11	5.8	27	1	2	4	7	12	19	20

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	2	8.0	72	2	2	8	14	14	14	14	2	6.5	1	6	6	6	7	7	7	7
35-54	3	19.0	684	1	1	7	38	49	49	49	5	3.4	4	1	1	3	5	6	6	6
55-74											1	9.0		9	9	9	9	9	9	9
75 +											1	17.0		17	17	17	17	17	17	17
ALL AGES	6	12.7	338	1	1	5	14	45	49	49	11	5.5	21	1	1	5	7	12	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	3	2.3	3	1	1	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
35-54	3	7.0	37	3	3	4	11	14	14	14	3	3.0	3	2	2	2	4	5	5	5
55-74	6	7.0	23	2	2	6	11	14	14	14	7	6.6	11	3	3	5	9	12	12	12
75 +											2	5.0		5	5	5	5	5	5	5
ALL AGES	12	5.8	23	1	2	4	9	14	14	14	14	4.9	10	1	2	5	5	10	12	12
SUBTOTAL	**18**	**8.1**	**125**	**1**	**1**	**4**	**11**	**14**	**35**	**49**	**25**	**5.2**	**14**	**1**	**2**	**5**	**6**	**10**	**13**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											5	1.8	1	1	1	1	3	3	3	3
25-34	7	5.7	31	1	1	3	12	13	13	13	4	4.3		3	3	4	5	5	5	5
35-54	8	6.0	24	1	1	5	9	14	15	15	8	3.9	10	1	1	3	5	9	10	10
55-74	1	35.0		35	35	35	35	35	35	35	5	6.8	18	3	3	6	8	14	14	14
75 +	1	4.0		4	4	4	4	4	4	4	1	18.0		18	18	18	18	18	18	18
ALL AGES	18	7.2	70	1	1	4	11	14	27	35	23	4.7	18	1	1	3	6	11	15	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	11.8	144	3	3	6	20	31	31	31	4	8.5	170	1	1	2	15	28	28	28
25-34	13	13.0	223	1	2	7	15	41	48	50	4	6.5	42	2	2	4	10	16	16	16
35-54	7	11.7	137	1	1	7	19	30	33	33	6	8.7	42	2	2	7	13	18	19	19
55-74	4	10.3	69	3	3	10	17	18	18	18	3	6.3	17	2	2	7	9	10	10	10
75 +	2	4.0	2	3	3	4	5	5	5	5	6	10.0	11	7	7	9	14	14	14	14
ALL AGES	31	11.6	147	1	2	6	16	32	39	50	23	8.3	45	1	2	7	12	17	22	28
SUBTOTAL	**49**	**10.0**	**121**	**1**	**1**	**6**	**15**	**27**	**35**	**50**	**46**	**6.5**	**34**	**1**	**1**	**4**	**10**	**14**	**18**	**28**
GRAND TOTAL	**67**	**9.5**	**121**	**1**	**1**	**5**	**14**	**20**	**36**	**50**	**71**	**6.1**	**26**	**1**	**1**	**5**	**7**	**14**	**17**	**26**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
25-34	1	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
35-54	1	10.0		10	10	10	10	10	10	10	2	2.0	2	1	1	2	3	3	3	3
55-74											3	9.3	77	2	2	7	16	19	19	19
75 +	2	3.5	1	3	3	3	4	4	4	4	2	9.5	1	9	9	9	10	10	10	10
ALL AGES	6	5.3	13	1	1	4	9	10	10	10	11	5.4	30	1	1	3	8	14	19	19
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34											1	2.0		2	2	2	2	2	2	2
35-54	4	10.5	12	6	6	11	13	14	14	14	2	9.5	13	7	7	9	12	12	12	12
55-74	5	15.2	146	2	2	14	27	28	28	28	6	6.5	12	2	2	6	9	11	11	11
75 +	5	4.0	9	1	1	3	6	8	8	8	5	5.0	40	1	1	3	7	16	16	16
ALL AGES	15	9.5	71	1	2	6	13	27	28	28	15	5.7	22	1	1	4	9	12	15	16
SUBTOTAL	**21**	**8.3**	**56**	**1**	**2**	**6**	**11**	**19**	**27**	**28**	**26**	**5.6**	**24**	**1**	**1**	**4**	**9**	**12**	**17**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	11.8	41	4	4	11	16	20	20	20										
35-54	2	3.5	5	2	2	3	5	5	5	5										
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	7	8.6	38	2	2	6	12	18	20	20	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	2.0		2	2	2	2	2	2	2
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54											2	13.5	41	9	9	13	18	18	18	18
55-74	5	16.2	39	7	7	15	21	23	23	23	2	11.0	2	10	10	11	12	12	12	12
75 +	2	9.0	98	2	2	9	16	16	16	16	3	5.3	11	3	3	4	8	9	9	9
ALL AGES	7	14.1	56	2	3	15	20	23	23	23	10	7.2	29	1	1	6	10	15	18	18
SUBTOTAL	**14**	**11.4**	**50**	**2**	**2**	**11**	**16**	**21**	**23**	**23**	**11**	**6.7**	**29**	**1**	**1**	**4**	**10**	**14**	**18**	**18**
GRAND TOTAL	**35**	**9.5**	**56**	**1**	**2**	**7**	**14**	**21**	**26**	**28**	**37**	**5.9**	**25**	**1**	**1**	**4**	**9**	**12**	**17**	**19**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	23.0		23	23	23	23	23	23	23	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	3	8.0	4	6	6	8	9	10	10	10	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**4**	**11.8**	**57**	**6**	**6**	**9**	**16**	**23**	**23**	**23**	**2**	**9.0**	**8**	**7**	**7**	**9**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.5	13	1	1	3	6	[illegible]	6	6										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	5	4.6	5	1	1	5	6	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	25	1	1	4	8	8	8	8										
35-54																				
55-74	1	32.0		32	32	32	32	32	32	32										
75 +																				
ALL AGES	3	13.7	263	1	1	8	26	32	32	32										
SUBTOTAL	**8**	**8.0**	**101**	**1**	**1**	**5**	**7**	**25**	**32**	**32**										
GRAND TOTAL	**12**	**9.3**	**82**	**1**	**1**	**7**	**9**	**26**	**31**	**32**	**2**	**9.0**	**8**	**7**	**7**	**9**	**11**	**11**	**11**	**11**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	2	3.5	5	2	2	3	5	5	5	5										
18-24																				
25-34	2	5.5	25	2	2	5	9	9	9	9	3	2.7	4	1	1	2	4	5	5	5
35-54	5	3.0	3	1	1	3	4	5	5	5	3	16.7	560	2	2	4	34	44	44	44
55-74	8	4.6	9	1	1	4	7	8	8	8	16	6.5	57	1	1	3	7	21	25	26
75 +	5	6.0	3	4	4	6	7	8	8	8	8	7.0	24	3	3	5	10	15	15	15
ALL AGES	22	4.5	7	1	1	4	7	8	9	9	31	7.1	84	1	1	4	7	18	26	44
B. FEMALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-17	2	3.0	8	1	1	3	5	5	5	5										
18-24	2	11.5	221	1	1	11	22	22	22	22	1	3.0		3	3	3	3	3	3	3
25-34	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
35-54	8	4.3	6	1	1	4	5	8	9	9	5	4.8	7	2	2	5	6	9	9	9
55-74	17	8.2	41	2	3	5	10	18	24	27	30	5.8	17	1	2	5	8	10	16	19
75 +	13	7.2	28	1	2	7	9	13	20	22	30	6.7	30	1	1	4	10	16	18	21
ALL AGES	43	7.1	34	1	2	5	9	14	22	27	69	5.9	22	1	1	4	8	11	18	21
SUBTOTAL	**65**	**6.2**	**26**	**1**	**2**	**5**	**8**	**10**	**20**	**26**	**100**	**6.2**	**42**	**1**	**1**	**4**	**8**	**14**	**19**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.5	1	13	13	13	14	14	14	14										
25-34	2	6.0	2	5	5	6	7	7	7	7										
35-54	5	11.8	89	2	2	9	18	26	26	26	2	4.5	5	3	3	4	6	6	6	6
55-74	4	5.3	14	1	1	5	8	9	9	9	4	7.0	23	2	2	7	11	12	12	12
75 +	3	16.7	125	7	7	21	64	99 +	99 +	99 +	5	8.2	45	4	4	5	10	20	20	20
ALL AGES	16	10.6	62	1	2	9	15	28	75	99 +	11	7.1	27	2	3	5	9	15	20	20
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	4	13.8	121	5	5	10	20	30	30	30	2	8.0	8	6	6	8	10	10	10	10
55-74	15	10.1	98	1	2	7	11	21	35	40	7	9.0	21	4	4	10	12	15	16	16
75 +	7	19.4	652	8	8	9	14	65	77	77	12	6.3	27	1	1	5	7	16	17	17
ALL AGES	26	13.2	242	2	3	9	11	29	47	77	23	6.9	23	1	1	6	10	16	17	17
SUBTOTAL	**42**	**12.2**	**172**	**1**	**3**	**9**	**14**	**29**	**53**	**99 +**	**34**	**6.9**	**25**	**1**	**2**	**6**	**10**	**16**	**17**	**20**
GRAND TOTAL	**107**	**8.6**	**90**	**1**	**2**	**6**	**10**	**18**	**27**	**87**	**134**	**6.4**	**37**	**1**	**1**	**5**	**8**	**14**	**18**	**29**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	11.0	43	4	4	12	16	17	17	17	1	1.0		1	1	1	1	1	1	1
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54	2	14.5	61	9	9	14	20	20	20	20										
55-74	1	2.0		2	2	2	2	2	2	2	4	8.5	33	5	5	6	12	17	17	17
75 +	2	7.5	1	7	7	7	8	8	8	8										
ALL AGES	8	9.9	38	2	3	8	14	19	20	20	7	6.0	28	1	1	5	7	15	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	3.0		3	3	3	3	3	3	3	3	4.7	14	2	2	3	7	9	9	9
75 +	4	6.5	11	4	4	6	9	11	11	11	1	5.0		5	5	5	5	5	5	5
ALL AGES	7	4.7	11	1	1	4	6	10	11	11	5	4.2	9	2	2	3	6	9	9	9
SUBTOTAL	**15**	**7.5**	**30**	**1**	**2**	**7**	**10**	**17**	**19**	**20**	**12**	**5.3**	**19**	**1**	**1**	**5**	**6**	**11**	**16**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	2.0	3	1	1	1	3	4	4	4										
35-54	2	5.0	18	[illegible]	2	5	8	8	8	8										
55-74																				
75 +																				
ALL AGES	7	3.4	8	1	1	2	5	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	3	6.3	7	4	4	6	8	9	9	9	2	1.5	1	1	1	1	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	17.0		17	17	17	17	17	17	17										
75 +	1	11.0		11	11	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	7	8.6	28	1	2	9	12	16	17	17	3	2.3	3	1	1	2	3	4	4	4
SUBTOTAL	**14**	**6.0**	**24**	**1**	**1**	**5**	**9**	**12**	**16**	**17**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**29**	**6.8**	**26**	**1**	**1**	**6**	**10**	**15**	**17**	**20**	**15**	**4.7**	**16**	**1**	**1**	**4**	**5**	**9**	**15**	**17**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24	1	7.0		7	7	7	7	7	7	7	3	3.3	7	1	1	3	5	6	6	6
25-34	2	2.0	2	1	1	2	3	3	3	3	3	1.7		1	1	2	2	2	2	2
35-54	6	4.8	33	1	1	2	6	15	16	16	6	3.3	7	1	1	3	4	8	8	8
55-74	22	8.0	27	2	3	7	11	16	19	22	31	5.8	14	1	2	5	8	12	13	16
75 +	11	9.0	28	1	3	9	13	16	17	17	29	5.4	34	2	2	4	5	8	16	32
ALL AGES	45	7.1	28	1	1	6	11	16	17	22	72	5.2	21	1	2	4	6	9	13	28
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	14	7.0	49	1	1	4	12	18	21	22	4	2.5	2	1	1	2	3	4	4	4
55-74	19	9.2	227	1	2	6	7	12	44	70	34	6.6	31	1	2	5	7	14	19	26
75 +	25	5.1	8	1	2	5	7	10	30	99 +	51	5.4	12	2	2	4	7	11	13	15
ALL AGES	61	6.9	87	1	1	5	7	13	20	96	91	5.7	19	2	2	4	7	11	14	23
SUBTOTAL	**106**	**7.0**	**61**	**1**	**1**	**5**	**9**	**15**	**17**	**83**	**163**	**5.5**	**19**	**1**	**2**	**4**	**7**	**11**	**14**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	4	5.0	5	2	2	5	6	7	7	7	5	3.2	6	1	1	3	5	7	7	7
55-74	12	11.0	45	1	2	11	14	22	23	23	7	7.1	29	2	2	6	12	15	15	15
75 +	6	15.8	333	1	1	9	19	48	51	51	12	6.2	22	2	2	4	8	13	17	18
ALL AGES	24	10.5	113	1	1	8	13	21	31	51	24	5.8	22	1	2	4	7	14	16	18
B. FEMALE																				
0-12 YRS.																				
13-17											1	71.0		71	71	71	71	71	71	71
18-24																				
25-34	2	5.5	41	1	1	5	10	10	10	10										
35-54	2	17.0	392	3	3	17	31	31	31	31	3	5.7	10	2	2	7	8	8	8	8
55-74	6	4.5	16	1	1	6	10	82	99 +	99 +	15	7.4	23	1	2	6	12	14	14	14
75 +	14	12.6	549	3	3	5	9	24	78	93	23	6.1	13	2	2	5	8	12	14	15
ALL AGES	24	10.3	352	1	1	6	10	31	95	99 +	42	8.1	114	2	2	6	9	14	15	71
SUBTOTAL	**48**	**10.4**	**227**	**1**	**1**	**6**	**12**	**22**	**53**	**99 +**	**66**	**7.3**	**80**	**2**	**2**	**5**	**8**	**14**	**15**	**62**
GRAND TOTAL	**154**	**8.0**	**115**	**1**	**1**	**6**	**10**	**16**	**22**	**99**	**229**	**6.0**	**37**	**1**	**2**	**4**	**7**	**12**	**14**	**27**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74	1	8.0		8	8	8	8	8	8	8	2	2.0	2	1	1	2	3	3	3	3
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	8.0		8	8	8	8	8	8	8	3	2.7	2	1	1	3	4	4	4	4
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +											2	24.5	365	11	11	24	38	38	38	38
ALL AGES											2	24.5	365	11	11	24	38	38	38	38
SUBTOTAL											**2**	**24.5**	**365**	**11**	**11**	**24**	**38**	**38**	**38**	**38**
GRAND TOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**	**5**	**11.4**	**235**	**1**	**1**	**4**	**18**	**38**	**38**	**38**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17																				
18-24																				
25-34	3	15.3	39	10	10	14	20	22	22	22										
35-54	6	13.3	174	2	2	11	19	33	35	35	1	15.0		15	15	15	15	15	15	15
55-74	14	11.7	35	3	4	11	17	20	21	21	1	2.0		2	2	2	2	2	2	2
75 +	2	13.5	41	9	9	13	18	18	18	18	3	9.7	32	3	3	13	13	13	13	13
ALL AGES	26	13.8	89	3	3	12	18	22	36	41	5	9.2	38	2	2	13	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	32.0	72	26	26	32	38	38	38	38										
18-24	4	28.3	264	4	4	35	38	39	39	39										
25-34	4	9.0	18	5	5	8	12	14	14	14	1	2.0		2	2	2	2	2	2	2
35-54	8	7.8	1	6	6	8	9	10	10	10										
55-74	12	10.8	28	1	2	11	15	17	19	19	6	6.7	13	2	2	6	7	12	13	13
75 +	13	12.4	55	3	5	12	14	21	31	33	5	6.6	20	3	3	6	9	14	14	14
ALL AGES	43	13.1	95	3	5	11	15	33	37	39	12	6.3	14	2	2	6	7	13	14	14
SUBTOTAL	**69**	**13.[illegible]**	**90**	**3**	**4**	**11**	**17**	**30**	**37**	**41**	**17**	**7.1**	**22**	**2**	**2**	**6**	**13**	**14**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	2	20.5	181	11	11	20	30	30	30	30										
18-24	3	33.7	731	8	8	31	54	62	62	62										
25-34	7	23.7	1003	3	4	9	24	79	93	93	1	3.0		3	3	3	3	3	3	3
35-54	2	36.[illegible]	1568	8	8	36	64	64	64	64										
55-74	6	43.0	1019	6	8	32	78	85	86	86	1	6.0		6	6	6	6	6	6	6
75 +	5	18.4	76	8	8	15	27	28	28	28	1	3.0		3	3	3	3	3	3	3
ALL AGES	25	28.9	678	5	6	23	31	77	87	93	3	4.0	3	3	3	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	20.7	328	6	6	15	34	41	41	41	1	5.0		5	5	5	5	5	5	5
35-54	6	20.2	164	4	5	18	29	38	39	39	1	23.0		23	23	23	23	23	23	23
55-74	9	16.9	180	1	3	10	31	35	37	37	2	7.5	13	5	5	7	10	10	10	10
75 +	12	15.7	119	3	3	14	22	33	36	36	2	13.0	98	6	6	13	20	20	20	20
ALL AGES	31	17.2	147	3	4	13	28	36	39	41	6	11.5	64	5	5	8	20	23	23	23
SUBTOTAL	**57**	**22.5**	**418**	**3**	**5**	**15**	**30**	**41**	**73**	**93**	**9**	**9.0**	**55**	**3**	**3**	**6**	**12**	**22**	**23**	**23**
GRAND TOTAL	**126**	**17.5**	**258**	**3**	**4**	**12**	**22**	**37**	**41**	**88**	**26**	**7.8**	**32**	**2**	**2**	**6**	**13**	**15**	**21**	**23**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	41.0		41	41	41	41	41	41	41										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	2	9.5	61	4	4	9	15	15	15	15	3	33.7	2727	3	3	4	71	94	94	94
75 +	2	13.0	242	2	2	13	24	24	24	24	1	1.0		1	1	1	1	1	1	1
ALL AGES	8	12.1	197	2	2	5	19	36	41	41	4	25.5	2087	1	1	3	49	94	94	94
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	11.0	8	9	9	11	13	13	13	13										
35-54	3	12.7	201	3	3	6	23	29	29	29										
55-74	5	13.4	60	2	2	13	20	22	22	22	1	14.0		14	14	14	14	14	14	14
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	11	12.4	66	2	3	11	18	25	29	29	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**19**	**12.3**	**113**	**2**	**2**	**9**	**18**	**27**	**36**	**41**	**5**	**23.2**	**1592**	**1**	**1**	**4**	**34**	**94**	**94**	**94**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
35-54																				
55-74	5	7.4	12	4	4	8	12	91	99+	99+										
75 +											1	19.0		19	19	19	19	19	19	19
ALL AGES	6	8.3	15	4	4	9	13	83	99+	99+	2	13.0	72	7	7	13	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.5	85	4	4	10	17	17	17	17										
25-34																				
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74	3	11.3	87	5	5	7	18	22	22	22	2	14.5	5	13	13	14	16	16	16	16
75 +																				
ALL AGES	7	8.6	60	2	2	5	14	21	22	22	2	14.5	5	13	13	14	16	16	16	16
SUBTOTAL	**13**	**8.5**	**36**	**2**	**3**	**7**	**13**	**30**	**84**	**99+**	**4**	**13.8**	**24**	**7**	**7**	**14**	**17**	**19**	**19**	**19**
GRAND TOTAL	**32**	**10.7**	**84**	**2**	**2**	**9**	**15**	**25**	**39**	**99+**	**9**	**19.0**	**831**	**1**	**2**	**13**	**17**	**64**	**94**	**94**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	3	2.3	6	1	1	1	4	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	2	2.5	5	1	1	2	4	4	4	4
75 +	2	5.5	13	3	3	5	8	8	8	8	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	3	5.3	7	3	3	5	7	8	8	8	4	3.3	4	1	1	3	5	6	6	6
SUBTOTAL	**6**	**3.8**	**8**	**1**	**1**	**4**	**5**	**8**	**8**	**8**	**4**	**3.3**	**4**	**1**	**1**	**3**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.5	25	2	2	5	9	9	9	9										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	11.0		11	11	11	11	11	11	11	1	14.0		14	14	14	14	14	14	14
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	5	6.4	15	2	2	7	9	11	11	11	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**5**	**6.4**	**15**	**2**	**2**	**7**	**9**	**11**	**11**	**11**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
GRAND TOTAL	**11**	**5.0**	**11**	**1**	**1**	**5**	**8**	**10**	**11**	**11**	**5**	**5.4**	**27**	**1**	**1**	**4**	**8**	**14**	**14**	**14**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	11.0	7	9	9	10	13	14	14	14										
55-74	1	23.0		23	23	23	23	23	23	23	1	10.0		10	10	10	10	10	10	10
75 +	2	23.0	392	9	9	23	37	37	37	37	2	34.5	761	15	15	34	54	54	54	54
ALL AGES	6	17.0	124	9	9	12	23	36	37	37	3	26.3	583	10	10	15	44	54	54	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	2	26.0	162	17	17	26	35	35	35	35										
55-74	2	35.0	648	17	17	35	53	53	53	53	1	3.0		3	3	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	2	8.5	85	2	2	8	15	15	15	15
ALL AGES	5	26.2	315	9	9	17	39	53	53	53	4	6.3	35	2	2	4	10	15	15	15
SUBTOTAL	**11**	**21.2**	**211**	**9**	**9**	**17**	**32**	**43**	**52**	**53**	**7**	**14.9**	**325**	**2**	**2**	**10**	**15**	**45**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17																				
18-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	5.0		5	5	5	5	5	5	5
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	3	14.7	159	5	5	10	24	29	29	29	2	7.5	13	5	5	7	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	2	15.0	72	9	9	15	21	21	21	21										
75 +																				
ALL AGES	3	11.0	84	3	3	9	18	21	21	21										
SUBTOTAL	**6**	**12.8**	**103**	**3**	**3**	**9**	**21**	**28**	**29**	**29**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**
GRAND TOTAL	**17**	**18.2**	**182**	**4**	**6**	**14**	**24**	**37**	**47**	**53**	**9**	**13.2**	**258**	**2**	**2**	**10**	**15**	**38**	**54**	**54**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74	2	17.0	98	10	10	17	24	24	24	24	1	14.0		14	14	14	14	14	14	14
75 +	3	8.7	20	6	6	6	12	14	14	14										
ALL AGES	5	12.0	56	6	6	10	16	24	24	24	2	12.0	8	10	10	12	14	14	14	14
B. FEMALE																				
0-12 YRS.	2	15.0	8	13	13	15	17	17	17	17										
13-17																				
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74	5	14.6	67	9	9	10	20	28	28	28	2	7.0		7	7	7	7	7	7	7
75 +	2	7.5	13	5	5	7	10	10	10	10	1	12.0		12	12	12	12	12	12	12
ALL AGES	10	13.6	44	5	7	12	17	23	28	28	3	8.7	7	7	7	7	11	12	12	12
SUBTOTAL	**15**	**13.1**	**44**	**5**	**6**	**10**	**17**	**24**	**27**	**28**	**5**	**10.0**	**10**	**7**	**7**	**10**	**12**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24											1	17.0		17	17	17	17	17	17	17
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54																				
55-74	2	24.5	61	19	19	24	30	30	30	30										
75 +																				
ALL AGES	5	16.4	118	3	3	19	24	30	30	30	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	21.5	113	14	14	21	29	29	29	29										
35-54																				
55-74	1	60.0		60	60	60	60	60	60	60	2	16.5	5	15	15	16	18	18	18	18
75 +	2	39.0	1922	8	8	39	70	70	70	70										
ALL AGES	5	36.2	762	8	8	29	62	70	70	70	2	16.5	5	15	15	16	18	18	18	18
SUBTOTAL	**10**	**26.3**	**500**	**3**	**5**	**20**	**30**	**65**	**70**	**70**	**3**	**16.7**	**1**	**15**	**15**	**17**	**18**	**18**	**18**	**18**
GRAND TOTAL	**25**	**18.4**	**256**	**4**	**6**	**14**	**22**	**30**	**62**	**70**	**8**	**12.5**	**18**	**7**	**7**	**13**	**16**	**18**	**18**	**18**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	21.5	113	14	14	21	29	29	29	29	1	2.0		2	2	2	2	2	2	2
35-54	4	9.0	30	3	3	8	13	16	16	16										
55-74	17	16.2	65	6	7	16	25	28	28	28	1	1.0		1	1	1	1	1	1	1
75 +	22	13.3	82	3	4	10	21	26	31	36	2	18.5	1	18	18	18	19	19	19	19
ALL AGES	45	14.4	74	3	6	11	21	27	28	36	4	10.0	97	1	1	10	18	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	5	18.6	84	8	8	18	24	32	32	32										
55-74	23	12.0	46	3	5	11	16	22	26	29	4	4.5	26	1	1	2	7	12	12	12
75 +	25	14.3	53	4	9	12	19	23	29	32	12	13.8	138	3	3	11	20	29	42	44
ALL AGES	54	13.6	54	4	6	12	18	23	29	32	16	11.4	126	1	2	9	15	23	38	44
SUBTOTAL	**99**	**14.0**	**61**	**4**	**6**	**11**	**19**	**26**	**29**	**34**	**20**	**11.2**	**113**	**1**	**1**	**9**	**17**	**23**	**34**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74	9	13.7	66	2	4	14	16	26	31	31	1	5.0		5	5	5	5	5	5	5
75 +	3	8.7	23	3	3	11	12	12	12	12	1	7.0		7	7	7	7	7	7	7
ALL AGES	14	12.4	58	2	3	11	16	21	29	31	2	6.0	2	5	5	6	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	8.0		8	8	8	8	8	8	8	1	8.0		8	8	8	8	8	8	8
55-74	15	16.6	180	1	3	12	24	29	47	53	2	9.5	61	4	4	9	15	15	15	15
75 +	9	25.0	483	7	8	21	28	62	77	77	4	8.3	13	3	3	9	11	11	11	11
ALL AGES	27	18.3	278	2	3	12	24	38	57	77	7	8.6	17	3	3	8	11	14	15	15
SUBTOTAL	**41**	**16.2**	**210**	**2**	**3**	**12**	**21**	**30**	**46**	**77**	**9**	**8.0**	**15**	**3**	**3**	**8**	**11**	**13**	**15**	**15**
GRAND TOTAL	**140**	**14.6**	**106**	**3**	**5**	**12**	**20**	**27**	**30**	**55**	**29**	**10.2**	**83**	**1**	**2**	**8**	**13**	**21**	**24**	**44**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	25.0		25	25	25	25	25	25	25										
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3	1	8.0		8	8	8	8	8	8	8
ALL AGES	3	13.7	120	3	3	13	22	25	25	25	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4	1	8.0		8	8	8	8	8	8	8
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	27.0		27	27	27	27	27	27	27										
75 +	3	15.3	22	11	11	15	19	20	20	20	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	7	12.3	81	2	2	11	19	26	27	27	3	8.0	4	6	6	8	9	10	10	10
SUBTOTAL	**10**	**12.7**	**82**	**2**	**2**	**12**	**20**	**26**	**27**	**27**	**4**	**8.0**	**3**	**6**	**6**	**8**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	26.0		26	26	26	26	26	26	26
55-74	3	43.0	1911	8	8	29	76	92	92	92										
75 +	3	22.0	268	4	4	26	33	36	36	36										
ALL AGES	6	32.5	1004	4	4	27	36	86	92	92	1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +	2	13.0	8	11	11	13	15	15	15	15	1	38.0		38	38	38	38	38	38	38
ALL AGES	3	9.3	45	2	2	11	14	15	15	15	1	38.0		38	38	38	38	38	38	38
SUBTOTAL	**9**	**24.8**	**771**	**2**	**3**	**15**	**31**	**70**	**92**	**92**	**2**	**32.0**	**72**	**26**	**26**	**32**	**38**	**38**	**38**	**38**
GRAND TOTAL	**19**	**18.4**	**423**	**2**	**3**	**13**	**26**	**33**	**67**	**92**	**6**	**16.0**	**170**	**6**	**6**	**9**	**26**	**37**	**38**	**38**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	14.0	2	13	13	14	15	15	15	15										
55-74	1	39.0		39	39	39	39	39	39	39										
75 +																				
ALL AGES	5	16.6	174	4	4	13	21	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17	2	63.5	1625	35	35	63	92	92	92	92										
18-24	3	35.3	2084	9	9	9	68	88	88	88										
25-34	4	27.3	501	3	3	28	68	99 +	99 +	99 +										
35-54	5	22.4	88	15	15	19	27	38	38	38										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	15	31.2	752	5	9	22	47	92	98	99 +										
SUBTOTAL	**20**	**27.6**	**630**	**4**	**7**	**19**	**38**	**90**	**96**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	34.0	98	27	27	34	41	41	41	41										
13-17																				
18-24																				
25-34	1	26.0		26	26	26	26	26	26	26										
35-54																				
55-74																				
75 +																				
ALL AGES	3	31.3	73	26	26	27	37	41	41	41										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	58.0		58	58	58	58	58	58	58										
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	58.0		58	58	58	58	58	58	58	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**4**	**38.0**	**225**	**26**	**26**	**34**	**49**	**58**	**58**	**58**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**24**	**29.3**	**568**	**4**	**9**	**24**	**39**	**88**	**94**	**99 +**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.0	2	13	13	14	15	15	15	15										
18-24	1	8.0		8	8	8	8	8	8	8	2	13.0	162	4	4	13	22	22	22	22
25-34	5	11.4	50	3	3	13	16	21	21	21										
35-54	4	9.3	103	1	1	7	17	22	22	22	1	30.0		30	30	30	30	30	30	30
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	13	10.5	48	1	1	13	14	21	22	22	3	18.7	175	4	4	22	28	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	28.0	722	9	9	28	47	47	47	47										
25-34	3	6.0	21	1	1	7	9	10	10	10	3	9.0	61	4	4	5	15	18	18	18
35-54	8	15.4	182	1	2	10	26	36	38	38	1	7.0		7	7	7	7	7	7	7
55-74	5	13.4	179	5	5	8	17	37	37	37	1	4.0		4	4	4	4	4	4	4
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	19	14.6	187	1	3	9	20	38	43	47	5	7.6	35	4	4	5	10	18	18	18
SUBTOTAL	**32**	**13.0**	**130**	**1**	**1**	**9**	**15**	**33**	**38**	**47**	**8**	**11.8**	**102**	**4**	**4**	**6**	**20**	**28**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	35.5	113	28	28	35	43	43	43	43	1	1.0		1	1	1	1	1	1	1
25-34	1	36.0		36	36	36	36	36	36	36										
35-54	5	9.2	65	2	2	5	14	22	22	22										
55-74	1	13.0		13	13	13	13	13	13	13	1	5.0		5	5	5	5	5	5	5
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	10	16.7	221	1	1	12	28	39	43	43	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	2	26.0	50	21	21	26	31	31	31	31	1	3.0		3	3	3	3	3	3	3
75 +											4	7.0	9	4	4	6	9	11	11	11
ALL AGES	3	25.0	28	21	21	23	29	31	31	31	6	5.3	13	1	1	5	7	11	11	11
SUBTOTAL	**13**	**18.6**	**185**	**1**	**2**	**21**	**29**	**37**	**42**	**43**	**8**	**4.8**	**11**	**1**	**1**	**4**	**6**	**10**	**11**	**11**
GRAND TOTAL	**45**	**14.6**	**149**	**1**	**1**	**12**	**22**	**36**	**39**	**47**	**16**	**8.3**	**66**	**1**	**1**	**5**	**9**	**22**	**28**	**30**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	18.3	362	1	3	12	23	51	63	63	1	5.0		5	5	5	5	5	5	5
18-24	53	12.4	98	1	3	11	18	22	27	60	12	11.3	183	1	1	8	13	26	47	51
25-34	167	12.6	122	1	2	10	17	25	30	61	66	6.8	53	1	1	4	8	18	23	33
35-54	151	13.1	90	2	4	11	18	25	33	46	33	9.7	216	2	2	5	9	21	48	72
55-74	30	15.4	115	2	3	13	23	29	34	42	11	7.9	36	1	1	7	11	17	18	18
75 +	7	18.3	146	5	6	15	25	38	40	40	1	2.0		2	2	2	2	2	2	2
ALL AGES	417	13.2	111	1	2	11	18	26	32	53	124	8.1	106	1	1	5	9	18	24	58
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	2	21.0	162	12	12	21	30	30	30	30										
18-24	26	9.7	32	3	3	9	15	18	19	21	1	2.0		2	2	2	2	2	2	2
25-34	93	11.8	80	1	2	10	14	23	33	42	7	10.3	68	1	2	11	13	23	26	26
35-54	156	14.3	112	2	4	12	18	27	34	50	45	7.8	52	1	1	7	12	17	22	36
55-74	94	16.8	123	3	6	15	21	32	36	57	21	9.7	83	1	2	6	12	25	32	36
75 +	10	21.0	497	6	7	12	22	57	79	79	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	382	14.2	115	2	4	12	18	27	35	53	76	8.4	60	1	1	6	12	18	25	36
SUBTOTAL	**799**	**13.6**	**115**	**2**	**3**	**11**	**18**	**27**	**34**	**53**	**200**	**8.2**	**88**	**1**	**1**	**6**	**10**	**18**	**25**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.5	221	10	10	20	31	31	31	31										
18-24	12	16.1	62	8	8	15	23	27	30	31	3	22.0	388	6	6	16	37	44	44	44
25-34	49	11.6	153	1	2	8	15	21	37	66	3	5.0	12	1	1	7	7	7	7	7
35-54	45	13.5	80	3	4	11	17	22	30	50	4	9.5	67	2	2	7	15	21	21	21
55-74	6	23.3	441	13	13	15	17	61	66	66	1	4.0		4	4	4	4	4	4	4
75 +	2	10.0		10	10	10	10	10	10	10										
ALL AGES	116	13.6	128	2	3	11	16	26	32	66	11	11.2	153	1	2	7	14	30	43	44
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	6	12.0	74	1	1	12	18	23	24	24										
25-34	24	14.8	264	2	4	12	14	29	54	78	3	11.3	235	2	2	3	22	29	29	29
35-54	26	17.2	240	4	5	15	20	28	43	83	9	11.2	88	2	2	10	15	26	31	31
55-74	13	19.2	163	6	7	16	23	37	48	50	1	10.0		10	10	10	10	10	10	10
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	70	16.5	214	3	5	14	20	31	44	82	14	10.5	96	2	2	9	14	29	31	31
SUBTOTAL	**186**	**14.7**	**161**	**2**	**4**	**12**	**17**	**28**	**34**	**74**	**25**	**10.8**	**116**	**1**	**2**	**7**	**14**	**29**	**34**	**44**
GRAND TOTAL	**985**	**13.8**	**124**	**2**	**3**	**11**	**18**	**27**	**34**	**60**	**225**	**8.5**	**91**	**1**	**1**	**6**	**11**	**18**	**28**	**51**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	2	12.0	50	7	7	12	17	17	17	17										
18-24	4	12.0	54	2	2	14	17	18	18	18										
25-34	4	9.3	67	1	1	8	15	20	20	20										
35-54	2	19.0	392	5	5	19	33	33	33	33	1	12.0		12	12	12	12	12	12	12
55-74																				
75 +																				
ALL AGES	13	12.2	77	1	2	11	17	23	31	33	1	12.0		12	12	12	12	12	12	12
B. FEMALE																						
0-12 YRS.																						
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	5	22.6	568	5	5	8	40	60	60	60	1	5.0		5	5	5	5	5	5	5
25-34	9	14.2	98	2	3	12	19	29	35	35	1	4.0		4	4	4	4	4	4	4
35-54	4	11.3	27	7	7	10	15	18	18	18	3	5.7	12	2	2	6	8	9	9	9
55-74	2	11.0	50	6	6	11	16	16	16	16										
75 +																				
ALL AGES	21	15.8	180	4	5	12	19	34	46	60	5	5.2	7	2	2	5	7	9	9	9
SUBTOTAL	**34**	**14.4**	**141**	**2**	**4**	**11**	**18**	**33**	**35**	**60**	**6**	**6.3**	**14**	**2**	**2**	**5**	**9**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	23.0	18	20	20	23	26	26	26	26										
35-54																				
55-74																				
75 +																				
ALL AGES	3	17.7	93	7	7	20	24	26	26	26										
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +	1	37.0		37	37	37	37	37	37	37	1	22.0		22	22	22	22	22	22	22
ALL AGES	4	17.3	173	9	9	11	24	37	37	37	1	22.0		22	22	22	22	22	22	22
SUBTOTAL	**7**	**17.4**	**120**	**7**	**7**	**12**	**24**	**35**	**37**	**37**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**
GRAND TOTAL	**41**	**14.9**	**133**	**2**	**5**	**11**	**19**	**33**	**36**	**60**	**7**	**8.6**	**45**	**2**	**2**	**6**	**11**	**20**	**22**	**22**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	17.0		17	17	17	17	17	17	17	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	10.0	16	6	6	10	13	14	14	14	1	3.0		3	3	3	3	3	3	3
35-54	3	4.7	14	2	2	3	7	9	9	9										
55-74																				
75 +																				
ALL AGES	6	7.3	21	2	2	7	10	14	14	14	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	7	8.7	31	2	2	9	13	16	17	17	2	5.5	13	3	3	5	8	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	4	9.8	35	4	4	8	14	18	18	18										
55-74																				
75 +																				
ALL AGES	6	7.8	32	3	3	6	10	17	18	18										
SUBTOTAL	6	7.8	32	3	3	6	10	17	18	18										
GRAND TOTAL	13	8.3	29	2	3	7	11	17	18	18	2	5.5	13	3	3	5	8	8	8	8

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	69.0		69	69	69	69	69	69	69										
13-17	1	26.0		26	26	26	26	26	26	26	1	8.0		8	8	8	8	8	8	8
18-24	40	14.9	110	1	2	14	19	28	38	43	15	7.3	40	1	1	5	11	18	19	20
25-34	117	12.5	115	1	3	9	17	26	37	52	37	7.9	36	1	2	6	12	15	21	24
35-54	68	13.1	69	2	4	10	19	26	30	34	49	8.4	41	1	2	6	10	19	20	30
55 74	34	18.2	221	1	2	16	24	40	49	63	3	13.0	124	3	3	11	21	25	25	25
75 +	3	10.7	11	7	7	11	13	14	14	14	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	264	14.0	128	2	3	11	18	30	38	53	107	8.1	40	1	2	6	11	19	20	27
B. FEMALE																				
0-12 YRS.																				
13-17	5	13.6	110	4	4	11	21	29	29	29										
18-24	14	10.1	21	5	5	10	14	15	16	16	2	26.5	1105	3	3	26	50	50	50	50
25-34	58	14.2	131	3	4	10	19	27	35	68	22	9.1	60	1	1	7	15	21	24	26
35-54	124	13.5	94	2	3	11	18	25	38	63	38	8.1	49	2	3	6	10	17	25	32
55-74	60	15.0	91	5	6	13	17	26	36	55	28	10.3	61	2	2	8	14	22	24	32
75 +	7	18.1	39	8	9	20	23	25	25	25	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	268	13.9	98	3	4	12	18	26	35	56	92	9.3	72	1	2	7	12	21	26	43
SUBTOTAL	532	14.0	111	2	3	12	18	27	36	54	199	8.7	54	1	2	6	12	20	23	32
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	7	16.4	62	9	9	13	23	28	29	29										
25-34	28	10.5	46	2	2	9	15	20	24	29	1	5.0		5	5	5	5	5	5	5
35-54	29	12.8	109	2	4	10	16	22	26	57	4	2.0	1	1	1	2	3	3	3	3
55-74	6	22.8	590	8	8	12	24	66	71	71										
75 +																				
ALL AGES	72	13.2	119	2	4	11	16	24	28	68	5	2.6	3	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.0	2	6	6	7	8	8	8	8										
25-34	9	17.3	392	2	2	7	29	51	54	54	4	9.0	25	3	3	9	13	14	14	14
35-54	37	15.6	221	4	6	11	18	23	39	90	4	11.0	10	7	7	11	13	14	14	14
55-74	15	18.1	104	1	3	17	24	34	35	35	3	2.7	4	1	1	2	4	5	5	5
75 +	3	21.3	123	10	10	22	29	32	32	32										
ALL AGES	66	16.4	202	3	4	13	20	32	46	84	11	8.0	24	1	2	7	13	14	14	14
SUBTOTAL	138	14.7	161	2	4	12	19	24	35	73	16	6.3	23	1	1	5	11	14	14	14
GRAND TOTAL	670	14.1	122	2	4	12	18	27	36	57	215	8.5	53	1	2	6	12	19	22	32

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	27.3	193	13	14	21	36	49	52	52										
18-24	37	16.6	454	2	3	10	17	62	88	99 +	4	14.0	73	2	2	16	19	22	22	22
25-34	58	14.7	93	2	4	13	18	27	35	44	1	3.0		3	3	3	3	3	3	3
35-54	72	14.8	111	1	4	13	19	30	35	53	9	10.0	79	1	2	7	15	25	28	28
55-74	12	14.8	31	7	7	15	19	22	23	23	3	6.7	14	4	4	5	9	11	11	11
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	186	15.6	173	2	4	13	20	30	39	89	18	9.9	60	1	2	8	15	21	26	28
B. FEMALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	4	15.5	57	7	7	15	21	25	25	25	1	3.0		3	3	3	3	3	3	3
18-24	25	16.8	240	2	3	14	22	28	44	79	3	12.7	49	5	5	14	18	19	19	19
25-34	93	15.1	86	4	6	13	20	27	33	45	4	8.3	16	3	3	9	11	12	12	12
35-54	165	15.5	105	4	6	13	20	30	35	53	18	6.8	21	1	1	6	11	14	16	17
55-74	70	19.6	161	6	8	16	24	35	54	59	5	10.4	83	4	4	8	14	26	26	26
75 +	3	9.7	71	1	1	10	16	18	18	18										
ALL AGES	361	16.3	124	4	6	14	21	30	37	56	31	8.0	33	1	2	6	11	15	19	26
SUBTOTAL	**547**	**16.1**	**140**	**3**	**5**	**14**	**21**	**30**	**37**	**59**	**49**	**8.7**	**43**	**1**	**2**	**7**	**12**	**18**	**22**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	14	12.4	116	1	1	10	15	32	36	37	1	10.0		10	10	10	10	10	10	10
25-34	27	18.3	132	7	8	15	22	37	43	55	4	12.8	82	4	4	11	19	25	25	25
35-54	33	18.0	228	2	3	14	25	39	49	68	1	11.0		11	11	11	11	11	11	11
55-74	6	19.3	233	7	7	16	23	45	47	47	2	4.5	1	4	4	4	5	5	5	5
75 +																				
ALL AGES	81	17.1	174	2	5	14	21	37	46	64	8	10.1	50	4	4	9	12	22	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	13	17.7	254	1	2	14	24	41	54	57										
25-34	38	19.4	206	3	5	16	28	33	47	71										
35-54	60	17.0	130	2	3	14	22	35	38	53	5	13.6	54	5	5	12	17	25	25	25
55-74	25	22.8	392	2	7	19	26	32	74	96	4	11.5	208	2	2	5	19	33	33	33
75 +	1	21.0		21	21	21	21	21	21	21	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	138	18.8	208	2	3	16	25	34	43	74	11	11.5	92	2	3	8	14	28	33	33
SUBTOTAL	**219**	**18.2**	**194**	**2**	**4**	**15**	**24**	**35**	**45**	**69**	**19**	**10.9**	**71**	**3**	**4**	**8**	**13**	**25**	**30**	**33**
GRAND TOTAL	**766**	**16.7**	**156**	**3**	**5**	**14**	**21**	**32**	**40**	**68**	**68**	**9.3**	**51**	**2**	**3**	**7**	**12**	**20**	**25**	**32**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	2	12.0	8	10	10	12	14	14	14	14										
18-24	7	12.9	73	4	4	11	15	27	30	30	1	2.0		2	2	2	2	2	2	2
25-34	4	11.0	23	8	8	9	14	18	18	18	2	5.5	13	3	3	5	8	8	8	8
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	14	15.1	167	4	5	11	15	32	49	54	4	3.8	8	2	2	3	5	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.5	13	7	7	9	12	12	12	12										
25-34	4	14.3	79	6	6	12	20	27	27	27	4	3.8		3	3	4	4	5	5	5
35-54	8	11.4	44	5	5	10	16	21	22	22	2	14.0	338	1	1	13	27	27	27	27
55-74	5	10.0	22	3	3	11	12	16	16	16	6	9.7	189	1	1	5	9	34	37	37
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	19	11.4	40	4	5	11	14	21	25	27	13	8.0	123	1	1	3	7	29	35	37
SUBTOTAL	**33**	**13.0**	**93**	**4**	**5**	**11**	**14**	**23**	**30**	**54**	**17**	**7.0**	**97**	**1**	**1**	**3**	**7**	**23**	**33**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	9.0	126	3	3	5	11	29	29	29										
35-54																				
55-74																				
75 +																				
ALL AGES	5	9.0	126	3	3	5	11	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	12.5	61	7	7	12	18	18	18	18										
25-34	1	56.0		56	56	56	56	56	56	56										
35-54	4	18.5	163	4	4	17	27	35	35	35										
55-74	1	5.0		5	5	5	5	5	5	5	2	12.5	25	9	9	12	16	16	16	16
75 +																				
ALL AGES	8	20.0	313	4	4	17	27	50	56	56	2	12.5	25	9	9	12	16	16	16	16
SUBTOTAL	**13**	**15.8**	**255**	**3**	**3**	**7**	**21**	**39**	**53**	**56**	**2**	**12.5**	**25**	**9**	**9**	**12**	**16**	**16**	**16**	**16**
GRAND TOTAL	**46**	**13.8**	**135**	**3**	**4**	**11**	**16**	**29**	**39**	**56**	**19**	**7.6**	**90**	**1**	**1**	**3**	**9**	**23**	**32**	**37**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	13	32.5	620	3	7	21	50	67	79	82										
18-24	45	10.7	93	1	2	7	14	20	35	42	10	3.0	4	1	1	3	4	5	6	6
25-34	54	13.2	147	1	2	9	19	29	36	62	16	5.3	40	1	1	3	7	18	20	21
35-54	56	12.2	127	2	4	9	14	20	30	65	17	9.5	55	1	2	8	14	22	23	24
55-74	9	14.0	312	1	2	7	15	45	57	57	10	7.2	49	1	2	6	7	17	26	26
75 +	3	10.7	59	2	2	13	16	17	17	17										
ALL AGES	180	13.7	189	1	3	9	18	29	46	65	53	6.6	43	1	1	4	8	19	22	26
B. FEMALE																				
0-12 YRS.	2	17.5	25	14	14	17	21	21	21	21										
13-17	15	25.1	735	1	2	14	38	67	84	90										
18-24	20	19.0	319	4	6	11	23	44	64	75	5	7.8	50	2	2	6	10	20	20	20
25-34	45	12.6	105	2	3	10	17	26	34	52	15	5.3	18	1	1	4	6	12	16	17
35-54	86	14.2	166	2	4	11	17	29	44	65	14	7.4	22	1	2	7	9	16	17	17
55-74	38	15.5	157	3	3	12	21	28	38	68	11	10.6	19	2	5	11	14	16	17	17
75 +	1	62.0		62	62	62	62	62	62	62	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	207	15.6	220	3	4	11	19	32	49	71	47	7.4	25	1	2	6	11	16	17	20
SUBTOTAL	**387**	**14.7**	**206**	**2**	**3**	**10**	**18**	**30**	**48**	**68**	**100**	**7.0**	**34**	**1**	**1**	**6**	**9**	**16**	**20**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	8.2	63	1	1	5	15	19	19	19										
18-24	22	17.5	550	2	3	10	13	71	75	77	1	1.0		1	1	1	1	1	1	1
25-34	19	10.6	46	3	3	10	14	18	25	30	1	1.0		1	1	1	1	1	1	1
35-54	20	8.3	34	1	2	7	11	14	21	27										
55-74	6	14.8	149	6	6	9	23	35	36	36										
75 +																				
ALL AGES	72	12.3	212	2	3	9	13	24	35	76	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	3	8.3	7	6	6	8	10	11	11	11	1	5.0		5	5	5	5	5	5	5
25-34	12	15.8	63	2	5	16	21	26	29	29	1	2.0		2	2	2	2	2	2	2
35-54	11	15.2	150	3	4	9	24	32	41	42	3	12.3	46	5	5	14	17	18	18	18
55-74	8	18.1	584	2	2	11	20	59	75	75	1	3.0		3	3	3	3	3	3	3
75 +	2	8.0	2	7	7	8	9	9	9	9										
ALL AGES	38	14.6	183	2	3	10	19	26	37	75	6	7.8	44	2	2	5	14	18	18	18
SUBTOTAL	**110**	**13.1**	**201**	**2**	**3**	**10**	**15**	**26**	**36**	**76**	**8**	**6.1**	**41**	**1**	**1**	**4**	**10**	**17**	**18**	**18**
GRAND TOTAL	**497**	**14.4**	**204**	**2**	**3**	**10**	**18**	**29**	**46**	**74**	**108**	**6.9**	**35**	**1**	**1**	**5**	**9**	**17**	**20**	**25**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
25-34	4	4.0	7	1	1	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	8	14.0	27	6	7	15	18	20	20	20	3	8.7	39	5	5	5	13	16	16	16
55-74	1	17.0		17	17	17	17	17	17	17	2	6.0	18	3	3	6	9	9	9	9
75 +											2	7.0	32	3	3	7	11	11	11	11
ALL AGES	14	11.3	40	1	3	11	17	19	20	20	9	6.7	21	1	2	5	9	14	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.3	136	9	9	23	30	32	32	32	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	3	20.3	172	8	8	19	30	34	34	34	1	6.0		6	6	6	6	6	6	6
35-54	4	19.0	265	1	1	17	30	40	40	40	1	6.0		6	6	6	6	6	6	6
55-74	15	15.0	100	3	5	14	18	26	38	42	1	4.0		4	4	4	4	4	4	4
75 +	1	19.0		19	19	19	19	19	19	19	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	26	17.1	120	3	5	15	23	34	40	42	6	5.3	5	2	2	6	6	8	8	8
SUBTOTAL	**40**	**15.1**	**97**	**2**	**4**	**14**	**19**	**29**	**37**	**42**	**15**	**6.1**	**15**	**1**	**2**	**6**	**8**	**11**	**15**	**1**[illegible]
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	26.0	338	13	13	26	39	39	39	39										
25-34	2	3.5	1	3	3	3	4	4	4	4										
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	4	14.8	280	3	3	8	26	39	39	39	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34	2	22.5	61	17	17	22	28	28	28	28										
35-54	5	11.8	60	6	6	8	17	24	24	24	2	9.0	18	6	6	9	12	12	12	12
55-74	4	31.5	1230	3	3	20	54	82	82	82										
75 +	1	32.0		32	32	32	32	32	32	32	1	5.0		5	5	5	5	5	5	5
ALL AGES	12	21.8	454	3	5	16	27	47	77	82	4	6.8	12	4	4	5	9	12	12	1[illegible]
SUBTOTAL	**16**	**20.1**	**396**	**3**	**3**	**14**	**27**	**38**	**69**	**82**	**5**	**7.0**	**10**	**4**	**4**	**6**	**9**	**12**	**12**	**12**
GRAND TOTAL	**56**	**16.5**	**183**	**3**	**3**	**14**	**20**	**32**	**40**	**80**	**20**	**6.4**	**12**	**1**	**2**	**6**	**8**	**11**	**14**	**1**[illegible]

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	29.0		29	29	29	29	29	29	29										
25-34	5	18.6	99	6	6	16	27	31	31	31	1	9.0		9	9	9	9	9	9	9
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	11.5	145	3	3	11	20	20	20	20	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	9	16.2	127	1	2	16	27	30	31	31	2	8.5	1	8	8	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34	1	32.0		32	32	32	32	32	32	32	1	8.0		8	8	8	8	8	8	8
35-54	5	14.6	96	3	3	20	22	24	24	24	3	7.0	25	2	2	7	11	12	12	12
55-74	7	15.9	148	1	3	14	16	36	41	41	3	7.0	36	1	1	7	11	13	13	13
75 +																				
ALL AGES	14	16.1	123	1	3	15	21	33	39	41	7	7.1	21	1	1	7	11	13	13	13
SUBTOTAL	**23**	**16.2**	**117**	**1**	**2**	**16**	**23**	**31**	**35**	**41**	**9**	**7.4**	**17**	**1**	**1**	**8**	**10**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	4	14.3	314	1	1	8	26	40	40	40	1	4.0		4	4	4	4	4	4	4
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	6	12.7	195	1	1	9	12	37	40	40	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	31.0	487	10	10	29	48	54	54	54										
55-74	1	17.0		17	17	17	17	17	17	17	1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	4	27.5	374	10	10	23	41	54	54	54	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**10**	**18.6**	**292**	**1**	**2**	**11**	**29**	**47**	**54**	**54**	**2**	**9.5**	**61**	**4**	**4**	**9**	**15**	**15**	**15**	**15**
GRAND TOTAL	**33**	**16.9**	**165**	**1**	**2**	**14**	**24**	**34**	**41**	**54**	**11**	**7.8**	**20**	**1**	**2**	**8**	**11**	**14**	**15**	**15**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	28.6	397	11	11	22	31	63	76	78										
13-17	35	24.2	552	1	3	14	41	65	85	99 +	1	1.0		1	1	1	1	1	1	1
18-24	45	12.3	225	1	2	7	13	32	35	85	8	9.5	67	2	2	7	11	23	28	28
25-34	90	12.0	87	1	2	11	16	22	35	44	20	11.8	331	1	1	6	12	27	59	81
35-54	199	14.1	171	1	3	11	17	28	34	69	39	11.2	108	1	3	7	14	28	34	48
55-74	163	18.9	198	4	5	16	25	38	49	61	36	11.3	96	1	1	9	14	27	31	38
75 +	39	21.7	324	4	5	17	27	51	59	81	12	8.0	19	3	3	7	10	15	16	16
ALL AGES	583	16.4	221	2	3	12	21	33	48	80	116	10.8	127	1	2	8	13	26	32	59
B. FEMALE																				
0-12 YRS.	10	32.3	414	2	8	29	38	63	74	74										
13-17	91	25.3	412	2	5	22	37	63	93	99 +	7	7.3	20	1	1	8	11	13	13	13
18-24	83	11.3	92	1	2	9	15	25	30	48	29	10.0	52	1	2	8	15	22	24	27
25-34	270	12.5	111	1	2	10	17	26	34	52	62	6.2	40	1	1	4	8	13	18	36
35-54	427	14.9	149	2	3	12	20	28	35	63	131	10.5	88	2	3	7	13	22	30	48
55-74	367	20.0	222	4	6	16	25	40	55	87	106	9.6	53	2	3	7	12	22	24	34
75 +	124	22.9	258	4	6	18	28	44	59	72	28	10.3	56	2	3	8	14	21	25	30
ALL AGES	1372	17.1	205	2	3	14	22	35	48	84	363	9.4	64	2	2	7	12	20	25	36
SUBTOTAL	**1955**	**16.9**	**210**	**2**	**3**	**13**	**22**	**35**	**48**	**83**	**479**	**9.7**	**81**	**1**	**2**	**7**	**12**	**22**	**28**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	34.4	604	1	1	35	49	68	80	80										
13-17	79	33.8	523	2	8	29	53	71	93	99 +	1	14.0		14	14	14	14	14	14	14
18-24	42	12.3	137	2	2	9	14	31	38	51	6	6.8	29	1	1	6	12	14	14	14
25-34	103	14.2	127	2	3	12	21	27	37	55	12	9.7	169	1	1	5	7	32	43	45
35-54	162	17.0	203	2	5	13	21	34	46	73	27	8.0	64	1	2	5	11	20	27	34
55-74	77	19.0	224	3	4	15	28	39	43	80	17	10.4	72	1	2	7	15	24	28	30
75 +	23	23.2	364	5	8	19	27	39	70	94	11	5.1	6	2	2	4	7	8	9	9
ALL AGES	495	19.6	297	2	4	15	27	42	60	93	74	8.4	70	1	2	6	10	22	27	42
B. FEMALE																				
0-12 YRS.	7	35.3	350	4	9	44	53	87	99 +	99 +										
13-17	74	29.7	477	3	4	28	43	77	98	99 +	5	9.2	229	1	1	2	13	36	36	36
18-24	90	20.3	278	2	5	16	28	42	55	81	6	5.8	19	1	1	6	8	12	12	12
25-34	210	17.1	200	2	3	13	23	35	45	63	34	8.8	51	1	2	7	11	19	27	29
35-54	291	16.6	115	3	5	14	22	32	36	53	48	10.5	63	3	4	7	14	20	31	40
55-74	164	19.5	153	4	6	17	26	37	44	66	50	9.4	75	2	3	8	11	19	21	55
75 +	56	18.9	166	4	6	15	27	35	41	64	14	10.6	41	3	5	9	16	27	82	99 +
ALL AGES	892	19.0	206	3	5	16	26	38	49	84	157	9.6	64	1	3	7	12	20	28	54
SUBTOTAL	**1387**	**19.2**	**239**	**3**	**4**	**15**	**26**	**40**	**54**	**89**	**231**	**9.2**	**66**	**1**	**2**	**7**	**12**	**20**	**28**	**47**
GRAND TOTAL	**3342**	**17.9**	**221**	**2**	**4**	**14**	**24**	**37**	**51**	**85**	**710**	**9.5**	**77**	**1**	**2**	**7**	**12**	**21**	**28**	**41**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	12	25.3	545	2	5	17	40	62	73	75										
18-24	14	9.9	114	1	1	7	12	28	35	37	3	5.0	13	2	2	4	8	9	9	9
25-34	33	14.9	137	3	4	11	21	30	35	59	5	12.8	159	5	5	7	17	35	35	35
35-54	90	13.4	72	2	3	11	17	26	29	41	40	12.9	227	3	3	9	14	25	35	91
55-74	82	20.5	229	3	6	16	26	39	50	80	25	11.9	60	1	2	13	18	21	25	29
75 +	15	21.3	269	4	6	18	26	30	63	74	5	9.2	14	3	3	10	11	13	13	13
ALL AGES	247	16.9	180	2	4	14	22	32	43	75	78	12.0	147	2	3	10	15	21	32	76
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	27	24.3	355	3	6	19	39	61	71	99 +	1	15.0		15	15	15	15	15	15	15
18-24	25	11.8	104	1	2	9	15	21	37	45	11	16.5	185	1	2	17	24	37	42	43
25-34	110	14.4	91	3	5	12	19	25	31	48	45	10.6	52	2	3	9	14	21	25	35
35-54	242	14.3	120	2	4	12	19	27	34	57	119	11.2	83	2	2	9	15	22	31	44
55-74	247	18.6	191	5	6	16	24	35	42	96	65	10.6	59	2	3	8	14	21	27	37
75 +	50	21.1	160	4	6	19	29	36	48	58	15	10.6	39	1	3	10	14	20	20	20
ALL AGES	702	16.6	159	3	5	14	21	33	39	67	256	11.1	74	2	3	9	15	21	29	41
SUBTOTAL	**949**	**16.7**	**163**	**3**	**5**	**14**	**22**	**32**	**40**	**74**	**334**	**11.3**	**91**	**2**	**3**	**9**	**15**	**21**	**30**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	38.5	212	29	29	32	47	60	60	60										
13-17	17	25.9	268	7	8	23	36	52	57	60										
18-24	12	14.3	96	3	5	12	16	29	38	40	2	6.5	61	1	1	6	12	12	12	12
25-34	50	13.3	100	2	3	10	18	28	33	43	7	9.3	136	2	2	3	11	29	34	34
35-54	133	16.6	185	2	4	14	21	29	44	73	9	12.0	142	3	3	5	19	32	33	33
55-74	57	18.4	110	5	6	16	25	31	38	48	14	13.6	105	5	5	11	17	23	39	44
75 +	10	18.8	139	3	4	18	30	35	37	37	3	19.3	39	14	14	18	24	26	26	26
ALL AGES	283	17.2	167	3	5	14	23	32	41	61	35	12.4	110	2	2	11	17	31	34	44
B. FEMALE																				
0-12 YRS.																				
13-17	18	17.7	323	2	3	14	21	64	87	99 +										
18-24	30	20.1	269	2	3	14	30	48	49	52	8	15.3	365	3	3	8	17	49	60	60
25-34	119	15.5	191	2	3	12	21	31	40	70	25	13.1	371	1	1	10	14	21	49	98
35-54	223	18.0	169	3	4	15	24	37	45	99 +	47	11.2	83	2	4	9	15	21	26	53
55-74	130	19.1	163	4	5	16	24	41	48	67	34	10.9	47	3	4	10	13	18	28	34
75 +	35	21.6	94	7	9	22	29	32	40	44	6	7.3	23	3	3	6	11	15	15	15
ALL AGES	555	18.1	177	3	4	15	24	37	47	98	120	11.6	145	2	3	9	14	20	31	71
SUBTOTAL	**838**	**17.8**	**174**	**3**	**4**	**15**	**24**	**35**	**46**	**73**	**155**	**11.8**	**136**	**2**	**3**	**9**	**14**	**22**	**33**	**60**
GRAND TOTAL	**1787**	**17.2**	**169**	**3**	**5**	**14**	**23**	**33**	**43**	**73**	**489**	**11.5**	**104**	**2**	**3**	**9**	**15**	**21**	**31**	**48**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	38.0	1053	11	11	29	63	74	74	74										
13-17																				
18-24	24	15.4	92	1	5	14	20	29	36	40	2	9.5	113	2	2	9	17	17	17	17
25-34	55	12.8	105	1	3	12	16	21	40	48	3	3.3	2	2	2	4	4	4	4	4
35-54	60	13.0	75	2	3	12	17	25	32	39	9	10.6	46	2	2	11	13	21	25	25
55-74	30	14.5	62	3	5	14	19	24	26	37	2	11.0	8	9	9	11	13	13	13	13
75 +	4	22.8	218	8	8	21	35	40	40	40	1	5.0		5	5	5	5	5	5	5
ALL AGES	176	14.1	110	2	3	12	18	26	36	47	17	8.9	40	2	2	8	13	16	22	25
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	11	19.9	568	1	3	11	21	60	80	82	2	6.5	41	2	2	6	11	11	11	11
25-34	74	12.5	64	2	5	11	16	23	30	38	8	6.1	19	1	1	5	10	12	13	13
35-54	144	12.4	71	3	5	11	15	23	26	66	7	9.7	165	1	1	6	9	32	38	38
55-74	95	18.2	165	6	7	15	21	32	42	76	8	9.1	76	2	2	7	12	23	28	28
75 +	14	18.9	163	2	6	19	33	40	85	99 +	1	5.0		5	5	5	5	5	5	5
ALL AGES	340	14.6	120	4	5	12	19	27	37	83	26	8.0	70	1	2	5	10	13	30	38
SUBTOTAL	**516**	**14.4**	**117**	**2**	**5**	**12**	**18**	**26**	**36**	**67**	**43**	**8.3**	**58**	**1**	**2**	**6**	**11**	**15**	**26**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.0	32	22	22	26	30	30	30	30										
13-17																				
18-24	6	15.0	79	5	5	15	21	27	28	28	2	4.0	2	3	3	4	5	5	5	5
25-34	20	13.7	44	3	6	13	16	24	27	29										
35-54	36	17.0	213	3	4	14	21	33	56	64	1	3.0		3	3	3	3	3	3	3
55-74	8	12.9	46	3	4	13	17	22	24	24	2	6.5	25	3	3	6	10	10	10	10
75 +																				
ALL AGES	72	15.7	134	3	4	14	20	28	33	64	5	4.8	9	3	3	3	6	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	40.5	1301	15	15	40	66	66	66	66										
18-24	6	22.2	91	12	12	21	31	35	35	35	1	21.0		21	21	21	21	21	21	21
25-34	14	18.1	114	6	7	16	23	37	39	39	1	3.0		3	3	3	3	3	3	3
35-54	45	15.2	85	2	3	13	21	27	34	41	2	7.5	25	4	4	7	11	11	11	11
55-74	17	16.1	194	2	3	16	19	39	50	54	1	7.0		7	7	7	7	7	7	7
75 +	4	14.5	20	8	8	16	17	18	18	18										
ALL AGES	88	16.8	136	3	5	16	21	33	39	61	5	9.2	53	3	3	7	13	21	21	21
SUBTOTAL	**160**	**16.3**	**134**	**3**	**4**	**15**	**21**	**29**	**38**	**64**	**10**	**7.0**	**33**	**3**	**3**	**4**	**10**	**16**	**21**	**21**
GRAND TOTAL	**676**	**14.9**	**120**	**3**	**5**	**13**	**19**	**27**	**37**	**64**	**53**	**8.1**	**52**	**2**	**2**	**5**	**11**	**15**	**24**	**38**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.0	722	12	12	31	50	50	50	50										
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	4	6.8	4	5	5	6	8	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	11	21.8	414	1	4	18	27	49	75	77	7	7.9	7	2	3	9	10	10	10	10
35-54	22	15.0	108	2	4	13	21	30	36	45	5	10.8	70	1	1	10	14	24	24	24
55-74	15	19.5	126	5	7	18	22	42	44	45	4	17.5	330	4	4	11	30	43	43	43
75 +	2	21.5	5	20	20	21	23	23	23	23										
ALL AGES	57	17.7	183	3	5	16	21	31	45	75	17	10.7	101	1	2	9	10	23	36	43
B. FEMALE																				
0-12 YRS.											1	20.0		20	20	20	20	20	20	20
13-17											1	4.0		4	4	4	4	4	4	4
18-24	10	24.3	283	3	7	19	35	51	58	58	2	4.0		4	4	4	4	4	4	4
25-34	19	13.1	174	1	1	11	14	26	45	59	9	8.3	45	3	3	5	11	19	24	24
35-54	39	14.8	123	2	3	11	19	30	41	45	13	16.3	496	3	4	9	15	35	78	88
55-74	29	19.7	209	2	4	16	25	43	48	65	5	18.4	145	1	1	19	26	34	34	34
75 +	9	19.0	93	5	7	19	23	33	38	38										
ALL AGES	106	17.1	173	2	3	14	22	38	45	62	31	13.3	254	3	3	9	18	23	33	88
SUBTOTAL	**163**	**17.3**	**176**	**2**	**4**	**14**	**22**	**36**	**45**	**64**	**48**	**12.4**	**198**	**2**	**3**	**9**	**14**	**24**	**35**	**88**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	6.5	1	6	6	6	7	7	7	7										
25-34	11	16.2	273	3	4	10	23	41	57	58	4	10.8	155	1	1	6	18	29	29	29
35-54	17	16.3	110	4	5	13	26	31	34	36	1	31.0		31	31	31	31	31	31	31
55-74	3	14.7	173	3	3	12	25	29	29	29	1	9.0		9	9	9	9	9	9	9
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	33	15.5	158	3	4	10	24	30	35	58	7	12.6	148	1	2	8	24	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	2	19.5	313	7	7	19	32	32	32	32										
18-24	5	17.0	61	8	8	17	23	27	27	27	2	4.5	1	4	4	4	5	5	5	5
25-34	15	17.6	376	2	3	12	21	48	67	73	4	16.5	214	6	6	11	25	38	38	38
35-54	30	17.1	131	4	5	15	22	30	41	53	4	15.0	241	4	4	9	24	38	38	38
55-74	17	23.2	378	2	3	20	33	59	66	67	8	17.9	137	5	6	15	24	37	40	40
75 +	2	36.5	1	36	36	36	37	37	37	37										
ALL AGES	71	19.3	238	3	4	16	26	37	53	72	18	15.4	156	4	4	10	20	38	39	40
SUBTOTAL	**104**	**18.1**	**213**	**3**	**4**	**14**	**25**	**36**	**49**	**70**	**25**	**14.6**	**149**	**3**	**4**	**9**	**22**	**38**	**39**	**40**
GRAND TOTAL	**267**	**17.6**	**190**	**3**	**4**	**14**	**22**	**36**	**45**	**67**	**73**	**13.1**	**181**	**2**	**3**	**9**	**17**	**30**	**38**	**78**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	26.0	18	23	23	26	29	29	29	29										
13-17	2	54.5	221	44	44	54	65	65	65	65										
18-24	2	20.0	18	17	17	20	23	23	23	23										
25-34	14	14.1	200	1	2	10	19	30	50	56	2	8.0	18	5	5	8	11	11	11	11
35-54	21	17.4	193	2	5	15	21	35	51	59	1	20.0		20	20	20	20	20	20	20
55-74	7	14.6	18	6	8	15	17	20	20	20	1	10.0		10	10	10	10	10	10	10
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	49	17.7	212	1	4	15	21	38	56	65	4	11.5	39	5	5	10	15	20	20	20
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	1	72.0		72	72	72	72	72	72	72	1	13.0		13	13	13	13	13	13	13
18-24	2	12.5	61	7	7	12	18	18	18	18										
25-34	20	14.6	99	2	4	13	16	31	34	36	3	5.0	1	4	4	5	6	6	6	6
35-54	54	15.7	101	4	5	13	22	30	37	39	11	9.0	32	2	3	8	13	17	21	21
55-74	24	18.3	196	4	6	13	24	37	53	58										
75 +	2	27.5	113	20	20	27	35	35	35	35										
ALL AGES	104	16.9	153	4	5	14	23	35	38	64	15	8.5	27	2	3	7	13	14	19	21
SUBTOTAL	**153**	**17.2**	**169**	**3**	**5**	**14**	**22**	**35**	**43**	**65**	**19**	**9.1**	**30**	**2**	**3**	**8**	**13**	**18**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-24	2	29.0	578	12	12	29	46	46	46	46	1	25.0		25	25	25	25	25	25	25
25-34	5	15.8	170	3	3	12	23	37	37	37										
35-54	8	18.1	347	5	5	11	20	49	62	62	1	9.0		9	9	9	9	9	9	9
55-74	2	44.5	2245	11	11	44	78	78	78	78	1	15.0		15	15	15	15	15	15	15
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	18	22.3	435	4	5	12	30	57	72	78	4	14.3	59	8	8	12	20	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	4	12.8	91	7	7	9	18	27	27	27										
25-34	14	15.4	130	1	3	11	27	32	34	34										
35-54	22	19.5	326	2	3	14	25	38	67	75										
55-74	13	18.8	83	2	4	20	25	29	31	32										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	55	17.6	186	2	4	14	25	30	34	74										
SUBTOTAL	**73**	**18.7**	**248**	**2**	**4**	**14**	**25**	**33**	**59**	**77**	**4**	**14.3**	**59**	**8**	**8**	**15**	**44**	**99+**	**99+**	**99+**
GRAND TOTAL	**226**	**17.7**	**194**	**3**	**4**	**14**	**23**	**34**	**45**	**73**	**23**	**10.0**	**36**	**3**	**4**	**9**	**14**	**21**	**47**	**99+**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	[illegible]TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	38.0	364	22	23	30	51	69	72	72										
13-17	3	45.0	217	36	36	37	56	62	62	62										
18-24	8	6.9	33	1	1	6	11	16	16	16	2	4.5	13	2	2	4	7	7	7	7
25-34	25	10.8	55	1	1	11	16	21	25	25	1	8.0		8	8	8	8	8	8	8
35-54	21	13.3	77	2	3	13	19	21	30	40	6	9.8	90	4	4	5	15	26	27	27
55-74	18	10.5	55	1	2	8	14	22	27	28	1	20.0		20	20	20	20	20	20	20
75 +	3	31.0	313	15	15	28	44	50	50	50										
ALL AGES	85	15.1	190	1	2	13	20	30	42	68	10	9.6	69	2	3	6	15	23	27	27
B. FEMALE																				
0-12 YRS.	2	30.0	512	14	14	30	46	46	46	46										
13-17	7	23.4	344	6	6	23	29	54	60	60	1	6.0		6	6	6	6	6	6	6
18-24	15	15.8	137	4	5	11	23	31	42	46	3	7.0	13	3	3	8	9	10	10	10
25-34	19	12.1	80	1	1	12	16	26	32	33	12	12.6	124	2	3	11	14	27	42	44
35-54	68	13.1	61	2	5	12	17	24	28	36	16	7.1	38	1	1	5	11	17	19	20
55-74	41	23.4	439	2	6	17	28	51	73	93	8	10.3	86	3	3	7	13	26	31	31
75 +	4	27.3	200	8	8	29	37	42	42	42										
ALL AGES	156	17.0	209	2	5	13	22	32	46	79	40	9.3	73	1	2	6	12	18	26	44
SUBTOTAL	**241**	**16.3**	**203**	**1**	**3**	**13**	**21**	**31**	**46**	**73**	**50**	**9.4**	**70**	**2**	**2**	**6**	**12**	**20**	**27**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17	5	26.4	276	9	9	29	36	50	50	50										
18-24	3	25.0	388	9	9	19	40	47	47	47	1	5.0		5	5	5	5	5	5	5
25-34	13	13.9	103	1	2	12	19	31	32	32	1	1.0		1	1	1	1	1	1	1
35-54	16	18.8	288	2	3	12	25	49	57	59	2	15.0	32	11	11	15	19	19	19	19
55-74	7	13.4	46	1	3	16	18	20	21	21										
75 +																				
ALL AGES	45	18.7	238	2	3	14	25	47	53	61	4	9.0	61	1	1	8	15	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	64.0		64	64	64	64	64	64	64										
18-24	3	12.3	76	3	3	14	18	20	20	20										
25-34	16	14.1	162	2	2	12	17	31	45	51	2	13.0	8	11	11	13	15	15	15	15
35-54	28	13.8	99	3	4	12	18	22	36	47	3	22.7	138	9	9	29	30	30	30	30
55-74	16	16.9	70	3	4	16	25	27	28	28										
75 +	3	17.0	148	3	3	23	24	25	25	25										
ALL AGES	67	15.4	139	3	3	14	21	27	37	62	5	18.8	100	9	9	15	29	30	30	30
SUBTOTAL	**112**	**16.8**	**177**	**2**	**3**	**14**	**21**	**32**	**50**	**62**	**9**	**14.4**	**101**	**1**	**3**	**11**	**21**	**30**	**30**	**30**
GRAND TOTAL	**353**	**16.5**	**193**	**1**	**3**	**13**	**21**	**32**	**47**	**68**	**59**	**10.2**	**76**	**1**	**2**	**8**	**14**	**20**	**30**	**43**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	9.8	57	1	1	11	17	17	17	17										
18-24	5	8.6	36	1	1	8	14	16	16	16	1	7.0		7	7	7	7	7	7	7
25-34	19	11.7	94	1	3	12	15	16	33	46	7	6.6	41	3	3	4	6	18	21	21
35-54	20	11.8	52	2	3	10	18	22	23	24	9	8.8	54	1	1	6	14	19	22	22
55-74	15	18.3	189	4	6	14	22	34	52	58	7	6.6	5	3	3	6	8	10	10	10
75 +	3	12.0	25	7	7	12	16	17	17	17	1	4.0		4	4	4	4	4	4	4
ALL AGES	67	12.9	95	1	3	11	16	23	28	56	25	7.3	31	2	3	6	9	14	21	22
B. FEMALE																				
0-12 YRS.																				
13-17	4	32.0	2035	1	1	16	99	99 +	99 +	99 +										
18-24	5	13.6	32	8	8	12	16	23	23	23	5	19.4	213	2	2	28	31	31	31	31
25-34	18	11.6	67	3	3	10	14	26	30	30	14	9.4	65	2	2	7	11	25	27	28
35-54	46	12.4	60	4	5	10	15	24	30	36	24	10.7	75	2	3	7	17	23	31	32
55-74	33	16.4	187	2	4	14	18	36	52	57	16	9.9	41	1	2	10	14	20	22	22
75 +	5	16.4	225	2	2	9	31	35	35	35	3	14.7	49	7	7	16	20	21	21	21
ALL AGES	111	14.4	170	3	4	12	17	30	36	99	62	11.1	75	2	2	7	16	26	31	32
SUBTOTAL	**178**	**13.8**	**143**	**2**	**4**	**12**	**17**	**28**	**35**	**87**	**87**	**10.0**	**65**	**2**	**2**	**7**	**14**	**22**	**29**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.0	32	21	21	25	29	29	29	29										
13-17	2	27.0	200	17	17	37	84	99 +	99 +	99 +										
18-24	5	22.6	163	8	8	22	27	43	43	43	3	5.7	32	1	1	4	10	12	12	12
25-34	13	14.5	79	6	6	13	22	29	31	31	4	11.8	193	1	1	7	22	31	31	31
35-54	14	12.9	113	1	2	12	16	23	39	43	8	16.1	72	3	5	15	22	28	29	29
55-74	7	19.4	54	6	8	23	25	25	25	25										
75 +	4	10.3	53	3	3	10	16	18	18	18	1	25.0		25	25	25	25	25	25	25
ALL AGES	47	16.2	105	3	4	15	23	30	43	99 +	16	13.6	103	1	1	13	21	29	30	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22	1	11.0		11	11	11	11	11	11	11
18-24	7	8.7	30	2	2	8	14	15	15	15	2	8.5	61	3	3	8	14	14	14	14
25-34	12	20.1	199	1	4	21	28	41	46	47	5	17.4	97	4	4	17	23	31	31	31
35-54	36	20.4	139	5	6	18	29	39	43	45	5	11.4	183	1	1	7	15	35	35	35
55-74	12	15.4	60	9	10	12	17	27	35	36	5	3.6	2	1	1	4	4	5	5	5
75 +	7	26.0	401	6	7	20	39	59	62	62										
ALL AGES	75	19.0	158	4	6	15	25	39	45	58	18	10.6	98	1	2	6	14	28	33	35
SUBTOTAL	**122**	**18.0**	**135**	**3**	**6**	**15**	**23**	**36**	**44**	**72**	**34**	**12.0**	**100**	**1**	**1**	**10**	**17**	**29**	**31**	**35**
GRAND TOTAL	**300**	**15.5**	**144**	**3**	**4**	**13**	**20**	**31**	**42**	**80**	**121**	**10.6**	**74**	**1**	**2**	**7**	**14**	**25**	**31**	**33**

AFFECT PSYCHOSES NEC/NOS (296.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	15.5	85	9	9	15	22	22	22	22	1	3.0		3	3	3	3	3	3	3
35-54	2	12.0	128	4	4	12	20	20	20	20	3	17.7	484	3	3	7	34	43	43	43
55-74	4	23.0	49	16	16	23	29	29	29	29	4	31.8	1702	1	1	18	62	89	89	89
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	10	16.8	72	4	6	17	22	29	29	29	8	22.9	982	1	1	5	39	75	89	89
B. FEMALE																					
0-12 YRS.	1	80.0		80	80	80	80	80	80	80										
13-17	3	23.7	559	9	9	11	41	51	51	51										
18-24											3	7.7	26	2	2	9	11	12	12	12
25-34	5	14.8	31	9	9	14	20	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	8	19.5	696	3	3	11	19	64	83	83	7	10.7	45	4	4	7	15	21	22	22
55-74	5	8.0	4	6	6	7	9	11	11	11	7	8.9	11	5	5	8	12	14	14	14
75 +	1	26.0		26	26	26	26	26	26	26	3	11.3	10	8	8	12	13	14	14	14
ALL AGES	23	19.4	486	4	5	11	20	57	81	83	21	9.3	26	2	3	8	13	15	18	22
SUBTOTAL	**33**	**18.6**	**356**	**4**	**5**	**12**	**20**	**34**	**76**	**83**	**29**	**13.1**	**301**	**2**	**2**	**8**	**14**	**30**	**45**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17	1	39.0		39	39	39	39	39	39	39	1	17.0		17	17	17	17	17	17	17
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	3	12.7	199	4	4	5	23	29	29	29	3	8.0	79	1	1	5	15	18	18	18
55-74	2	41.5	365	28	28	41	55	55	55	55	2	9.5	41	5	5	9	14	14	14	14
75 +																				
ALL AGES	9	25.3	334	4	4	28	40	51	55	55	6	10.0	52	1	1	10	17	18	18	18
B. FEMALE																					
0-12 YRS.																					
13-17	3	8.7	7	7	7	7	11	12	12	12										
18-24	3	9.7	176	1	1	3	19	25	25	25	1	3.0		3	3	3	3	3	3	3
25-34	4	7.5	50	1	1	7	13	15	15	15	3	5.0	1	4	4	5	6	6	6	6
35-54	10	30.2	886	5	6	17	38	82	96	96	9	10.1	91	1	1	9	13	25	32	32
55-74	6	25.5	372	8	8	16	48	52	52	52	6	7.0	4	4	4	7	9	9	9	9
75 +	2	25.0	18	22	22	25	28	28	28	28	2	8.5	41	4	4	8	13	13	13	13
ALL AGES	28	21.1	478	1	2	14	26	51	71	96	21	8.0	45	1	2	6	10	14	23	32
SUBTOTAL	**37**	**22.1**	**437**	**2**	**3**	**14**	**29**	**51**	**63**	**96**	**27**	**8.4**	**46**	**1**	**2**	**6**	**12**	**17**	**20**	**32**
GRAND TOTAL	**70**	**20.5**	**394**	**3**	**4**	**13**	**26**	**49**	**68**	**93**	**56**	**10.8**	**181**	**1**	**2**	**7**	**13**	**18**	**34**	**86**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL	1	45.0		45	45	45	45	45	45	45	1	10.0		10	10	10	10	10	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	1	11.0		11	11	11	11	11	11	11										
GRAND TOTAL	2	28.0	578	11	11	28	45	45	45	45	1	10.0		10	10	10	10	10	10	10

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	6	7.8	20	3	3	6	11	15	15	15										
55-74	2	10.5	1	10	10	10	11	11	11	11										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	10	8.0	15	3	3	8	11	13	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	16.0		16	16	16	16	16	16	16
35-54	6	13.0	150	1	2	9	16	34	36	36	2	7.5	5	6	6	7	9	9	9	9
55-74	4	16.8	40	11	11	15	21	26	26	26	1	7.0		7	7	7	7	7	7	7
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	11	13.5	103	1	3	11	16	30	35	36	5	9.0	17	6	6	7	11	16	16	16
SUBTOTAL	**21**	**10.9**	**66**	**2**	**3**	**10**	**14**	**20**	**30**	**36**	**5**	**9.0**	**17**	**6**	**6**	**7**	**11**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13 17																				
18-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	19.7	274	2	2	22	32	35	35	35										
75 +																				
ALL AGES	3	19.7	274	2	2	22	32	35	35	35	2	5.0	32	1	1	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	8.0		8	8	8	8	8	8	8
25-34																				
35-54	2	17.0	288	5	5	17	29	29	29	29	2	6.0	2	5	5	6	7	7	7	7
55-74	4	17.8	43	11	11	18	23	24	24	24	1	31.0		31	31	31	31	31	31	31
75 +	3	7.3	35	3	3	5	12	14	14	14	1	7.0		7	7	7	7	7	7	7
ALL AGES	9	14.1	88	3	4	13	23	27	29	29	5	11.6	119	5	5	7	14	31	31	31
SUBTOTAL	**12**	**15.5**	**120**	**2**	**3**	**13**	**23**	**31**	**34**	**35**	**7**	**9.7**	**95**	**1**	**2**	**7**	**9**	**27**	**31**	**31**
GRAND TOTAL	**33**	**12.6**	**87**	**2**	**3**	**11**	**16**	**27**	**34**	**36**	**12**	**9.4**	**58**	**1**	**4**	**7**	**9**	**20**	**29**	**31**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	35.0		35	35	35	35	35	35	35	1	8.0		8	8	8	8	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	2	19.5	481	4	4	19	35	35	35	35	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**2**	**19.5**	**481**	**4**	**4**	**19**	**35**	**35**	**35**	**35**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	1	27.0		27	27	27	27	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**2**	**18.5**	**145**	**10**	**10**	**18**	**27**	**27**	**27**	**27**										
GRAND TOTAL	**4**	**19.0**	**209**	**4**	**4**	**18**	**31**	**35**	**35**	**35**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	4	7.5	42	2	2	6	12	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	4	7.5	42	2	2	6	12	16	16	16										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	1	28.0		28	28	28	28	28	28	28										
GRAND TOTAL	5	11.6	115	2	2	9	19	28	28	28										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	4	5.5	3	3	3	6	7	7	7	7										
25-34	6	7.2	8	2	2	7	10	10	10	10	1	9.0		9	9	9	9	9	9	9
35-54	8	11.3	89	1	2	9	15	27	31	31	1	26.0		26	26	26	26	26	26	26
55-74	8	15.8	63	7	7	15	23	27	27	27										
75 +	1	10.0		10	10	10	10	10	10	10	2	6.0		6	6	6	6	6	6	6
ALL AGES	27	10.8	58	2	3	8	14	25	28	31	4	11.8	91	6	6	8	17	26	26	26
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	12	12.5	67	1	2	12	18	23	27	28										
35-54	16	14.3	142	2	3	12	19	25	43	51	2	1.5	1	1	1	1	2	2	2	2
55-74	18	18.4	88	4	6	19	27	31	32	32	6	5.7	17	3	3	4	6	13	14	14
75 +	18	21.6	305	2	5	15	34	45	56	63	2	4.5	13	2	2	4	7	7	7	7
ALL AGES	64	17.2	163	3	4	14	22	32	44	61	10	4.6	14	1	1	3	6	10	14	14
SUBTOTAL	**91**	**15.3**	**139**	**2**	**4**	**13**	**20**	**31**	**41**	**58**	**14**	**6.6**	**43**	**1**	**2**	**5**	**7**	**15**	**24**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	5	13.6	53	2	2	15	19	21	21	21	1	8.0		8	8	8	8	8	8	8
35-54	14	10.6	55	1	3	10	13	18	27	30	1	14.0		14	14	14	14	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	4	10.8	21	4	4	12	14	15	15	15										
ALL AGES	26	10.3	49	1	2	11	15	18	23	30	2	11.0	18	8	8	11	14	14	14	14
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	3	12.0	4	10	10	12	13	14	14	14										
35-54	10	10.9	33	2	3	12	15	18	18	18	2	7.0	50	2	2	7	12	12	12	12
55-74	9	17.4	70	9	9	16	24	29	31	31	3	13.0	112	5	5	9	21	25	25	25
75 +	2	24.5	613	7	7	24	42	42	42	42	1	5.0		5	5	5	5	5	5	5
ALL AGES	24	14.6	83	4	5	13	18	26	34	42	6	9.7	68	2	2	7	12	24	25	25
SUBTOTAL	**50**	**12.4**	**68**	**2**	**3**	**11**	**16**	**23**	**30**	**42**	**8**	**10.0**	**52**	**2**	**3**	**8**	**13**	**22**	**25**	**25**
GRAND TOTAL	**141**	**14.2**	**117**	**2**	**3**	**12**	**19**	**29**	**33**	**52**	**22**	**7.9**	**46**	**1**	**2**	**6**	**9**	**17**	**25**	**26**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	13.5	25	10	10	13	17	17	17	17	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	4	12.8	18	8	8	13	16	17	17	17	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	5.0		5	5	5	5	5	5	5	3	15.7	201	6	6	9	26	32	32	32
55-74	3	13.3	71	4	4	16	19	20	20	20	4	6.0	7	3	3	6	8	9	9	9
75 +											3	19.3	164	11	11	13	29	34	34	34
ALL AGES	5	11.2	48	4	4	11	17	20	20	20	10	12.9	121	3	4	9	13	33	34	34
SUBTOTAL	**9**	**11.9**	**32**	**4**	**4**	**11**	**16**	**19**	**20**	**20**	**11**	**12.7**	**110**	**3**	**4**	**9**	**13**	**33**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	15.0	32	11	11	15	19	19	19	19										
35-54	2	16.0	450	1	1	16	31	31	31	31	1	9.0		9	9	9	9	9	9	9
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	15.5	161	1	1	15	25	31	31	31	2	6.0	18	3	3	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	37.0	162	28	28	37	46	46	46	46	1	15.0		15	15	15	15	15	15	15
25-34																				
35-54	7	22.1	165	5	7	19	32	40	42	42										
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	10	25.5	165	5	9	26	34	44	46	46	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**14**	**22.6**	**175**	**2**	**5**	**22**	**31**	**42**	**45**	**46**	**3**	**9.0**	**36**	**3**	**3**	**9**	**13**	**15**	**15**	**15**
GRAND TOTAL	**23**	**18.4**	**144**	**3**	**5**	**16**	**26**	**36**	**43**	**46**	**14**	**11.9**	**93**	**3**	**3**	**9**	**13**	**32**	**34**	**34**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	3	17.7	59	9	9	20	23	24	24	24										
25-34	4	14.3	114	4	4	14	23	25	25	25										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	9.7	133	2	2	4	18	23	23	23	2	19.0	32	15	15	19	23	23	23	23
75 +											2	5.5	1	5	5	5	6	6	6	6
ALL AGES	10	13.9	93	2	3	14	23	24	25	25	6	8.8	72	1	1	5	15	22	23	23
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	2	10.5	113	3	3	10	18	18	18	18										
25-34	1	7.0		7	7	7	7	7	7	7	3	2.3	6	1	1	1	4	5	5	5
35-54	2	2.5	5	1	1	2	4	4	4	4	5	5.8	4	3	3	6	7	8	8	8
55-74											7	6.0	24	1	1	4	10	13	14	14
75 +											2	11.5	5	10	10	11	13	13	13	13
ALL AGES	5	6.6	45	1	1	4	10	18	18	18	18	5.7	17	1	1	5	8	12	14	14
SUBTOTAL	**15**	**11.5**	**84**	**1**	**2**	**7**	**21**	**24**	**25**	**25**	**24**	**6.5**	**30**	**1**	**1**	**5**	**9**	**14**	**17**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											2	18.0	242	7	7	18	29	29	29	29
35-54	1	19.0		19	19	19	19	19	19	19	1	16.0		16	16	16	16	16	16	16
55-74	1	7.0		7	7	7	7	7	7	7	3	2.7	2	1	1	3	4	4	4	4
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	2	13.0	72	7	7	13	19	19	19	19	8	8.5	92	1	1	5	12	25	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	7.5	41	3	3	7	12	12	12	12
25-34																				
35-54	2	7.0	50	2	2	7	12	12	12	12	2	3.0	2	2	2	3	4	4	4	4
55-74	1	7.0		7	7	7	7	7	7	7	7	8.1	24	2	2	8	13	15	15	15
75 +	1	6.0		6	6	6	6	6	6	6	4	3.8	6	1	1	3	5	7	7	7
ALL AGES	4	6.8	16	2	2	6	9	12	12	12	15	6.2	20	1	2	4	8	14	15	15
SUBTOTAL	**6**	**8.8**	**36**	**2**	**2**	**7**	**12**	**18**	**19**	**19**	**23**	**7.0**	**43**	**1**	**1**	**4**	**8**	**15**	**21**	**29**
GRAND TOTAL	**21**	**10.7**	**70**	**1**	**2**	**7**	**19**	**23**	**24**	**25**	**47**	**6.7**	**36**	**1**	**1**	**5**	**8**	**15**	**17**	**29**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											3	1.7	1	1	1	1	3	3	3	3
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	1	9.0		9	9	9	9	9	9	9	5	2.6	7	1	1	1	4	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +											2	5.5	25	2	2	5	9	9	9	9
ALL AGES											5	4.4	7	2	2	4	5	9	9	9
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**	**10**	**3.5**	**7**	**1**	**1**	**3**	**4**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	12.0	242	1	1	12	23	23	23	23										
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	12.0	242	1	1	12	23	23	23	23	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**4**	**6.8**	**117**	**1**	**1**	**2**	**12**	**23**	**23**	**23**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**5**	**7.2**	**89**	**1**	**1**	**2**	**12**	**23**	**23**	**23**	**11**	**3.6**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**9**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	8	6	6	8	10	10	10	10										
35-54	3	10.0	1	9	9	10	11	11	11	11										
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	6	8.0	12	2	2	9	10	11	11	11	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	8.0		8	8	8	8	8	8	8	1	8.0		8	8	8	8	8	8	8
35-54											2	9.0	8	7	7	9	11	11	11	11
55-74	2	6.5	41	2	2	6	11	11	11	11	5	5.6	15	1	1	7	8	10	10	10
75 +											3	8.7	68	2	2	6	15	18	18	18
ALL AGES	3	7.0	21	2	2	8	10	11	11	11	12	6.9	23	1	2	7	9	13	17	18
SUBTOTAL	**9**	**7.7**	**12**	**2**	**2**	**9**	**10**	**11**	**11**	**11**	**13**	**6.5**	**23**	**1**	**2**	**7**	**9**	**12**	**17**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	2	2.5	5	1	1	2	4	4	4	4
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	3	5.0	3	3	3	6	6	6	6	6	4	2.0	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	3	10.0	49	2	2	13	14	15	15	15										
55-74	2	22.0	2	21	21	22	23	23	23	23	1	21.0		21	21	21	21	21	21	21
75 +	1	17.0		17	17	17	17	17	17	17	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	15.2	54	2	3	16	21	23	23	23	3	9.7	104	1	1	7	17	21	21	21
SUBTOTAL	**9**	**11.8**	**61**	**2**	**2**	**13**	**18**	**22**	**23**	**23**	**7**	**5.3**	**53**	**1**	**1**	**2**	**6**	**18**	**21**	**21**
GRAND TOTAL	**18**	**9.7**	**40**	**2**	**2**	**9**	**13**	**20**	**22**	**23**	**20**	**6.1**	**31**	**1**	**1**	**5**	**8**	**14**	**19**	**21**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74	3	11.0	3	9	9	12	12	12	12	12										
75 +																				
ALL AGES	4	15.3	72	9	9	12	20	28	28	28										
SUBTOTAL	**5**	**15.4**	**56**	**9**	**9**	**12**	**19**	**28**	**28**	**28**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**5**	**15.4**	**56**	**9**	**9**	**12**	**19**	**28**	**28**	**28**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	5	10.2	85	1	1	7	19	21	21	21										
18-24	6	14.3	95	5	5	11	20	30	31	31	1	9.0		9	9	9	9	9	9	9
25-34	7	11.3	90	2	2	10	15	27	30	30										
35-54	8	6.9	30	2	2	4	11	16	16	16	3	3.3	11	1	1	2	6	7	7	7
55-74	3	5.7	25	1	1	5	9	11	11	11	4	6.3	12	1	1	7	8	9	9	9
75 +	2	17.5	13	15	15	17	20	20	20	20	2	5.0		5	5	5	5	5	5	5
ALL AGES	31	10.4	67	1	2	7	16	21	30	31	11	5.3	9	1	1	5	8	9	9	9
B. FEMALE																				
0-12 YRS.	2	11.0	8	9	9	11	13	13	13	13										
13-17	7	10.6	44	3	3	8	16	19	20	20										
18-24	14	9.7	89	1	2	6	12	18	34	39	2	3.5	1	3	3	3	4	4	4	4
25-34	13	8.0	8	3	4	9	10	11	12	12	1	12.0		12	12	12	12	12	12	12
35-54	17	10.8	39	4	4	9	13	23	25	25	2	11.0	98	4	4	11	18	18	18	18
55-74	6	7.8	56	3	3	5	10	21	22	22	3	12.0	49	5	5	12	17	19	19	19
75 +	4	6.8	49	1	1	4	11	17	17	17	1	4.0		4	4	4	4	4	4	4
ALL AGES	63	9.4	44	2	3	8	12	17	23	37	9	9.0	41	3	3	5	14	19	19	19
SUBTOTAL	**94**	**9.8**	**50**	**2**	**3**	**8**	**13**	**20**	**24**	**35**	**20**	**7.0**	**25**	**1**	**1**	**5**	**9**	**15**	**18**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	1	2.0		2	2	2	2	2	2	2	1	15.0		15	15	15	15	15	15	15
25-34	5	10.0	48	1	1	12	15	18	18	18										
35-54	3	7.3	15	3	3	9	10	10	10	10	1	9.0		9	9	9	9	9	9	9
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	7.0		7	7	7	7	7	7	7	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	12	8.5	28	1	2	8	13	15	18	18	4	8.0	28	3	3	7	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.5	170	2	2	27	28	29	29	29										
18-24	6	7.2	14	2	2	7	10	12	12	12										
25-34	8	9.0	16	5	5	8	12	14	15	15	3	8.0	43	2	2	7	13	15	15	15
35-54	8	11.1	70	3	3	12	14	24	28	28										
55-74	9	17.9	215	1	2	14	30	40	43	43										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	36	12.9	106	2	3	11	15	28	34	43	3	8.0	43	2	2	7	13	15	15	15
SUBTOTAL	**48**	**11.8**	**90**	**2**	**2**	**10**	**14**	**28**	**30**	**43**	**7**	**8.0**	**28**	**2**	**2**	**7**	**13**	**15**	**15**	**15**
GRAND TOTAL	**142**	**10.4**	**65**	**2**	**3**	**9**	**13**	**21**	**28**	**39**	**27**	**7.2**	**26**	**1**	**2**	**5**	**9**	**15**	**18**	**19**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	18.5	90	6	6	20	25	28	28	28	2	1.5	1	1	1	1	2	2	2	2
13-17	19	11.9	110	1	2	8	20	28	33	38	3	10.0	129	2	2	5	18	23	23	23
18-24	17	10.0	86	1	1	9	11	17	33	41	10	4.3	15	1	1	3	4	11	14	14
25-34	18	10.1	68	1	1	8	13	20	29	35	15	6.9	41	1	1	4	13	18	18	18
35-54	29	9.2	112	1	1	6	11	18	38	47	27	5.7	25	1	1	4	8	13	19	19
55-74	38	9.4	69	1	1	7	13	18	29	37	47	7.3	81	1	2	4	7	13	25	51
75 +	34	13.1	190	2	2	7	17	30	51	58	52	9.8	114	1	2	6	10	23	34	53
ALL AGES	159	10.8	111	1	1	8	14	23	36	53	156	7.6	76	1	1	5	8	18	23	51
B. FEMALE																				
0-12 YRS.	4	10.5	46	1	1	12	15	17	17	17	1	2.0		2	2	2	2	2	2	2
13-17	10	15.5	288	1	1	9	25	44	53	53	1	3.0		3	3	3	3	3	3	3
18-24	12	11.2	74	1	2	9	15	26	27	27	10	7.5	27	1	1	5	13	14	15	15
25-34	29	11.9	70	3	4	11	15	22	29	41	20	5.5	72	1	1	3	5	13	26	38
35-54	63	11.3	64	2	3	9	15	23	28	35	33	6.3	29	1	2	5	7	14	20	23
55-74	76	11.0	95	2	2	9	15	22	31	54	47	7.3	71	2	3	4	8	14	21	54
75 +	63	13.2	174	2	3	9	17	35	42	62	68	7.9	62	2	2	6	8	13	27	43
ALL AGES	257	11.9	108	1	3	9	15	26	35	53	180	7.1	56	1	2	5	8	13	20	42
SUBTOTAL	**416**	**11.5**	**108**	**1**	**2**	**9**	**15**	**25**	**35**	**53**	**336**	**7.3**	**66**	**1**	**2**	**5**	**8**	**15**	**22**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	24.0	242	13	13	24	35	35	35	35										
13-17	6	26.0	137	10	10	29	32	40	41	41	1	17.0		17	17	17	17	17	17	17
18-24	11	12.0	171	3	4	7	14	30	47	49	8	8.6	106	1	1	2	20	22	22	22
25-34	19	9.3	35	1	3	8	13	18	21	24	4	6.3	5	3	3	6	8	9	9	9
35-54	14	12.3	81	1	1	12	21	26	26	26	2	5.0	2	4	4	5	6	6	6	6
55-74	23	17.0	348	2	3	10	16	53	59	69	13	4.7	10	1	2	4	6	10	12	12
75 +	11	13.5	108	2	3	12	16	27	40	41	16	7.1	23	2	3	6	8	12	19	22
ALL AGES	86	14.2	176	2	3	11	17	32	43	64	44	6.7	33	1	1	5	8	17	21	22
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
13-17	4	28.5	489	2	2	30	67	99+	99+	99+										
18-24	16	11.9	77	1	1	10	18	26	28	29	1	10.0		10	10	10	10	10	10	10
25-34	25	13.2	104	3	3	9	19	28	33	38	5	6.2	38	2	2	4	8	17	17	17
35-54	19	14.3	204	2	3	10	18	52	77	99+	6	5.0	6	3	3	4	7	9	9	9
55-74	21	10.1	21	4	5	9	14	17	17	18	14	6.2	27	1	2	5	8	13	19	21
75 +	23	12.3	69	4	4	11	19	34	99+	99+	27	7.9	36	2	2	6	10	17	21	26
ALL AGES	109	12.9	111	3	4	10	18	30	53	99+	54	6.9	30	2	2	5	9	14	20	26
SUBTOTAL	**195**	**13.5**	**138**	**2**	**4**	**10**	**17**	**30**	**50**	**99+**	**98**	**6.8**	**31**	**1**	**2**	**5**	**9**	**16**	**21**	**24**
GRAND TOTAL	**611**	**12.1**	**120**	**1**	**2**	**9**	**16**	**27**	**37**	**61**	**434**	**7.2**	**58**	**1**	**2**	**5**	**8**	**15**	**21**	**43**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	8.8	47	1	1	10	19	99+	99+	99+										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	8.8	47	1	1	10	19	99+	99+	99+										
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	75	99+	99+	99+	1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	75	99+	99+	99+	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**14**	**7.9**	**45**	**1**	**1**	**10**	**19**	**99+**	**99+**	**99+**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	4.6	41	1	1	2	6	16	16	16										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	4.6	41	1	1	2	6	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**5**	**4.6**	**41**	**1**	**1**	**2**	**6**	**16**	**16**	**16**										
GRAND TOTAL	**19**	**7.0**	**44**	**1**	**1**	**6**	**17**	**99+**	**99+**	**99+**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	16.4	386	4	4	10	24	34	65	79										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	16.4	386	4	4	10	24	34	65	79										
B. FEMALE																				
0-12 YRS.	3	23.3	663	8	8	9	42	53	53	53										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.3	663	8	8	9	42	53	53	53										
SUBTOTAL	**19**	**17.5**	**402**	**4**	**4**	**10**	**27**	**45**	**67**	**79**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	12.6	46	4	4	11	17	22	22	22										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	12.6	46	4	4	11	17	22	22	22										
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**6**	**15.2**	**75**	**4**	**5**	**13**	**22**	**27**	**28**	**28**										
GRAND TOTAL	**25**	**17.0**	**316**	**4**	**4**	**10**	**23**	**34**	**59**	**79**										

EARLY CHLD PSYCHOSIS NOS (299.9)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	[illegible]	[illegible]										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	31.0		31	31	31	31	31	31	31										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**31.0**		**31**	**31**	**31**	**31**	**31**	**31**	**31**										
GRAND TOTAL	**2**	**30.5**	**1**	**30**	**30**	**30**	**31**	**31**	**31**	**31**										

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16	2	1.5	1	1	1	1	2	2	2	2
13-17	4	13.8	216	1	1	13	26	28	28	28	5	1.4		1	1	1	2	2	2	2
18-24	11	5.7	18	2	2	5	9	12	14	14	9	3.2	17	1	1	2	3	10	14	14
25-34	19	5.7	25	1	1	4	8	12	18	21	16	2.3	2	1	1	2	2	5	6	6
35-54	38	8.8	182	1	1	4	10	19	27	79	38	3.3	13	1	1	2	4	5	11	20
55-74	15	5.1	14	1	1	5	8	11	12	12	29	4.4	12	1	2	3	6	9	10	18
75 +	5	16.0	88	4	4	13	25	26	26	26	11	3.2	3	1	1	3	4	6	7	7
ALL AGES	93	7.9	102	1	1	5	10	17	26	57	110	3.3	10	1	1	2	4	7	9	19
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
13-17	1	8.0		8	8	8	8	8	8	8	10	1.9	1	1	1	2	2	3	3	3
18-24	13	5.4	46	1	1	3	6	13	24	26	12	2.8	6	1	1	2	4	6	9	9
25-34	36	6.6	43	1	1	4	8	12	24	30	48	4.0	17	1	1	3	5	8	15	19
35-54	59	7.0	31	1	1	5	10	16	18	25	97	3.5	5	1	1	3	4	6	8	12
55-74	44	7.6	100	1	1	5	10	14	21	63	68	4.6	19	1	1	4	5	9	11	26
75 +	13	7.1	23	1	1	5	11	14	14	14	28	3.8	8	1	1	3	5	7	10	13
ALL AGES	167	6.9	52	1	1	5	10	14	19	30	264	3.8	11	1	1	3	4	7	11	18
SUBTOTAL	**260**	**7.3**	**69**	**1**	**1**	**5**	**10**	**14**	**21**	**30**	**374**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	44.5	313	32	32	44	57	57	57	57										
13-17	2	28.5	1201	4	4	28	53	53	53	53										
18-24	15	18.9	263	2	3	16	27	38	55	61	2	2.0	2	1	1	2	3	3	3	3
25-34	24	14.2	129	3	4	9	19	32	38	43	16	5.4	55	1	1	3	5	9	25	32
35-54	34	11.3	86	1	2	9	14	26	30	39	18	5.2	31	1	1	3	7	11	19	24
55-74	13	9.2	44	2	2	10	11	15	26	28	14	3.9	7	1	2	3	6	8	9	9
75 +	1	9.0		9	9	9	9	9	9	9	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	91	14.1	164	2	3	10	19	31	39	59	52	4.7	29	1	1	3	5	9	12	32
B. FEMALE																				
0-12 YRS.	2	10.0	128	2	2	10	18	18	18	18	1	3.0		3	3	3	3	3	3	3
13-17	3	27.7	2131	1	1	1	61	81	81	81	2	2.5	1	2	2	2	3	3	3	3
18-24	21	13.3	147	1	2	11	19	26	39	53	6	3.0	1	2	2	3	4	4	4	4
25-34	34	9.9	69	1	2	8	14	18	23	44	27	5.9	45	1	1	5	7	9	14	37
35-54	61	10.0	56	1	2	8	15	22	24	29	38	4.9	45	1	1	3	5	8	19	37
55-74	40	13.6	122	3	4	11	18	27	34	58	28	5.4	24	1	1	4	6	13	15	22
75 +	16	10.9	92	1	2	7	14	23	33	38	10	7.0	27	3	3	4	9	16	16	16
ALL AGES	177	11.6	115	1	2	9	16	23	28	57	112	5.3	34	1	1	3	6	10	16	37
SUBTOTAL	**268**	**12.4**	**134**	**2**	**2**	**9**	**17**	**27**	**33**	**58**	**164**	**5.1**	**33**	**1**	**1**	**3**	**6**	**9**	**15**	**36**
GRAND TOTAL	**528**	**9.9**	**108**	**1**	**2**	**7**	**12**	**22**	**28**	**57**	**538**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	14	3.4	2	1	2	3	4	6	6	6		1	1.0		1	1	1	1	1	1	1
13-17	2	4.0	8	2	2	4	6	6	6	6		7	3.3	17	1	1	1	4	11	12	12
18-24	9	2.6	5	1	1	2	3	6	8	8		5	2.4	4	1	1	2	3	6	6	6
25-34	9	4.1	8	1	1	3	6	9	9	9		3	5.0	28	1	1	3	9	11	11	11
35-54	11	3.6	5	1	1	3	5	7	7	7		9	2.6	1	1	1	2	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3		6	10.2	178	1	1	4	16	33	35	35
75 +	1	9.0		9	9	9	9	9	9	9		2	2.5	1	2	2	2	3	3	3	3
ALL AGES	47	3.6	5	1	1	3	5	7	8	9		33	4.2	43	1	1	2	4	11	15	35
B. FEMALE																						
0-12 YRS.	4	2.3	3	1	1	2	3	5	5	5		2	5.0	32	1	1	5	9	9	9	9
13-17	15	8.7	161	1	1	3	9	30	42	46		7	2.3	1	1	1	2	3	4	4	4
18-24	10	5.2	37	1	1	4	5	14	22	22		16	2.5	3	1	1	2	3	5	6	7
25-34	28	8.6	109	1	1	6	9	20	37	46		13	4.1	20	1	1	3	5	8	16	18
35-54	34	7.2	59	1	1	5	8	16	20	40		24	3.0	6	1	1	2	4	7	9	9
55-74	9	8.0	51	1	2	7	9	19	25	25		16	8.3	139	2	2	5	7	13	40	51
75 +												8	2.3	1	1	1	2	3	4	4	4
ALL AGES	100	7.5	82	1	1	5	8	17	27	46		86	4.0	34	1	1	2	5	7	9	39
SUBTOTAL	**147**	**6.2**	**61**	**1**	**1**	**4**	**7**	**11**	**22**	**46**		**119**	**4.0**	**37**	**1**	**1**	**2**	**4**	**8**	**12**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	3.0		3	3	3	3	3	3	3											
13-17	3	24.7	439	4	4	24	40	46	46	46		3	6.3	21	2	2	6	10	11	11	11
18-24	3	7.0	13	3	3	8	9	10	10	10		3	4.3	7	2	2	4	6	7	7	7
25-34	3	12.3	138	2	2	10	21	25	25	25		1	3.0		3	3	3	3	3	3	3
35-54	10	7.3	99	1	1	4	10	22	34	34		8	5.5	31	1	1	3	7	15	18	18
55-74	3	20.7	58	12	12	23	26	27	27	27		3	2.0	1	1	1	2	3	3	3	3
75 +																						
ALL AGES	23	11.7	150	1	2	8	20	28	38	46		18	4.7	18	1	1	3	6	10	15	18
B. FEMALE																						
0-12 YRS.	2	37.5	365	24	24	37	51	51	51	51											
13-17	3	6.7	30	1	1	7	11	12	12	12		2	1.5	1	1	1	1	2	2	2	2
18-24	5	6.6	29	3	3	5	8	16	16	16		3	5.3	25	2	2	3	9	11	11	11
25-34	9	8.9	37	1	2	6	14	17	19	19		6	4.3	3	3	3	4	5	7	7	7
35-54	18	9.7	40	2	2	9	15	16	21	25		11	5.6	16	1	1	4	10	12	12	12
55-74	13	8.5	58	1	2	6	10	22	25	26		11	4.4	7	1	1	4	7	8	9	9
75 +	1	19.0		19	19	19	19	19	19	19		2	3.0		3	3	3	3	3	3	3
ALL AGES	51	10.0	80	1	2	7	15	20	25	51		35	4.6	10	1	2	4	6	11	11	12
SUBTOTAL	**74**	**10.6**	**99**	**1**	**2**	**7**	**15**	**24**	**27**	**50**		**53**	**4.6**	**13**	**1**	**2**	**3**	**6**	**11**	**11**	**18**
GRAND TOTAL	**221**	**7.7**	**77**	**1**	**1**	**5**	**9**	**18**	**25**	**46**		**172**	**4.2**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**31**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	52.0		52	52	52	52	52	52	52	1	5.0		5	5	5	5	5	5	5
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	7.5	61	2	2	7	13	13	13	13										
35-54											1	22.0		22	22	22	22	22	22	22
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	14.8	453	2	2	5	23	52	52	52	2	13.5	145	5	5	13	22	22	22	22
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	11.0		11	11	11	11	11	11	11										
18-24											1	5.0		5	5	5	5	5	5	5
25-34	3	8.3	22	3	3	11	11	11	11	11	1	21.0		21	21	21	21	21	21	21
35-54	2	11.5	13	9	9	11	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	3	6.7	16	3	3	6	10	11	11	11	1	12.0		12	12	12	12	12	12	12
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	10	8.3	16	3	3	10	11	13	14	14	5	9.4	55	2	2	7	14	21	21	21
SUBTOTAL	**15**	**10.5**	**149**	**2**	**2**	**9**	**11**	**14**	**42**	**52**	**7**	**10.6**	**64**	**2**	**3**	**7**	**19**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24											1	25.0		25	25	25	25	25	25	25
25-34	4	21.8	118	7	7	22	29	33	33	33										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	8	21.3	91	7	9	20	29	34	35	35	2	14.5	221	4	4	14	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-24	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
25-34	3	9.0	21	5	5	8	12	14	14	14	2	9.0	8	7	7	9	11	11	11	11
35-54	13	17.5	107	4	6	17	20	35	38	39	2	12.0	32	8	8	12	16	16	16	16
55-74	5	19.4	76	10	10	17	28	30	30	30	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	23	16.8	92	4	6	16	23	31	36	39	6	9.0	19	3	3	8	11	15	16	16
SUBTOTAL	**31**	**17.9**	**95**	**5**	**7**	**17**	**25**	**33**	**35**	**39**	**8**	**10.4**	**51**	**3**	**3**	**8**	**13**	**22**	**25**	**25**
GRAND TOTAL	**46**	**15.5**	**121**	**3**	**3**	**13**	**19**	**33**	**36**	**52**	**15**	**10.5**	**53**	**2**	**3**	**8**	**15**	**22**	**24**	**25**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4										
13-17																				
18-24											1	8.0		8	8	8	8	8	8	8
25-34	2	6.0	8	4	4	6	8	8	8	8										
35-54	2	8.5	13	6	6	8	11	11	11	11										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	7	5.9	8	2	2	6	8	10	11	11	2	7.0	2	6	6	7	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24																				
25-34	2	9.5	5	8	8	9	11	11	11	11	1	5.0		5	5	5	5	5	5	5
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	33.0		33	33	33	33	33	33	33										
75 +																				
ALL AGES	5	17.8	139	8	8	11	29	33	33	33	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**12**	**10.8**	**94**	**2**	**3**	**8**	**11**	**29**	**32**	**33**	**3**	**6.3**	**3**	**5**	**5**	**6**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.5	41	10	10	14	19	19	19	19										
13-17	3	15.3	210	7	7	7	26	32	32	32										
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	3	16.7	40	12	12	14	21	24	24	24										
55-74	3	12.3	16	8	8	14	15	15	15	15										
75 +																				
ALL AGES	12	14.5	55	7	7	13	17	26	31	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.5	145	9	9	17	26	26	26	26										
25-34	1	14.0		14	14	14	14	14	14	14	1	11.0		11	11	11	11	11	11	11
35-54	3	16.3	248	4	4	11	28	34	34	34	1	5.0		5	5	5	5	5	5	5
55-74	2	13.5	25	10	10	13	17	17	17	17										
75 +																				
ALL AGES	8	15.6	98	4	5	12	21	32	34	34	2	8.0	18	5	5	8	11	11	11	11
SUBTOTAL	**20**	**15.0**	**66**	**5**	**7**	**13**	**18**	**29**	**33**	**34**	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**
GRAND TOTAL	**32**	**13.4**	**79**	**4**	**4**	**11**	**16**	**29**	**33**	**34**	**5**	**7.0**	**7**	**5**	**5**	**6**	**9**	**11**	**11**	**11**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	6	22.7	226	3	4	19	39	42	42	42	1	1.0		1	1	1	1	1	1	1
13-17	14	23.3	388	3	8	19	27	52	72	78	2	4.5	25	1	1	4	8	8	8	8
18-24	25	7.0	38	1	1	5	10	14	20	26	5	5.2	27	1	1	2	9	13	13	13
25-34	29	10.2	131	1	1	5	12	27	31	50	11	3.0	3	1	1	3	4	5	7	7
35-54	52	9.8	61	2	3	7	12	22	28	38	30	7.1	39	1	2	5	10	16	20	28
55-74	21	15.3	237	2	3	12	17	26	51	74	23	4.8	10	1	2	4	6	10	11	13
75 +	3	19.7	194	6	6	19	30	34	34	34	7	9.3	30	3	3	7	15	16	16	16
ALL AGES	150	12.1	154	1	2	9	15	27	34	74	79	5.8	25	1	1	4	8	13	16	26
B. FEMALE																						
0-12 YRS.	6	17.5	211	1	1	15	21	41	43	43										
13-17	47	16.9	290	2	3	12	21	30	63	77	4	2.8	4	1	1	2	4	5	5	5
18-24	48	9.1	56	1	1	7	13	20	24	31	14	3.9	4	1	1	4	5	7	7	7
25-34	80	9.6	60	1	1	7	13	22	26	31	68	5.6	26	1	2	4	7	12	20	24
35-54	149	10.4	68	2	3	9	14	19	28	41	126	5.7	27	1	2	4	7	11	16	29
55-74	67	9.7	72	1	2	8	14	19	27	43	72	5.6	18	2	2	5	7	12	13	24
75 +	9	9.7	29	4	4	7	14	18	18	18	27	5.9	18	2	2	4	9	12	15	18
ALL AGES	406	10.8	97	1	2	8	14	21	28	48	311	5.6	22	1	2	4	7	11	14	26
SUBTOTAL	**556**	**11.2**	**112**	**1**	**2**	**8**	**14**	**23**	**29**	**53**	**390**	**5.6**	**23**	**1**	**2**	**4**	**7**	**11**	**15**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	23	23.6	305	6	8	21	30	41	63	84										
13-17	53	27.2	467	4	5	23	36	55	83	94										
18-24	29	10.5	68	1	2	7	14	22	28	35	3	7.3	87	1	1	3	14	18	18	18
25-34	55	10.4	67	2	3	8	13	22	27	40	11	4.4	15	1	1	3	6	10	15	15
35-54	66	10.0	71	1	2	8	14	22	28	42	18	7.7	84	1	2	4	9	21	32	37
55-74	16	11.6	94	1	2	9	14	31	33	33	10	8.8	65	2	2	5	10	23	25	25
75 +	2	14.5	13	12	12	14	17	17	17	17	4	10.0	17	4	4	11	12	13	13	13
ALL AGES	244	15.3	229	2	3	11	21	32	41	88	46	7.3	57	1	2	4	10	18	24	37
B. FEMALE																						
0-12 YRS.	7	21.7	288	3	4	21	31	48	52	52	1	4.0		4	4	4	4	4	4	4
13-17	59	19.7	244	2	2	17	30	46	62	99 +	5	6.6	34	1	1	5	10	16	16	16
18-24	61	15.0	159	1	2	11	20	36	42	50	13	2.5	3	1	1	2	3	6	6	6
25-34	89	14.5	134	2	2	12	21	28	33	57	19	6.3	24	1	1	5	9	14	16	17
35-54	113	11.9	93	2	2	11	17	23	31	44	52	7.6	36	1	2	6	11	15	17	32
55-74	47	12.8	133	2	2	10	18	26	36	58	16	10.2	245	1	2	6	9	16	52	67
75 +	13	17.9	117	5	7	15	22	35	38	39	10	6.9	9	3	3	6	8	11	13	13
ALL AGES	389	14.6	151	2	2	11	21	32	41	59	116	7.1	58	1	1	5	9	14	17	44
SUBTOTAL	**633**	**14.9**	**180**	**2**	**2**	**11**	**21**	**32**	**41**	**68**	**162**	**7.1**	**58**	**1**	**1**	**5**	**9**	**14**	**18**	**36**
GRAND TOTAL	**1189**	**13.2**	**151**	**1**	**2**	**10**	**18**	**28**	**37**	**61**	**552**	**6.1**	**33**	**1**	**2**	**4**	**7**	**13**	**17**	**28**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54											1	4.0		4	4	4	4	4	4	4
55-74											1	6.0		6	6	6	6	6	6	6
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	6.0		6	6	6	6	6	6	6	4	5.5	4	4	4	5	7	8	8	8
SUBTOTAL	2	4.5	5	3	3	4	6	6	6	6	4	5.5	4	4	4	5	7	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL											4	3.3	2	1	1	3	4	5	5	5
GRAND TOTAL	2	4.5	5	3	3	4	6	6	6	6	8	4.4	4	1	2	4	5	7	8	8

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
GRAND TOTAL	1	7.0		7	7	7	7	7	7	7										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74											1	3.0		3	3	3	3	3	3	3
75 +																						
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74	1	9.0		9	9	9	9	9	9	9	2	6.0	18	3	3	6	9	9	9	9
75 +																						
ALL AGES	1	9.0		9	9	9	9	9	9	9	2	6.0	18	3	3	6	9	9	9	9
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**	**3**	**5.0**	**12**	**3**	**3**	**3**	**8**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																						
75 +																						
ALL AGES	[illegible]	3.0		3	3	3	3	3	3	3										
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	3	8.7	8	6	6	8	11	12	12	12										
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																						
ALL AGES	4	12.0	51	6	6	10	17	22	22	22										
SUBTOTAL	**5**	**10.2**	**54**	**3**	**3**	**8**	**14**	**22**	**22**	**22**										
GRAND TOTAL	**6**	**10.0**	**44**	**3**	**3**	**8**	**12**	**21**	**22**	**22**	**3**	**5.0**	**12**	**3**	**3**	**3**	**8**	**9**	**9**	**9**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	2	13.0	72	7	7	13	19	19	19	19										
75 +																				
ALL AGES	5	16.8	71	7	7	18	21	29	29	29	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.0	8	1	1	3	5	5	5	5	2	8.0	2	7	7	8	9	9	9	9
18-24																				
25-34	3	15.3	298	3	3	8	28	35	35	35										
35-54	7	10.7	79	4	4	7	13	26	29	29	7	6.3	63	2	2	3	5	20	24	24
55-74	2	13.5	181	4	4	13	23	23	23	23	1	4.0		4	4	4	4	4	4	4
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	15	11.1	103	1	3	7	13	29	33	35	10	6.4	43	2	2	4	7	16	24	24
SUBTOTAL	**20**	**12.5**	**98**	**2**	**3**	**9**	**18**	**29**	**32**	**35**	**11**	**6.0**	**41**	**2**	**2**	**4**	**7**	**15**	**23**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	8	6	6	8	10	10	10	10	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	8	6	6	8	10	10	10	10	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	2	6.0	2	5	5	6	7	7	7	7										
25-34	7	12.9	98	2	2	11	18	29	31	31	1	22.0		22	22	22	22	22	22	22
35-54	5	13.8	77	4	4	14	22	23	23	23	5	18.6	473	6	6	8	25	57	57	57
55-74	6	19.0	223	7	7	11	29	43	45	45	2	9.0	72	3	3	9	15	15	15	15
75 +	2	21.5	181	12	12	21	31	31	31	31										
ALL AGES	23	14.5	121	3	4	11	21	31	36	45	8	16.6	305	3	4	11	19	46	57	57
SUBTOTAL	**25**	**14.0**	**114**	**3**	**4**	**11**	**20**	**31**	**35**	**45**	**9**	**15.3**	**282**	**3**	**4**	**8**	**17**	**43**	**57**	**57**
GRAND TOTAL	**45**	**13.3**	**106**	**3**	**4**	**11**	**19**	**29**	**32**	**45**	**20**	**10.2**	**163**	**2**	**2**	**6**	**12**	**23**	**40**	**57**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.8	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	2.0	3	1	1	1	3	4	4	4										
25-34	4	5.3	10	2	2	5	8	9	9	9	4	5.0	25	1	1	3	8	12	12	12
35-54	4	9.5	34	3	3	9	13	17	17	17	5	2.0	3	1	1	1	3	5	5	5
55-74	3	2.0	1	1	1	2	3	3	3	3	6	5.7	8	2	2	6	7	10	10	10
75 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	22	4.0	16	1	1	3	4	9	13	17	17	3.9	11	1	1	2	6	9	11	12
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
13-17	7	4.4	31	1	1	1	9	13	13	13	4	2.0	2	1	1	2	3	4	4	4
18-24	2	6.0	8	4	4	6	8	8	8	8	6	1.7	1	1	1	1	2	3	3	3
25-34	3	2.0	3	1	1	1	3	4	4	4	4	1.8	1	1	1	2	2	3	3	3
35-54	8	5.3	20	1	1	4	7	13	15	15	10	1.9	3	1	1	1	2	5	6	6
55-74	4	4.5		4	4	4	5	5	5	5	13	5.2	28	2	2	3	6	16	17	17
75 +	10	6.1	22	1	1	5	10	13	14	14	7	2.7	2	1	1	2	4	5	5	5
ALL AGES	36	4.9	17	1	1	4	6	13	14	15	46	2.9	11	1	1	2	3	6	9	17
SUBTOTAL	**58**	**4.5**	**17**	**1**	**1**	**3**	**6**	**11**	**14**	**17**	**63**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**11**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	3	31.0	252	13	13	37	41	43	43	43										
18-24	7	7.4	24	2	2	6	12	14	14	14	5	1.6	1	1	1	1	2	3	3	3
25-34	6	6.2	3	3	3	6	8	8	8	8	5	2.0	1	1	1	2	3	3	3	3
35-54	8	11.1	118	1	1	8	17	28	33	33	5	2.0	2	1	1	2	3	4	4	4
55-74	4	7.8	2	6	6	7	9	10	10	10	5	5.6	50	1	1	2	8	18	18	18
75 +											3	5.0	12	1	1	7	7	7	7	7
ALL AGES	28	10.8	109	2	2	7	12	28	38	43	24	3.0	13	1	1	2	3	7	10	18
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	2	4.0	18	1	1	4	7	7	7	7	3	10.0	243	1	1	1	21	28	28	28
18-24	5	8.4	34	2	2	7	12	17	17	17	4	1.8	1	1	1	2	2	3	3	3
25-34	7	12.4	96	2	2	12	20	27	28	28	7	2.7	5	1	1	2	4	6	7	7
35-54	9	9.8	108	1	1	4	15	26	32	32	7	4.4	12	1	1	3	8	9	9	9
55-74	2	31.5	841	11	11	31	52	52	52	52	5	7.2	10	4	4	6	10	11	11	11
75 +	4	6.8	6	4	4	7	9	9	9	9	6	4.7	5	2	2	4	6	8	8	8
ALL AGES	29	10.9	125	1	1	8	13	26	33	52	33	4.7	26	1	1	3	6	9	11	28
SUBTOTAL	**57**	**10.8**	**116**	**1**	**2**	**8**	**13**	**27**	**36**	**51**	**57**	**4.0**	**21**	**1**	**1**	**2**	**5**	**9**	**11**	**27**
GRAND TOTAL	**115**	**7.7**	**74**	**1**	**1**	**5**	**10**	**17**	**26**	**46**	**120**	**3.6**	**15**	**1**	**1**	**2**	**4**	**7**	**11**	**21**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	21.0	162	12	12	21	30	30	30	30	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**3**	**16.3**	**148**	**7**	**7**	**12**	**25**	**30**	**30**	**30**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74	1	28.0		28	28	28	28	28	28	28										
75 +	2	8.0	50	3	3	8	13	13	13	13										
ALL AGES	4	16.0	113	3	3	16	24	28	28	28	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74																				
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20										
SUBTOTAL	**5**	**16.8**	**88**	**3**	**3**	**20**	**22**	**28**	**28**	**28**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**8**	**16.6**	**93**	**3**	**4**	**16**	**24**	**29**	**30**	**30**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

AFFECTIVE PERSONALITY (301.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	2	11.5	181	2	2	11	21	21	21	21										
18-24																				
25-34	2	24.0	722	5	5	24	43	43	43	43	1	10.0		10	10	10	10	10	10	10
35-54	10	8.8	26	4	4	7	11	16	21	21										
55-74	4	16.8	87	8	8	15	24	28	28	28										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	20	13.1	108	3	4	10	21	27	35	43	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	2	6.0	18	3	3	6	9	9	9	9										
18-24	4	6.3	28	1	1	5	10	13	13	13										
25-34	10	12.6	48	6	6	10	17	23	28	28	1	7.0		7	7	7	7	7	7	7
35-54	28	10.0	52	2	2	8	13	17	22	36	3	3.7	1	3	3	3	5	5	5	5
55-74	12	10.3	17	6	6	9	14	16	16	16										
75 +																				
ALL AGES	57	10.3	43	2	3	9	14	18	21	35	4	4.5	4	3	3	4	6	7	7	7
SUBTOTAL	**77**	**11.0**	**61**	**2**	**3**	**9**	**15**	**21**	**27**	**41**	**5**	**5.6**	**9**	**3**	**3**	**5**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.0	50	3	3	8	13	13	13	13										
25-34	5	6.4	22	2	2	6	9	14	14	14										
35-54	5	15.0	287	1	1	9	24	43	43	43	1	3.0		3	3	3	3	3	3	3
55-74	2	40.0	338	27	27	40	53	53	53	53										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	15	14.3	240	1	2	9	17	43	50	53	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	1	30.0		30	30	30	30	30	30	30										
18-24	5	15.0	76	6	6	15	19	29	29	29										
25-34	13	16.2	56	7	7	16	22	27	29	29										
35-54	20	12.5	94	3	4	9	14	28	35	41	1	5.0		5	5	5	5	5	5	5
55-74	11	16.2	133	4	4	15	25	34	36	36	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	51	15.0	93	4	5	14	21	29	32	41	2	5.0		5	5	5	5	5	5	5
SUBTOTAL	**66**	**14.9**	**121**	**3**	**4**	**13**	**20**	**30**	**37**	**51**	**3**	**4.3**	**2**	**3**	**3**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**143**	**12.8**	**92**	**3**	**4**	**10**	**16**	**27**	**31**	**44**	**8**	**5.1**	**6**	**3**	**3**	**5**	**6**	**9**	**10**	**10**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	53.5	163	41	41	54	64	65	65	65										
18-24	3	11.7	29	8	8	9	16	18	18	18										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	9	28.2	658	2	2	18	49	65	65	65	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.0	50	1	1	6	11	11	11	11										
35-54	2	12.0	8	10	10	12	14	14	14	14										
55-74																				
75 +																				
ALL AGES	4	9.0	31	1	1	10	12	14	14	14										
SUBTOTAL	**13**	**22.3**	**531**	**1**	**2**	**11**	**42**	**64**	**65**	**65**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-24	2	48.0	1152	24	24	48	72	72	72	72	1	17.0		17	17	17	17	17	17	17
25-34																				
35-54	1	44.0		44	44	44	44	44	44	44										
55-74																				
75 +																				
ALL AGES	4	43.3	428	24	24	38	58	72	72	72	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.5	181	2	2	11	21	21	21	21	1	2.0		2	2	2	2	2	2	2
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	3	14.3	116	2	2	20	21	21	21	21	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**7**	**30.9**	**491**	**2**	**6**	**24**	**41**	**66**	**72**	**72**	**2**	**9.5**	**113**	**2**	**2**	**9**	**17**	**17**	**17**	**17**
GRAND TOTAL	**20**	**25.3**	**509**	**1**	**2**	**19**	**42**	**64**	**68**	**72**	**3**	**7.0**	**75**	**2**	**2**	**2**	**13**	**17**	**17**	**17**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	6.7	17	2	2	8	9	10	10	10										
18-24	8	7.1	13	1	2	8	10	11	11	11	3	2.0	3	1	1	1	3	4	4	4
25-34	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	12	7.2	11	1	2	8	10	11	11	11	4	2.0	2	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	3	4.0	9	1	1	4	6	7	7	7	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	15	6.5	13	1	1	8	9	11	11	11	5	2.6	3	1	1	2	4	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	3	9.0	67	2	2	7	15	18	18	18										
25-34	3	6.7	25	2	2	6	10	12	12	12	1	1.0		1	1	1	1	1	1	1
35-54	4	11.3	92	4	4	8	18	25	25	25										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	13	9.7	44	2	2	8	13	19	24	25	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	3	18.0	67	9	9	20	24	25	25	25										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	3	18.0	244	8	8	10	29	36	36	36										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	8	15.8	109	5	6	11	22	33	36	36										
SUBTOTAL	**21**	**12.0**	**74**	**2**	**3**	**10**	**15**	**25**	**30**	**36**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**36**	**9.7**	**55**	**1**	**2**	**8**	**12**	**20**	**25**	**36**	**6**	**2.3**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	7.0	32	3	3	7	11	11	11	11										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	7.0	32	3	3	7	11	11	11	11	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**7.0**	**32**	**3**	**3**	**7**	**11**	**11**	**11**	**11**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	12.0	98	5	5	12	19	19	19	19	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	1	52.0		52	52	52	52	52	52	52										
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	3	29.0	469	9	9	26	45	52	52	52	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**22.2**	**346**	**5**	**5**	**19**	**32**	**52**	**52**	**52**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**7**	**17.9**	**289**	**3**	**3**	**11**	**24**	**47**	**52**	[illegible]	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	1	2.0		2	2	2	2	2	2	2											
18-24																					
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	21.0		21	21	21	21	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74																					
75 +																					
ALL AGES	2	11.5	181	2	2	11	21	21	21	21	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																					
0-12 YRS.																					
13-17	1	64.0		64	64	64	64	64	64	64											
18-24											1	3.0		3	3	3	3	3	3	3
25-34	3	9.0	73	1	1	8	15	18	18	18	1	12.0		12	12	12	12	12	12	12
35-54																					
55-74																					
75 +																					
ALL AGES	4	22.8	802	1	1	13	41	64	64	64	2	7.5	41	3	3	7	12	12	12	12
SUBTOTAL	**6**	**19.0**	**553**	**1**	**1**	**13**	**21**	**60**	**64**	**64**	**4**	**5.5**	**20**	**2**	**2**	**4**	**8**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	1	4.0		4	4	4	4	4	4	4											
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	9.0		9	9	9	9	9	9	9											
55-74											1	4.0		4	4	4	4	4	4	4
75 +																					
ALL AGES	2	6.5	13	4	4	6	9	9	9	9	2	5.0	2	4	4	5	6	6	6	6
B. FEMALE																					
0-12 YRS.																					
13-17	1	8.0		8	8	8	8	8	8	8											
18-24	1	18.0		18	18	18	18	18	18	18											
25-34	3	7.3	71	2	2	3	13	17	17	17	1	15.0		15	15	15	15	15	15	15
35-54	2	9.0	72	3	3	9	15	15	15	15											
55-74	1	15.0		15	15	15	15	15	15	15											
75 +																					
ALL AGES	8	10.1	48	2	2	11	16	18	18	18	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**10**	**9.4**	**40**	**2**	**2**	**8**	**15**	**17**	**18**	**18**	**3**	**8.3**	**35**	**4**	**4**	**6**	**13**	**15**	**15**	**15**
GRAND TOTAL	**16**	**13.0**	**231**	**1**	**2**	**9**	**17**	**21**	**51**	**64**	**7**	**6.7**	**24**	**2**	**2**	**5**	**10**	**14**	**15**	**15**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	2	9.0	32	5	5	9	13	13	13	13										
55-74											2	7.5	13	5	5	7	10	10	10	10
75 +																				
ALL AGES	2	9.0	32	5	5	9	13	13	13	13	3	5.3	21	1	1	5	9	10	10	10
SUBTOTAL	**3**	**7.0**	**28**	**3**	**3**	**5**	**11**	**13**	**13**	**13**	**3**	**5.3**	**21**	**1**	**1**	**5**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	3.5	13	1	1	3	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	4	3.8	4	1	1	4	5	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	34.0		34	34	34	34	34	34	34	1	2.0		2	2	2	2	2	2	2
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74	2	12.5	41	8	8	12	17	17	17	17										
75 +											1	15.0		15	15	15	15	15	15	15
ALL AGES	6	12.3	138	2	2	7	17	32	34	34	3	7.0	49	2	2	4	12	15	15	15
SUBTOTAL	**10**	**8.9**	**97**	**1**	**1**	**6**	**8**	**25**	**34**	**34**	**3**	**7.0**	**49**	**2**	**2**	**4**	**12**	**15**	**15**	**15**
GRAND TOTAL	**13**	**8.5**	**78**	**1**	**2**	**6**	**9**	**20**	**31**	**34**	**6**	**6.2**	**28**	**1**	**1**	**4**	**10**	**14**	**15**	**15**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	8.0	67	1	1	6	14	17	17	17										
25-34	3	4.7	6	2	2	5	6	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	6	6.3	33	1	1	5	7	16	17	17	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.5	41	1	1	5	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.5	41	1	1	5	10	10	10	10										
SUBTOTAL	**8**	**6.1**	**30**	**1**	**1**	**5**	**8**	**15**	**17**	**17**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
18-24	2	9.5	61	4	4	9	15	15	15	15										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	4	7.3	29	3	3	5	11	15	15	15	2	5.5	13	3	3	5	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**5**	**6.6**	**24**	**3**	**3**	**4**	**9**	**15**	**15**	**15**	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**
GRAND TOTAL	**13**	**6.3**	**25**	**1**	**1**	**5**	**8**	**15**	**17**	**17**	**3**	**4.0**	**13**	**1**	**1**	**3**	**7**	**8**	**8**	**8**

OTHER PERSONALITY DIS (301.8)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	12.5	265	1	1	12	24	24	24	24										
18-24	1	5.0		5	5	5	5	5	5	5	1	10.0		10	10	10	10	10	10	10
25-34	4	10.8	62	2	2	10	16	21	21	21										
35-54	8	14.1	143	1	1	12	18	34	39	39										
55-74	1	10.0		10	10	10	10	10	10	10	1	19.0		19	19	19	19	19	19	19
75 +																				
ALL AGES	17	11.6	104	1	1	10	17	23	34	39	2	14.5	41	10	10	14	19	19	19	19
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	8	24.3	559	2	2	31	54	85	99 +	99 +	1	1.0		1	1	1	1	1	1	1
18-24	8	5.8	10	3	3	5	8	65	99 +	99 +	2	5.0	8	3	3	5	7	7	7	7
25-34	28	14.1	275	1	2	8	18	32	41	80	1	7.0		7	7	7	7	7	7	7
35-54	19	13.0	133	1	2	8	19	31	38	43	3	2.3	2	1	1	3	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	65	13.9	237	1	2	8	20	36	66	99 +	7	3.6	6	1	1	3	6	7	7	7
SUBTOTAL	**82**	**13.4**	**210**	**1**	**2**	**8**	**20**	**33**	**55**	**99 +**	**9**	**6.0**	**33**	**1**	**1**	**3**	**6**	**15**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	3	33.3	925	6	6	28	56	66	66	66										
18-24	8	4.8	23	1	1	2	8	12	14	14										
25-34	8	8.5	27	1	2	8	13	15	15	15										
35-54	5	7.0	24	1	1	8	10	14	14	14										
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	26	11.2	193	1	1	8	14	27	42	66										
B. FEMALE																				
0-12 YRS.																				
13-17	7	11.1	68	2	3	9	16	24	26	26										
18-24	19	16.7	201	3	5	12	20	37	52	59										
25-34	27	13.0	147	2	2	8	20	32	38	46	3	4.3	11	2	2	3	7	8	8	8
35-54	21	10.4	119	2	2	6	14	23	35	48	2	2.0	2	1	1	2	3	3	3	3
55-74	3	9.7	79	4	4	5	16	20	20	20										
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	78	12.9	141	2	2	9	17	28	41	56	5	3.4	7	1	1	3	4	8	8	8
SUBTOTAL	**104**	**12.5**	**152**	**1**	**2**	**8**	**15**	**28**	**39**	**62**	**5**	**3.4**	**7**	**1**	**1**	**3**	**4**	**8**	**8**	**8**
GRAND TOTAL	**186**	**12.9**	**177**	**1**	**2**	**8**	**16**	**32**	**44**	**92**	**14**	**5.1**	**24**	**1**	**1**	**3**	**7**	**11**	**17**	**19**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	6.3	8	2	2	7	8	9	9	9	1	4.0		4	4	4	4	4	4	4
25-34	3	1.3		1	1	1	2	2	2	2	2	12.5	265	1	1	12	24	24	24	24
35-54																				
55-74																				
75 +																				
ALL AGES	7	4.1	12	1	1	2	7	9	9	9	3	9.7	155	1	1	4	19	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	4	10.3	55	4	4	9	16	19	19	19										
18-24	6	8.2	24	2	3	8	14	83	99 +	99 +										
25-34	6	5.5	24	1	1	3	10	13	13	13										
35-54	3	18.7	12	16	16	17	21	23	23	23										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											2	14.5	61	9	9	14	20	20	20	20
ALL AGES	20	9.4	42	1	2	9	15	21	58	99 +	2	14.5	61	9	9	14	20	20	20	20
SUBTOTAL	**27**	**8.0**	**40**	**1**	**1**	**7**	**14**	**18**	**31**	**99 +**	**5**	**11.6**	**100**	**1**	**1**	**9**	**21**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
18-24	3	4.0	7	2	2	3	6	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	4	4.8	4	2	2	5	6	7	7	7	1	3.0		3	3	3	3	3	3	3
35-54											2	3.0	2	2	2	3	4	4	4	4
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	10	5.7	10	2	2	6	7	10	13	13	5	2.2	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	2	6.5	5	5	5	6	8	8	8	8										
18-24	3	9.7	80	1	1	9	16	19	19	19										
25-34	4	6.8	77	2	2	3	11	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54	4	9.8	44	1	1	15	36	99 +	99 +	99 +	3	10.7	43	5	5	9	16	18	18	18
55-74	2	24.0	722	5	5	24	43	43	43	43										
75 +																				
ALL AGES	15	10.4	123	1	1	8	17	41	83	99 +	5	7.4	42	2	2	5	11	18	18	18
SUBTOTAL	**25**	**8.5**	**81**	**1**	**2**	**6**	**13**	**20**	**54**	**99 +**	**10**	**4.8**	**27**	**1**	**1**	**3**	**5**	**13**	**18**	**18**
GRAND TOTAL	**52**	**8.3**	**57**	**1**	**2**	**7**	**13**	**19**	**39**	**99 +**	**15**	**7.1**	**57**	**1**	**1**	**4**	**9**	**20**	**23**	**24**

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS																				
13-17																				
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	6.0		6	6	6	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	6.0		6	6	6	6	6	6	6

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	27.5	685	9	9	27	46	46	46	46										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	27.5	685	9	9	27	46	46	46	46										
GRAND TOTAL	2	27.5	685	9	9	27	46	46	46	46										

PSYCHOSEXUAL DYSFUNCTION (302.7)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	4	1.8		1	1	2	2	2	2	2	2	3.5	13	1	1	3	6	6	6	6
55-74	10	3.4	10	1	1	2	3	8	12	12	5	3.2	4	1	1	3	4	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	16	2.9	7	1	1	2	3	5	10	12	9	2.9	4	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	16	2.9	7	1	1	2	3	5	10	12	9	2.9	4	1	1	2	4	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	19.0		19	19	19	19	19	19	19										
GRAND TOTAL	17	3.8	22	1	1	2	3	11	17	19	9	2.9	4	1	1	2	4	6	6	6

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**										
GRAND TOTAL	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											5	1.0		1	1	1	1	1	1	1
18-24	4	4.0	17	1	1	2	6	10	10	10	3	8.7	99	1	1	5	16	20	20	20
25-34	18	4.4	14	1	1	3	6	9	13	15	26	2.6	2	1	1	2	4	6	6	6
35-54	82	6.6	55	1	2	4	6	16	28	31	96	4.3	33	1	1	3	5	6	9	35
55-74	41	10.9	100	1	3	6	17	29	33	34	71	6.0	44	1	1	4	7	12	19	34
75 +	2	7.5	1	7	7	7	8	8	8	8	5	4.8	16	1	1	4	7	11	11	11
ALL AGES	147	7.5	64	1	2	5	8	21	28	34	206	4.7	33	1	1	3	5	8	14	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	6.0	30	2	2	4	9	14	14	14	2	4.0	8	2	2	4	6	6	6	6
25-34	8	6.4	79	1	1	3	6	21	28	28	9	4.2	19	1	1	3	6	12	14	14
35-54	17	6.6	34	1	2	5	9	14	20	24	18	3.7	6	1	1	4	5	7	8	9
55-74	12	13.2	98	3	4	8	21	29	30	30	16	4.5	11	1	1	4	6	8	12	14
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	41	8.4	67	1	2	5	10	23	28	30	46	4.1	9	1	1	3	5	8	10	14
SUBTOTAL	**188**	**7.7**	**65**	**1**	**2**	**5**	**8**	**22**	**28**	**33**	**252**	**4.6**	**29**	**1**	**1**	**3**	**5**	**8**	**13**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	3	10.7	199	2	2	3	21	27	27	27	4	15.8	252	1	1	15	29	31	31	31
18-24	7	7.6	130	1	1	3	6	28	33	33	13	19.3	342	1	1	14	40	42	43	43
25-34	26	7.3	61	1	1	4	9	17	26	31	72	15.6	198	2	2	6	28	35	42	42
35-54	97	7.4	45	1	2	5	8	16	25	31	190	9.4	112	1	2	4	9	28	30	40
55-74	67	10.3	99	2	3	6	15	22	27	53	136	9.6	88	2	2	5	11	28	28	30
75 +	5	12.8	84	4	4	10	22	23	23	23	16	11.9	93	2	3	8	17	28	29	30
ALL AGES	207	8.4	71	1	2	5	10	21	26	35	431	10.9	133	2	2	5	21	28	30	42
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											3	1.7	1	1	1	1	2	3	3	3
18-24	3	17.0	508	3	3	5	33	43	43	43	4	14.8	222	1	1	12	26	34	34	34
25-34	17	8.6	57	2	3	5	10	22	27	28	21	14.0	229	1	2	3	28	37	41	42
35-54	23	9.0	57	2	2	6	12	21	26	30	36	9.8	112	1	2	5	12	28	28	42
55-74	8	8.8	87	3	3	5	9	25	31	31	37	9.7	91	2	2	5	12	28	28	35
75 +	1	18.0		18	18	18	18	18	18	18	5	13.0	119	3	3	13	19	30	30	30
ALL AGES	52	9.5	79	2	3	6	12	24	30	43	107	10.6	129	1	2	5	15	28	34	42
SUBTOTAL	**259**	**8.6**	**73**	**1**	**2**	**5**	**11**	**22**	**27**	**36**	**538**	**10.9**	**131**	**1**	**2**	**5**	**21**	**28**	**31**	**42**
GRAND TOTAL	**447**	**8.2**	**70**	**1**	**2**	**5**	**10**	**22**	**28**	**34**	**790**	**8.9**	**107**	**1**	**1**	**4**	**9**	**28**	**30**	**42**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	27.6	228	1	6	30	35	44	56	57	12	32.9	194	2	7	40	41	43	44	44
18-24	47	15.9	181	1	2	9	28	30	33	48	30	16.0	222	1	1	9	28	39	42	45
25-34	230	13.3	129	1	2	8	27	29	31	36	178	18.6	168	1	2	26	28	31	38	41
35-54	469	12.8	118	2	2	8	24	29	30	36	440	18.8	161	2	3	27	28	32	36	42
55-74	187	12.2	103	2	2	7	21	28	31	35	252	17.6	144	2	3	20	28	29	36	42
75 +	12	11.4	67	1	3	9	21	22	23	23	15	18.1	212	3	4	20	28	28	49	56
ALL AGES	956	13.1	124	1	2	8	25	29	31	36	927	18.5	164	2	3	22	28	32	38	42
B. FEMALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6										
13-17	7	25.4	85	6	9	30	30	32	32	32	3	20.0	439	2	2	15	36	43	43	43
18-24	18	13.5	119	2	3	9	28	29	30	30	12	27.3	150	1	4	28	37	39	40	40
25-34	73	14.7	126	1	2	11	28	30	30	34	44	19.7	179	2	3	27	29	35	40	46
35-54	102	17.0	139	1	3	16	28	31	34	37	111	19.7	161	2	3	28	28	33	38	42
55-74	58	15.4	126	1	2	14	27	30	31	39	70	20.0	177	3	4	25	28	36	42	51
75 +	1	27.0		27	27	27	27	27	27	27	3	22.3	99	11	11	28	28	28	28	28
ALL AGES	261	15.9	133	1	2	14	28	30	32	36	243	20.2	169	2	3	28	28	35	40	43
SUBTOTAL	**1217**	**13.7**	**127**	**1**	**2**	**8**	**27**	**30**	**31**	**36**	**1170**	**18.9**	**163**	**2**	**3**	**24**	**28**	**33**	**38**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	42.0		42	42	42	42	42	42	42
13-17	16	26.3	214	2	3	29	39	42	47	49	43	29.9	137	8	15	28	42	43	47	50
18-24	68	16.5	127	1	2	16	27	31	34	44	100	27.8	166	2	5	28	41	42	42	44
25-34	241	16.3	120	2	3	15	27	30	31	39	222	25.4	194	2	3	28	38	42	42	44
35-54	314	14.5	95	2	3	13	22	28	30	37	213	18.6	186	2	2	23	28	39	42	42
55-74	94	13.1	80	3	3	11	20	26	30	34	81	15.2	126	2	3	13	25	28	32	44
75 +	2	5.5	5	4	4	5	7	7	7	7	7	12.0	252	1	1	4	22	38	41	41
ALL AGES	735	15.3	111	2	3	14	24	30	32	42	667	22.5	199	2	3	27	30	42	42	45
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	11	20.6	176	1	3	18	33	39	42	42	15	29.3	188	1	2	31	42	42	42	42
18-24	19	21.9	137	3	4	28	30	35	37	38	38	26.6	228	2	3	30	41	42	42	48
25-34	65	16.0	180	2	4	13	23	30	38	74	64	24.2	175	3	4	28	31	42	42	46
35-54	86	14.8	112	1	2	16	22	30	31	38	53	17.6	196	2	3	14	28	38	42	44
55-74	36	18.9	196	2	3	16	29	39	42	49	41	19.5	189	2	4	21	28	39	43	54
75 +	2	7.0		7	7	7	7	7	7	7	7	12.3	136	1	1	5	24	26	26	26
ALL AGES	220	16.7	151	2	3	16	27	32	38	49	218	22.1	205	2	3	27	32	42	42	47
SUBTOTAL	**955**	**15.6**	**121**	**2**	**3**	**14**	**25**	**30**	**33**	**42**	**885**	**22.4**	**200**	**2**	**3**	**27**	**30**	**42**	**42**	**45**
GRAND TOTAL	**2172**	**14.6**	**123**	**2**	**2**	**11**	**26**	**30**	**32**	**39**	**2055**	**20.4**	**183**	**2**	**3**	**27**	**28**	**39**	**42**	**44**

OPIOID TYPE DEPENDENCE (304.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	5.8	32	1	1	4	9	14	14	14	1	29.0		29	29	29	29	29	29	29
25-34	16	12.3	119	2	2	10	20	30	31	31	11	18.7	248	3	3	18	33	41	42	42
35-54	10	13.7	142	2	2	10	17	34	38	38	13	15.1	232	2	2	6	22	44	46	46
55-74	2	15.0	50	10	10	15	20	20	20	20	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	32	12.1	110	2	2	10	16	30	31	38	26	17.0	220	2	3	12	29	42	44	46
B. FEMALE																				
0-12 YRS	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24	2	15.5	13	13	13	15	18	18	18	18										
25-34	17	16.4	207	3	4	7	31	40	41	42	6	22.5	181	5	5	25	28	41	42	42
35-54	5	18.2	176	4	4	12	30	36	36	36	8	14.1	132	2	2	15	22	29	32	32
55-74											1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	25	16.2	175	4	4	11	28	38	40	42	15	18.3	154	2	2	21	28	32	39	42
SUBTOTAL	**57**	**13.9**	**140**	**2**	**2**	**10**	**20**	**33**	**38**	**42**	**41**	**17.5**	**191**	**2**	**3**	**18**	**28**	**41**	**43**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	31.8	292	14	14	29	43	55	55	55	2	3.5	13	1	1	3	6	6	6	6
25-34	29	13.4	88	1	3	14	18	27	32	40	13	15.0	197	2	2	6	28	33	40	42
35-54	26	19.3	95	4	6	18	29	30	31	32	8	14.0	220	2	2	6	24	38	42	42
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	60	17.1	122	2	4	16	28	31	32	53	24	13.4	182	1	2	6	27	31	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	6.0	32	2	2	6	10	10	10	10										
25-34	29	15.3	159	2	3	10	28	36	38	42	7	14.7	128	3	3	11	27	28	28	28
35-54	14	18.4	120	4	6	17	28	30	35	37	3	26.0	4	24	24	26	27	28	28	28
55-74	2	19.0	128	11	11	19	27	27	27	27	2	10.0	8	8	8	10	12	12	12	12
75 +	1	32.0		32	32	32	32	32	32	32	1	25.0		25	25	25	25	25	25	25
ALL AGES	48	16.4	141	2	3	12	28	34	37	42	13	17.4	101	3	4	23	26	28	28	28
SUBTOTAL	**108**	**16.8**	**129**	**2**	**4**	**15**	**28**	**31**	**37**	**47**	**37**	**14.8**	**154**	**2**	**2**	**9**	**27**	**29**	**38**	**42**
GRAND TOTAL	**165**	**15.8**	**134**	**2**	**3**	**14**	**27**	**31**	**37**	**42**	**78**	**16.2**	**174**	**2**	**2**	**11**	**28**	**34**	**42**	**45**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	4.5	1	4	4	4	5	5	5	5
25-34	3	5.0	9	2	2	5	7	8	8	8	1	26.0		26	26	26	26	26	26	26
35-54	4	14.8	96	5	5	13	22	28	28	28	5	18.8	48	13	13	15	23	30	30	30
55-74	3	17.0	111	6	6	18	25	27	27	27										
75 +																				
ALL AGES	10	12.5	87	2	3	9	18	27	28	28	8	16.1	86	4	4	15	23	29	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	18.8	75	7	7	19	26	28	28	28	1	4.0		4	4	4	4	4	4	4
35-54	2	21.5	221	11	11	21	32	32	32	32	5	21.6	357	4	4	13	42	42	42	42
55-74	3	8.3	10	5	5	9	10	11	11	11	7	15.6	183	4	4	11	21	38	42	42
75 +																				
ALL AGES	10	16.2	90	5	6	13	26	30	32	32	13	17.0	235	4	4	11	26	42	42	42
SUBTOTAL	**20**	**14.4**	**86**	**3**	**5**	**11**	**22**	**28**	**30**	**32**	**21**	**16.7**	**170**	**4**	**4**	**13**	**22**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24																				
25-34	7	12.4	81	4	5	8	16	27	30	30	3	33.7	205	17	17	42	42	42	42	42
35-54	8	18.1	142	6	7	16	24	37	41	41	8	14.1	186	5	5	8	20	38	42	42
55-74	1	36.0		36	36	36	36	36	36	36	2	42.0	2	41	41	42	43	43	43	43
75 +																				
ALL AGES	17	18.2	163	5	6	14	28	40	42	42	13	22.9	285	5	5	17	42	42	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	18.7	63	14	14	14	25	28	28	28	2	3.0	8	1	1	3	5	5	5	5
25-34	4	18.8	96	7	7	19	26	30	30	30	3	14.0	111	4	4	13	22	25	25	25
35-54	8	14.9	70	7	7	13	22	27	28	28	9	22.8	172	3	4	28	30	39	42	42
55-74	8	31.5	765	4	6	21	49	77	82	82	11	19.3	156	4	6	18	27	36	45	46
75 +	4	13.8	91	4	4	14	22	23	23	23										
ALL AGES	27	20.6	308	4	7	15	26	33	67	82	25	18.6	162	2	4	18	28	35	43	46
SUBTOTAL	**44**	**19.7**	**247**	**4**	**7**	**15**	**27**	**36**	**49**	**82**	**38**	**20.1**	**201**	**3**	**4**	**17**	**28**	**42**	**43**	**46**
GRAND TOTAL	**64**	**18.0**	**202**	**4**	**5**	**14**	**26**	**32**	**41**	**79**	**59**	**18.9**	**189**	**4**	**4**	**15**	**28**	**42**	**42**	**46**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	11	12.5	104	3	3	9	16	29	36	37	8	14.9	260	2	2	5	31	38	39	39
25-34	25	8.8	78	1	2	5	11	22	30	31	31	24.5	231	1	1	28	37	42	44	45
35-54	13	14.2	95	2	2	13	19	31	33	33	8	24.9	251	1	2	28	38	42	42	42
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	49	11.1	89	2	2	8	15	27	31	37	48	22.5	246	1	1	27	37	42	43	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	11.0	18	7	7	10	14	17	17	17	2	15.0	242	4	4	15	26	26	26	26
25-34	14	11.9	68	1	2	11	16	23	27	28	9	26.0	194	3	4	28	37	40	42	42
35-54	3	16.3	27	11	11	17	20	21	21	21	2	38.5	25	35	35	38	42	42	42	42
55-74																				
75 +																				
ALL AGES	21	12.4	51	1	4	11	17	22	25	28	13	26.2	199	3	4	28	37	42	42	42
SUBTOTAL	**70**	**11.5**	**77**	**2**	**2**	**10**	**16**	**23**	**30**	**36**	**61**	**23.3**	**234**	**1**	**2**	**28**	**37**	**42**	**42**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	31.0		31	31	31	31	31	31	31
18-24	19	25.2	74	8	12	29	30	32	36	39	30	24.1	209	1	2	25	40	42	42	42
25-34	62	17.2	106	1	2	17	28	31	33	37	67	28.2	181	3	4	28	42	42	42	42
35-54	13	17.5	135	3	3	17	27	31	35	36	11	26.0	227	1	2	27	40	42	42	42
55-74																				
75 +																				
ALL AGES	94	18.8	114	2	3	18	28	31	33	38	110	26.9	190	2	3	28	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	50	4	4	9	14	14	14	14										
18-24	17	17.8	103	2	4	18	26	30	31	31	15	24.9	279	2	3	28	41	42	47	48
25-34	17	15.5	92	1	2	17	20	30	30	30	13	31.7	101	10	23	28	42	42	42	42
35-54											3	22.7	342	5	5	21	37	42	42	42
55-74																				
75 +																				
ALL AGES	36	16.2	96	1	3	17	25	30	30	31	31	27.5	209	3	5	28	42	42	42	48
SUBTOTAL	**130**	**18.1**	**108**	**1**	**3**	**17**	**28**	**30**	**33**	**37**	**141**	**27.0**	**195**	**2**	**3**	**28**	**42**	**42**	**42**	**43**
GRAND TOTAL	**200**	**15.8**	**107**	**1**	**3**	**15**	**26**	**30**	**32**	**37**	**202**	**25.9**	**208**	**2**	**3**	**28**	**40**	**42**	**42**	**44**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	31.7	233	14	14	40	71	99 +	99 +	99 +	1	39.0		39	39	39	39	39	39	39
18-24	2	30.0		30	30	30	30	30	30	30	7	28.0	146	6	9	28	38	42	42	42
25-34	2	27.0	2	26	26	27	28	28	28	28	4	14.5	138	4	4	13	24	27	27	27
35-54	1	27.0		27	27	27	27	27	27	27	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	8	29.5	73	14	19	30	40	77	99 +	99 +	13	22.8	200	4	4	27	31	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	29.0		29	29	29	29	29	29	29	1	22.0		22	22	22	22	22	22	22
25-34																				
35-54											1	36.0		36	36	36	36	36	36	36
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29	2	29.0	98	22	22	29	36	36	36	36
SUBTOTAL	**9**	**29.4**	**66**	**14**	**20**	**29**	**39**	**71**	**99 +**	**99 +**	**15**	**23.7**	**179**	**4**	**4**	**27**	**34**	**41**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	36.8	87	15	21	39	43	44	44	44	10	35.5	141	18	20	35	46	49	50	50
18-24	11	23.0	117	3	5	28	30	33	35	35	12	31.7	360	1	3	42	42	50	56	57
25-34	12	20.3	136	1	1	28	28	30	30	30	13	27.5	253	1	2	29	42	42	42	42
35-54	2	28.5	1	28	28	28	29	29	29	29	3	34.0	52	28	28	32	39	42	42	42
55-74																				
75 +																				
ALL AGES	33	25.7	147	1	5	28	33	41	44	44	38	31.4	239	1	3	34	42	47	50	57
B. FEMALE																				
0-12 YRS.																				
13-17	2	45.0	72	39	39	45	51	51	51	51	3	33.3	48	29	29	30	38	41	41	41
18-24	1	5.0		5	5	5	5	5	5	5	3	38.0	48	30	30	42	42	42	42	42
25-34	1	29.0		29	29	29	29	29	29	29	2	33.5	85	27	27	33	40	40	40	40
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	5	27.8	337	5	5	29	42	51	51	51	8	35.1	46	27	28	35	41	42	42	42
SUBTOTAL	**38**	**26.0**	**163**	**2**	**5**	**28**	**35**	**42**	**44**	**51**	**46**	**32.1**	**202**	**2**	**4**	**34**	**42**	**46**	**49**	**57**
GRAND TOTAL	**47**	**26.6**	**147**	**3**	**6**	**29**	**35**	**43**	**45**	**99 +**	**61**	**30.0**	**209**	**2**	**4**	**30**	**42**	**43**	**48**	**56**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	19.0	170	2	2	19	30	34	34	34	2	2.5	1	2	2	2	3	3	3	3
25-34	4	13.5	134	5	5	9	21	30	30	30	5	32.6	13	28	28	33	35	37	37	37
35-54											2	27.5	13	25	25	27	30	30	30	30
55-74																				
75 +																				
ALL AGES	9	16.6	142	2	3	13	29	32	34	34	9	24.8	171	2	2	30	33	36	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	16.0	450	1	1	16	31	31	31	31	2	24.0	882	3	3	24	45	45	45	45
25-34	3	21.7	207	5	5	29	30	31	31	31	3	14.0	244	4	4	6	25	32	32	32
35-54																				
55-74											1	38.0		38	38	38	38	38	38	38
75 +																				
ALL AGES	5	19.4	227	1	1	29	31	31	31	31	6	21.3	366	3	3	19	38	44	45	45
SUBTOTAL	**14**	**17.6**	**159**	**1**	**2**	**16**	**30**	**32**	**33**	**34**	**15**	**23.4**	**232**	**2**	**3**	**30**	**34**	**38**	**43**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	26.5	240	5	5	29	36	42	42	42										
18-24	6	22.5	71	10	10	25	30	30	30	30	7	29.0	142	5	10	29	37	41	42	42
25-34	13	17.0	144	2	3	18	30	32	34	34	3	30.7	2	28	28	32	32	32	32	32
35-54	1	5.0		5	5	5	5	5	5	5	2	29.0		29	29	29	29	29	29	29
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	25	18.8	150	2	3	18	30	32	36	42	12	29.4	80	7	21	29	32	40	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	7	16.7	150	1	1	19	26	32	33	33	3	9.0	16	5	5	9	12	13	13	13
25-34	6	14.5	199	2	2	8	29	34	35	35	2	17.5	545	1	1	17	34	34	34	34
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	14	16.3	151	1	2	15	27	33	35	35	5	12.4	166	1	1	9	18	34	34	34
SUBTOTAL	**39**	**17.9**	**148**	**2**	**3**	**18**	**30**	**33**	**35**	**42**	**17**	**24.4**	**160**	**2**	**5**	**29**	**32**	**38**	**41**	**42**
GRAND TOTAL	**53**	**17.8**	**149**	**2**	**3**	**18**	**30**	**32**	**34**	**42**	**32**	**23.9**	**189**	**2**	**3**	**29**	**33**	**38**	**42**	**45**

HALLUCINOGEN DEPENDENCE (304.5)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	40.0		40	40	40	40	40	40	40										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	40.0		40	40	40	40	40	40	40										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	40.0		40	40	40	40	40	40	40										
GRAND TOTAL	1	40.0		40	40	40	40	40	40	40										

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	23.5	145	15	15	23	32	32	32	32	2	2.0	2	1	1	2	3	3	3	3
35-54	2	14.5	313	2	2	14	27	27	27	27	1	41.0		41	41	41	41	41	41	41
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	4	19.0	179	2	2	21	29	32	32	32	4	13.0	355	1	1	5	24	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24																				
25-34	2	11.0	128	3	3	11	19	19	19	19										
35-54	4	22.3	282	1	1	24	35	39	39	39	3	20.3	202	4	4	28	29	29	29	29
55-74	1	33.0		33	33	33	33	33	33	33										
75 +																				
ALL AGES	8	23.3	245	1	2	25	36	41	42	42	3	20.3	202	4	4	28	29	29	29	29
SUBTOTAL	**12**	**21.8**	**212**	**1**	**2**	**23**	**33**	**40**	**42**	**42**	**7**	**16.1**	**261**	**1**	**1**	**7**	**29**	**39**	**41**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-24	1	30.0		30	30	30	30	30	30	30	1	15.0		15	15	15	15	15	15	15
25-34	1	11.0		11	11	11	11	11	11	11	1	42.0		42	42	42	42	42	42	42
35-54	3	22.0	196	6	6	28	31	32	32	32	1	15.0		15	15	15	15	15	15	15
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	6	21.3	117	6	6	24	30	32	32	32	4	25.5	171	15	15	23	36	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	38.0		38	38	38	38	38	38	38										
25-34	4	12.3	145	2	2	9	21	29	29	29										
35-54	2	4.0	2	3	3	4	5	5	5	5	2	33.0	1352	7	7	33	59	59	59	59
55-74	2	22.0	288	10	10	22	34	34	34	34	3	23.7	238	6	6	30	34	35	35	35
75 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	10	17.2	212	2	2	11	33	36	38	38	5	27.4	484	6	6	30	41	59	59	59
SUBTOTAL	**16**	**18.8**	**168**	**2**	**3**	**17**	**31**	**34**	**37**	**38**	**9**	**26.6**	**305**	**6**	**6**	**30**	**37**	**52**	**59**	**59**
GRAND TOTAL	**28**	**20.1**	**181**	**2**	**2**	**20**	**32**	**37**	**39**	**42**	**16**	**22.0**	**296**	**2**	**3**	**22**	**33**	**42**	**54**	**59**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
25-34	4	16.5	147	7	7	12	24	34	34	34	8	13.0	204	3	3	5	21	37	42	42
35-54	4	20.3	160	6	6	21	31	32	32	32	3	23.3	275	5	5	28	35	37	37	37
55-74																				
75 +																				
ALL AGES	10	17.8	155	1	3	14	30	33	34	34	12	14.8	213	3	3	5	27	38	41	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
25-34	4	17.0	90	5	5	18	24	26	26	26	4	11.8	307	1	1	4	21	38	38	38
35-54	1	3.0		3	3	3	3	3	3	3	2	22.5	761	3	3	22	42	42	42	42
55-74																				
75 +																				
ALL AGES	6	12.3	107	3	3	9	23	26	26	26	7	13.7	326	1	1	4	30	41	42	42
SUBTOTAL	**16**	**15.8**	**134**	**2**	**3**	**13**	**28**	**32**	**33**	**34**	**19**	**14.4**	**239**	**1**	**3**	**5**	**27**	**40**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	1	29.0		29	29	29	29	29	29	29	6	29.3	256	3	5	34	42	42	42	42
25-34	9	17.6	85	6	7	14	28	29	29	29	7	27.0	297	3	3	28	42	42	42	42
35-54	9	24.2	67	7	12	24	30	33	35	35	2	42.0		42	42	42	42	42	42	42
55-74																				
75 +																				
ALL AGES	20	21.5	76	6	7	23	29	30	33	35	15	29.9	245	3	3	42	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	17.7	169	4	4	19	27	30	30	30	3	22.7	367	2	2	26	36	40	40	40
25-34	6	16.8	141	4	4	12	31	32	32	32	2	15.5	221	5	5	15	26	26	26	26
35-54	4	20.8	182	5	5	22	32	34	34	34	1	42.0		42	42	42	42	42	42	42
55-74																				
75 +																				
ALL AGES	13	18.2	137	4	4	14	30	32	34	34	6	23.5	286	2	2	26	40	42	42	42
SUBTOTAL	**33**	**20.2**	**99**	**4**	**6**	**22**	**29**	**31**	**34**	**35**	**21**	**28.1**	**250**	**2**	**3**	**28**	**42**	**42**	**42**	**42**
GRAND TOTAL	**49**	**18.7**	**115**	**3**	**4**	**19**	**29**	**31**	**34**	**35**	**40**	**21.6**	**286**	**2**	**3**	**26**	**42**	**42**	**42**	**42**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	5	24.8	379	1	1	29	35	52	52	52	10	19.3	288	1	1	22	35	39	40	40
25-34	8	21.4	235	1	1	28	29	40	44	44	12	30.0	278	3	4	39	42	43	44	44
35-54	5	17.0	63	9	9	14	21	30	30	30	2	30.5	265	19	19	30	42	42	42	42
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	20	20.4	194	1	1	17	29	37	48	52	24	25.6	286	1	1	32	40	42	43	44
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	4	10.5	12	7	7	10	13	15	15	15	3	30.7	669	1	1	42	47	49	49	49
25-34	3	23.7	140	10	10	29	31	32	32	32	7	27.0	333	2	2	35	42	42	42	42
35-54	3	22.7	138	9	9	29	30	30	30	30	3	9.7	51	5	5	6	15	18	18	18
55-74	3	23.7	54	15	15	28	28	28	28	28	2	12.0	162	3	3	12	21	21	21	21
75 +																				
ALL AGES	14	19.6	93	7	9	19	29	30	32	32	15	22.3	332	1	2	21	42	42	47	49
SUBTOTAL	**34**	**20.1**	**147**	**1**	**6**	**17**	**29**	**30**	**42**	**52**	**39**	**24.3**	**299**	**1**	**1**	**29**	**41**	**42**	**43**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.3	55	17	17	29	30	30	30	30										
18-24	4	29.8	1	28	28	29	31	32	32	32	12	30.9	319	1	1	42	42	42	42	42
25-34	6	21.0	227	1	2	21	30	42	43	43	14	37.0	117	9	25	42	42	42	42	42
35-54	3	24.0	63	15	15	27	29	30	30	30	3	28.7	166	16	16	28	38	42	42	42
55-74											1	42.0		42	42	42	42	42	42	42
75 +																				
ALL AGES	16	24.6	102	3	10	28	30	32	40	43	30	33.9	198	1	4	42	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.0	72	17	17	29	82	99 +	39 +	99 +										
18-24	2	12.0	72	6	6	12	18	18	18	18	4	22.5	508	2	2	23	42	42	42	42
25-34	8	16.0	122	5	6	13	23	34	36	36	5	34.2	142	16	16	42	42	43	43	43
35-54	2	26.5	313	14	14	26	39	39	39	39	2	43.5	5	42	42	43	45	45	45	45
55-74	1	24.0		24	24	24	24	24	24	24										
75 +	2	22.5	41	18	18	22	27	27	27	27	1	3.0		3	3	3	3	3	3	3
ALL AGES	17	18.8	108	5	6	18	28	38	76	99 +	12	29.3	315	2	3	42	42	44	45	45
SUBTOTAL	**33**	**21.6**	**111**	**5**	**7**	**24**	**30**	**36**	**42**	**99 +**	**42**	**32.6**	**228**	**2**	**3**	**42**	**42**	**42**	**43**	**45**
GRAND TOTAL	**67**	**20.8**	**130**	**1**	**7**	**21**	**29**	**32**	**43**	**91**	**81**	**28.6**	**277**	**1**	**2**	**39**	**42**	**42**	**43**	**48**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	18	30.8	170	8	13	29	42	50	53	54	1	38.0		38	38	38	38	38	38	38
18-24	6	21.8	104	2	4	25	28	28	28	28	1	21.0		21	21	21	21	21	21	21
25-34	13	18.2	161	1	1	27	28	30	31	31	12	15.1	147	1	2	14	27	29	30	30
35-54	7	11.6	119	1	2	6	23	27	27	27	13	14.8	210	1	1	5	28	32	40	42
55-74	1	8.0		8	8	8	8	8	8	8	3	21.7	212	6	6	24	32	35	35	35
75 +																				
ALL AGES	46	22.7	189	1	3	27	29	41	49	54	30	16.6	179	1	2	17	28	32	38	42
B. FEMALE																				
0-12 YRS.																				
13-17	13	29.6	82	17	17	29	36	42	44	44	1	5.0		5	5	5	5	5	5	5
18-24	4	15.8	202	1	1	17	28	28	28	28	1	5.0		5	5	5	5	5	5	5
25-34	1	28.0		28	28	28	28	28	28	28	8	10.3	96	1	1	6	19	24	26	26
35-54	6	31.5	276	3	5	34	42	49	50	50	7	24.3	221	1	2	28	34	41	42	42
55-74	2	16.0	288	4	4	16	28	28	28	28	5	17.0	159	1	1	20	28	30	30	30
75 +																				
ALL AGES	26	26.8	169	3	4	28	34	42	45	50	22	15.8	172	1	1	13	28	32	38	42
SUBTOTAL	**72**	**24.2**	**182**	**1**	**4**	**28**	**30**	**42**	**48**	**53**	**52**	**16.3**	**171**	**1**	**1**	**17**	**28**	**32**	**38**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	17	25.8	29	17	18	28	29	31	34	35	2	40.0	242	29	29	40	51	51	51	51
18-24	3	12.7	279	3	3	3	25	32	32	32	5	9.4	111	3	3	6	12	28	28	28
25-34	11	18.5	168	1	1	28	28	31	33	33	8	19.5	151	4	4	28	29	29	29	29
35-54	4	19.3	101	9	9	20	28	28	28	28	5	4.0	6	2	2	3	6	7	7	7
55-74											4	2.8	8	1	1	2	4	7	7	7
75 +																				
ALL AGES	35	21.7	105	2	3	28	29	31	33	35	24	13.1	194	1	2	6	28	29	36	51
B. FEMALE																				
0-12 YRS.																				
13-17	10	40.3	229	28	28	35	39	68	72	72										
18-24	3	16.3	267	5	5	9	28	35	35	35	1	31.0		31	31	31	31	31	31	31
25-34	6	4.8	24	1	1	4	7	12	13	13	5	17.4	135	1	1	21	27	28	28	28
35-54	3	32.7	209	21	21	28	44	49	49	49	5	18.4	218	4	4	14	31	39	39	39
55-74	1	42.0		42	42	42	42	42	42	42	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	23	27.0	387	1	1	29	37	52	67	72	12	18.3	151	1	3	17	28	33	38	39
SUBTOTAL	**58**	**23.8**	**219**	**1**	**2**	**28**	**30**	**37**	**46**	**71**	**36**	**14.8**	**182**	**1**	**2**	**7**	**28**	**29**	**37**	**51**
GRAND TOTAL	**130**	**24.0**	**198**	**1**	**3**	**28**	**30**	**41**	**49**	**66**	**88**	**15.7**	**174**	**1**	**1**	**10**	**28**	**30**	**38**	**48**

AL[illegible]OL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
13-17	9	1.3		1	1	1	2	2	2	2	16	5.1	247	1	1	1	1	3	46	64
18-24	16	2.6	14	1	1	1	2	5	13	16	23	4.7	117	1	1	1	2	11	35	47
25-34	34	6.6	91	1	1	3	5	28	29	30	23	3.0	33	1	1	2	3	4	13	29
35-54	87	7.0	86	1	1	3	6	27	28	38	48	3.9	51	1	1	2	3	7	25	35
55-74	31	5.4	41	1	1	3	6	9	27	28	30	3.5	24	1	1	3	4	5	7	28
75 +	3	5.0	9	2	2	5	7	8	8	8	1	2.0		2	2	2	2	2	2	2
ALL AGES	184	5.8	69	1	1	3	5	20	28	31	144	3.9	71	1	1	2	3	5	26	48
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	12	1.3	1	1	1	1	2	2	3	3	15	3.7	80	1	1	1	2	4	28	36
18-24	9	3.0	8	1	1	1	6	7	7	7	8	1.0		1	1	1	1	1	1	1
25-34	21	5.4	49	1	1	3	5	15	24	28	10	1.9	1	1	1	2	3	4	4	4
35-54	30	7.2	103	1	1	4	6	20	28	49	18	3.3	15	1	1	2	3	9	12	14
55-74	7	4.0	9	1	1	3	7	8	8	8	2	4.0	8	2	2	4	6	6	6	6
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	82	5.0	55	1	1	3	5	9	22	42	54	2.8	27	1	1	1	2	6	10	35
SUBTOTAL	**266**	**5.5**	**65**	**1**	**1**	**3**	**5**	**16**	**28**	**32**	**198**	**3.6**	**59**	**1**	**1**	**1**	**3**	**6**	**12**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	11.2	207	1	1	2	22	33	41	42	11	23.1	586	1	1	9	49	53	55	55
18-24	25	12.4	170	1	1	5	25	31	39	39	5	14.8	385	1	1	1	32	43	43	43
25-34	41	8.1	77	1	1	5	10	28	29	31	19	3.7	38	1	1	1	4	7	19	28
35-54	39	7.6	35	1	1	6	11	17	19	21	22	4.4	30	1	2	3	4	6	17	28
55-74	22	11.3	90	1	2	8	18	24	31	36	10	3.9	4	1	1	4	6	7	7	7
75 +	2	13.5	85	7	7	13	20	20	20	20										
ALL AGES	141	9.5	96	1	1	6	13	27	29	39	67	8.0	186	1	1	3	5	28	44	55
B. FEMALE																				
0-12 YRS.																				
13-17	5	17.8	194	1	1	25	31	93	99 +	99 +	14	13.1	336	1	1	1	34	45	46	46
18-24	4	33.3	748	1	1	32	51	68	68	68	7	5.3	100	1	1	2	2	23	28	28
25-34	22	11.4	187	1	1	6	22	27	40	56	7	3.4	7	1	1	3	5	7	8	8
35-54	20	9.0	114	1	1	5	11	30	33	34	9	9.7	417	1	1	3	5	41	64	64
55-74	11	12.9	72	1	2	12	21	24	25	25	9	3.7	2	1	1	4	4	5	6	6
75 +	2	3.0	8	1	1	2	5	5	5	5										
ALL AGES	64	12.5	193	1	1	7	22	31	40	95	46	7.9	203	1	1	3	4	33	45	64
SUBTOTAL	**205**	**10.5**	**126**	**1**	**1**	**6**	**16**	**29**	**32**	**61**	**113**	**8.0**	**191**	**1**	**1**	**3**	**5**	**29**	**45**	**58**
GRAND TOTAL	**471**	**7.7**	**97**	**1**	**1**	**4**	**8**	**26**	**29**	**42**	**311**	**5.2**	**111**	**1**	**1**	**2**	**4**	**8**	**30**	**53**

TOBACCO USE DISORDER (305.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES											2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES											3	3.3	3	2	2	3	4	5	5	5
SUBTOTAL											**5**	**3.8**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**5**	**3.8**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	41	7	7	11	16	16	16	16	6	33.2	253	2	5	41	42	42	42	42
18-24	2	16.5	421	2	2	16	31	31	31	31										
25-34	3	7.7	133	1	1	1	16	21	21	21	2	6.0	2	5	5	6	7	7	7	7
35-54	1	19.0		19	19	19	19	19	19	19	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	8	12.3	123	1	1	11	20	28	31	31	9	26.6	296	2	3	30	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	2	34.0	2	33	33	34	35	35	35	35	4	11.8	433	1	1	2	22	43	43	43
18-24	2	8.0	72	2	2	8	14	14	14	14										
25-34	2	29.5	5	28	28	29	31	31	31	31	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	6	23.8	172	2	3	29	33	35	35	35	5	9.6	349	1	1	1	12	43	43	43
SUBTOTAL	**14**	**17.2**	**169**	**1**	**1**	**17**	**31**	**33**	**35**	**35**	**14**	**20.5**	**362**	**1**	**1**	**17**	**42**	**42**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	52.0	32	48	48	52	56	56	56	56	5	30.6	189	9	9	30	42	44	44	44
18-24	6	19.3	90	8	8	17	29	32	32	32										
25-34	1	7.0		7	7	7	7	7	7	7	1	43.0		43	43	43	43	43	43	43
35-54	2	19.0	162	10	10	19	28	28	28	28										
55-74																				
75 +																				
ALL AGES	11	24.1	267	7	8	18	31	51	56	56	6	32.7	174	9	11	35	43	44	44	44
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.3	72	14	14	15	25	29	29	29	3	32.7	62	28	28	28	39	42	42	42
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	11.0	2	10	10	11	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	6	13.5	83	1	2	13	15	28	29	29	3	32.7	62	28	28	28	39	42	42	42
SUBTOTAL	**17**	**20.4**	**218**	**3**	**7**	**15**	**29**	**45**	**53**	**56**	**9**	**32.7**	**125**	**9**	**16**	**30**	**42**	**44**	**44**	**44**
GRAND TOTAL	**31**	**18.9**	**194**	**1**	**2**	**16**	**29**	**34**	**47**	**56**	**23**	**25.3**	**295**	**1**	**1**	**29**	**42**	**43**	**44**	**44**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	2	11.5	221	1	1	11	22	22	22	22										
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.3	125	1	1	5	18	22	22	22	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**9.3**	**125**	**1**	**1**	**5**	**18**	**22**	**22**	**22**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	4	3.0	11	1	1	2	5	8	8	8	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**5**	**2.6**	**9**	**1**	**1**	**1**	**3**	**8**	**8**	**8**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**8**	**5.1**	**53**	**1**	**1**	**2**	**6**	**18**	**22**	**22**	**3**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**4**	**4**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	5.5	25	2	2	5	9	9	9	9	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**3**	**7.3**	**23**	**2**	**2**	**9**	**10**	**11**	**11**	**11**	**3**	**5.7**	**4**	**4**	**4**	**5**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	2	17.5	265	6	6	17	29	29	29	29										
35-54	2	7.5	25	4	4	7	11	11	11	11	1	1.0		1	1	1	1	1	1	1
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	7	9.3	83	3	3	6	10	25	29	29	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	25.0		25	25	25	25	25	25	25	2	15.5	25	12	12	15	19	19	19	19
35-54	2	12.5	265	1	1	12	24	24	24	24	2	7.5	1	7	7	7	8	8	8	8
55-74	6	18.7	150	4	4	17	31	34	34	34	2	5.5	41	1	1	5	10	10	10	10
75 +																				
ALL AGES	9	18.0	142	1	2	22	26	33	34	34	6	9.5	36	1	2	9	12	18	19	19
SUBTOTAL	**16**	**14.2**	**129**	**2**	**3**	**10**	**24**	**31**	**33**	**34**	**7**	**8.3**	**40**	**1**	**1**	**8**	**11**	**18**	**19**	**19**
GRAND TOTAL	**19**	**13.1**	**117**	**1**	**2**	**9**	**23**	**30**	**33**	**34**	**10**	**7.5**	**29**	**1**	**1**	**7**	**10**	**15**	**19**	**19**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	28.0		28	28	28	28	28	28	28
25-34	2	29.5	1	29	29	29	30	30	30	30	1	30.0		30	30	30	30	30	30	30
35-54	2	3.0	8	1	1	3	5	5	5	5	1	20.0		20	20	20	20	20	20	20
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +																				
ALL AGES	6	12.8	173	1	1	6	29	30	30	30	3	26.0	28	20	20	28	29	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	9.3	141	2	2	3	18	23	23	23	1	2.0		2	2	2	2	2	2	2
35-54											1	30.0		30	30	30	30	30	30	30
55-74	2	15.5	61	10	10	15	21	21	21	21										
75 +																				
ALL AGES	5	11.8	97	2	2	10	21	23	23	23	2	16.0	392	2	2	16	30	30	30	30
SUBTOTAL	**11**	**12.4**	**124**	**1**	**2**	**8**	**22**	**29**	**30**	**30**	**5**	**22.0**	**142**	**2**	**2**	**28**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	19.4	553	3	3	7	32	59	59	59	2	3.0	2	2	2	3	4	4	4	4
35-54	2	13.0	200	3	3	13	23	23	23	23										
55-74																				
75 +																				
ALL AGES	7	17.6	410	3	3	7	23	52	59	59	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12	1	6.0		6	6	6	6	6	6	6
25-34	10	11.7	132	1	1	6	22	29	36	36	1	27.0		27	27	27	27	27	27	27
35-54	5	14.4	27	8	8	14	19	21	21	21										
55-74																				
75 +																				
ALL AGES	16	12.6	87	1	2	11	19	23	32	36	2	16.5	221	6	6	16	27	27	27	27
SUBTOTAL	**23**	**14.1**	**178**	**2**	**3**	**11**	**22**	**26**	**44**	**59**	**4**	**9.8**	**134**	**2**	**2**	**5**	**16**	**27**	**27**	**27**
GRAND TOTAL	**34**	**13.5**	**158**	**1**	**2**	**9**	**22**	**29**	**35**	**59**	**9**	**16.6**	**162**	**2**	**2**	**20**	**28**	**30**	**30**	**30**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	5	18.2	160	2	2	27	27	28	28	28	16	9.4	114	1	1	4	15	28	29	30
25-34	28	7.6	64	1	1	4	8	22	23	28	16	15.6	190	1	1	13	30	30	31	31
35-54	8	13.3	101	3	3	10	22	28	30	30	3	2.3	1	2	2	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	41	10.0	91	1	1	5	21	27	28	30	36	11.3	151	1	1	4	28	30	30	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	8.6	121	1	1	4	11	28	28	28	1	4.0		4	4	4	4	4	4	4
25-34	7	9.9	50	4	4	6	15	21	22	22	7	19.6	191	1	1	30	30	31	31	31
35-54	3	9.0	147	2	2	2	18	23	23	23	3	11.0	271	1	1	2	23	30	30	30
55-74																				
75 +																				
ALL AGES	15	9.3	77	1	2	6	15	23	27	28	11	15.8	201	1	1	13	30	31	31	31
SUBTOTAL	**56**	**9.8**	**86**	**1**	**2**	**5**	**19**	**26**	**28**	**30**	**47**	**12.4**	**161**	**1**	**1**	**4**	**29**	**30**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25	1	3.0		3	3	3	3	3	3	3
18-24	12	11.1	102	1	2	9	16	29	30	30	1	1.0		1	1	1	1	1	1	1
25-34	23	12.7	96	1	3	10	19	26	33	36	14	14.1	159	1	1	7	28	30	32	32
35-54	8	9.5	69	2	3	6	12	24	28	28	5	19.8	225	3	3	28	31	33	33	33
55-74																				
75 +																				
ALL AGES	44	12.0	91	2	3	9	18	28	30	36	21	14.3	171	1	1	6	29	31	32	33
B. FEMALE																				
0-12 YRS.																				
13-17											2	49.0	8	47	47	49	51	51	51	51
18-24	8	9.0	74	1	1	7	13	23	26	26	1	21.0		21	21	21	21	21	21	21
25-34	22	9.8	52	1	3	7	15	23	24	24	4	10.8	203	1	1	5	19	32	32	32
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	31	9.7	54	1	1	7	14	23	24	26	7	23.1	432	1	2	21	43	50	51	51
SUBTOTAL	**75**	**11.0**	**77**	**1**	**2**	**8**	**15**	**25**	**28**	**35**	**28**	**16.5**	**238**	**1**	**1**	**7**	**30**	**33**	**47**	**51**
GRAND TOTAL	**131**	**10.5**	**81**	**1**	**2**	**7**	**16**	**25**	**28**	**32**	**75**	**13.9**	**192**	**1**	**1**	**5**	**30**	**31**	**32**	**50**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.5	85	4	4	10	17	17	17	17										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	3	7.3	73	1	1	4	14	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17											3	38.7	254	27	27	32	51	57	57	57
18-24											1	4.0		4	4	4	4	4	4	4
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	4	30.0	473	4	4	29	44	57	57	57
SUBTOTAL	**6**	**4.3**	**40**	**1**	**1**	**2**	**4**	**16**	**17**	**17**	**4**	**30.0**	**473**	**4**	**4**	**29**	**44**	**57**	**57**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	35.5	221	25	25	35	46	46	46	46
18-24											2	24.0	392	10	10	24	38	38	38	38
25-34	4	19.8	104	7	7	21	28	30	30	30	2	29.5	1	29	29	29	30	30	30	30
35-54	1	29.0		29	29	29	29	29	29	29										
55-74																				
75 +																				
ALL AGES	5	21.6	97	7	7	26	29	30	30	30	6	29.7	147	10	11	29	38	45	46	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	26.0	50	21	21	26	31	31	31	31	1	6.0		6	6	6	6	6	6	6
25-34	5	24.8	235	2	2	29	34	43	43	43										
35-54	2	13.5	265	2	2	13	25	25	25	25										
55-74																				
75 +																				
ALL AGES	9	22.6	181	2	2	25	31	38	43	43	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**14**	**22.2**	**144**	**2**	**2**	**25**	**30**	**32**	**41**	**43**	**7**	**26.3**	**203**	**6**	**7**	**29**	**36**	**44**	**46**	**46**
GRAND TOTAL	**20**	**16.9**	**177**	**1**	**1**	**18**	**29**	**31**	**37**	**43**	**11**	**27.6**	**270**	**4**	**5**	**29**	**36**	**50**	**56**	**57**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	3.0	8	1	1	3	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	2.7	4	1	1	2	4	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.0	128	9	9	17	25	25	25	25										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	30.0		30	30	30	30	30	30	30	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	5	17.4	95	8	8	15	26	30	30	30	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**8**	**11.9**	**113**	**1**	**1**	**8**	**20**	**28**	**30**	**30**	**2**	**7.0**	**50**	**2**	**2**	**7**	**12**	**12**	**12**	**12**
GRAND TOTAL	**8**	**11.9**	**113**	**1**	**1**	**8**	**20**	**28**	**30**	**30**	**2**	**7.0**	**50**	**2**	**2**	**7**	**12**	**12**	**12**	**12**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	16	22.3	194	1	2	28	30	36	43	46	13	29.6	237	2	6	38	42	43	44	44
18-24	19	11.2	137	1	1	5	22	29	33	36	9	13.7	245	1	1	5	31	37	38	38
25-34	39	16.7	157	1	2	14	28	31	33	36	18	21.9	233	1	1	27	37	39	40	40
35-54	15	14.2	156	1	1	5	27	30	32	33	10	16.9	263	1	1	15	31	37	42	42
55-74	1	4.0		4	4	4	4	4	4	4	4	26.3	247	6	6	28	38	42	42	42
75 +	2	10.0	50	5	5	10	15	15	15	15	1	5.0		5	5	5	5	5	5	5
ALL AGES	92	15.8	165	1	2	13	28	31	33	42	56	21.2	256	1	1	27	37	42	42	44
B. FEMALE																				
0-12 YRS.																				
13-17	7	46.4	179	29	29	50	55	63	64	64	4	23.5	446	1	1	25	41	42	42	42
18-24	11	10.3	83	3	3	6	16	24	31	32	3	16.3	536	2	2	4	33	43	43	43
25-34	18	11.4	117	1	3	7	16	30	35	38	12	27.2	300	1	1	33	42	43	43	43
35-54	18	11.4	114	1	2	9	15	31	36	37	9	18.7	281	1	1	9	36	40	42	42
55-74	2	11.5	113	4	4	11	19	19	19	19	5	15.0	156	1	1	14	26	30	30	30
75 +											3	12.3	110	4	4	9	20	24	24	24
ALL AGES	56	15.6	245	2	3	8	21	38	50	64	36	20.8	281	1	1	19	39	42	43	43
SUBTOTAL	**148**	**15.7**	**195**	**1**	**2**	**10**	**28**	**32**	**37**	**57**	**92**	**21.0**	**265**	**1**	**1**	**24**	**37**	**42**	**42**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	41	24.5	296	2	7	19	32	42	55	89	4	27.0	307	2	2	31	37	43	43	43
18-24	24	10.5	128	1	2	4	20	29	32	33	8	7.9	104	1	1	3	12	26	29	29
25-34	28	10.1	77	2	2	7	14	27	28	30	7	10.6	130	2	2	5	21	28	28	28
35-54	24	14.0	133	1	2	8	22	30	38	39	4	20.0	209	5	5	19	32	36	36	36
55-74	2	6.0	50	1	1	5	11	11	11	11										
75 +											2	2.5	5	1	1	2	4	4	4	4
ALL AGES	119	15.9	210	1	2	12	27	34	40	68	25	13.2	188	1	1	5	28	32	38	43
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	23	26.3	227	3	5	29	37	45	52	59	3	16.0	589	1	1	3	34	44	44	44
18-24	18	9.2	38	1	2	8	15	18	19	19	5	6.0	47	2	2	3	8	18	18	18
25-34	28	13.5	106	1	2	10	19	30	36	37	1	9.0		9	9	9	9	9	9	9
35-54	20	10.9	79	1	2	10	17	28	61	99+	4	16.0	106	6	6	15	24	28	28	28
55-74	5	17.8	96	2	2	20	22	29	29	29	2	5.0	18	2	2	5	8	8	8	8
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	96	15.4	150	1	2	12	21	33	41	81	15	10.7	149	1	2	6	16	28	40	44
SUBTOTAL	**215**	**15.6**	**185**	**1**	**2**	**12**	**23**	**33**	**41**	**69**	**40**	**12.3**	**170**	**1**	**1**	**6**	**23**	**31**	**39**	**44**
GRAND TOTAL	**363**	**15.7**	**187**	**1**	**2**	**11**	**28**	**33**	**39**	**59**	**132**	**18.4**	**249**	**1**	**1**	**12**	**33**	**42**	**42**	**44**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	4	9.8	165	2	2	4	17	29	29	29										
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	5	8.0	140	1	1	3	11	29	29	29	1	8.0		8	8	8	8	3	3	8
SUBTOTAL	**6**	**7.7**	**112**	**1**	**1**	**4**	**6**	**27**	**29**	**29**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	2	6.5	1	6	6	6	7	7	7	7										
75 +																				
ALL AGES	2	6.5	1	6	6	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**5.3**	**5**	**3**	**3**	**6**	**7**	**7**	**7**	**7**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**9**	**6.9**	**73**	**1**	**1**	**5**	**6**	**20**	**29**	**29**	**3**	**4.7**	**9**	**2**	**2**	**4**	**7**	**8**	**8**	**8**

PSYCHOGENIC RESPIR DIS (306.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
13-17	3	1.7	1	1	1	1	2	3	3	3										
18-24											4	2.5	2	1	1	2	3	4	4	4
25-34	2	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
35-54	2	2.0		2	2	2	2	2	2	2	8	2.4	1	1	1	2	3	4	4	4
55-74											5	4.6	11	1	1	4	6	10	10	10
75 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	8	2.1	3	1	1	2	3	5	6	6	23	2.9	4	1	1	3	4	5	7	10
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17	2	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
18-24	1	2.0		2	2	2	2	2	2	2	5	1.2		1	1	1	1	2	2	2
25-34	2	9.5	1	9	9	9	10	10	10	10	4	2.3	1	1	1	2	3	3	3	3
35-54	7	2.6	2	1	1	2	4	5	5	5	11	1.8	1	1	1	1	3	4	4	4
55-74	3	6.0	12	4	4	4	9	10	10	10	13	3.5	12	1	1	3	4	7	13	14
75 +											9	3.8	11	1	1	2	5	9	12	12
ALL AGES	17	3.8	9	1	1	2	4	10	10	10	45	2.7	6	1	1	2	3	5	7	14
SUBTOTAL	**25**	**3.3**	**7**	**1**	**1**	**2**	**4**	**9**	**10**	**10**	**68**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	[illegible]	2	2										
25-34	1	3.0		3	3	3	3	3	3	3	2	5.5	1	5	5	5	6	6	6	6
35-54											3	2.7	4	1	1	2	4	5	5	5
55-74	2	6.0	8	4	4	6	8	8	8	8	2	2.0	2	1	1	2	3	3	3	3
75 +	1	4.0		4	4	4	4	4	4	4	3	4.0	12	2	2	2	7	8	8	8
ALL AGES	5	4.2	5	2	2	4	5	8	8	8	10	3.5	6	1	1	3	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	6.5	41	2	2	6	11	11	11	11	2	7.0	2	6	6	7	8	8	8	8
35-54	3	4.0	7	2	2	3	6	7	7	7	7	2.7	3	1	1	2	4	5	5	5
55-74	2	3.0	2	2	2	3	4	4	4	4	9	3.6	4	1	1	3	5	7	8	8
75 +	1	6.0		6	6	6	6	6	6	6	4	2.5	4	1	1	2	4	5	5	5
ALL AGES	9	5.1	11	2	2	4	7	10	11	11	23	3.3	5	1	1	3	5	6	8	8
SUBTOTAL	**14**	**4.8**	**8**	**2**	**2**	**4**	**7**	**9**	**11**	**11**	**33**	**3.4**	**5**	**1**	**1**	**3**	**5**	**7**	**8**	**8**
GRAND TOTAL	**39**	**3.8**	**8**	**1**	**1**	**3**	**5**	**9**	**10**	**11**	**101**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**8**	**13**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54											1	6.0		6	6	6	6	6	6	6
55-74											2	5.5	25	2	2	5	9	9	9	9
75 +																				
ALL AGES	3	3.0	3	1	1	4	4	4	4	4	3	5.7	12	2	2	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54	2	3.0	2	2	2	3	4	4	4	4	4	4.8	5	3	3	4	6	8	8	8
55-74	3	5.7	4	4	4	5	7	8	8	8	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	6	4.5	4	2	2	4	5	8	8	8	5	4.8	4	3	3	5	6	8	8	8
SUBTOTAL	**9**	**4.0**	**4**	**1**	**1**	**4**	**5**	**7**	**8**	**8**	**8**	**5.1**	**6**	**2**	**2**	**5**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2		2.7	2	1	1	3	4	4	4	4
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	5	3.0	2	1	1	3	4	4	4	4
SUBTOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**8**	**2.8**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**11**	**3.6**	**4**	**1**	**1**	**4**	**4**	**6**	**8**	**8**	**16**	**3.9**	**5**	**1**	**2**	**3**	**5**	**8**	**9**	**9**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18	2	4.5	25	1	1	4	8	8	8	8
13-17											1	8.0		8	8	8	8	8	8	8
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	7.0		7	7	7	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
35-54	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
55-74	3	5.7	2	4	4	6	7	7	7	7	2	6.0	32	2	2	6	10	10	10	10
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	8	7.1	25	2	3	6	8	15	18	18	8	5.3	12	1	1	5	8	9	10	10
B. FEMALE																				
0-12 YRS.	4	5.3	34	2	2	3	8	14	14	14	1	3.0		3	3	51	99 +	99 +	99 +	99 +
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34	3	6.0	25	1	1	6	10	11	11	11	6	3.0	2	1	1	3	4	5	5	5
35-54	1	3.0		3	3	3	3	3	3	3	7	5.4	20	1	1	4	7	13	14	14
55-74	1	6.0		6	6	6	6	6	6	6	4	2.8	1	2	2	3	3	4	4	4
75 +																				
ALL AGES	10	5.4	18	1	1	4	6	12	14	14	18	3.9	9	1	1	3	5	11	61	99 +
SUBTOTAL	**18**	**6.2**	**20**	**1**	**2**	**6**	**7**	**13**	**16**	**18**	**26**	**4.3**	**10**	**1**	**1**	**3**	**7**	**10**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	2	4.5	5	3	3	4	6	6	6	6	3	6.7	9	4	4	6	9	10	10	10
55-74	1	2.0		2	2	2	2	2	2	2	2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	3	3.7	4	2	2	3	5	6	6	6	7	4.6	7	2	2	4	6	9	10	10
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
18-24	2	11.5	25	8	8	11	15	15	15	15										
25-34	1	7.0		7	7	7	7	7	7	7	4	4.8	12	2	2	3	7	10	10	10
35-54	3	4.7	12	1	1	5	7	8	8	8	4	4.3	4	2	2	4	6	6	6	6
55-74											4	7.0	61	1	1	4	12	18	18	18
75 +	1	3.0		3	3	3	3	3	3	3	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	9	6.8	15	1	2	7	8	12	15	15	15	5.5	18	1	2	4	7	10	16	18
SUBTOTAL	**12**	**6.0**	**14**	**1**	**2**	**6**	**8**	**10**	**14**	**15**	**22**	**5.2**	**14**	**1**	**2**	**4**	**6**	**10**	**13**	**18**
GRAND TOTAL	**30**	**6.1**	**17**	**1**	**2**	**6**	**7**	**12**	**15**	**18**	**48**	**4.7**	**12**	**1**	**2**	**4**	**7**	**10**	**14**	**99 +**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	4	5.8	14	2	2	5	9	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	3.0	8	1	1	2	5	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	3.0	8	1	1	2	5	5	5	5	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**4.8**	**13**	**1**	**1**	**4**	**8**	**10**	**10**	**10**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**7**	**5.1**	**12**	**1**	**1**	**5**	**8**	**10**	**10**	**10**	**3**	**3.3**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	16.0	200	6	6	16	26	26	26	26	2	5.0	2	4	4	5	6	6	6	6
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	16.0	200	6	6	16	26	26	26	26	3	4.7	1	4	4	4	6	6	6	6
SUBTOTAL	**3**	**12.0**	**148**	**4**	**4**	**6**	**21**	**26**	**26**	**26**	**5**	**3.8**	**3**	**1**	**1**	**4**	**5**	**6**	**6**	**6**
GRAND TOTAL	**4**	**9.8**	**118**	**3**	**3**	**5**	**16**	**26**	**26**	**26**	**5**	**3.8**	**3**	**1**	**1**	**4**	**5**	**6**	**6**	**6**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	4	11.8	189	2	2	6	20	32	32	32										
18-24											1	1.0		1	1	1	1	1	1	1
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	7	8.9	112	2	2	4	9	27	32	32	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	15.0		15	15	15	15	15	15	15
35-54	1	3.0		3	3	3	3	3	3	3	4	3.3	1	2	2	3	4	5	5	5
55-74											1	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	4	4.5	12	1	1	4	7	9	9	9	7	5.3	20	2	2	3	6	13	15	15
SUBTOTAL	**11**	**7.3**	**75**	**1**	**2**	**4**	**9**	**18**	**31**	**32**	**9**	**4.3**	**19**	**1**	**1**	**3**	**5**	**11**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	8.3	16	4	4	7	11	14	14	14	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	9.0	32	5	5	9	13	13	13	13	2	3.5	1	3	3	3	4	4	4	4
55-74	5	4.6	2	3	3	4	5	7	7	7										
75 +																				
ALL AGES	8	5.6	11	3	3	5	6	11	13	13	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**12**	**6.5**	**13**	**3**	**3**	**5**	**8**	**13**	**14**	**14**	**4**	**3.3**		**2**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**23**	**6.9**	**41**	**2**	**2**	**5**	**8**	**13**	**20**	**32**	**13**	**4.0**	**13**	**1**	**1**	**3**	**4**	**8**	**14**	**15**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	52	99 +	99 +	99 +	99 +										
13-17	1	58.0		58	58	58	58	58	58	58										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	31.0	1458	4	4	58	89	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	57	99 +	99 +	99 +	99 +	2	41.5	3121	2	2	41	81	81	81	81
13-17	27	23.8	418	3	4	21	34	62	79	99 +	11	12.3	128	2	2	7	19	30	37	38
18-24	13	19.5	378	2	2	14	35	50	52	52	3	4.0	4	2	2	4	5	6	6	6
25-34	9	13.7	166	1	1	9	21	35	39	39	1	24.0		24	24	24	24	24	24	24
35-54	7	39.9	1721	1	2	41	93	98	99 +	99 +	3	6.3	35	2	2	4	11	13	13	13
55-74	1	37.0		37	37	37	37	37	37	37	1	9.0		9	9	9	9	9	9	9
75 +											1	20.0		20	20	20	20	20	20	20
ALL AGES	58	23.3	530	1	3	18	37	70	96	99 +	22	13.7	318	2	2	7	20	28	55	81
SUBTOTAL	**60**	**23.5**	**542**	**2**	**3**	**19**	**42**	**79**	**99 +**	**99 +**	**22**	**13.7**	**318**	**2**	**2**	**7**	**20**	**28**	**55**	**81**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	1	59.0		59	59	79	99 +	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	48.5	221	38	38	59	90	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	1	88.0		88	88	88	88	88	88	88										
13-17	21	34.2	727	2	3	33	55	73	85	89	3	12.3	76	3	3	14	18	20	20	20
18-24	10	21.8	195	3	5	23	30	42	48	48	2	5.5	1	5	5	5	6	6	6	6
25-34	15	25.4	305	4	6	23	42	47	54	57	3	3.7	9	1	1	3	6	7	7	7
35-54	6	14.2	64	6	6	12	22	25	25	25	3	5.7	22	2	2	4	9	11	11	11
55-74											1	4.0		4	4	4	4	4	4	4
75 +											2	10.0	2	9	9	10	11	11	11	11
ALL AGES	53	28.1	519	3	4	24	43	57	80	89	14	7.1	29	1	2	5	11	15	19	20
SUBTOTAL	**55**	**28.9**	**515**	**3**	**4**	**25**	**44**	**59**	**86**	**99**	**14**	**7.1**	**29**	**1**	**2**	**5**	**11**	**15**	**19**	**20**
GRAND TOTAL	**115**	**26.1**	**531**	**2**	**3**	**22**	**44**	**66**	**93**	**99 +**	**36**	**11.2**	**211**	**2**	**2**	**6**	**13**	**23**	**34**	**81**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	8.9	96	2	3	5	9	25	34	34										
13-17	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	2	16.0	338	3	3	16	29	29	29	29										
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	12	9.6	112	2	3	5	10	30	33	34	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	3	4.0	9	1	1	4	6	7	7	7										
13-17																				
18-24																				
25-34											2	10.0	98	3	3	10	17	17	17	17
35-54	1	8.0		8	8	8	8	8	3	8										
55-74																				
75 +																				
ALL AGES	4	5.0	10	1	1	5	7	8	8	8	2	10.0	98	3	3	10	17	17	17	17
SUBTOTAL	16	8.4	89	1	2	5	8	27	32	34	4	6.5	52	1	1	4	11	17	17	17
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	13.6	79	4	4	12	17	28	28	28	1	23.0		23	23	23	23	23	23	23
13-17	2	37.0	128	29	29	37	45	45	45	45										
18-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	7	20.3	204	4	5	14	29	42	45	45	2	14.5	145	6	6	14	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	7	20.3	204	4	5	14	29	42	45	45	2	14.5	145	6	6	14	23	23	23	23
GRAND TOTAL	23	12.0	148	2	3	8	13	30	38	45	6	9.2	76	1	1	5	17	22	23	23

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.3		1	1	1	2	2	2	2	4	2.8	8	1	1	1	4	7	7	7
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	5	2.0	3	1	1	1	3	5	5	5	5	3.0	7	1	1	2	5	7	7	7
B. FEMALE																				
0-12 YRS.	3	2.0	3	1	1	1	3	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	2.0	2	1	1	2	3	4	4	4	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**9**	**2.0**	**2**	**1**	**1**	**1**	**3**	**5**	**5**	**5**	**7**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	1	27.0		27	27	27	27	27	27	27										
SUBTOTAL	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**										
GRAND TOTAL	**10**	**4.5**	**65**	**1**	**1**	**2**	**4**	**16**	**27**	**27**	**7**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**7**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	15.3	293	1	1	11	29	37	37	37	1	2.0		2	2	2	2	2	2	2
13-17	4	19.5	51	9	9	22	24	25	25	25	1	5.0		5	5	5	5	5	5	5
18-24	1	2.0		2	2	2	2	2	2	2										
25-34											5	1.6	1	1	1	1	2	3	3	3
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	10	14.5	156	1	1	15	22	31	37	37	8	2.3	2	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.	4	22.5	80	10	10	25	29	29	29	29	1	2.0		2	2	2	2	2	2	2
13-17	21	23.3	347	4	5	16	39	50	56	63	1	5.0		5	5	5	5	5	5	5
18-24	17	18.4	295	1	1	12	29	58	85	99 +	2	17.5	481	2	2	17	33	33	33	33
25-34	8	19.4	352	1	2	13	34	49	51	51	1	3.0		3	3	3	3	3	3	3
35-54	4	35.8	506	2	2	45	48	50	50	50										
55-74											2	40.0	1800	10	10	40	70	70	70	70
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	54	22.0	322	1	3	16	36	50	59	98	3	17.3	558	2	2	7	23	59	70	70
SUBTOTAL	**64**	**20.9**	**298**	**1**	**2**	**16**	**31**	**50**	**54**	**94**	**16**	**9.8**	**321**	**1**	**1**	**3**	**8**	**31**	**59**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	64.0		64	64	64	64	64	64	64										
18-24	1	25.0		25	25	25	25	25	25	25										
25-34	1	34.0		34	34	34	34	34	34	34										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	31.3	654	2	2	29	49	64	64	64										
B. FEMALE																				
0-12 YRS.	5	16.4	133	4	4	16	28	28	28	28										
13-17	23	22.3	170	3	5	23	31	36	44	54										
18-24	24	23.1	345	3	3	21	32	58	74	99 +	2	16.5	221	6	6	16	27	27	27	27
25-34	20	27.7	328	5	6	28	37	54	60	65	4	6.5	36	1	1	5	10	15	15	15
35-54	10	30.4	170	16	17	27	33	51	62	62	2	4.5	1	4	4	4	5	5	5	5
55-74																				
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	82	24.5	258	3	5	25	32	53	59	89	9	8.6	62	1	2	6	10	22	27	27
SUBTOTAL	**86**	**24.8**	**272**	**3**	**4**	**25**	**33**	**54**	**62**	**87**	**9**	**8.6**	**62**	**1**	**2**	**6**	**10**	**22**	**27**	**27**
GRAND TOTAL	**150**	**23.1**	**286**	**2**	**3**	**22**	**32**	**51**	**61**	**99**	**25**	**9.3**	**223**	**1**	**1**	**4**	**9**	**27**	**42**	**70**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**2**	**6.0**	**32**	**2**	**2**	**6**	**10**	**10**	**10**	**10**										

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**5.0**	**18**	**2**	**2**	**5**	**8**	**8**	**8**	**8**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	242	3	3	14	25	25	25	25										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	14.0	242	3	3	14	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.0**	**242**	**3**	**3**	**14**	**25**	**25**	**25**	**25**										
GRAND TOTAL	**4**	**9.5**	**114**	**2**	**2**	**5**	**16**	**25**	**25**	**25**										

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17	2	7.5	61	2	2	7	13	13	13	13	2	1.0		1	1	1	1	1	1	1
18-24	5	2.2	2	1	1	2	3	4	4	4	6	2.0	1	1	1	2	3	3	3	3
25-34	1	8.0		8	8	8	8	8	8	8	16	3.8	6	1	1	3	5	8	9	9
35-54	5	2.2	1	1	1	2	3	3	3	3	12	2.2		1	1	2	2	3	4	4
55-74	2	13.0	288	1	1	13	25	25	25	25	4	4.8	12	2	2	3	7	10	10	10
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	17	4.4	38	1	1	2	4	12	21	25	41	3.0	5	1	1	2	4	6	8	10
B. FEMALE																				
0-12 YRS.	6	3.7	14	1	1	2	4	10	11	11	1	2.0		2	2	2	2	2	2	2
13-17	4	4.5	4	2	2	5	6	6	6	6	2	6.0	8	4	4	6	8	8	8	8
18-24	4	1.5	1	1	1	1	2	3	3	3	9	3.2	1	2	2	3	4	5	5	5
25-34	20	2.7	2	1	1	2	4	5	6	7	44	3.4	5	1	1	3	4	6	8	13
35-54	26	4.5	13	1	1	4	5	7	13	18	53	4.0	6	1	2	3	5	7	9	12
55-74	8	3.3	5	1	1	3	5	6	7	7	21	3.9	9	1	1	3	6	9	10	10
75 +	2	5.5	13	3	3	5	8	8	8	8	1	2.0		2	2	2	2	2	2	2
ALL AGES	70	3.6	8	1	1	3	5	7	8	17	131	3.7	6	1	1	3	4	7	9	12
SUBTOTAL	**87**	**3.8**	**14**	**1**	**1**	**3**	**5**	**7**	**11**	**22**	**172**	**3.5**	**6**	**1**	**1**	**3**	**4**	**7**	**9**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	5	10.8	132	3	3	4	17	30	30	30	3	3.3	1	3	3	3	4	4	4	4
35-54	6	4.2	11	2	2	3	4	10	11	11	4	4.8	26	1	1	3	8	12	12	12
55-74	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	13	6.5	62	2	2	4	6	16	27	30	8	4.3	12	1	1	4	5	10	12	12
B. FEMALE																				
0-12 YRS.	3	17.7	645	2	2	4	36	47	47	47										
13-17	4	8.3	38	1	1	9	13	14	14	14	1	2.0		2	2	2	2	2	2	2
18-24	1	14.0		14	14	14	14	14	14	14	6	5.8	29	2	2	3	11	14	14	14
25-34	8	4.0	3	2	2	4	4	7	8	8	9	3.6	5	1	1	3	5	7	7	7
35-54	10	7.6	50	1	2	4	12	19	21	21	21	5.0	17	1	1	4	7	8	14	20
55-74	4	3.8	2	2	2	4	5	5	5	5	12	5.3	4	2	3	5	7	9	9	9
75 +	2	8.5	1	8	8	8	9	9	9	9	1	7.0		7	7	7	7	7	7	7
ALL AGES	32	7.5	77	1	2	4	9	15	21	47	50	4.9	12	1	2	4	7	9	11	20
SUBTOTAL	**45**	**7.2**	**72**	**1**	**2**	**4**	**8**	**14**	**23**	**47**	**58**	**4.8**	**12**	**1**	**1**	**4**	**6**	**9**	**12**	**20**
GRAND TOTAL	**132**	**4.9**	**36**	**1**	**1**	**3**	**5**	**11**	**14**	**33**	**230**	**3.9**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**13**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74	2	22.0	722	3	3	22	41	41	41	41	1	9.0		9	9	9	9	9	9	9
75 +	1	11.0		11	11	11	11	11	11	11	2	4.5	5	3	3	4	5	6	6	6
ALL AGES	5	13.8	240	3	3	8	18	41	41	41	3	6.0	9	3	3	6	8	9	9	9
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54											2	1.0		1	1	1	1	1	1	1
55-74	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +											4	8.0	31	3	3	6	11	16	16	16
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	9	4.8	22	1	1	4	6	12	16	16
SUBTOTAL	**7**	**10.9**	**185**	**2**	**2**	**6**	**10**	**35**	**41**	**41**	**12**	**5.1**	**18**	**1**	**1**	**4**	**7**	**11**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	3.5	5	2	2	3	5	5	5	5										
75 +	1	15.0		15	15	15	15	15	15	15	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	3	7.3	47	2	2	5	12	15	15	15	4	3.8	4	1	1	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											3	5.0	3	3	3	6	6	6	6	6
75 +	3	12.7	115	5	5	8	21	25	25	25	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	4	10.6	91	5	5	7	16	25	25	25	6	4.5	4	1	1	5	6	6	6	6
SUBTOTAL	**7**	**9.3**	**65**	**2**	**3**	**5**	**13**	**23**	**25**	**25**	**10**	**4.2**	**4**	**1**	**1**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**14**	**10.1**	**116**	**2**	**2**	**6**	**11**	**27**	**38**	**41**	**22**	**4.7**	**11**	**1**	**1**	**4**	**6**	**8**	**12**	**16**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	[illegible]	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	1	10.0		10	10	10	10	10	10	10	4	2.3	2	1	1	2	3	4	4	4
55-74	3	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	5	4.6	9	3	3	3	5	10	10	10	5	2.0	2	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.3	3	1	1	2	3	4	4	4	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	5	3.8	2	3	3	3	4	6	6	6	9	3.1		2	2	3	3	4	4	4
55-74	1	7.0		7	7	7	7	7	7	7	6	3.5	6	2	2	3	4	8	8	8
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	11	3.5	3	1	2	3	4	6	7	7	16	3.1	3	1	2	3	4	4	7	8
SUBTOTAL	**16**	**3.9**	**4**	**1**	**2**	**3**	**4**	**7**	**9**	**10**	**21**	**2.9**	**2**	**1**	**1**	**3**	**3**	**4**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34											2	2.0	2	1	1	2	3	3	3	3
35-54											1	14.0		14	14	14	14	14	14	14
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											5	5.8	35	1	1	3	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24											1	1.0		1	1	1	1	1	1	1
25-34											2	4.5	5	3	3	4	6	6	6	6
35-54	4	3.5	3	2	2	3	5	6	6	6	7	3.3	2	1	1	3	5	5	5	5
55-74	4	4.5	26	1	1	2	7	12	12	12	3	2.3	2	1	1	3	3	3	3	3
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	8	4.0	13	1	1	3	5	10	12	12	15	3.4	4	1	1	3	5	6	7	8
SUBTOTAL	**8**	**4.0**	**13**	**1**	**1**	**3**	**5**	**10**	**12**	**12**	**20**	**4.0**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**14**
GRAND TOTAL	**24**	**3.9**	**7**	**1**	**2**	**3**	**4**	**7**	**11**	[illegible]	**41**	**3.4**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	3.5	5	2	2	3	5	5	5	5
55-74																				
75 +																				
ALL AGES											2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	1	5.0		5	5	5	5	5	5	5	2	3.5	5	2	2	3	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	2	4.0	2	3	3	4	5	5	5	5	3	4.3	5	2	2	5	6	6	6	6

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	2	15.0	8	13	13	15	17	17	17	17										
25-34	1	2.0		2	2	2	2	2	2	2	2	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	8.3	62	1	1	7	15	17	17	17	5	2.6	1	2	2	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17	3	8.0	13	4	4	9	10	11	11	11	1	1.0		1	1	1	1	1	1	1
18-24											3	2.3	1	2	2	2	3	3	3	3
25-34	4	10.8	13	7	7	10	13	16	16	16	5	3.2	6	1	1	2	5	7	7	7
35-54	10	8.5	54	2	2	5	13	20	21	21	8	2.3		1	1	2	3	3	3	3
55-74											3	4.0	7	2	2	3	6	7	7	7
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	18	8.6	35	2	2	8	11	19	21	21	22	2.7	2	1	1	2	3	5	7	7
SUBTOTAL	**22**	**8.5**	**38**	**1**	**2**	**8**	**13**	**18**	**20**	**21**	**27**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	4	6.3	29	2	2	4	10	14	14	14	1	5.0		5	5	5	5	5	5	5
55-74											2	2.0	2	1	1	2	3	3	3	3
75 +																				
ALL AGES	4	6.3	29	2	2	4	10	14	14	14	4	2.5	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	6	11.0	150	1	1	6	22	29	30	30										
18-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	9	7.7	77	2	2	4	10	22	29	29
35-54	7	19.3	339	2	2	21	27	48	53	53	6	4.5	14	2	2	3	4	11	12	12
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	16	14.7	227	1	1	7	25	30	46	53	16	6.1	50	2	2	3	7	12	24	29
SUBTOTAL	**20**	**13.0**	**197**	**1**	**1**	**5**	**23**	**29**	**41**	**53**	**20**	**5.4**	**42**	**1**	**1**	**3**	**5**	**12**	**21**	**29**
GRAND TOTAL	**42**	**10.6**	**117**	**1**	**2**	**6**	**16**	**25**	**29**	**53**	**47**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**12**	**29**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	4.0	2	3	3	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**3**	**6.0**	**13**	**3**	**3**	**5**	**9**	**10**	**10**	**10**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	2.5	1	2	2	2	3	3	3	3
35-54	3	2.3	1	2	2	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	2.3	1	2	2	2	3	3	3	3	6	2.2	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-24	1	2.0		2	2	2	2	2	2	2	2	3.0	8	1	1	3	5	5	5	5
25-34	3	3.7	4	2	2	3	5	6	6	6	4	5.0	9	2	2	4	7	9	9	9
35-54	5	2.4	2	1	1	2	4	4	4	4	5	1.8	1	1	1	2	2	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	9	2.8	3	1	1	2	4	5	6	6	13	3.5	6	1	1	3	5	7	9	9
SUBTOTAL	**12**	**2.7**	**2**	**1**	**1**	**2**	**3**	**5**	**6**	**6**	**19**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	2	6.0	8	4	4	6	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	3	5.7	25	1	1	5	9	11	11	11										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	6	6.7	16	1	1	6	11	11	11	11	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.0	98	2	2	9	16	16	16	16	1	13.0		13	13	13	13	13	13	13
25-34	1	3.0		3	3	3	3	3	3	3	2	3.5	13	1	1	3	6	6	6	6
35-54	2	4.0	18	1	1	4	7	7	7	7	3	2.7	2	1	1	3	4	4	4	4
55-74											2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	5	5.8	38	1	1	3	9	16	16	16	8	4.5	15	1	1	4	5	11	13	13
SUBTOTAL	**11**	**6.3**	**23**	**1**	**1**	**5**	**10**	**13**	**16**	**16**	**10**	**3.9**	**13**	**1**	**1**	**3**	**5**	**9**	**13**	**13**
GRAND TOTAL	**23**	**4.4**	**15**	**1**	**1**	**3**	**6**	**11**	**13**	**16**	**29**	**3.4**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**13**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	6	15.0	190	1	1	11	32	32	32	32												
13-17	46	10.3	127	1	1	7	12	24	33	58	7	8.0	155	1	1	4	5	30	36	36
18-24	47	5.1	11	1	1	4	7	10	12	14	9	3.8	7	1	1	2	6	8	9	9
25-34	53	4.6	16	1	1	4	6	9	12	23	12	6.5	58	1	1	4	7	21	24	25
35-54	66	7.0	27	1	2	6	9	12	18	29	20	6.3	27	1	1	4	10	15	16	17
55-74	6	6.5	35	2	2	4	7	17	18	18	8	5.4	17	1	1	4	8	12	13	13
75 +	10	7.9	45	2	2	6	8	18	25	25	5	5.4	12	2	2	4	8	10	10	10
ALL AGES	234	7.0	50	1	1	5	9	13	20	34	61	6.0	39	1	1	4	7	14	18	35
B. FEMALE																						
0-12 YRS.	10	11.8	88	1	2	10	12	28	30	30												
13-17	113	14.4	278	1	2	9	18	40	80	99 +	5	3.0	6	1	1	2	4	7	7	7
18-24	118	6.2	44	1	1	4	8	14	20	31	18	4.1	5	1	1	4	6	7	8	9
25-34	132	6.2	39	1	1	4	8	13	17	34	35	4.0	23	1	1	3	4	9	10	28
35-54	128	7.4	49	1	1	5	10	16	22	35	42	6.1	30	1	1	5	8	11	15	31
55-74	24	10.5	74	3	3	8	13	21	32	37	22	4.9	9	1	2	4	7	10	12	13
75 +	5	12.0	79	1	1	14	17	24	24	24	6	4.8	5	2	2	5	6	8	8	8
ALL AGES	530	8.6	106	1	1	6	11	20	29	89	128	4.8	20	1	1	4	7	9	11	29
SUBTOTAL	**764**	**8.1**	**89**	**1**	**1**	**5**	**10**	**17**	**27**	**61**	**189**	**5.2**	**26**	**1**	**1**	**4**	**7**	**10**	**13**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	5	14.4	94	3	3	13	22	27	27	27												
13-17	27	16.5	233	3	4	12	22	43	53	62	2	3.0		3	3	3	3	3	3	3
18-24	49	7.1	32	1	1	6	10	15	19	24	3	4.7	21	2	2	2	8	10	10	10
25-34	85	8.0	39	1	2	6	11	15	20	32	5	7.4	41	1	1	8	11	17	17	17
35-54	74	9.2	61	1	2	7	13	20	26	36	6	3.0	3	1	1	3	4	5	5	5
55-74	14	9.6	16	3	4	10	11	16	16	16	2	5.5	5	4	4	5	7	7	7	7
75 +	3	17.3	458	5	5	5	33	42	42	42										
ALL AGES	257	9.4	74	1	2	7	12	20	25	47	18	4.8	17	1	1	3	7	10	14	17
B. FEMALE																						
0-12 YRS.	1	30.0		30	30	30	30	30	30	30												
13-17	37	12.5	111	2	3	11	15	20	32	59	2	2.0		2	2	2	2	2	2	2
18-24	81	8.8	68	1	1	6	12	19	28	35	7	4.3	9	1	1	3	7	9	9	9
25-34	99	8.9	60	1	2	6	12	18	24	39	9	5.2	36	2	2	3	4	15	21	21
35-54	97	9.9	74	2	2	8	12	21	27	45	26	5.3	16	1	1	4	7	13	14	16
55-74	21	12.7	130	1	3	7	19	28	36	44	6	6.5	8	2	2	7	9	9	9	9
75 +	2	13.0	8	11	11	13	15	15	15	15	3	7.7	12	4	4	8	10	11	11	11
ALL AGES	338	9.9	77	1	2	7	13	21	28	41	53	5.3	17	1	2	4	8	10	14	21
SUBTOTAL	**595**	**9.7**	**75**	**1**	**2**	**7**	**13**	**20**	**26**	**43**	**71**	**5.2**	**16**	**1**	**1**	**4**	**7**	**10**	**14**	**20**
GRAND TOTAL	**1359**	**8.8**	**84**	**1**	**2**	**6**	**11**	**19**	**27**	**52**	**260**	**5.2**	**23**	**1**	**1**	**4**	**7**	**10**	**14**	**28**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	12.0		12	12	12	12	12	12	12
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	4	6.0	22	1	1	6	10	10	10	10	1	2.0		2	2	2	2	2	2	2
55-74	2	22.0	722	3	3	22	41	41	41	41	2	4.0		4	4	4	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	7	13.0	208	1	1	10	20	37	41	41	6	4.8	14	2	2	4	5	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	65.0		65	65	65	65	65	65	65										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	5	4.0	16	1	1	3	5	11	11	11	4	3.5	2	2	2	3	4	5	5	5
35-54	4	9.8	17	4	4	11	13	13	13	13	4	9.5	68	3	3	7	15	21	21	21
55-74											3	6.0	9	3	3	6	8	9	9	9
75 +	2	7.0	18	4	4	7	10	10	10	10	1	6.0		6	6	6	6	6	6	6
ALL AGES	13	10.9	283	1	2	4	11	24	57	65	12	6.3	28	2	2	5	8	13	20	21
SUBTOTAL	**20**	**11.7**	**244**	**1**	**1**	**7**	**12**	**32**	**53**	**65**	**18**	**5.8**	**23**	**2**	**2**	**4**	**6**	**11**	**17**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	30.0	217	13	13	38	39	39	39	39	1	4.0		4	4	4	4	4	4	4
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	5	12.0	124	1	1	11	17	30	30	30	2	6.5	41	2	2	6	11	11	11	11
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	10	16.1	203	1	2	12	30	38	39	39	3	5.7	22	2	2	4	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	19.0		19	19	19	19	19	19	19	1	5.0		5	5	5	5	5	5	5
25-34	2	8.5	25	5	5	8	12	12	12	12	2	13.5	5	12	12	13	15	15	15	15
35-54	1	12.0		12	12	12	12	12	12	12	2	5.5	13	3	3	5	8	8	8	8
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	4	12.0	33	5	5	12	16	19	19	19	6	8.0	22	3	3	7	12	15	15	15
SUBTOTAL	**14**	**14.9**	**152**	**2**	**4**	**12**	**19**	**38**	**39**	**39**	**9**	**7.2**	**21**	**2**	**2**	**5**	**11**	**14**	**15**	**15**
GRAND TOTAL	**34**	**13.0**	**203**	**1**	**2**	**10**	**13**	**38**	**41**	**65**	**27**	**6.3**	**21**	**2**	**2**	**5**	**9**	**12**	**16**	**21**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	11.2	97	2	2	7	24	26	27	27										
13-17	31	15.9	264	1	1	13	18	33	62	71	4	2.3	1	1	1	2	3	3	3	3
18-24	16	7.7	189	1	1	3	7	16	45	57	1	3.0		3	3	3	3	3	3	3
25-34	27	7.6	51	1	1	6	12	15	26	29	2	3.0	2	2	2	3	4	4	4	4
35-54	25	7.8	48	1	1	5	11	19	24	25	8	9.3	112	1	1	4	15	27	30	30
55-74	9	10.4	46	4	4	8	15	21	22	22	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	118	10.3	137	1	1	7	14	24	29	66	16	5.9	65	1	1	3	5	20	27	30
B. FEMALE																				
0-12 YRS.	8	19.9	361	6	6	10	29	52	59	59	2	4.5	5	3	3	4	6	6	6	6
13-17	41	15.5	375	1	3	10	15	45	83	99 +	3	6.3	35	2	2	4	11	13	13	13
18-24	35	8.5	80	1	1	5	14	23	27	35	5	3.2	1	2	2	3	4	5	5	5
25-34	49	6.9	24	1	1	6	9	14	15	25	8	5.8	43	1	1	3	7	17	21	21
35-54	53	8.6	60	1	1	6	13	19	22	41	18	5.8	38	2	2	4	7	11	21	28
55-74	21	8.6	31	1	3	7	12	17	21	22	7	5.3	33	2	2	3	5	16	18	18
75 +	3	8.0	12	6	6	6	11	12	12	12	3	11.0	148	3	3	5	20	25	25	25
ALL AGES	210	9.9	134	1	1	6	12	22	30	83	46	5.8	36	2	2	3	6	13	22	28
SUBTOTAL	**328**	**10.1**	**134**	**1**	**1**	**6**	**13**	**22**	**29**	**72**	**62**	**5.8**	**43**	**1**	**2**	**3**	**6**	**14**	**23**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	18.1	322	7	8	12	17	43	68	70										
13-17	20	26.2	626	4	6	15	33	68	86	96										
18-24	14	10.4	67	1	2	10	14	19	30	33	1	1.0		1	1	1	1	1	1	1
25-34	29	8.6	57	1	2	6	12	21	25	28	2	14.5	265	3	3	14	26	26	26	26
35-54	28	8.6	49	1	1	6	14	20	20	22	3	8.0	3	6	6	9	9	9	9	9
55-74	5	13.0	377	1	1	4	20	47	47	47	2	5.5	41	1	1	5	10	10	10	10
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	108	13.3	238	1	2	9	16	27	36	85	8	8.1	66	1	1	7	10	21	26	26
B. FEMALE																				
0-12 YRS.	4	14.3	92	2	2	16	22	22	22	22	1	2.0		2	2	2	2	2	2	2
13-17	18	13.4	94	1	2	12	20	33	71	99 +										
18-24	24	9.1	71	2	2	7	11	19	28	39	3	2.3	2	1	1	3	3	3	3	3
25-34	34	7.1	18	1	2	6	9	14	15	20	7	4.6	22	1	1	3	4	13	15	15
35-54	41	10.4	42	2	3	9	15	20	22	24	7	9.9	93	3	3	6	10	27	31	31
55-74	8	7.4	37	2	2	5	11	17	17	17	4	7.8	132	1	1	2	14	25	25	25
75 +	2	5.5	1	5	5	5	6	6	6	6	3	10.3	59	2	2	12	16	17	17	17
ALL AGES	131	9.6	51	1	2	8	13	20	23	50	25	6.9	60	1	1	3	10	17	26	31
SUBTOTAL	**239**	**11.3**	**138**	**1**	**2**	**8**	**14**	**22**	**31**	**79**	**33**	**7.2**	**59**	**1**	**1**	**4**	**10**	**19**	**26**	**31**
GRAND TOTAL	**567**	**10.6**	**136**	**1**	**2**	**7**	**14**	**22**	**30**	**76**	**95**	**6.3**	**48**	**1**	**2**	**3**	**7**	**17**	**25**	**31**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	8.0	13	4	4	9	10	11	11	11										
13-17	8	11.9	280	1	1	4	16	41	49	49										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	18.0		18	18	18	18	18	18	18										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	13	11.0	175	1	1	6	13	29	45	49	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	18.5	145	10	10	18	27	27	27	27										
13-17	8	11.5	100	2	3	9	16	28	32	32	1	3.0		3	3	3	3	3	3	3
18-24	2	9.5	25	6	6	9	13	13	13	13										
25-34	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	1	20.0		20	20	20	20	20	20	20										
75 +																				
ALL AGES	14	12.1	88	2	2	10	19	27	31	32	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**27**	**11.6**	**125**	**1**	**2**	**8**	**17**	**26**	**35**	**49**	**3**	**2.7**		**2**	**2**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.0	1152	12	12	36	60	60	60	60										
13-17	7	12.7	56	5	6	10	14	25	28	28										
18-24	3	11.3	102	2	2	10	19	22	22	22										
25-34																				
35-54											1	8.0		8	8	8	8	8	8	8
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	13	16.4	219	2	4	12	19	34	55	60	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	7	15.0	159	5	5	10	16	37	42	42										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	10	16.1	284	1	2	9	16	46	51	51	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**23**	**16.3**	**235**	**2**	**4**	**10**	**18**	**44**	**54**	**60**	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**
GRAND TOTAL	**50**	**13.7**	**179**	**2**	**2**	**10**	**18**	**30**	**49**	**60**	**5**	**3.8**	**6**	**2**	**2**	**3**	**4**	**8**	**8**	**8**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	17.5	742	1	1	6	16	66	72	72										
13-17	24	23.2	391	3	3	13	44	59	74	99 +	1	4.0		4	4	4	4	4	4	4
18-24	6	7.7	61	1	1	5	12	20	21	21	1	6.0		6	6	6	6	6	6	6
25-34	8	6.4	26	1	1	4	10	14	15	15	2	11.5	13	9	9	11	14	14	14	14
35-54	7	3.4	11	1	1	2	7	8	8	8	3	7.7	34	1	1	10	11	12	12	12
55-74	3	7.7	114	1	1	2	15	20	20	20										
75 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	56	14.5	317	1	1	9	16	49	64	98	7	8.0	21	1	1	9	11	14	14	14
B. FEMALE																				
0-12 YRS.	8	24.1	274	3	6	25	36	84	99 +	99 +										
13-17	49	18.5	297	2	3	11	26	46	59	67	8	7.0	97	1	1	4	6	24	31	31
18-24	14	7.1	25	1	1	8	11	14	14	14	5	6.0	9	3	3	5	8	10	10	10
25-34	11	7.5	27	1	2	6	12	15	16	16	4	3.5	2	2	2	3	4	5	5	5
35-54	11	6.5	41	1	2	4	7	17	22	23	10	7.1	25	1	1	6	12	14	16	16
55-74	5	4.6	19	1	1	3	8	11	11	11										
75 +																				
ALL AGES	98	14.0	220	1	2	10	17	39	55	84	27	6.3	38	1	2	5	7	13	18	31
SUBTOTAL	**154**	**14.2**	**253**	**1**	**1**	**10**	**17**	**43**	**59**	**98**	**34**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**16**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	14.2	147	1	2	10	19	34	36	36										
13-17	12	24.5	552	7	8	17	28	58	85	90	1	4.0		4	4	4	4	4	4	4
18-24	10	10.7	37	4	4	10	13	19	25	25										
25-34	8	11.0	80	1	2	9	15	26	29	29	2	2.5	5	1	1	2	4	4	4	4
35-54	8	10.8	70	1	1	9	18	22	24	24	2	5.5	13	3	3	5	8	8	8	8
55-74	2	13.0	8	11	11	13	15	15	15	15										
75 +																				
ALL AGES	46	14.9	217	1	3	11	18	29	38	90	5	4.0	7	1	1	4	5	8	8	8
B. FEMALE																				
0-12 YRS.	5	11.4	19	8	8	10	13	19	19	19										
13-17	24	22.8	553	3	5	15	41	94	99 +	99 +										
18-24	11	16.2	418	1	1	7	19	50	67	69	2	17.5	481	2	2	17	33	33	33	33
25-34	16	10.2	91	1	2	6	16	28	28	28	1	4.0		4	4	4	4	4	4	4
35-54	17	11.5	90	1	2	8	19	25	30	32	2	7.0	18	4	4	7	10	10	10	10
55-74	7	14.1	52	6	6	15	17	25	27	27										
75 +	3	13.3	91	6	6	10	20	24	24	24										
ALL AGES	83	15.4	274	2	2	11	19	37	64	99 +	5	10.6	166	2	2	4	16	33	33	33
SUBTOTAL	**129**	**15.2**	**252**	**1**	**2**	**11**	**19**	**33**	**61**	**99 +**	**10**	**7.3**	**89**	**1**	**1**	**4**	**8**	**21**	**33**	**33**
GRAND TOTAL	**283**	**14.7**	**251**	**1**	**2**	**10**	**18**	**39**	**59**	**99 +**	**44**	**6.8**	**45**	**1**	**2**	**5**	**9**	**13**	**20**	**33**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	15.5	175	1	2	13	25	35	38	38	1	7.0		7	7	7	7	7	7	7
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	3	16.0	508	2	2	4	32	42	42	42	2	4.5	13	2	2	4	7	7	7	7
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	14	14.1	188	1	2	11	22	38	41	42	4	4.8	6	2	2	5	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	3	13.0	201	2	2	8	24	29	29	29										
18-24	2	3.5	5	2	2	3	5	5	5	5	1	37.0		37	37	37	37	37	37	37
25-34	9	8.9	79	1	1	8	11	24	28	28	1	21.0		21	21	21	21	21	21	21
35-54	4	4.8	6	1	1	6	6	6	6	6	4	5.8	1	4	4	6	7	7	7	7
55-74	1	4.0		4	4	4	4	4	4	4	2	13.0	2	12	12	13	14	14	14	14
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	20	8.2	68	1	1	6	9	23	28	29	9	13.0	109	4	4	10	16	31	37	37
SUBTOTAL	**34**	**10.6**	**122**	**1**	**1**	**6**	**14**	**29**	**36**	**42**	**13**	**10.5**	**89**	**2**	**3**	**7**	**12**	**24**	**35**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	8.8	51	2	2	7	14	19	19	19										
13-17	2	14.0	162	5	5	14	23	23	23	23	1	8.0		8	8	8	8	8	8	8
18-24	2	7.5	85	1	1	7	14	14	14	14										
25-34	7	7.6	38	3	3	6	8	18	21	21										
35-54	15	10.9	87	1	1	9	15	26	28	29	1	5.0		5	5	5	5	5	5	5
55-74	2	12.0	50	7	7	12	17	17	17	17										
75 +																				
ALL AGES	33	9.9	65	1	2	7	14	23	26	29	2	6.5	5	5	5	6	8	8	8	8
B. FEMALE																				
0-12 YRS.	2	22.0	648	4	4	22	40	40	40	40										
13-17	5	11.4	93	1	1	11	15	27	27	27										
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	3	7.7	34	1	1	10	11	12	12	12										
35-54	1	16.0		16	16	16	16	16	16	16	1	1.0		1	1	1	1	1	1	1
55-74	2	13.5	41	9	9	13	18	18	18	18	3	1.3		1	1	1	2	2	2	2
75 +	2	7.0		7	7	7	7	7	7	7										
ALL AGES	16	12.3	96	1	2	10	15	26	36	40	4	1.3		1	1	1	2	2	2	2
SUBTOTAL	**49**	**10.7**	**74**	**1**	**2**	**8**	**15**	**24**	**27**	**40**	**6**	**3.0**	**8**	**1**	**1**	**2**	**5**	**8**	**8**	**8**
GRAND TOTAL	**83**	**10.7**	**92**	**1**	**1**	**7**	**15**	**26**	**29**	**41**	**19**	**8.1**	**75**	**1**	**1**	**7**	**9**	**18**	**30**	**37**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	17.7	11	14	14	18	20	21	21	21	1	2.0		2	2	2	2	2	2	2
13-17	18	16.1	308	1	1	8	28	37	54	65	2	10.0	128	2	2	10	18	18	18	18
18-24	8	6.1	15	1	2	5	8	12	13	13	1	1.0		1	1	1	1	1	1	1
25-34	4	3.3	10	1	1	2	5	8	8	8	3	2.7		2	2	3	3	3	3	3
35-54	4	10.5	16	7	7	9	13	16	16	16	6	5.8	21	2	2	4	11	12	12	12
55-74	3	6.7	20	2	2	7	10	11	11	11	1	3.0		3	3	3	3	3	3	3
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	41	11.7	164	1	1	8	15	30	36	65	14	4.9	26	1	2	3	5	13	17	18
B. FEMALE																				
0-12 YRS.	2	12.5	265	1	1	12	24	24	24	24										
13-17	22	11.8	330	1	1	8	11	19	49	89	9	3.1	4	1	1	3	4	6	7	7
18-24	11	4.8	16	1	1	4	7	11	14	14	5	1.4		1	1	1	2	2	2	2
25-34	11	3.1	8	1	1	1	6	8	8	8	7	3.3	10	1	1	1	5	8	9	9
35-54	8	5.1	24	1	1	4	7	13	15	15	5	2.8	1	2	2	2	4	4	4	4
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	2	3.0	8	1	1	3	5	5	5	5										
ALL AGES	57	7.5	151	1	1	5	9	15	21	84	26	2.8	4	1	1	2	4	6	7	9
SUBTOTAL	**98**	**9.3**	**159**	**1**	**1**	**6**	**11**	**20**	**31**	**77**	**40**	**3.5**	**13**	**1**	**1**	**2**	**4**	**8**	**11**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	11	12.0	121	1	1	8	19	29	34	34	3	2.3	6	1	1	1	4	5	5	5
18-24	2	19.0	8	17	17	19	21	21	21	21	1	3.0		3	3	3	3	3	3	3
25-34	5	8.2	44	2	2	5	13	18	18	18	2	2.5	5	1	1	2	4	4	4	4
35-54	8	9.3	82	2	2	4	16	24	25	25	2	3.5	13	1	1	3	6	6	6	6
55-74	3	4.3	5	2	2	5	6	6	6	6	1	7.0		7	7	7	7	7	7	7
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	31	10.5	86	1	2	5	18	25	26	34	9	3.2	6	1	1	3	5	7	7	7
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	12	10.6	108	1	1	6	15	30	30	30	3	2.7	2	1	1	3	4	4	4	4
18-24	3	14.0	133	5	5	10	23	27	27	27	4	5.0	11	1	1	5	7	9	9	9
25-34	16	4.9	37	1	1	3	5	17	20	21	8	4.1	10	1	1	4	5	9	11	11
35-54	13	9.2	45	1	1	9	12	21	21	21	10	5.5	26	1	1	3	11	13	14	14
55-74	2	12.5	61	7	7	12	18	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +	2	10.0	50	5	5	10	15	15	15	15										
ALL AGES	49	8.5	64	1	1	6	12	21	27	30	26	4.6	14	1	1	3	5	11	12	14
SUBTOTAL	**80**	**9.3**	**72**	**1**	**1**	**6**	**15**	**21**	**26**	**33**	**35**	**4.2**	**13**	**1**	**1**	**3**	**5**	**11**	**12**	**14**
GRAND TOTAL	**178**	**9.3**	**119**	**1**	**1**	**6**	**12**	**21**	**28**	**57**	**75**	**3.9**	**12**	**1**	**1**	**3**	**5**	**9**	**12**	**17**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											2	4.5	5	3	3	4	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	2	4.5	5	3	3	4	6	6	6	6

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54	5	24.0	938	1	1	15	35	77	77	77										
55-74	3	11.0	109	4	4	6	19	23	23	23	1	10.0		10	10	10	10	10	10	10
75 +	1	16.0		16	16	16	16	16	16	16	3	5.3	7	3	3	5	7	8	8	8
ALL AGES	10	17.0	509	1	1	11	21	50	77	77	4	6.5	10	3	3	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	3	6.3	5	4	4	7	8	8	8	8										
55-74											1	2.0		2	2	2	2	2	2	2
75 +	4	32.3	502	2	2	37	49	53	53	53	9	7.1	15	3	3	6	10	13	14	14
ALL AGES	7	21.1	449	2	2	8	41	51	53	53	12	5.9	15	2	2	5	8	12	14	14
SUBTOTAL	**17**	**18.7**	**458**	**1**	**1**	**8**	**24**	**51**	**69**	**77**	**16**	**6.1**	**13**	**2**	**2**	**5**	**9**	**11**	**13**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	2	5.5	25	2	2	5	9	9	9	9										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	4	6.5	11	2	2	7	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	36.0		36	36	36	36	36	36	36										
75 +	3	16.0	268	2	2	12	28	34	34	34	1	24.0		24	24	24	24	24	24	24
ALL AGES	4	21.0	279	2	2	23	35	36	36	36	1	24.0		24	24	24	24	24	24	24
SUBTOTAL	**8**	**13.8**	**183**	**2**	**2**	**9**	**23**	**35**	**36**	**36**	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**
GRAND TOTAL	**25**	**17.1**	**365**	**1**	**2**	**9**	**24**	**45**	**59**	**77**	**17**	**7.1**	**32**	**2**	**2**	**5**	**10**	**13**	**20**	**24**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	1.4		1	1	1	2	3	3	3	16	1.1		1	1	1	1	1	2	2
13-17	4	1.8	1	1	1	2	2	3	3	3	6	1.2		1	1	1	1	2	2	2
18-24	5	2.6	3	1	1	3	4	5	5	5	14	2.8	6	1	1	2	3	7	8	8
25-34	6	3.3	5	1	1	3	4	7	7	7	10	3.6	5	1	1	3	5	7	7	7
35-54	9	6.4	12	1	1	7	9	10	10	10	10	4.5	14	1	1	3	6	10	13	13
55-74	9	5.0	24	2	2	3	6	13	17	17	6	5.2	10	1	1	5	7	10	10	10
75 +	1	1.0		1	1	1	1	1	1	1	3	4.3	3	3	3	4	5	6	6	6
ALL AGES	44	3.6	11	1	1	3	4	9	10	17	65	2.9	7	1	1	2	4	7	8	13
B. FEMALE																				
0-12 YRS.	5	2.4	2	1	1	2	4	4	4	4	6	1.0		1	1	1	1	1	1	1
13-17	4	2.3	2	1	1	2	3	4	4	4	12	3.3	20	1	1	2	3	9	16	17
18-24	12	4.3	9	1	1	3	6	9	11	11	9	2.6	2	1	1	2	4	5	5	5
25-34	5	5.8	64	1	1	2	8	20	20	20	12	3.2	6	1	1	2	4	8	8	8
35-54	5	6.2	10	3	3	6	8	11	11	11	13	5.1	57	2	2	3	4	10	20	30
55-74	6	5.0	15	1	1	4	6	11	12	12	11	4.4	5	1	1	4	7	7	7	7
75 +	2	2.5	1	2	2	2	3	3	3	3	2	4.0		4	4	4	4	4	4	4
ALL AGES	39	4.3	15	1	1	3	5	10	12	20	65	3.5	18	1	1	3	4	7	8	28
SUBTOTAL	**83**	**3.9**	**13**	**1**	**1**	**3**	**5**	**9**	**11**	**19**	**130**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34											2	3.0	8	1	1	2	5	5	5	5
35-54	2	4.5	1	4	4	4	5	5	5	5	1	5.0		5	5	5	5	5	5	5
55-74	3	15.0	49	7	7	18	19	20	20	20	4	4.3	4	2	2	4	6	7	7	7
75 +	2	12.5	5	11	11	12	14	14	14	14	2	10.5	25	7	7	10	14	14	14	14
ALL AGES	8	10.8	35	4	4	9	16	19	20	20	11	5.0	13	1	1	5	6	10	14	14
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17											1	3.0		3	3	3	3	3	3	3
18-24											1	5.0		5	5	5	5	5	5	5
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	5	9.8	41	3	3	10	15	18	18	18	1	1.0		1	1	1	1	1	1	1
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	8	7.1	39	1	1	4	12	17	18	18	4	4.3	8	1	1	4	6	8	8	8
SUBTOTAL	**16**	**8.9**	**39**	**1**	**2**	**7**	**14**	**18**	**19**	**20**	**15**	**4.8**	**11**	**1**	**1**	**5**	**6**	**8**	**12**	**14**
GRAND TOTAL	**99**	**4.7**	**20**	**1**	**1**	**3**	**6**	**11**	**16**	**20**	**145**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**18**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	2	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
55-74											2	3.0	8	1	1	3	5	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
ALL AGES	3	6.7	16	2	2	9	9	9	9	9	4	4.5	12	1	1	4	7	9	9	9
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54											1	4.0		4	4	4	4	4	4	4
55-74																						
75 +	1	5.0		5	5	5	5	5	5	5	1	10.0		10	10	10	10	10	10	10
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	7.0	18	4	4	7	10	10	10	10
SUBTOTAL	**4**	**6.3**	**11**	**2**	**2**	**7**	**9**	**9**	**9**	**9**	**6**	**5.3**	**13**	**1**	**1**	**4**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	2	19.0	18	16	16	19	22	22	22	22										
55-74																						
75 +																						
ALL AGES	2	19.0	18	16	16	19	22	22	22	22										
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	2	6.0	32	2	2	6	10	10	10	10										
35-54																						
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	3	9.7	55	2	2	10	15	17	17	17	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**13.4**	**59**	**2**	**2**	**16**	**18**	**22**	**22**	**22**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**9**	**10.2**	**48**	**2**	**2**	**9**	**16**	**20**	**22**	**22**	**7**	**4.9**	**11**	**1**	**1**	**4**	**8**	**10**	**10**	**10**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.5	1	2	2	2	3	3	3	3	3	3.7	5	1	1	5	5	5	5	5
25-34	3	7.7	37	1	1	9	12	13	13	13	4	5.0	22	2	2	3	8	12	12	12
35-54	4	6.0	13	3	3	6	9	10	10	10	2	6.5	25	3	3	6	10	10	10	10
55-74	22	13.4	129	2	3	10	17	26	38	51	21	10.3	59	3	3	7	14	22	25	29
75 +	25	12.7	110	2	3	10	15	34	36	41	32	8.5	43	2	3	7	12	19	27	99 +
ALL AGES	56	11.8	109	2	3	9	15	25	35	50	62	8.6	45	2	3	6	11	21	24	91
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	4	8.0	178	1	1	1	15	28	28	28	3	13.3	158	1	1	13	23	26	26	26
55-74	17	7.2	18	2	3	7	9	13	16	17	28	6.1	6	2	3	6	8	9	11	12
75 +	34	8.1	44	2	3	6	9	16	20	35	90	9.8	111	2	3	7	12	22	43	99 +
ALL AGES	58	7.9	46	1	2	6	9	17	22	34	122	8.9	90	2	3	6	10	19	35	99 +
SUBTOTAL	**114**	**9.9**	**78**	**1**	**2**	**7**	**13**	**21**	**29**	**45**	**184**	**8.8**	**75**	**2**	**3**	**6**	**11**	**20**	**28**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	8.0	72	1	1	3	14	22	24	24										
25-34	2	10.0	128	2	2	10	18	18	18	18										
35-54	8	15.1	124	4	5	11	18	34	40	40	1	2.0		2	2	2	2	2	2	2
55-74	15	15.7	135	3	3	14	19	36	39	40	13	12.0	87	3	3	9	15	29	30	30
75 +	13	16.1	544	2	3	9	16	37	81	91	14	8.5	50	1	1	9	12	24	81	99 +
ALL AGES	46	14.1	231	2	3	11	17	30	40	91	28	9.9	68	1	2	9	12	27	33	99 +
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	6	12.0	269	2	2	6	10	41	45	45										
25-34											3	5.0	21	1	1	4	8	10	10	10
35-54	9	15.1	134	4	4	11	22	34	36	36										
55-74	17	13.8	105	3	4	12	17	26	38	44	8	6.6	11	3	3	6	9	11	12	12
75 +	23	14.2	184	1	3	9	17	40	43	47	21	7.6	29	2	3	5	9	13	20	27
ALL AGES	57	13.9	151	2	3	10	17	37	43	47	32	7.1	23	2	3	6	9	12	14	27
SUBTOTAL	**103**	**14.0**	**184**	**2**	**3**	**10**	**17**	**36**	**41**	**68**	**60**	**8.4**	**46**	**2**	**2**	**6**	**10**	**22**	**28**	**92**
GRAND TOTAL	**217**	**11.8**	**133**	**2**	**3**	**8**	**15**	**25**	**37**	**48**	**244**	**8.7**	**67**	**2**	**3**	**6**	**11**	**21**	**28**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	26.5	456	4	4	28	32	59	70	70	2	4.0	8	2	2	4	6	6	6	6
13-17	10	13.6	172	1	1	9	19	36	36	36	5	2.8	6	1	1	1	5	6	6	6
18-24	11	7.5	18	1	2	7	10	14	14	14	7	2.7	10	1	1	1	4	8	9	9
25-34	25	6.8	41	1	2	4	9	13	21	29	18	4.7	12	1	2	4	5	10	14	15
35-54	35	10.2	104	1	1	6	15	21	31	46	32	4.6	16	1	2	4	5	8	12	23
55-74	26	16.3	110	4	5	14	21	32	38	48	22	7.9	16	2	3	7	10	14	16	16
75 +	8	15.5	489	1	2	8	14	53	69	69	10	8.5	26	3	3	6	13	16	18	18
ALL AGES	123	12.2	156	1	2	9	16	29	35	69	96	5.5	18	1	1	4	7	12	15	21
B. FEMALE																				
0-12 YRS.	5	14.4	128	2	2	17	22	29	29	29	1	1.0		1	1	1	1	1	1	1
13-17	24	16.9	282	1	2	12	26	50	68	99+	7	5.1	19	1	1	4	9	12	12	12
18-24	18	10.7	195	1	1	6	15	17	44	62	9	2.8	3	1	1	2	3	6	7	7
25-34	43	11.1	101	1	2	9	14	25	35	43	51	4.8	36	1	1	3	5	8	11	40
35-54	92	10.8	66	1	2	9	15	22	27	39	88	5.0	10	1	2	4	7	10	12	16
55-74	64	15.2	139	2	3	13	19	33	40	54	47	6.6	15	2	2	6	8	11	15	20
75 +	15	18.6	185	4	6	15	29	38	47	50	22	9.2	51	3	4	7	11	18	25	34
ALL AGES	261	13.0	130	1	2	10	17	30	38	57	225	5.6	23	1	2	4	7	10	13	24
SUBTOTAL	**384**	**12.7**	**139**	**1**	**2**	**10**	**17**	**30**	**37**	**60**	**321**	**5.6**	**21**	**1**	**2**	**4**	**7**	**11**	**14**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	9	26.1	633	4	4	24	34	68	80	80	2	2.0	2	1	1	2	3	3	3	3
18-24	15	13.3	52	1	2	15	18	22	24	25	4	3.8	17	1	1	2	6	10	10	10
25-34	28	12.0	272	1	2	9	12	17	41	88	14	4.3	13	1	1	3	6	11	12	12
35-54	40	10.0	41	3	4	8	13	18	24	30	18	5.8	28	2	2	4	7	13	19	22
55-74	20	13.6	177	3	3	8	16	37	46	47	10	5.6	25	1	1	4	8	13	18	18
75 +	5	20.4	259	1	1	17	29	45	45	45	4	9.3	52	2	2	8	14	19	19	19
ALL AGES	118	13.3	186	2	3	10	16	27	41	83	52	5.3	24	1	1	4	7	12	18	22
B. FEMALE																				
0-12 YRS.	4	19.3	322	1	1	16	32	43	43	43										
13-17	17	15.3	204	1	2	12	28	43	78	99+	3	3.3	1	3	3	3	4	4	4	4
18-24	21	10.3	95	1	1	6	17	25	31	35	6	9.3	150	1	1	5	6	31	34	34
25-34	49	13.1	59	3	4	12	16	26	30	32	32	5.2	11	1	1	4	7	11	13	13
35-54	64	12.3	92	1	3	10	16	24	33	46	62	7.0	50	1	2	5	9	13	18	45
55-74	32	16.1	139	2	5	13	23	37	41	45	34	8.6	72	1	2	6	9	15	29	42
75 +	10	20.6	302	1	3	14	31	49	49	49	9	7.2	41	1	2	4	10	17	22	22
ALL AGES	197	13.7	118	1	3	11	19	30	40	49	146	7.0	49	1	2	5	8	13	20	42
SUBTOTAL	**315**	**13.6**	**142**	**2**	**3**	**10**	**17**	**28**	**40**	**60**	**198**	**6.5**	**44**	**1**	**2**	**5**	**8**	**12**	**19**	**38**
GRAND TOTAL	**699**	**13.1**	**141**	**1**	**2**	**10**	**17**	**29**	**38**	**59**	**519**	**6.0**	**29**	**1**	**2**	**4**	**7**	**12**	**15**	**30**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	23.8	216	3	3	27	35	42	42	42										
13-17	17	12.6	152	1	1	10	15	28	43	50										
18-24	1	5.0		5	5	5	5	5	5	5	1	12.0		12	12	12	12	12	12	12
25-34	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	1	7.0		7	7	7	7	7	7	7										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	29	15.4	186	1	2	10	25	38	42	50	3	6.3	31	1	1	6	10	12	12	12
B. FEMALE																				
0-12 YRS.	1	68.0		68	68	68	68	68	68	68										
13-17	16	17.1	702	1	2	5	16	65	86	93										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	18	19.8	767	1	2	8	16	69	83	93										
SUBTOTAL	**47**	**17.1**	**401**	**1**	**2**	**10**	**24**	**42**	**68**	**93**	**3**	**6.3**	**31**	**1**	**1**	**6**	**10**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	25.1	553	1	1	23	45	56	59	59										
13-17	19	18.5	411	1	2	12	24	66	84	99 +										
18-24	2	8.0	50	3	3	8	13	13	13	13										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	19.6	423	1	2	12	35	62	68	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	3	27.0	172	13	13	29	36	39	39	39										
18-24											1	13.0		13	13	13	13	13	13	13
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	13.0		13	13	13	13	13	13	13
55-74																				
75 +																				
ALL AGES	4	23.5	164	13	13	21	34	39	39	39	2	13.0		13	13	13	13	13	13	13
SUBTOTAL	**33**	**20.1**	**386**	**1**	**2**	**13**	**35**	**60**	**67**	**99 +**	**2**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**80**	**18.3**	**393**	**1**	**2**	**11**	**29**	**50**	**68**	**98**	**5**	**9.0**	**29**	**1**	**1**	**12**	**13**	**13**	**13**	**13**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.0	162	10	10	19	28	28	28	28										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	13.0	189	1	1	10	23	28	28	28										
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	3	35.7	997	10	10	26	60	71	71	71										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	5	26.0	731	1	1	22	37	71	71	71										
SUBTOTAL	**8**	**21.1**	**518**	**1**	**1**	**16**	**27**	**58**	**71**	**71**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	17.0	72	11	11	17	23	23	23	23										
13-17	3	18.7	224	9	9	11	30	36	36	36										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	18.0	132	9	9	11	26	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-17	3	10.0	39	5	5	8	15	17	17	17										
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	9.5	27	5	5	8	13	17	17	17										
SUBTOTAL	**9**	**14.2**	**97**	**5**	**6**	**11**	**18**	**31**	**36**	**36**										
GRAND TOTAL	**17**	**17.5**	**286**	**1**	**2**	**11**	**24**	**34**	**59**	**71**										

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	15.4	80	4	5	14	21	31	33	34										
13-17	48	16.7	335	2	3	11	21	47	77	99 +	2	1.0		1	1	1	1	1	1	1
18-24	3	15.3	167	6	6	10	25	30	30	30										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	67	16.3	263	2	3	12	21	34	62	97	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	9	21.6	203	6	7	17	31	44	50	50										
13-17	44	22.0	467	3	4	15	29	72	84	99 +	1	5.0		5	5	5	5	5	5	5
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	54	21.7	413	3	4	15	29	66	80	99 +	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**121**	**18.7**	**334**	**2**	**4**	**14**	**26**	**50**	**78**	**99 +**	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	20.3	219	6	6	19	29	44	47	47										
13-17	43	25.3	561	2	5	17	39	62	90	99 +	2	36.5	841	16	16	36	57	57	57	57
18-24	2	20.5	761	1	1	20	40	40	40	40										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	52	24.5	503	1	5	17	36	58	87	99 +	2	36.5	841	16	16	36	57	57	57	57
B. FEMALE																				
0-12 YRS.	3	15.7	33	9	9	19	60	99 +	99 +	99 +										
13-17	29	26.5	457	3	5	26	44	73	99	99 +										
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	32	25.5	425	3	5	25	44	93	99 +	99 +	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**84**	**24.9**	**467**	**2**	**5**	**20**	**38**	**60**	**95**	**99 +**	**3**	**25.3**	**797**	**3**	**3**	**16**	**47**	**57**	**57**	**57**
GRAND TOTAL	**205**	**21.2**	**398**	**2**	**4**	**15**	**30**	**59**	**81**	**99 +**	**6**	**13.8**	**480**	**1**	**1**	**4**	**16**	**53**	**57**	**57**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	17.2	144	1	2	17	29	32	32	32	1	1.0		1	1	1	1	1	1	1
18-24	10	9.0	28	4	4	7	13	17	19	19										
25-34	2	4.5	25	1	1	4	8	8	8	8	1	26.0		26	26	26	26	26	26	26
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	20	11.2	76	1	2	8	17	24	30	32	2	13.5	313	1	1	13	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	7.7	42	1	1	8	12	14	14	14										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	7	6.3	21	1	1	8	8	13	14	14										
SUBTOTAL	**27**	**9.9**	**66**	**1**	**1**	**8**	**15**	**19**	**29**	**32**	**2**	**13.5**	**313**	**1**	**1**	**13**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	11.0	18	8	8	11	14	14	14	14										
13-17	4	26.3	603	6	6	19	44	60	60	60										
18-24	3	13.7	131	2	2	14	22	25	25	25										
25-34	1	22.0		22	22	22	22	22	22	22										
35-54	5	4.0	20	1	1	1	7	11	11	11										
55-74	1	20.0		20	20	20	20	20	20	20										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	17	14.1	214	1	1	10	20	28	49	60										
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	15.3	74	7	7	15	22	24	24	24										
SUBTOTAL	**20**	**14.3**	**188**	**1**	**1**	**11**	**21**	**27**	**44**	**60**										
GRAND TOTAL	**47**	**11.8**	**119**	**1**	**1**	**8**	**16**	**25**	**30**	**60**	**2**	**13.5**	**313**	**1**	**1**	**13**	**26**	**26**	**26**	**26**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24	2	9.0	8	7	7	9	11	11	11	11										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	4	7	7	9	10	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17	2	30.5	1	30	30	30	31	31	31	31										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	30.5	1	30	30	30	31	31	31	31										
SUBTOTAL	**5**	**17.6**	**141**	**7**	**7**	**11**	**30**	**31**	**31**	**31**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	19.0	2	18	18	19	20	20	20	20										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	19.0	2	18	18	19	20	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**19.0**	**2**	**18**	**18**	**19**	**20**	**20**	**20**	**20**										
GRAND TOTAL	**7**	**18.0**	**95**	**7**	**7**	**18**	**27**	**31**	**31**	**31**										

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5TH	10TH	50TH	75TH	90TH	95TH	99TH				5TH	10TH	50TH	75TH	90TH	95TH	99TH
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	3.5	1	3	3	3	4	4	4	4
13-17	4	17.5	262	1	1	16	30	37	37	37										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	5	14.4	244	1	1	8	27	37	37	37	3	2.7	2	1	1	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	3	2.3	3	1	1	2	3	4	4	4										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	6	7.3	80	1	1	4	7	23	25	25										
SUBTOTAL	**11**	**10.5**	**152**	**1**	**1**	**5**	**20**	**30**	**36**	**37**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	2.3	1	2	2	2	3	3	3	3
13-17	3	18.7	364	3	3	13	33	40	40	40										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	12.6	253	2	2	5	20	40	40	40	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	1	34.0		34	34	34	34	34	34	34										
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	15.8	166	4	4	12	24	34	34	34										
SUBTOTAL	**9**	**14.0**	**193**	**2**	**2**	**10**	**20**	**38**	**40**	**40**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**20**	**12.1**	**164**	**1**	**1**	**6**	**19**	**35**	**38**	**40**	**6**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	10.0	136	1	2	5	12	27	40	42	1	1.0		1	1	1	1	1	1	1
13-17	21	23.8	424	2	3	18	33	60	64	68	1	5.0		5	5	5	5	5	5	5
18-24	4	16.3	222	5	5	11	26	38	38	38										
25-34	3	11.3	15	7	7	13	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	40	18.0	314	1	2	12	22	46	60	68	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	3	12.3	94	2	2	14	19	21	21	21	2	1.5	1	1	1	1	2	2	2	2
13-17	8	16.5	122	2	3	17	23	31	34	34	2	11.5	221	1	1	11	22	22	22	22
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	12	15.0	99	2	2	13	22	27	33	34	5	5.4	86	1	1	1	7	22	22	22
SUBTOTAL	**52**	**17.3**	**264**	**2**	**2**	**12**	**22**	**39**	**59**	**68**	**7**	**4.7**	**60**	**1**	**1**	**1**	**4**	**19**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	8.8	27	1	1	10	12	13	13	13										
13-17	12	19.8	131	2	5	20	28	36	37	37										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	18	15.6	129	1	2	12	26	34	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17	18	17.5	218	2	4	14	27	43	51	53										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	26.0		26	26	26	26	26	26	26										
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	21	17.0	199	3	5	13	26	37	51	53										
SUBTOTAL	**39**	**16.4**	**162**	**1**	**3**	**13**	**26**	**33**	**44**	**53**										
GRAND TOTAL	**91**	**16.9**	**218**	**2**	**2**	**13**	**23**	**37**	**50**	**65**	**7**	**4.7**	**60**	**1**	**1**	**1**	**4**	**19**	**22**	**22**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	8.0		8	8	8	8	8	8	8
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	2	23.5	481	8	8	23	39	39	39	39										
13-17	3	38.0	1744	10	10	18	69	86	86	86										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	32.2	1055	8	8	18	51	86	86	86										
SUBTOTAL	**5**	**32.2**	**1055**	**8**	**8**	**18**	**51**	**86**	**86**	**86**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.	2	14.5	313	2	2	14	27	27	27	27										
13-17	1	50.0		50	50	50	50	50	50	50										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	26.3	579	2	2	27	44	50	50	50										
SUBTOTAL	**4**	**25.0**	**391**	**2**	**2**	**24**	**38**	**50**	**50**	**50**										
GRAND TOTAL	**9**	**29.0**	**689**	**2**	**4**	**21**	**42**	**72**	**86**	**86**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	56.0		56	56	56	56	56	56	56										
SUBTOTAL	**1**	**56.0**		**56**	**56**	**56**	**56**	**56**	**56**	**56**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**2**	**33.0**	**1058**	**10**	**10**	**33**	**56**	**56**	**56**	**56**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	18.4	79	6	7	20	22	28	35	43										
13-17	20	21.2	501	1	1	14	32	53	75	87										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	45	19.6	264	1	4	18	23	33	48	87										
B. FEMALE																				
0-12 YRS.	6	12.5	111	1	1	13	19	27	28	28										
13-17	22	29.2	409	2	3	28	50	60	76	99 +										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	24.9	388	1	2	21	44	59	63	99 +										
SUBTOTAL	**74**	**21.7**	**313**	**1**	**3**	**19**	**29**	**51**	**62**	**97**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	23	16.9	54	7	9	16	23	28	31	33										
13-17	14	36.9	861	3	3	36	59	73	83	86										
18-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	38	24.3	433	4	5	16	30	59	70	86										
B. FEMALE																				
0-12 YRS.	8	25.5	281	9	10	19	36	53	57	57										
13-17	12	24.9	565	6	7	17	34	56	83	88										
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	25.2	428	6	8	19	35	50	72	88	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**58**	**24.6**	**424**	**5**	**6**	**17**	**30**	**58**	**70**	**88**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**132**	**23.0**	**360**	**2**	**5**	**18**	**30**	**57**	**64**	**90**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17	2	8.5	5	7	7	8	10	10	10	10	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	5.3	16	1	1	5	8	10	10	10	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	3	2.3	3	1	1	2	3	4	4	4										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
SUBTOTAL	**7**	**4.0**	**11**	**1**	**1**	**3**	**6**	**9**	**10**	**10**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	5	9.2	17	4	4	8	12	15	15	15										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	7.8	25	1	1	8	11	15	15	15										
SUBTOTAL	**6**	**7.8**	**25**	**1**	**1**	**8**	**11**	**15**	**15**	**15**										
GRAND TOTAL	**13**	**5.8**	**19**	**1**	**1**	**4**	**9**	**12**	**14**	**15**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	55	11.9	181	1	2	9	17	27	35	69	3	1.3		1	1	1	2	2	2	2
13-17	11	9.7	73	1	2	8	11	24	29	30										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	66	11.6	160	1	2	8	16	27	34	68	3	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	10	15.3	312	3	3	10	17	41	63	63										
13-17	3	17.0	252	5	5	11	29	35	35	35										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	15.7	276	3	3	11	17	41	59	63										
SUBTOTAL	**79**	**12.3**	**178**	**1**	**2**	**9**	**17**	**28**	**35**	**68**	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	57	22.4	380	3	4	18	28	63	69	98	2	28.5	1513	1	1	28	56	56	56	56
13-17	13	24.7	424	3	6	18	32	57	70	73										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	70	22.9	379	3	4	18	29	62	69	95	2	28.5	1513	1	1	28	56	56	56	56
B. FEMALE																				
0-12 YRS.	11	17.3	140	2	2	13	28	34	35	35	1	2.0		2	2	2	2	2	2	2
13-17	2	17.5	145	9	9	17	26	26	26	26										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	17.3	130	2	2	13	27	34	35	35	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**83**	**22.0**	**343**	**3**	**4**	**17**	**28**	**54**	**69**	**92**	**3**	**19.7**	**988**	**1**	**1**	**2**	**42**	**56**	**56**	**56**
GRAND TOTAL	**162**	**17.2**	**287**	**2**	**3**	**11**	**23**	**38**	**63**	**76**	**6**	**10.5**	**497**	**1**	**1**	**2**	**2**	**51**	**56**	**56**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	2	6.5	25	3	3	6	10	10	10	10	1	1.0		1	1	1	1	1	1	1

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	301	14.6	237	1	1	10	22	33	51	88	49	1.9	3	1	1	1	2	4.	6	8
13-17	520	18.2	324	1	2	12	28	49	61	91	118	11.9	263	1	1	3	20	42	42	51
18-24	664	11.0	129	1	1	7	15	28	31	56	270	8.6	123	1	1	3	9	28	35	44
25-34	1397	11.5	113	1	2	8	16	28	31	44	718	11.3	156	1	1	5	21	30	37	42
35-54	1988	11.5	109	1	2	8	16	28	30	45	1246	11.3	142	1	2	5	21	28	33	42
55-74	1070	13.8	138	2	3	11	20	28	36	56	843	10.6	119	1	2	6	14	28	30	42
75 +	373	13.2	155	2	3	9	17	27	40	73	359	8.3	63	2	2	6	11	18	25	52
ALL AGES	6313	12.7	146	1	2	9	18	29	34	63	3603	10.5	135	1	1	5	15	28	34	42
B. FEMALE																				
0-12 YRS.	163	15.3	260	1	1	11	22	39	59	99 +	34	5.3	191	1	1	2	4	9	66	99 +
13-17	757	19.1	377	1	2	12	29	51	70	99 +	142	6.6	104	1	1	3	6	16	34	44
18-24	704	10.6	132	1	1	7	14	25	32	68	253	7.7	104	1	1	4	7	24	33	45
25-34	1640	11.4	98	1	2	9	15	26	31	46	708	7.9	87	1	1	4	9	22	30	42
35-54	2670	12.7	115	1	2	10	17	27	33	51	1309	8.3	83	1	2	5	9	22	28	41
55-74	1851	15.9	176	2	4	13	21	32	42	67	999	8.4	69	2	2	6	10	19	28	40
75 +	699	15.1	175	2	3	11	20	34	43	66	668	8.1	69	2	2	6	10	17	22	58
ALL AGES	8484	13.8	163	1	2	10	18	30	39	71	4113	8.1	81	1	2	5	9	20	28	42
SUBTOTAL	**14797**	**13.3**	**157**	**1**	**2**	**10**	**18**	**29**	**37**	**66**	**7716**	**9.2**	**108**	**1**	**1**	**5**	**11**	**28**	**30**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	214	21.1	295	2	3	16	29	47	60	81	10	13.3	409	1	1	2	23	49	56	56
13-17	528	25.0	404	2	4	21	35	57	70	99 +	108	24.6	273	1	2	28	40	46	50	56
18-24	552	13.8	151	1	2	10	21	30	35	61	278	20.1	259	1	1	22	34	42	42	45
25-34	1301	12.7	115	2	2	10	18	29	31	42	664	17.8	236	1	2	10	29	42	42	42
35-54	1790	12.3	119	2	2	9	17	28	31	55	885	10.6	131	1	2	5	16	28	34	42
55-74	699	14.2	177	2	3	10	19	30	37	78	497	9.1	82	1	2	5	11	26	28	42
75 +	159	15.0	183	2	4	12	18	30	39	94	152	8.5	55	1	2	6	10	21	27	41
ALL AGES	5243	14.5	183	2	2	11	20	30	39	70	2594	13.6	188	1	2	6	27	36	42	44
B. FEMALE																				
0-12 YRS.	81	20.6	285	2	3	18	29	51	66	99 +	11	2.5	2	1	1	2	4	4	4	4
13-17	507	21.4	342	2	3	17	31	52	77	99 +	82	15.3	309	1	1	4	29	42	45	65
18-24	629	14.9	180	1	2	11	21	31	43	63	189	13.4	217	1	1	5	27	41	42	48
25-34	1309	14.1	155	2	2	10	20	30	38	57	417	11.7	159	1	2	6	16	29	41	43
35-54	1736	14.4	134	2	3	12	20	29	37	58	642	9.3	99	1	2	6	11	24	31	44
55-74	953	16.9	173	2	4	14	23	34	43	67	495	9.5	84	1	2	6	12	22	28	43
75 +	370	16.3	177	3	4	12	22	34	42	77	265	8.4	57	2	3	6	11	16	24	70
ALL AGES	5585	15.7	178	2	3	12	22	33	43	78	2101	10.3	123	1	2	6	13	28	36	45
SUBTOTAL	**10828**	**15.1**	**181**	**2**	**3**	**11**	**21**	**31**	**41**	**73**	**4695**	**12.1**	**162**	**1**	**2**	**6**	**20**	**30**	**42**	**44**
GRAND TOTAL	**25625**	**14.1**	**167**	**1**	**2**	**10**	**19**	**30**	**39**	**69**	**12411**	**10.3**	**130**	**1**	**2**	**5**	**13**	**28**	**35**	**43**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All long-term care hospitals, i.e., hospitals with average patient stays more than 30 days, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. Hospitals were then grouped according to presence or absence of a psychiatric acute care unit defined in the 1986 AHA magnetic tape.

Hospitals recording the presence of a psychiatric service unit were separated and labeled: hospitals with a psychiatric unit/beds. All other hospitals were labeled: hospitals without a psychiatric unit/beds.

Both hospital service types, however, may offer one or more of these services as defined in the *AHA Guide*, 1987 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth. The purpose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accreditation of Healthcare Organizations

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**
Northeast	86	26.3	40,752	24.0	199	23.2	17,192	24.4
North Central	106	32.4	65,154	38.3	214	25.0	22,142	31.4
South	55	16.8	25,625	15.0	201	23.5	12,411	17.6
West	80	24.5	38,527	22.7	243	28.3	18,705	26.6
U.S.	327	100.0	170,058	100.0	857	100.0	70,450	100.0

APPENDIX 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other specified drug-induced mental disorders	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other specified transient organic mental disorders	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	29
295.1	Disorganized type schizophrenia	30
295.2	Catatonic type schizophrenia	31
295.3	Paranoid type schizophrenia	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type schizophrenia	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other manic-depressive psychosis	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.8	Other specified paranoid states	52
297.9	Unspecified paranoid state	53

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	54
298.1	Excitative type psychosis	55
298.2	Reactive confusion	56
298.3	Acute paranoid reaction	57
298.4	Psychogenic paranoid psychosis	58
298.8	Other and unspecified reactive psychosis	59
298.9	Unspecified psychosis	60
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299: 0 Current or active state 1 Residual state	
299.0	Infantile autism	61
299.8	Other specified early childhood psychoses	62
299.9	Unspecified childhood psychosis	63
300	**Neurotic disorders**	
300.0	Anxiety states	64
300.00	Anxiety state, unspecified	64
300.01	Panic disorder	64
300.02	Generalized anxiety disorder	64
300.09	Other anxiety states	64
300.1	Hysteria	65
300.10	Hysteria, unspecified	65
300.11	Conversion disorder	65
300.12	Psychogenic amnesia	65
300.13	Psychogenic fugue	65
300.14	Multiple personality	65
300.15	Dissociative disorder or reaction, unspecified	65
300.16	Factitious illness with psychological symptoms	65
300.19	Other and unspecified factitious illness	65
300.2	Phobic disorders	66
300.20	Phobia, unspecified	66
300.21	Agoraphobia with panic attacks	66
300.22	Agoraphobia without mention of panic attacks	66
300.23	Social phobia	66
300.29	Other isolated or simple phobias	66
300.3	Obsessive-compulsive disorders	67
300.4	Neurotic depression	68
300.5	Neurasthenia	69
300.6	Depersonalization syndrome	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72
300.89	Other neurotic disorders	72
300.9	Unspecified neurotic disorder	73
301	**Personality disorders**	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other personality disorders	82
301.9	Unspecified personality disorder	83
302	**Sexual deviations and disorders**	
302.5	Trans-sexualism	84
302.50	Trans-sexualism with unspecified sexual history	84
302.51	Trans-sexualism with asexual history	84
302.52	Trans-sexualism with homosexual history	84
302.53	Trans-sexualism with heterosexual history	84
302.6	Disorders of psychosexual identity	85
302.7	Psychosexual dysfunction	86
302.70	Psychosexual dysfunction, unspecified	86
302.71	Psychosexual dysfunction with inhibited sexual desire	86
302.72	Psychosexual dysfunction with inhibited sexual excitement	86
302.73	Psychosexual dysfunction with inhibited female orgasm	86
302.74	Psychosexual dysfunction with inhibited male orgasm	86
302.75	Psychosexual dysfunction with premature ejaculation	86
302.76	Psychosexual dysfunction with functional dyspareunia	86
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	86
302.8	Other specified psychosexual disorders	87
302.81	Fetishism	87
302.82	Voyeurism	87
302.83	Sexual masochism	87
302.84	Sexual sadism	87
302.85	Gender identity disorder of adolescent or adult life	87
302.89	Other specified psychosexual disorders	87
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303: 0 Unspecified drinking behavior 1 Continuous drinking behavior 2 Episodic drinking behavior 3 In remission	
303.0	Acute alcoholic intoxication	88
303.9	Other and unspecified alcohol dependence	89
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304: 0 Unspecified use 1 Continuous use 2 Episodic use 3 In remission	

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
304.0	Opioid type dependence	90
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	91
304.2	Cocaine dependence	92
304.3	Cannabis dependence	93
304.4	Amphetamine and other psychostimulant dependence	94
304.5	Hallucinogen dependence	95
304.6	Other specified drug dependence	96
304.7	Combinations of opioid type drug with any other drug dependence	97
304.8	Combinations of drug dependence excluding opioid type drug	98
304.9	Unspecified drug dependence	99
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
305.0	Alcohol abuse	100
305.1	Tobacco use disorder	101
305.2	Cannabis abuse	102
305.3	Hallucinogen abuse	103
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	104
305.5	Opioid abuse	105
305.6	Cocaine abuse	106
305.7	Amphetamine or related acting sympathomimetic abuse	107
305.8	Antidepressant type abuse	108
305.9	Other, mixed, or unspecified drug abuse	109
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	110
306.1	Respiratory malfunction arising from mental factors	111
306.2	Cardiovascular malfunction arising from mental factors	112
306.4	Gastrointestinal malfunction arising from mental factors	113
306.5	Genitourinary malfunction arising from mental factors	114
306.50	Psychogenic genitourinary malfunction, unspecified	114
306.51	Psychogenic vaginismus	114
306.52	Psychogenic dysmenorrhea	114
306.53	Psychogenic dysuria	114
306.59	Other genitourinary malfunction arising from mental factors	114
306.8	Other specified psychophysiological malfunction	115
306.9	Unspecified psychophysiological malfunction	116
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	117
307.2	Tics	118
307.20	Tic disorder, unspecified	118
307.21	Transient tic disorder of childhood	118
307.22	Chronic motor tic disorder	118
307.23	Gilles de la Tourette's disorder	118
307.3	Stereotyped repetitive movements	119
307.4	Specific disorders of sleep of nonorganic origin	120
307.40	Nonorganic sleep disorder, unspecified	120
307.41	Transient disorder of initiating or maintaining sleep	120
307.42	Persistent disorder of initiating or maintaining sleep	120
307.43	Transient disorder of initiating or maintaining wakefulness	120
307.44	Persistent disorder of initiating or maintaining wakefulness	120
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	120

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.46	Somnambulism or night terrors	120
307.47	Other dysfunctions of sleep stages or arousal from sleep	120
307.48	Repetitive intrusions of sleep	120
307.49	Other specific disorders of sleep of nonorganic origin	120
307.5	Other and unspecified disorders of eating	121
307.50	Eating disorder, unspecified	121
307.51	Bulimia	121
307.52	Pica	121
307.53	Psychogenic rumination	121
307.54	Psychogenic vomiting	121
307.59	Other disorders of eating	121
307.6	Enuresis	122
307.7	Encopresis	123
307.8	Psychalgia	124
307.80	Psychogenic pain, site unspecified	124
307.81	Tension headache	124
307.89	Other psychalgia	124
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	125
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	126
308.1	Predominant disturbance of consciousness	127
308.2	Predominant psychomotor disturbance	128
308.3	Other acute reactions to stress	129
308.4	Mixed disorders as reaction to stress	130
308.9	Unspecified acute reaction to stress	131
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	132
309.1	Adjustment reaction with prolonged depressive reaction	133
309.2	Adjustment reaction with predominant disturbance of other emotions	134
309.21	Separation anxiety disorder	134
309.22	Emancipation disorder of adolescence and early adult life	134
309.23	Specific academic or work inhibition	134
309.24	Adjustment reaction with anxious mood	134
309.28	Adjustment reaction with mixed emotional features	134
309.29	Other adjustment reactions with predominant disturbance of other emotions	134
309.3	Adjustment reaction with predominant disturbance of conduct	135
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	136
309.8	Other specified adjustment reactions	137
309.81	Prolonged posttraumatic stress disorder	137
309.82	Adjustment reaction with physical symptoms	137
309.83	Adjustment reaction with withdrawal	137
309.89	Other specified adjustment reactions	137
309.9	Unspecified adjustment reaction	138
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	139
310.1	Organic personality syndrome	140
310.2	Postconcussion syndrome	141
310.8	Other specified nonpsychotic mental disorders following organic brain damage	142
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	143
311	Depressive disorder, not elsewhere classified	144

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	145
312.1	Undersocialized conduct disorder, unaggressive type	146
312.2	Socialized conduct disorder	147
312.3	Disorders of impulse control, not elsewhere classified	148
312.30	Impulse control disorder, unspecified	148
312.31	Pathological gambling	148
312.32	Kleptomania	148
312.33	Pyromania	148
312.34	Intermittent explosive disorder	148
312.35	Isolated explosive disorder	148
312.39	Other disorders of impulse control	148
312.4	Mixed disturbance of conduct and emotions	149
312.8	Other specified disturbances of conduct, not elsewhere classified	150
312.9	Unspecified disturbance of conduct	151
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	152
313.2	Sensitivity, shyness and social withdrawal disorder specific to childhood and adolescence	153
313.21	Shyness disorder of childhood	153
313.22	Introverted disorder of childhood	153
313.23	Elective mutism specific to childhood and adolescence	153
313.8	Other or mixed emotional disturbances of childhood or adolescence	154
313.81	Oppositional disorder of childhood or adolescence	154
313.82	Identity disorder of childhood or adolescence	154
313.83	Academic underachievement disorder of childhood or adolescence	154
313.89	Other emotional disturbances of childhood or adolescence	154
313.9	Unspecified emotional disturbance of childhood or adolescence	155
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	156
314.00	Attention deficit disorder of childhood without mention of hyperactivity	156
314.01	Attention deficit disorder of childhood with hyperactivity	156
314.1	Hyperkinesis of childhood with developmental delay	157
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	158
314.9	Unspecified hyperkinetic syndrome of childhood	159
290-314.9	**All psychiatric diagnosis codes**	160

APPENDIX 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	154
Acute alcoholic intoxication	303.0	88
Acute delirium	293.0	21
Acute paranoid reaction	298.3	57
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	134
Adjustment reaction with brief depressive reaction	309.0	132
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	136
Adjustment reaction with mixed emotional features	309.28	134
Adjustment reaction with physical symptoms	309.82	137
Adjustment reaction with predominant disturbance of conduct	309.3	135
Adjustment reaction with predominant disturbance of other emotions	309.2	134
Adjustment reaction with prolonged depressive reaction	309.1	133
Adjustment reaction with withdrawal	309.83	137
Affective personality disorder	301.1	75
Affective personality disorder, unspecified	301.10	75
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	66
Agoraphobia without mention of panic attacks	300.22	66
Alcohol abuse	305.0	100
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	88-89
Fifth-digit subclassification for use with 303:		
1 Continuous drinking behavior		
2 Episodic drinking behavior		
3 In remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	94
Amphetamine or related acting sympathomimetic abuse	305.7	107
Anorexia nervosa	307.1	117
Antidepressant type abuse	305.8	108
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	64
Anxiety states	300.0	64
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia, uncomplicated	290.40	5
Attention deficit disorder of childhood	314.0	156
Attention deficit disorder of childhood with hyperactivity	314.01	156
Attention deficit disorder of childhood without mention of hyperactivity	314.00	156
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	82
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	104
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	91
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	82
Bulimia	307.51	121
Cannabis abuse	305.2	102
Cannabis dependence	304.3	93
Cardiovascular malfunction arising from mental factors	306.2	112
Catatonic type schizophrenia	295.2	31
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	118
Cocaine abuse	305.6	106
Cocaine dependence	304.2	92
Combinations of drug dependence excluding opioid type drug	304.8	98
Combinations of opioid type drug with any other drug dependence	304.7	97
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	65
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	80
Depersonalization syndrome	300.6	70
Depressive disorder, not elsewhere classified	311	144
Depressive type psychosis	298.0	54
Disorders of impulse control, not elsewhere classified	312.3	148
Disorders of psychosexual identity	302.6	85
Disorganized type schizophrenia	295.1	30
Dissociative disorder or reaction, unspecified	300.15	65
Disturbance of conduct, not elsewhere classified	312.0-312.2	145-147
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Drug dependence	304.0-304.9	90-99
Fifth-digit subclassification for use with 304:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17
Eating disorder, unspecified	307.50	121
Elective mutism specific to childhood and adolescence	313.23	153
Emancipation disorder of adolescence and early adult life	309.22	134
Encopresis	307.7	123
Enuresis	307.6	122
Excitative type psychosis	298.1	55
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	65
Fetishism	302.81	87
Frontal lobe syndrome	310.0	139
Gastrointestinal malfunction arising from mental factors	306.4	113
Gender identity disorder of adolescent or adult life	302.85	87
Generalized anxiety disorder	300.02	64
Genitourinary malfunction arising from mental factors	306.5	114
Gilles de la Tourette's disorder	307.23	118
Hallucinogen abuse	305.3	103
Hallucinogen dependence	304.5	95
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinesis of childhood with developmental delay	314.1	157
Hypochondriasis	300.7	71
Hysteria	300.1	65
Hysteria, unspecified	300.10	65
Identity disorder of childhood or adolescence	313.82	154
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	148
Infantile autism	299.0	61
Intermittent explosive disorder	312.34	148
Introverted disorder of childhood	313.22	153
Introverted personality	301.21	76
Isolated explosive disorder	312.35	148
Kleptomania	312.32	148
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.1	40
Manic disorder, single episode	296.0	39
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Mixed disorders as reaction to stress	308.4	130
Mixed disturbance of conduct and emotions	312.4	149
Multiple personality	300.14	65
Musculoskeletal malfunction arising from mental factors	306.0	110
Narcissistic personality	301.81	82
Neurasthenia	300.5	69
Neurotic depression	300.4	68

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	100-109
Fifth-digit subclassification for use with 305:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	120
Obsessive-compulsive disorders	300.3	67
Opioid abuse	305.5	105
Opioid type dependence	304.0	90
Oppositional disorder of childhood or adolescence	313.81	154
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	140
Other acute reactions to stress	308.3	129
Other adjustment reactions with predominant disturbance of other emotions	309.29	134
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	89
Other and unspecified disorders of eating	307.5	121
Other and unspecified factitious illness	300.19	65
Other and unspecified reactive psychosis	298.8	59
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	125
Other anxiety states	300.09	64
Other disorders of eating	307.59	121
Other disorders of impulse control	312.39	148
Other dysfunctions of sleep stages or arousal from sleep	307.47	120
Other emotional disturbances of childhood or adolescence	313.89	154
Other genitourinary malfunction arising from mental factors	306.59	114
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	66
Other manic-depressive psychosis	296.89	47
Other neurotic disorders	300.8	72
Other neurotic disorders	300.89	72
Other or mixed emotional disturbances of childhood or adolescence	313.8	154
Other personality disorders	301.8	82
Other personality disorders	301.39	82
Other psychalgia	307.89	124
Other specific disorders of sleep of nonorganic origin	307.49	120
Other specified adjustment reactions	309.8	137
Other specified adjustment reactions	309.89	137
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	150
Other specified drug dependence	304.6	96
Other specified drug-induced mental disorders	292.8	19
Other specified drug-induced mental disorders	292.89	19
Other specified early childhood psychoses	299.8	62
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	158
Other specified nonpsychotic mental disorders following organic brain damage	310.8	142
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Other specified psychophysiological malfunction	306.8	115
Other specified psychosexual disorders	302.8	87
Other specified psychosexual disorders	302.89	87
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified transient organic mental disorders	293.89	23
Other specified types of schizophrenia	295.8	37
Other, mixed, or unspecified drug abuse	305.9	109
Overanxious disorder specific to childhood and adolescence	313.0	152
Panic disorder	300.01	64
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid personality disorder	301.0	74
Paranoid state, simple	297.0	49
Paranoid type schizophrenia	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	148
Persistent disorder of initiating or maintaining sleep	307.42	120
Persistent disorder of initiating or maintaining wakefulness	307.44	120
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	120
Phobia, unspecified	300.20	66
Phobic disorders	300.2	66
Pica	307.52	121
Postconcussion syndrome	310.2	141
Predominant disturbance of consciousness	308.1	127
Predominant disturbance of emotions	308.0	126
Predominant psychomotor disturbance	308.2	128
Presenile dementia	290.1	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Presenile dementia, uncomplicated	290.10	2
Prolonged posttraumatic stress disorder	309.81	137
Psychalgia	307.8	124
Psychogenic amnesia	300.12	65
Psychogenic dysmenorrhea	306.52	114
Psychogenic dysuria	306.53	114
Psychogenic fugue	300.13	65
Psychogenic genitourinary malfunction, unspecified	306.50	114
Psychogenic pain, site unspecified	307.80	124
Psychogenic paranoid psychosis	298.4	58
Psychogenic rumination	307.53	121
Psychogenic vaginismus	306.51	114
Psychogenic vomiting	307.54	121
Psychoses with origin specific to childhood Fifth-digit subclassification for use with 299: 0 Current or active state 1 Residual state	299.0-299.9	61-63
Psychosexual dysfunction	302.7	86
Psychosexual dysfunction with functional dyspareunia	302.76	86
Psychosexual dysfunction with inhibited female orgasm	302.73	86
Psychosexual dysfunction with inhibited male orgasm	302.74	86

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction with inhibited sexual desire	302.71	86
Psychosexual dysfunction with inhibited sexual excitement	302.72	86
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	86
Psychosexual dysfunction with premature ejaculation	302.75	86
Psychosexual dysfunction, unspecified	302.70	86
Pyromania	312.33	148
Reactive confusion	298.2	56
Repetitive intrusions of sleep	307.48	120
Residual schizophrenia	295.6	35
Respiratory malfunction arising from mental factors	306.1	111
Schizo-affective type schizophrenia	295.7	36
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	76
Senile dementia with delirium	290.3	4
Senile dementia with delusional features	290.20	3
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with depressive features	290.21	3
Senile dementia, uncomplicated	290.0	1
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	153
Separation anxiety disorder	309.21	134
Sexual masochism	302.83	87
Sexual sadism	302.84	87
Shyness disorder of childhood	313.21	153
Simple type schizophrenia	295.0	29
Social phobia	300.23	66
Socialized conduct disorder	312.2	147
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	120
Specific academic or work inhibition	309.23	134
Specific disorders of sleep of nonorganic origin	307.4	120
Stereotyped repetitive movements	307.3	119
Subacute delirium	293.1	22
Tension headache	307.81	124
Tic disorder, unspecified	307.20	118
Tics	307.2	118
Tobacco use disorder	305.1	101
Trans-sexualism	302.5	84
Trans-sexualism with asexual history	302.51	84
Trans-sexualism with heterosexual history	302.53	84
Trans-sexualism with homosexual history	302.52	84
Trans-sexualism with unspecified sexual history	302.50	84
Transient disorder of initiating or maintaining sleep	307.41	120

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Transient disorder of initiating or maintaining wakefulness	307.43	120
Transient tic disorder of childhood	307.21	118
Undersocialized conduct disorder, aggressive type	312.0	145
Undersocialized conduct disorder, unaggressive type	312.1	146
Unspecified acute reaction to stress	308.9	131
Unspecified adjustment reaction	309.9	138
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified childhood psychosis	299.9	63
Unspecified disturbance of conduct	312.9	151
Unspecified drug dependence	304.9	99
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	155
Unspecified hyperkinetic syndrome of childhood	314.9	159
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	143
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	53
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	116
Unspecified psychosis	298.9	60
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	87

R3850-2.5-4

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Western Region, 1987

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1988

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the second annual edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1987
ISSN 0898-0543

Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1987
ISSN 0898-0527

Length of Stay by Psychiatric Diagnosis, North Central Region, 1987
ISSN 0898-249X

Length of Stay by Psychiatric Diagnosis, Southern Region, 1987
ISSN 0898-0519

Length of Stay by Psychiatric Diagnosis, Western Region, 1987
ISSN 0898-0535

The Length of Stay series has been published annually since 1964. The 1987 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1987 and Pediatric Length of Stay by Diagnosis and Operation, United States 1987. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and CPHA Publications iv

Preface v

Description of the Database

Data Collection vii
Data Quality ix
Database Characteristics ix

Organization of Psychiatric Length of Stay Tables xiv

Explanation of Psychiatric Length of Stay Statistics xvi

Application of Psychiatric Length of Stay Tables xvii

Trends in Psychiatric Length of Stay xviii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 167

Appendix 2: Teaching Intensity Program Calculation 168

Appendix 3: State Inclusions and Hospital Counts by Region 169

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 170

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 177

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the healthcare industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of healthcare professionals in a variety of settings.

Copyright ©1988 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the healthcare industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. This series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1987 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager
Joyce Beach, Senior Programmer
Lale A. Olson, Senior Electronic Publishing Analyst

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Publications staff: Linda E. Vanek, MSW, Product Manager, for marketing assistance, Rhonda A. Gregory, Customer Service Representative, for clerical assistance, and James Chesney, PhD., for research advice.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Maureen Rieschl, and Billie Thompson. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and the Wyoming Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM


Medical Records
Magnetic Tape
Micro-computer
CPHA

CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1987 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,184 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages xi-xiii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1986 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1986 AHA magnetic tape), includes service code. Nonfederal, short-term general hospitals that recorded a psychiatric acute care service unit and beds are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds, are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1986 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1987 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, that is, statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	480	1,445	1,925	1.382	3.355	4.737	168	175	343	2,030	4,975	7,005
Sample	39	185	224	288	672	960	0	0	0	327	857	1.184
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	8.1	12.8	11.6	20.8	20.0	20.3	0	0	0	16.1	17.2	16.9
Number of Urban Hospitals												
Universe	355	346	701	1.165	1,966	3,131	140	94	234	1.660	2,406	4,066
Sample	24	43	67	221	366	587	0	0	0	245	409	654
Urban Hospitals as Percent of Universe												
Universe	74.0	23.9	36.4	84.3	58.6	66.1	83.3	53.7	68.2	81.8	48.4	58.0
Sample	5.0	3.0	3.5	16.0	10.9	12.4	0	0	0	12.1	8.2	9.3
Number of High/Medium Teaching Intensity Hospitals												
Universe	175	53	228	532	379	911	111	31	142	818	463	1.281
Sample	17	6	23	130	96	226	0	0	0	147	102	249
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	36.5	3.7	11.8	38.5	11.3	19.2	66.1	17.7	41.4	40.3	9.3	18.3
Sample	3.5	.4	1.2	9.4	2.9	4.8	0	0	0	7.2	2.1	3.6
Average Occupancy as Percent of Universe												
Universe	77.6	48.7	55.9	67.4	54.4	58.2	73.3	56.1	64.5	70.3	52.8	57.9
Sample	63.5	47.9	50.6	66.4	57.7	60.3	0	0	0	66.1	55.6	58.5

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals recording facility information on the 1986 American Hospital Association magnetic tape. The Sample represents hospitals recording the presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	327	100.0	170,058	100.0
Control				
Public	39	11.9	16,406	9.6
Private	288	88.1	153,652	90.4
Bedsize				
< 100 Beds	21	6.4	4,068	2.4
100-199	79	24.1	28,841	17.0
200-299	78	23.9	37,376	22.0
300-399	63	19.3	38,117	22.4
400-499	33	10.1	21,409	12.6
500+	53	16.2	40,247	23.7
Teaching Intensity				
Low	180	55.1	79,718	46.9
Medium	88	26.9	50,023	29.4
High	59	18.0	40,317	23.7
Location				
Rural	82	25.1	27,350	16.1
Urban	245	74.9	142,708	83.9

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Table 3
PSYCHIATRIC LENGTH OF STAY HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	857	100.0	70,450	100.0
Control				
Public	185	21.6	10,190	14.5
Private	672	78.4	60,260	85.5
Bedsize				
<100 Beds	445	51.9	17,716	25.1
100-199	224	26.1	19,794	28.1
200-299	108	12.6	16,318	23.2
300-399	42	4.9	6,262	8.9
400-499	21	2.5	7,447	10.6
500+	17	2.0	2,913	4.1
Teaching Intensity				
Low	755	88.1	52,857	75.0
Medium	82	9.6	16,031	22.8
High	20	2.3	1,562	2.2
Location				
Rural	448	52.3	21,608	30.7
Urban	409	47.7	48,842	69.3

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



** Includes Alaska and Hawaii

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1987.

Hospital Service Type

The tables are also categorized by hospital service unit. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording a psychiatric acute care service unit and beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have a psychiatric acute care service unit and beds.

c. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by seven age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn to 12
13-17
18-24
25-34
35-54
55-74
75+
The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentile. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows the healthcare professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by healthcare professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an increasingly essential tool in the healthcare industry.

TRENDS IN PSYCHIATRIC LENGTH OF STAY

The first Psychiatric Length of Stay series, profiling 1986 data, offered a baseline year for monitoring national and regional length of stay trends for hospital patients with psychiatric conditions.

The 1987 Psychiatric Length of Stay series affords a glimpse of emerging patterns for further investigation. The tables that follow highlight data from the 1986 and the new 1987 publications in two areas of interest to users:

(1) regional length of stay differences for selected psychiatric diagnoses; and
(2) sex length of stay differences for selected psychiatric diagnoses.

Table 1 below displays 1986 and 1987 average lengths of stay in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 900 patient discharges in each region, and for all psychiatric diagnoses. The table is categorized by geographic region.

For all of the five common psychiatric diagnoses, except other and unspecified alcohol dependence (303.9), the western region length of stay remains the lowest, following a 22 year old pattern for all diagnoses, in which the Northeast has the highest lengths of stay, and the West, the lowest.

For example, in 1987 the average length of stay in the Northeast for paranoid schizophrenia (295.3) is 21 days; it is 11.1 days in the West, a difference of 9.9 days. Similarly, the 1987 average length of stay in the Northeast for a diagnosis of major depressive disorder, single episode (296.2) is 18.5 days, while it is 13.8 days in the West, a 4.7 day difference. For all psychiatric diagnoses, the difference between the northeastern and the western regions in 1987 is 2.5 days.

Lengths of stay for all psychiatric diagnoses from 1986 to 1987, rose or remained constant in three of the four regions, including the West. The exception is the north central region, where average lengths of stay for all psychiatric diagnoses dropped 0.2 days. The southern and northeastern regions recorded the highest increases: 0.9 days from 1986 to 1987. The western region rose 0.5 days. In the U.S. for all psychiatric diagnoses, average lengths of stay rose 0.4 days, from 13.7 in 1986 to 14.1 in 1987.

Table 1
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals with a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Paranoid schizophrenia	295.3	20.0	21.0	16.7	16.8	13.0	13.8	11.5	11.1	15.4	15.6
Major depressive disorder, single episode	296.2	18.5	18.5	16.8	16.8	17.2	17.9	13.9	13.8	16.7	16.7
Neurotic depression	300.4	14.5	15.7	14.8	14.7	11.9	13.2	11.3	10.6	13.5	13.6
Other and unspecified alcohol dependence	303.9	10.1	11.4	18.0	17.7	13.5	14.6	17.3	19.7	15.0	15.8
Brief depressive reaction	309.0	9.6	9.9	10.3	9.9	8.3	8.8	5.8	5.8	8.8	8.8
All psychiatric codes	290.0-314.9	13.9	14.8	14.9	14.7	13.2	14.1	11.8	12.3	13.7	14.1

The differences in average length of stay for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses, in hospitals without a psychiatric acute care service unit/beds, are also illuminating.

As Table 2 reveals below, the regional differences do not uniformly show the expected pattern of higher average lengths of stay in the Northeast, North Central, and South and lower stays in the West. In 1987, three of the five examined diagnoses show higher average lengths of stay in the West than in all other regions. For example, in the southern region a diagnosis of acute alcoholic intoxication (303.0) has an average length of stay of 8.9 days; the average stay in the West is 11.1 days. For a diagnosis of depressive disorder (311), the average length of stay in the north central region is 7 days; in the West 10.6 days.

On the other hand, from 1986 to 1987, average lengths of stay for each region for the five common psychiatric diagnoses have gone up in the Northeast by an average 2.3 days, 1 day in the north central region, 0.6 days in the South, and 0.4 in the West. .

Similarly, for all psychiatric diagnoses the average length of stay has declined in the West from 1986 to 1987 from 11.6 to 11.4 days and has increased in the other three regions, ranging from 0.6 days in the South to 1.1 days in the Northeast.

Table 2
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type and Census Region

Hospitals without a Psychiatric Unit/Beds

		Northeast		North Central		South		West		U.S.	
Type of Patient	*ICD-9-CM* Code	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**	**1986 ALOS**	**1987 ALOS**
Other specified alcoholic psychosis	291.8	5.1	5.2	4.9	4.9	4.1	4.7	5.6	7.4	5.0	5.5
Major depressive disorder, recurrent episode	296.3	9.8	15.8	13.2	17.3	10.8	11.5	14.6	10.0	12.7	14.1
Acute alcoholic intoxication	303.0	4.6	5.9	8.7	8.8	7.8	8.9	10.4	11.1	8.4	8.6
Cocaine dependence	304.2	5.4	8.4	14.9	14.1	24.6	25.9	18.5	19.0	16.7	14.8
Depressive disorder, not elsewhere classified	311	9.3	10.5	5.5	7.0	6.5	6.0	7.1	10.6	6.6	8.1
All psychiatric codes	290.0-314.9	7.6	8.7	10.9	11.9	9.7	10.3	11.6	11.4	10.4	10.7

Table 3 shows average lengths of stay by sex in hospitals with a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 150 patient discharges in each region, and for all psychiatric diagnoses. For the five common psychiatric diagnoses with a few exceptions, e.g., neurotic depression (300.4), in all regions and the U.S., women have higher average lengths of stay in 1986 and 1987. This finding is often cited in the literature examining psychiatric lengths of stay. To illustrate, in 1986, men with a diagnosis of brief depressive reaction (309.0) stay an average 8.3 days, while women stay 9 days in the U.S. For all psychiatric diagnoses in the U.S. in 1986, men stay 13.1 days to women's average 14.3 days, a 1.2 day difference.

In 1987, the national length of stay differential between men and women for brief depressive reaction (309.0) increases. Men stay an average 8.2 days, while women stay 9.3 days. The same holds true for all psychiatric diagnoses: men stay an average 13.4 and women 14.6 days, a 0.1 increase in the differential between average stays for men and women from 1986 to 1987.

Moreover, there are regional variations in lengths of stay by sex. In the Northeast, men and women diagnosed with a major depressive disorder, recurrent episode (296.3), have an average stay of 19.8 and 21.3 days respectively in 1987. Men and women in the West with the same diagnosis stay an average 13.6 and 14.6 days. Cocaine dependence (304.2) reveals the opposite pattern, in which the West has higher average stays for men and women, 19.6 and 18 days respectively, than in the Northeast, where average stays are 8.6 days for men and women diagnosed with cocaine dependence (304.2).

Overall, regional average lengths of stay by sex from 1986 to 1987 increase. The north central region records the only decline: 0.1 days for men and 0.2 days for women. For all psychiatric diagnoses, the lengths of stay for men in the Northeast increase by 0.9 days and 1 day for women; in the South the increase is 1.1 days for men and 0.8 days for women.

Table 3
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals with a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	19.6	19.8	21.0	21.3	17.3	16.1	18.3	17.1
Neurotic depression	300.4	16.0	16.8	13.6	15.0	14.6	14.4	15.0	14.8
Acute alcoholic intoxication	303.0	6.5	6.2	7.6	6.3	7.1	6.5	6.9	6.9
Cocaine dependence	304.2	13.1	8.6	13.0	8.6	16.0	14.6	13.7	12.3
Brief depressive reaction	309.0	9.3	8.9	9.8	10.6	9.5	9.3	10.8	10.3
All psychiatric codes	290.0-314.9	12.2	13.1	15.5	16.5	14.5	14.4	15.3	15.1

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.0	17.1	17.2	17.3	12.9	13.6	14.3	14.6
Neurotic depression	300.4	11.9	14.1	12.0	12.7	12.0	10.9	11.0	10.5
Acute alcoholic intoxication	303.0	9.7	8.0	9.7	9.0	6.9	6.6	7.0	5.5
Cocaine dependence	304.2	17.2	16.2	14.8	14.8	20.2	19.6	16.6	18.0
Brief depressive reaction	309.0	8.3	8.3	8.3	9.1	5.3	5.2	6.1	6.2
All psychiatric codes	290.0-314.9	12.4	13.5	13.8	14.6	11.8	12.3	11.9	12.4

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	16.6	16.6	17.9	17.6
Neurotic depression	300.4	13.8	13.8	13.3	13.4
Acute alcoholic intoxication	303.0	7.1	6.5	7.4	6.5
Cocaine dependence	304.2	16.6	14.7	14.2	12.6
Brief depressive reaction	309.0	8.3	8.2	9.0	9.3
All psychiatric codes	290.0-314.9	13.1	13.4	14.3	14.6

Table 4 displays average lengths of stay by sex in hospitals without a psychiatric acute care service unit/beds for five common psychiatric diagnoses, i.e., more than 90 patient discharges in each region, and for all psychiatric diagnoses.

As the statistics in Table 2 suggest, these hospitals do not appear to follow the expected pattern of higher stays for women with psychiatric conditions. For example, a high frequency diagnosis for women (diagnosed two times more) is neurotic depression (300.4). In 1986, women stay 6.9 days to men's 7.8 in the U.S. In 1987, the difference is greater: men stay an average 9.5 days to women's 7.7, almost a 2 day spread. At the same time, for all psychiatric diagnoses in the U.S. for both years, women stay fewer days: 1.1 days in 1986 and 0.6 days in 1987. On the other hand, acute alcoholic intoxication (303.0), a high frequency diagnosis for men (diagnosed three times more), men stay 0.3 days less in 1986, and 0.6 days less in 1987 than do women.

Furthermore, regional variations in lengths of stay by sex do not correspond to the expected regional pattern. In the Northeast in 1987, the average stay for cocaine dependence (304.2) is 7.2 days for men and 7.4 for women. In the West, the average stay is 14.6 and 10.1 for men and women respectively. In 1987, for all psychiatric diagnoses in the Northeast, the average stay is 7.7 for men and 10.2 for women, in comparison to 12 days for men and 10.7 days for women in the West.

Like the regional average lengths of stay by sex for hospitals with a psychiatric acute care service unit/beds, from 1986 to 1987, the average lengths of stay for hospitals without such a unit increase. In the Northeast, the average stay increases 0.9 days for men and 1.6 days for women. The latter average stay equals the increase for women in the north central region as well (1.6), where men have increased stays by 0.7 days. In the South, the increase is 0.8 for men and 0.4 days for women. Only in the West is there a decline of 0.5 days for women, while stays for men remain the same over the two years.

To summarize, a preliminary examination of the 1986 and 1987 Psychiatric Length of Stay series reveals:

1. For hospitals with a psychiatric acute care service unit/beds and for the psychiatric diagnoses examined (5), there are higher stays in the Northeast and lower stays in the West, overall following a well-acknowledged length of stay pattern for all diagnoses that began in 1965.

2. For hospitals without a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), the same pattern does not exist.

3. For hospitals with a psychiatric acute care service unit/beds and the psychiatric diagnoses examined (5), women stay longer than men, a pattern often cited in the literature. In hospitals without such a unit, the statistics do not point to the same pattern.

4. Lengths of stay for all psychiatric diagnoses in two regions for both hospital service types show increases for 1986 and 1987. Lengths of stay decline in the north central and western regions for at least one of the hospital service types during the two year period.

The four tables introduce a few of the many cross tabulations that can be accomplished using the Psychiatric Length of Stay series. As users conduct their own inquiries, it is essential to remember the statistics in this section are merely descriptive, and not the subject of critical analysis. Thus it is also important that users routinely:

1) examine the characteristics of the database (pp. ix-xiii and Appendix 3);
2) look at the patient counts in each diagnosis table; and
3) acknowledge any clinical, financial, legal, and social issues for each psychiatric diagnosis covered in the Psychiatric Length of Stay series.

Such caution, paired with expertise, will make the statistics and tables presented in the next section more valuable as hospital cost and quality of care information on patients with psychiatric conditions.

Table 4
Average Lengths of Stay (ALOS) of Patients with Selected *ICD-9-CM* Psychiatric Diagnoses by Hospital Service Type, Census Region, and Sex

Hospitals without a Psychiatric Unit/Beds

		Northeast				North Central			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	7.7	15.0	10.5	16.1	11.7	17.6	13.6	17.1
Neurotic depression	300.4	8.3	7.2	6.8	7.4	8.3	9.1	7.4	8.1
Acute alcoholic intoxication	303.0	4.7	5.8	4.3	6.2	8.9	8.7	8.2	9.2
Cocaine dependence	304.2	5.6	8.3	5.0	8.4	16.3	15.4	11.5	11.0
Brief depressive reaction	309.0	4.3	5.0	6.0	4.6	9.2	7.2	6.2	8.0
All psychiatric codes	290.0-314.9	6.8	7.7	8.6	10.2	11.7	12.4	9.7	11.3

		South				West			
		Male		Female		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	10.7	12.1	10.8	11.3	14.8	8.5	14.4	10.7
Neurotic depression	300.4	6.5	6.4	6.1	6.0	8.7	14.6	7.8	10.1
Acute alcoholic intoxication	303.0	7.4	8.9	9.5	8.7	10.1	10.8	11.3	11.9
Cocaine dependence	304.2	24.5	25.6	24.8	27.1	18.8	18.6	17.4	19.3
Brief depressive reaction	309.0	3.6	5.7	4.1	5.0	4.0	4.2	4.2	5.1
All psychiatric codes	290.0-314.9	11.0	11.8	8.4	8.8	12.0	12.0	11.2	10.7

		U.S.			
		Male		Female	
English Description	*ICD-9-CM* Code	1986 ALOS	1987 ALOS	1986 ALOS	1987 ALOS
Major depressive disorder, recurrent episode	296.3	12.7	14.0	12.7	14.2
Neurotic depression	300.4	7.8	9.5	6.9	7.7
Acute alcoholic intoxication	303.0	8.3	8.5	8.6	9.1
Cocaine dependence	304.2	17.5	15.6	14.6	12.9
Brief depressive reaction	309.0	4.9	5.5	4.8	5.8
All psychiatric codes	290.0-314.9	10.9	11.0	9.8	10.4

Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	6.4	42	1	1	4	7	17	22	22	7	7.7	29	2	2	7	11	16	17	17
75 +	52	7.7	49	2	2	6	10	15	20	98	33	6.6	53	1	2	4	7	15	23	36
ALL AGES	62	7.5	47	1	2	6	10	15	21	93	40	6.8	48	1	2	5	8	15	21	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	7.0	16	2	2	6	11	12	12	12	17	9.8	127	1	2	9	11	22	39	47
75 +	57	5.6	15	1	2	5	7	10	12	22	66	7.3	68	1	2	5	8	13	26	48
ALL AGES	64	5.8	15	1	2	5	7	11	12	22	83	7.8	80	1	2	6	9	13	28	50
SUBTOTAL	**126**	**6.6**	**32**	**1**	**2**	**5**	**9**	**13**	**16**	**58**	**123**	**7.5**	**69**	**1**	**2**	**5**	**9**	**14**	**25**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	9.4	41	4	4	6	14	19	19	19	2	36.5	1985	5	5	36	68	68	68	68
75 +	14	8.5	40	2	2	7	12	19	19	19	4	5.5	6	3	3	5	7	8	8	8
ALL AGES	19	8.7	39	2	2	7	13	19	19	19	6	15.8	658	3	3	6	8	62	68	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	8.0	3	6	6	8	9	11	11	11	2	5.5	41	1	1	5	10	10	10	10
75 +	11	12.0	30	5	6	12	15	21	22	22	10	7.7	88	3	3	5	6	21	34	34
ALL AGES	17	10.6	23	5	6	8	13	19	21	22	12	7.3	77	1	2	5	7	17	32	34
SUBTOTAL	**36**	**9.6**	**32**	**2**	**3**	**8**	**13**	**19**	**20**	**22**	**18**	**10.2**	**259**	**2**	**3**	**5**	**8**	**27**	**54**	**66**
GRAND TOTAL	**162**	**7.3**	**33**	**2**	**2**	**6**	**10**	**14**	**19**	**42**	**141**	**7.9**	**92**	**1**	**2**	**5**	**8**	**14**	**28**	**53**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	3	5.7	2	4	4	6	7	7	7	7	3	11.7	57	5	5	10	17	20	20	20
55-74	16	8.9	23	1	2	9	13	15	16	17	19	3.9	6	1	1	4	6	8	54	99 +
75 +	28	10.5	192	1	2	7	13	20	26	74	42	6.0	14	1	2	6	8	11	12	20
ALL AGES	48	9.6	121	1	2	7	12	18	21	74	64	5.7	15	1	1	5	7	11	14	88
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	7.0		7	7	7	7	7	7	7	3	5.7	25	1	1	5	9	11	11	11
55-74	16	11.2	149	3	3	7	13	21	43	52	22	9.2	236	1	2	5	9	13	39	76
75 +	40	9.5	130	2	3	6	11	15	31	67	46	8.8	165	1	2	5	9	16	45	99 +
ALL AGES	57	9.9	132	2	3	7	11	19	32	66	72	8.7	176	1	2	5	9	14	39	95
SUBTOTAL	**105**	**9.8**	**125**	**2**	**3**	**7**	**11**	**18**	**22**	**70**	**136**	**7.3**	**102**	**1**	**2**	**5**	**8**	**13**	**20**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	16.5	61	11	11	16	22	22	22	22										
55-74	4	14.3	3	11	11	15	16	16	16	16	4	7.3	84	2	2	3	12	21	21	21
75 +	10	12.0	104	1	1	8	21	27	33	33	6	4.5	19	1	1	3	5	12	13	13
ALL AGES	16	13.1	71	1	2	13	18	22	30	33	10	5.6	41	1	1	3	5	17	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	9.0	98	2	2	9	16	16	16	16	1	19.0		19	19	19	19	19	19	19
55-74	7	8.3	15	1	2	8	11	13	13	13	8	9.0	131	1	2	5	9	29	36	36
75 +	10	8.5	17	4	4	8	11	14	17	17	11	7.5	25	2	3	6	9	15	19	19
ALL AGES	19	8.5	19	1	3	8	11	15	17	17	20	8.7	67	1	2	5	11	19	28	36
SUBTOTAL	**35**	**10.6**	**47**	**1**	**2**	**11**	**15**	**21**	**22**	**33**	**30**	**7.7**	**59**	**1**	**2**	**5**	**10**	**19**	**21**	**36**
GRAND TOTAL	**140**	**10.0**	**105**	**1**	**3**	**7**	**12**	**18**	**22**	**68**	**166**	**7.4**	**93**	**1**	**2**	**5**	**8**	**13**	**20**	**96**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	12	10.8	81	1	2	7	18	25	28	28	1	3.0		3	3	3	3	3	3	3
75 +	33	10.3	36	4	4	8	14	19	22	24	9	12.8	476	1	1	6	14	85	99 +	99 +
ALL AGES	45	10.5	45	2	4	8	16	21	24	28	10	11.8	433	1	1	6	13	82	98	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	22	9.6	45	1	2	9	15	20	22	23	3	13.0	91	4	4	12	20	23	23	23
75 +	58	13.2	84	3	4	12	16	25	38	42	26	8.8	151	1	2	5	9	16	36	61
ALL AGES	80	12.2	76	2	3	12	16	22	30	42	29	9.2	144	1	2	6	11	20	32	61
SUBTOTAL	**125**	**11.6**	**64**	**2**	**4**	**10**	**16**	**21**	**26**	**42**	**39**	**9.9**	**209**	**1**	**2**	**6**	**11**	**26**	**65**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	8	11.4	8	7	7	12	14	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +	8	13.1	61	4	4	13	18	24	26	26	2	11.5	85	5	5	11	18	18	18	18
ALL AGES	16	12.3	32	4	5	12	15	20	24	26	3	9.0	61	4	4	5	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	8.7	21	1	3	8	12	15	17	17										
75 +	13	10.1	65	1	1	9	15	23	24	24	6	6.8	21	2	2	6	10	14	14	14
ALL AGES	27	9.4	41	1	1	8	13	19	23	24	6	6.8	21	2	2	6	10	14	14	14
SUBTOTAL	**43**	**10.4**	**40**	**1**	**3**	**10**	**14**	**20**	**23**	**26**	**9**	**7.6**	**28**	**2**	**3**	**5**	**11**	**16**	**18**	**18**
GRAND TOTAL	**168**	**11.3**	**58**	**2**	**3**	**10**	**15**	**21**	**25**	**42**	**48**	**9.4**	**176**	**1**	**2**	**6**	**11**	**21**	**61**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	13	10.5	73	1	3	7	12	25	31	32	10	4.5	11	1	1	4	6	9	12	12
75 +	47	8.3	32	2	3	6	11	16	22	26	45	6.6	19	1	2	6	9	12	13	25
ALL AGES	60	8.8	41	2	3	7	11	16	24	31	55	6.2	19	1	2	5	9	12	13	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	18	8.9	37	2	4	7	11	17	24	28	18	6.9	21	2	2	5	11	13	16	18
75 +	61	8.5	37	2	2	6	13	17	20	28	57	5.9	30	1	2	4	7	13	15	28
ALL AGES	79	8.6	37	2	3	7	12	17	20	29	75	6.1	28	1	2	4	7	13	16	28
SUBTOTAL	**139**	**8.6**	**40**	**2**	**3**	**7**	**11**	**17**	**22**	**29**	**130**	**6.2**	**23**	**1**	**2**	**5**	**7**	**12**	**14**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	4	6.8	29	2	2	5	11	14	14	14	2	4.0	8	2	2	4	6	6	6	6
75 +	4	16.5	202	2	2	14	25	36	36	36	7	5.1	5	2	2	5	7	8	8	8
ALL AGES	9	11.4	112	2	2	10	14	28	36	36	9	4.9	5	2	2	5	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	16.5	575	1	1	6	31	52	52	52	1	10.0		10	10	10	10	10	10	10
75 +	7	14.4	110	6	7	11	15	33	37	37	14	6.1	14	2	2	5	8	11	14	15
ALL AGES	11	15.2	238	1	2	10	15	43	51	52	15	6.4	13	2	2	5	8	11	14	15
SUBTOTAL	**20**	**13.5**	**176**	**1**	**2**	**10**	**14**	**36**	**44**	**52**	**24**	**5.8**	**11**	**2**	**2**	**5**	**8**	**10**	**12**	**15**
GRAND TOTAL	**159**	**9.3**	**57**	**2**	**3**	**7**	**13**	**18**	**25**	**37**	**154**	**6.1**	**22**	**2**	**2**	**5**	**8**	**12**	**14**	**28**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	3.7	4	2	2	3	5	6	6	6	1	7.0		7	7	7	7	7	7	7
55-74	18	13.7	148	2	2	8	22	34	36	37	17	9.5	94	1	2	7	11	20	33	40
75 +	20	9.2	30	1	2	8	14	15	19	22	32	8.3	50	2	3	6	8	19	29	30
ALL AGES	41	10.8	86	1	2	8	14	24	34	37	50	8.7	62	2	2	6	9	19	29	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	13	4.9	11	2	2	4	5	10	13	14	21	8.9	58	1	3	6	11	21	25	29
75 +	26	7.5	33	2	2	5	11	17	20	23	59	8.0	55	2	2	5	9	17	21	45
ALL AGES	40	6.5	27	2	2	5	9	14	18	23	80	8.2	56	2	3	5	10	19	22	42
SUBTOTAL	**81**	**8.7**	**60**	**2**	**2**	**6**	**12**	**19**	**24**	**36**	**130**	**8.4**	**58**	**2**	**2**	**6**	**9**	**19**	**22**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	8.4	22	2	2	9	11	15	15	15	3	9.3	103	3	3	4	17	21	21	21
75 +	7	7.0	42	3	3	3	13	17	17	17	5	7.4	14	4	4	5	11	12	12	12
ALL AGES	12	7.6	31	2	2	5	12	16	17	17	8	8.1	39	3	3	5	11	18	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	11.4	63	4	4	7	19	21	21	21	9	10.9	99	2	2	8	14	28	33	33
75 +	15	10.9	72	2	3	10	15	23	30	32	13	8.6	81	1	2	6	10	25	31	32
ALL AGES	20	11.1	65	2	3	10	16	22	27	32	22	9.5	86	2	2	6	10	26	32	33
SUBTOTAL	**32**	**9.8**	**53**	**2**	**3**	**8**	**15**	**20**	**23**	**32**	**30**	**9.2**	**71**	**2**	**3**	**6**	**11**	**22**	**32**	**33**
GRAND TOTAL	**113**	**9.0**	**58**	**2**	**2**	**6**	**13**	**19**	**23**	**35**	**160**	**8.5**	**61**	**2**	**3**	**6**	**10**	**20**	**24**	**39**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	3.0	8	1	1	3	5	5	5	5	1	9.0		9	9	9	9	9	9	9
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	3.0	8	1	1	3	5	5	5	5	1	9.0		9	9	9	9	9	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	3.0	8	1	1	3	5	5	5	5	1	9.0		9	9	9	9	9	9	9

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
SUBTOTAL	3	5.0	7	3	3	4	7	8	8	8	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	5.0	7	3	3	4	7	8	8	8	1	5.0		5	5	5	5	5	5	5

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	7	3.4	8	1	1	3	5	8	9	9
35-54	14	5.0	16	1	2	4	5	13	14	14	25	4.0	7	1	1	3	5	8	10	10
55-74	11	6.2	14	2	2	5	9	12	12	12	19	4.2	7	1	1	4	6	8	9	10
75 +											2	10.5	113	3	3	10	18	18	18	18
ALL AGES	28	5.1	15	1	1	4	7	12	13	14	53	4.2	11	1	1	3	5	8	10	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	9.0		9	9	9	9	9	9	9	2	3.0	2	2	2	3	4	4	4	4
35-54	5	5.4	23	3	3	3	6	14	14	14	11	4.6	9	1	2	3	8	9	9	9
55-74	3	8.7	43	3	3	7	14	16	16	16	1	6.0		6	6	6	6	6	6	6
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	9	6.9	26	3	3	4	10	15	16	16	16	4.4	8	1	1	3	6	9	9	9
SUBTOTAL	**37**	**5.6**	**17**	**1**	**2**	**4**	**8**	**13**	**14**	**16**	**69**	**4.3**	**9**	**1**	**1**	**3**	**5**	**9**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	2	4.5	5	3	3	4	6	6	6	6
25-34	22	6.5	45	1	1	5	8	16	23	27	40	11.0	130	1	1	5	27	28	28	35
35-54	46	5.8	35	1	1	4	7	8	19	36	112	8.0	89	1	2	4	9	27	28	34
55-74	29	5.0	15	1	1	4	7	12	13	14	75	8.3	74	1	2	5	10	21	28	37
75 +	2	6.5	1	6	6	6	7	7	7	7	7	7.9	36	3	3	6	8	18	21	21
ALL AGES	100	5.7	30	1	1	4	7	11	17	31	236	8.6	89	1	2	4	10	27	28	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	10.5	145	2	2	10	19	19	19	19
25-34	5	7.4	9	3	3	8	10	10	10	10	18	13.4	126	1	1	7	27	28	28	28
35-54	17	11.5	494	1	2	5	11	14	67	96	31	6.2	44	1	1	4	6	14	24	28
55-74	11	4.4	10	2	2	4	5	9	13	13	21	9.3	107	1	2	5	10	26	32	38
75 +	1	14.0		14	14	14	14	14	14	14	1	10.0		10	10	10	10	10	10	10
ALL AGES	34	8.7	255	2	2	5	10	14	14	96	73	9.0	89	1	2	5	12	27	28	36
SUBTOTAL	**134**	**6.4**	**88**	**1**	**1**	**4**	**7**	**13**	**15**	**46**	**309**	**8.7**	**88**	**1**	**2**	**4**	**11**	**27**	**28**	**35**
GRAND TOTAL	**171**	**6.2**	**73**	**1**	**1**	**4**	**7**	**13**	**14**	**34**	**378**	**7.9**	**77**	**1**	**1**	**4**	**9**	**27**	**28**	**35**

ALCOHOL AMNESTIC SYND (291.1)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	2	5.5	5	4	4	5	7	7	7	7	3	4.3	11	2	2	3	7	8	8	8
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	3	7.7	16	4	4	7	11	12	12	12	4	6.8	29	2	2	5	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**4**	**7.5**	**11**	**4**	**4**	**7**	**10**	**12**	**12**	**12**	**4**	**6.8**	**29**	**2**	**2**	**5**	**11**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	19.5	613	2	2	19	37	37	37	37	4	6.3	24	2	2	5	10	13	13	13
55-74	7	10.6	65	3	3	7	14	24	26	26	5	18.2	281	4	4	10	29	45	45	45
75 +	2	9.0	32	5	5	9	13	13	13	13	2	25.5	613	8	8	25	43	43	43	43
ALL AGES	11	11.9	119	2	3	7	15	30	36	37	11	15.2	238	2	3	8	21	44	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54											1	19.0		19	19	19	19	19	19	19
55-74											4	14.3	98	7	7	10	20	29	29	29
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12	6	13.8	76	7	7	10	19	28	29	29
SUBTOTAL	**12**	**11.9**	**108**	**2**	**3**	**9**	**14**	**29**	**36**	**37**	**17**	**14.7**	**173**	**2**	**3**	**10**	**20**	**40**	**44**	**45**
GRAND TOTAL	**16**	**10.8**	**85**	**2**	**3**	**7**	**13**	**25**	**34**	**37**	**21**	**13.2**	**153**	**2**	**3**	**8**	**15**	**35**	**44**	**45**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
55-74	6	8.5	46	1	1	8	11	19	20	20	14	13.9	594	2	2	6	11	26	81	97
75 +	1	7.0		7	7	53	99 +	99 +	99 +	99 +	4	10.3	20	6	6	9	14	16	16	16
ALL AGES	8	10.4	67	1	2	9	21	70	99 +	99 +	20	12.1	422	1	2	7	12	17	57	97
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	4	4.3	2	3	3	4	5	6	6	6	4	8.8	66	4	4	5	13	21	21	21
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	6	5.0	5	3	3	4	6	9	9	9	4	8.8	66	4	4	5	13	21	21	21
SUBTOTAL	**14**	**8.1**	**46**	**1**	**3**	**7**	**11**	**25**	**81**	**99 +**	**24**	**11.5**	**360**	**2**	**2**	**6**	**12**	**18**	**44**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
25-34	1	1.0		1	1	1	1	1	1	1	8	12.0	25	3	4	14	15	15	15	15
35-54	7	6.9	21	1	1	7	10	13	14	14	25	10.8	28	2	2	15	15	15	15	15
55-74	14	7.1	18	2	2	6	9	14	16	16	32	11.6	77	3	3	12	15	20	28	43
75 +	4	6.8	26	2	2	6	11	13	13	13	8	6.6	22	4	4	4	9	14	15	15
ALL AGES	27	6.7	18	1	2	6	9	14	15	16	74	10.9	49	2	3	13	15	15	20	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	15.0		15	15	15	15	15	15	15
25-34	2	4.5	25	1	1	4	8	8	8	8	7	9.4	45	2	2	14	15	15	15	15
35-54	2	7.5	13	5	5	7	10	10	10	10	7	9.9	36	3	3	14	15	15	15	15
55-74	8	8.9	22	3	3	10	12	15	16	16	11	9.4	108	1	1	6	13	24	36	37
75 +	4	8.8	16	6	6	7	11	15	15	15	4	13.8	70	5	5	14	21	22	22	22
ALL AGES	16	8.1	19	2	3	8	11	15	16	16	30	10.3	64	1	2	10	15	18	22	37
SUBTOTAL	**43**	**7.2**	**19**	**1**	**2**	**7**	**10**	**14**	**15**	**16**	**104**	**10.7**	**53**	**2**	**3**	**13**	**15**	**15**	**20**	**40**
GRAND TOTAL	**57**	**7.4**	**25**	**1**	**2**	**7**	**10**	**15**	**18**	**94**	**128**	**10.9**	**107**	**2**	**3**	**11**	**15**	**16**	**21**	**55**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34											2	20.0	392	6	6	20	34	34	34	34
35-54	4	2.8	5	1	1	2	4	6	6	6	12	4.5	8	2	2	3	7	9	9	9
55-74	2	2.5	1	2	2	2	3	3	3	3	4	8.8	91	3	3	5	14	23	23	23
75 +																						
ALL AGES	6	2.7	3	1	1	2	3	6	6	6	18	7.2	69	2	2	4	7	19	30	34
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	4	4.8	2	3	3	4	6	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																						
ALL AGES	7	5.0	10	2	2	4	6	10	11	11	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**13**	**3.9**	**8**	**1**	**1**	**3**	**5**	**8**	**10**	**11**	**19**	**6.9**	**67**	**2**	**2**	**3**	**7**	**17**	**29**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	2	5.5	1	5	5	5	6	6	6	6	2	1.0		1	1	1	1	1	1	1
25-34	10	4.7	12	1	1	4	6	10	13	13	9	3.9	19	1	1	3	4	11	15	15
35-54	13	4.7	6	2	2	4	6	8	10	10	22	3.9	10	1	1	3	5	6	11	16
55-74	7	5.0	11	2	2	4	6	11	12	12	8	7.3	43	2	2	4	9	19	22	22
75 +	1	13.0		13	13	13	13	13	13	13	1	8.0		8	8	8	8	8	8	8
ALL AGES	33	5.1	9	2	2	4	6	10	13	13	42	4.5	19	1	1	3	5	9	15	22
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24											1	9.0		9	9	9	9	9	9	9
25-34											1	1.0		1	1	1	1	1	1	1
35-54	7	7.6	24	2	2	5	12	14	15	15	6	8.3	90	2	2	5	8	25	27	27
55-74	3	2.7		2	2	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
75 +											2	13.0	72	7	7	13	19	19	19	19
ALL AGES	10	6.1	22	2	2	4	11	13	15	15	12	7.7	60	1	1	5	8	21	26	27
SUBTOTAL	**43**	**5.3**	**12**	**2**	**2**	**4**	**6**	**12**	**13**	**15**	**54**	**5.2**	**29**	**1**	**1**	**3**	**6**	**11**	**18**	**27**
GRAND TOTAL	**56**	**5.0**	**11**	**2**	**2**	**4**	**6**	**11**	**13**	**15**	**73**	**5.6**	**39**	**1**	**2**	**3**	**6**	**12**	**22**	**32**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	3	2.0	1	1	1	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	4	1.8	1	1	1	2	2	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**5**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**7**	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	3.0		3	3	3	3	3	3	3										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	3	4.7	8	3	3	3	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	4.7	8	3	3	3	7	8	8	8										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	4	3.8	3	1	1	4	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	4	3.8	3	1	1	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	5	4.0	3	1	1	5	5	5	5	5
GRAND TOTAL	4	4.5	6	3	3	4	6	8	8	8	5	4.0	3	1	1	5	5	5	5	5

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.0	3	1	1	1	3	4	4	4	3	1.0		1	1	1	1	1	1	1
25-34	16	3.0	3	1	1	3	4	6	7	7	19	2.7	4	1	1	2	3	6	8	8
35-54	43	3.1	3	1	1	2	5	6	6	7	74	4.0	22	1	1	3	4	7	8	33
55-74	39	6.5	68	2	2	4	6	15	19	48	39	4.7	17	1	1	3	7	10	12	20
75 +	3	3.7		3	3	4	4	4	4	4	5	5.2	19	3	3	3	6	13	13	13
ALL AGES	104	4.3	30	1	1	3	5	6	13	32	140	4.0	18	1	1	3	5	8	10	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	5	3.6	14	1	1	2	5	10	10	10	4	1.5		1	1	1	2	2	2	2
35-54	13	3.2	5	1	1	3	4	6	8	9	30	3.0	4	1	1	3	3	5	8	10
55-74	12	3.3	2	1	2	3	4	5	5	5	15	6.8	12	2	2	6	10	12	13	13
75 +	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
ALL AGES	31	3.3	5	1	1	3	4	5	9	10	51	4.0	9	1	1	3	5	9	11	13
SUBTOTAL	**135**	**4.1**	**24**	**1**	**1**	**3**	**5**	**6**	**11**	**23**	**191**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17	1	37.0		37	37	37	37	37	37	37										
18-24	5	2.4	2	1	1	2	4	4	4	4	25	11.0	67	2	2	7	15	25	28	30
25-34	41	5.0	39	1	1	3	5	8	22	31	154	9.8	74	2	2	6	15	27	28	28
35-54	135	5.3	45	1	1	3	5	10	22	33	345	7.3	48	1	1	5	8	15	25	30
55-74	69	5.6	33	2	2	4	6	11	13	35	182	7.5	43	2	2	5	9	17	23	29
75 +	8	4.9	5	2	2	5	7	8	8	8	14	6.4	55	2	2	3	5	21	25	26
ALL AGES	259	5.4	42	1	1	3	6	9	21	34	721	8.0	54	1	2	5	9	21	27	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											8	6.1	20	1	1	5	8	13	15	15
25-34	15	4.5	23	1	1	3	6	8	17	20	42	8.4	67	1	2	6	7	27	28	28
35-54	51	4.8	32	1	1	3	5	9	10	34	116	8.5	67	1	2	6	9	27	28	30
55-74	21	4.8	7	2	2	4	6	9	10	12	82	7.6	43	2	2	6	8	17	23	28
75 +	5	7.8	11	4	4	8	10	12	12	12	3	5.3	6	4	4	4	7	8	8	8
ALL AGES	92	4.9	24	1	1	4	6	9	12	30	251	8.1	56	2	2	6	8	21	27	28
SUBTOTAL	**351**	**5.3**	**37**	**1**	**1**	**3**	**6**	**9**	**19**	**34**	**972**	**8.0**	**55**	**1**	**2**	**6**	**9**	**21**	**27**	**29**
GRAND TOTAL	**486**	**4.9**	**34**	**1**	**1**	**3**	**5**	**9**	**14**	**33**	**1163**	**7.4**	**50**	**1**	**2**	**5**	**8**	**17**	**26**	**29**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											2	9.0	72	3	3	9	15	15	15	15
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74											2	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES											5	10.2	43	3	3	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**7**	**7.7**	**47**	**1**	**1**	**3**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	2	2.0	2	1	1	2	3	3	3	3	2	1.0		1	1	1	1	1	1	1
35-54	5	10.0	173	1	1	7	14	33	33	33	1	15.0		15	15	15	15	15	15	15
55-74	2	3.0	2	2	2	3	4	4	4	4	2	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	9	6.7	102	1	1	3	7	23	33	33	6	8.7	50	1	1	10	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	27.0		27	27	27	27	27	27	27										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	3.5	13	1	1	3	6	6	6	6										
55-74	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	4	10.0	134	1	1	6	17	27	27	27	2	6.0	32	2	2	6	10	10	10	10
SUBTOTAL	**13**	**7.7**	**104**	**1**	**1**	**4**	**7**	**28**	**32**	**33**	**8**	**8.0**	**42**	**1**	**1**	**7**	**15**	**15**	**15**	**15**
GRAND TOTAL	**14**	**7.4**	**97**	**1**	**1**	**4**	**7**	**28**	**32**	**33**	**15**	**7.9**	**41**	**1**	**1**	**5**	**15**	**15**	**15**	**15**

DRUG WITHDRAWAL SYNDROME (292.0)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.0	32	1	1	5	9	9	9	9	3	2.3	1	2	2	2	3	3	3	3
25-34	4	2.5	3	1	1	2	4	5	5	5	4	1.8	1	1	1	2	2	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3	10	3.4	5	1	1	3	4	7	8	8
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	8	3.4	7	1	1	3	4	8	9	9	20	2.9	3	1	1	2	4	5	7	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.5	13	2	2	4	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34	3	4.3	7	2	2	4	6	7	7	7	7	3.7	18	1	1	3	3	11	13	13
35-54	5	3.6	7	1	1	2	6	7	7	7	3	4.7	8	3	3	3	7	8	8	8
55-74	3	13.0	19	10	10	11	16	18	18	18	1	6.0		6	6	6	6	6	6	6
75 +	2	3.0	2	2	2	3	4	4	4	4	4	6.5	26	3	3	4	9	14	14	14
ALL AGES	15	5.7	21	1	2	4	7	11	16	18	16	4.6	15	1	1	3	5	12	14	14
SUBTOTAL	**23**	**4.9**	**17**	**1**	**1**	**4**	**7**	**10**	**13**	**18**	**36**	**3.6**	**9**	**1**	**1**	**3**	**4**	**8**	**12**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	2.0		2	2	2	2	2	2	2	2	3.5	13	1	1	3	6	6	6	6
18-24	9	5.1	42	1	1	3	4	16	22	22	41	6.8	39	1	2	6	7	9	27	28
25-34	20	5.1	19	1	1	4	6	13	15	16	126	7.8	53	1	2	6	7	25	27	28
35-54	24	6.2	45	1	1	4	6	12	24	32	69	7.4	36	1	2	6	7	15	24	28
55-74	7	9.0	112	1	1	7	9	27	32	32	12	8.3	32	1	3	7	10	19	19	19
75 +											2	9.0	32	5	5	9	13	13	13	13
ALL AGES	62	5.8	42	1	1	4	6	13	21	32	252	7.5	45	1	2	6	7	19	26	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	8	4.1	7	1	1	3	6	8	8	8	28	6.8	44	1	1	5	7	16	24	29
25-34	24	9.5	80	1	2	5	15	23	27	30	99	6.4	44	1	1	5	7	11	25	34
35-54	21	6.7	44	2	2	5	7	14	25	29	68	7.6	39	2	2	6	9	12	27	29
55-74	7	9.6	26	5	5	7	13	18	19	19	16	14.5	186	3	4	8	21	29	46	54
75 +	6	12.0	73	3	3	10	21	23	23	23	2	11.5	181	2	2	11	21	21	21	21
ALL AGES	67	8.2	54	2	2	5	10	21	24	30	213	7.5	57	1	2	6	8	15	28	33
SUBTOTAL	**129**	**7.0**	**50**	**1**	**2**	**5**	**8**	**20**	**23**	**32**	**465**	**7.5**	**50**	**1**	**2**	**6**	**7**	**18**	**27**	**29**
GRAND TOTAL	**152**	**6.7**	**45**	**1**	**2**	**4**	**7**	**17**	**22**	**32**	**501**	**7.2**	**48**	**1**	**2**	**6**	**7**	**15**	**26**	**29**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
13-17	3	12.7	81	3	3	14	19	21	21	21										
18-24	6	9.3	51	2	2	7	17	19	19	19	2	1.5	1	1	1	1	2	2	2	2
25-34	5	2.6	1	1	1	3	3	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2	3	3.0	7	1	1	2	5	6	6	6
55-74	3	8.7	15	5	5	8	12	13	13	13	5	4.2	11	2	2	3	5	10	10	10
75 +	3	8.3	51	2	2	7	14	16	16	16	5	9.6	87	1	1	5	18	22	22	22
ALL AGES	22	7.3	41	1	2	4	13	18	20	21	18	4.7	35	1	1	2	5	15	20	22
B. FEMALE																					
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	3	4.7	1	4	4	4	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
35-54	4	5.8	6	2	2	6	7	8	8	8	3	2.3	2	1	1	3	3	3	3	3
55-74	6	4.3	9	2	2	3	5	9	10	10	5	3.6	4	1	1	4	5	6	6	6
75 +	2	4.0	2	3	3	4	5	5	5	5	6	6.5	7	4	4	6	9	10	10	10
ALL AGES	17	4 4	6	1	2	4	6	8	9	10	17	4.1	7	1	1	4	5	9	10	10
SUBTOTAL	**39**	**6.1**	**26**	**1**	**2**	**4**	**8**	**15**	**18**	**21**	**35**	**4.4**	**21**	**1**	**1**	**3**	**5**	**10**	**15**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																				
13-17	8	6.6	62	1	1	3	8	20	24	24										
18-24	11	7.3	78	1	1	5	8	20	31	32	2	16.0	200	6	6	16	26	26	26	26
25-34	18	4.3	43	1	1	3	4	6	20	30	5	5.0	19	1	1	3	9	11	11	11
35-54	15	7.1	41	1	2	6	7	15	24	27	1	3.0		3	3	3	3	3	3	3
55-74	3	6.0	27	3	3	3	10	12	12	12	4	5.0	30	1	1	3	8	13	13	13
75 +																				
ALL AGES	55	6.1	49	1	1	4	6	12	26	32	12	6.7	52	1	1	4	9	17	25	26
B. FEMALE																					
0-12 YRS.																				
13-17	2	5.5	25	2	2	5	9	9	9	9										
18-24	4	4.3	10	2	2	3	6	9	9	9	5	3.8	3	1	1	4	5	5	5	5
25-34	12	6.0	12	1	1	5	8	11	13	13	8	5.4	13	1	1	5	7	11	12	12
35-54	9	7.3	35	1	1	5	12	16	18	18	1	1.0		1	1	1	1	1	1	1
55-74	4	7.5	6	4	4	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
75 +	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
ALL AGES	32	6.5	17	1	2	5	9	12	14	18	16	4.1	10	1	1	4	6	8	11	12
SUBTOTAL	**87**	**6.2**	**38**	**1**	**1**	**4**	**8**	**12**	**19**	**31**	**28**	**5.2**	**28**	**1**	**1**	**4**	**7**	**12**	**14**	**26**
GRAND TOTAL	**126**	**6.2**	**34**	**1**	**1**	**4**	**8**	**13**	**18**	**30**	**63**	**4.7**	**25**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	2.7		2	2	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54											2	10.5	85	4	4	10	17	17	17	17
55-74	1	9.0		9	9	9	9	9	9	9	3	3.0	4	1	1	3	4	5	5	5
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	6	5.2	36	1	1	3	5	16	17	17
SUBTOTAL	**4**	**4.3**	**10**	**2**	**2**	**3**	**6**	**9**	**9**	**9**	**6**	**5.2**	**36**	**1**	**1**	**3**	**5**	**16**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	4	8.5	67	1	1	8	15	17	17	17	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	3	2.7	2	1	1	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	2	5.0	2	4	4	5	6	6	6	6	1	31.0		31	31	31	31	31	31	31
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	7	3.7	5	1	1	4	6	7	7	7	4	9.0	215	1	1	2	17	31	31	31
SUBTOTAL	**11**	**5.5**	**29**	**1**	**1**	**4**	**7**	**15**	**17**	**17**	**6**	**6.7**	**142**	**1**	**1**	**2**	**3**	**28**	**31**	**31**
GRAND TOTAL	**15**	**5.1**	**24**	**1**	**1**	**3**	**7**	**14**	**16**	**17**	**12**	**5.9**	**82**	**1**	**1**	**2**	**4**	**21**	**30**	**31**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17											1	2.0		2	2	2	2	2	2	2
18-24	3	7.0	1	6	6	7	8	8	8	8										
25-34	5	2.8	2	1	1	3	4	5	5	5	2	1.5	1	1	1	1	2	2	2	2
35-54	6	5.3	36	1	1	3	6	16	17	17	6	3.7	13	1	1	2	3	10	11	11
55-74	15	4.3	10	1	1	3	7	8	9	10	13	7.9	60	1	1	6	8	19	28	30
75 +	11	3.5	4	1	1	3	5	6	8	8	19	6.1	40	1	2	5	7	8	21	31
ALL AGES	41	4.6	17	1	1	3	7	8	13	20	41	6.0	41	1	1	5	7	11	22	31
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	3.0	7	1	1	2	5	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34	2	1.5	1	1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
35-54	7	4.1	17	1	1	3	6	11	12	12	6	4.3	15	1	1	3	7	11	11	11
55-74	15	5.6	18	1	2	4	8	11	15	16	23	5.5	97	1	1	3	6	9	23	49
75 +	14	6.7	57	1	2	4	8	13	27	31	26	5.1	18	1	1	4	7	10	13	19
ALL AGES	41	5.3	30	1	1	3	7	11	14	31	60	4.9	46	1	1	3	6	10	11	46
SUBTOTAL	**82**	**5.0**	**23**	**1**	**1**	**3**	**7**	**10**	**14**	**27**	**101**	**5.3**	**44**	**1**	**1**	**3**	**6**	**10**	**14**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.5	41	2	2	6	11	11	11	11										
18-24	7	2.6	3	1	1	2	4	6	6	6	3	9.0	63	3	3	6	15	18	18	18
25-34	11	2.5	4	1	1	2	4	6	6	6	2	12.0	72	6	6	12	18	18	18	18
35-54	7	3.4	11	1	1	2	4	9	10	10	1	2.0		2	2	2	2	2	2	2
55-74	7	7.3	7	3	3	8	9	10	10	10	10	7.7	49	1	1	6	11	18	25	25
75 +	5	4.2	3	3	3	3	6	6	6	6	7	6.4	9	3	3	6	8	11	12	12
ALL AGES	39	4.0	9	1	1	3	6	9	10	11	23	[illegible] 6	35	1	2	6	10	18	21	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
18-24	9	5.4	16	1	1	4	9	12	12	12										
25-34	4	4.3	1	3	3	4	5	6	6	6	3	2.3	3	1	1	2	3	4	4	4
35-54	6	7.7	15	2	2	9	11	11	11	11	6	5.8	28	1	1	4	10	14	14	14
55-74	14	12.0	125	3	5	9	14	20	42	48	12	6.1	17	2	2	5	8	12	15	16
75 +	10	8.1	23	3	3	7	9	16	19	19	17	5.8	15	1	2	4	8	12	13	13
ALL AGES	44	8.3	56	2	3	7	11	14	18	48	39	5.5	17	1	2	4	7	12	14	16
SUBTOTAL	**83**	**6.3**	**38**	**1**	**1**	**5**	**8**	**12**	**14**	**38**	**62**	**6.3**	**24**	**1**	**2**	**5**	**8**	**13**	**17**	**24**
GRAND TOTAL	**165**	**5.6**	**31**	**1**	**1**	**4**	**8**	**11**	**14**	**29**	**163**	**5.7**	**36**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	1	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
18-24	4	2.0	4	1	1	1	3	5	5	5	3	1.7		1	1	2	2	2	2	2
25-34	3	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	4.0		4	4	4	4	4	4	4	4	15.3	250	1	1	15	29	29	29	29
55-74	2	3.5	5	2	2	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
75 +	1	7.0		7	7	7	7	7	7	7	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	13	2.5	4	1	1	1	4	6	7	7	13	7.2	103	1	1	2	7	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.7	4	1	1	2	4	5	5	5										
25-34	4	5.3	15	2	2	5	8	10	10	10	1	1.0		1	1	1	1	1	1	1
35-54	4	1.5		1	1	1	2	2	2	2	4	3.5	3	2	2	3	5	5	5	5
55-74	3	16.7	79	11	11	12	23	27	27	27	3	10.3	26	5	5	11	14	15	15	15
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	14	6.1	52	1	1	2	10	13	24	27	9	5.4	22	1	1	5	7	13	15	15
SUBTOTAL	**27**	**4.4**	**31**	**1**	**1**	**2**	**5**	**11**	**14**	**27**	**22**	**6.5**	**68**	**1**	**1**	**3**	**5**	**19**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	7.0	29	1	1	7	35	99 +	99 +	99 +	2	3.5	13	1	1	3	6	6	6	6
18-24	5	4.6	9	1	1	4	7	9	9	9	4	4.3	12	1	1	3	7	9	9	9
25-34	9	3.9	8	1	1	2	7	8	8	8	4	2.0	1	1	1	2	3	3	3	3
35-54	10	9.8	177	1	2	7	8	28	47	47	2	4.0	2	3	3	4	5	5	5	5
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	29	6.6	70	1	1	6	7	12	47	99 +	12	3.3	6	1	1	3	5	7	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	5	5.4	39	1	1	2	8	16	16	16										
18-24	2	3.5	1	3	3	3	4	4	4	4	2	5.5	5	4	4	5	7	7	7	7
25-34	10	5.4	8	1	1	6	7	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74	3	11.7	15	8	8	11	15	16	16	16										
75 +	2	7.0	8	5	5	7	9	9	9	9	2	17.5	181	8	8	17	27	27	27	27
ALL AGES	23	6.2	17	1	2	6	8	12	16	16	6	8.0	95	1	1	5	8	25	27	27
SUBTOTAL	**52**	**6.4**	**46**	**1**	**1**	**6**	**8**	**12**	**16**	**98**	**18**	**4.9**	**37**	**1**	**1**	**3**	**6**	**9**	**20**	**27**
GRAND TOTAL	**79**	**5.7**	**42**	**1**	**1**	**5**	**7**	**11**	**16**	**84**	**40**	**5.8**	**53**	**1**	**1**	**3**	**6**	**13**	**28**	**29**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	3	1.0		1	1	1	1	1	1	1										
18-24	3	10.7	155	2	2	5	20	25	25	25										
25-34	3	8.3	90	1	1	5	15	19	19	19	3	2.3	6	1	1	1	4	5	5	5
35-54	12	6.7	67	1	1	3	10	19	27	28	6	3.5	14	1	1	2	3	10	11	11
55-74	16	8.3	77	1	1	7	9	19	30	35	19	3.6	4	1	1	3	5	6	8	9
75 +	29	6.7	17	2	2	6	9	13	16	17	39	4.0	6	1	2	3	6	6	10	11
ALL AGES	66	7.1	47	1	1	5	9	16	21	34	68	3.8	5	1	1	3	5	6	9	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	35.0		35	35	35	35	35	35	35	2	1.5	1	1	1	1	2	2	2	2
18-24	2	8.5	41	4	4	8	13	13	13	13	1	2.0		2	2	2	2	2	2	2
25-34											5	3.0	4	1	1	3	4	6	6	6
35-54	11	5.6	35	1	1	5	8	14	20	21	7	1.9	2	1	1	1	3	5	5	5
55-74	19	5.4	10	1	1	5	7	10	12	13	32	3.6	7	1	1	3	5	6	8	14
75 +	48	5.0	12	1	1	4	6	10	13	16	54	4.9	19	1	2	4	6	9	14	22
ALL AGES	81	5.6	26	1	1	5	7	11	14	31	101	4.1	13	1	1	3	5	8	11	20
SUBTOTAL	**147**	**6.3**	**35**	**1**	**1**	**5**	**8**	**13**	**17**	**35**	**169**	**4.0**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
25-34	1	7.0		7	7	7	7	7	7	7	2	2.0	2	1	1	2	3	3	3	3
35-54	4	11.5	90	3	3	10	19	22	22	22	3	5.3	45	1	1	2	10	13	13	13
55-74	17	11.4	106	2	3	7	16	28	33	35	9	8.1	129	1	1	4	8	27	37	37
75 +	12	5.4	12	1	2	5	8	11	12	12	11	4.4	3	2	2	4	6	7	8	8
ALL AGES	35	9.0	71	1	2	6	11	23	28	35	26	5.5	51	1	1	4	6	12	18	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	3.0	7	1	1	2	5	6	6	6										
35-54	2	2.0	2	1	1	2	3	3	3	3	4	6.5	38	1	1	5	11	14	14	14
55-74	22	6.7	15	1	2	7	8	13	15	16	15	6.1	21	1	1	5	10	13	14	15
75 +	16	10.7	64	1	2	9	14	21	29	32	20	7.2	34	1	2	5	8	17	20	23
ALL AGES	43	7.7	38	1	1	7	9	16	20	32	39	6.7	28	1	1	5	9	15	17	23
SUBTOTAL	**78**	**8.3**	**52**	**1**	**2**	**7**	**9**	**18**	**24**	**34**	**65**	**6.2**	**37**	**1**	**1**	**4**	**8**	**13**	**16**	**35**
GRAND TOTAL	**225**	**7.0**	**42**	**1**	**1**	**5**	**8**	**15**	**21**	**35**	**234**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**13**	**22**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	2.7		2	2	3	3	3	3	3
SUBTOTAL	2	2.5	1	2	2	2	3	3	3	3	4	3.0	1	2	2	3	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	2	8.5	25	5	5	8	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	6.5	5	5	5	6	8	8	8	8										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	2	6.5	5	5	5	6	8	8	8	8	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	4	7.5	11	5	5	7	10	12	12	12	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	6	5.8	14	2	2	5	8	12	12	12	5	3.8	4	2	2	3	5	7	7	7

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12	1	12.0		12	12	12	12	12	12	12
18-24	2	19.0	512	3	3	19	35	35	35	35										
25-34	5	8.2	1	7	7	8	9	10	10	10										
35-54	4	19.8	802	1	1	8	35	62	62	62										
55-74	6	12.5	26	8	8	11	16	20	21	21	2	3.5	1	3	3	3	4	4	4	4
75 +	4	13.8	69	4	4	[illegible]	20	23	23	23	2	12.5	221	2	2	12	23	23	23	23
ALL AGES	22	13.6	174	2	4	9	16	27	46	62	5	8.8	79	2	2	4	15	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	2	18.5	25	15	15	18	22	22	22	22										
18-24	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34	2	13.5	1	13	13	13	14	14	14	14	2	4.0	2	3	3	4	5	5	5	5
35-54	3	19.7	472	2	2	28	72	99 +	99 +	99 +	3	4.0	9	1	1	4	6	7	7	7
55-74	15	13.6	203	1	2	9	22	48	85	99 +	6	15.8	134	3	3	13	23	34	35	35
75 +	10	14.4	268	2	3	9	16	39	58	58	3	12.3	78	5	5	10	19	22	22	22
ALL AGES	33	14.5	199	2	2	13	20	49	89	99 +	15	10.3	92	1	2	7	13	23	32	35
SUBTOTAL	**55**	**14.1**	**187**	**2**	**2**	**11**	**19**	**43**	**61**	**99 +**	**20**	**9.9**	**85**	**1**	**2**	**6**	**13**	**23**	**29**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38	1	10.0		10	10	10	10	10	10	10
18-24	6	5.5	[illegible]	1	1	3	9	13	14	14	2	9.0	2	8	8	9	10	10	10	10
25-34	4	6.5	31	1	1	5	10	14	14	14	4	10.3	71	6	6	6	15	23	23	23
35-54	6	12.0	71	4	4	10	12	26	28	28	4	8.0	25	4	4	6	11	15	15	15
55-74	8	9.0	45	1	1	8	13	19	21	21	3	8.3	77	1	1	6	15	18	18	18
75 +	5	14.6	41	6	6	14	17	24	24	24										
ALL AGES	30	10.5	73	1	1	9	14	22	28	38	14	9.0	35	2	4	7	10	18	22	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	3	5.0	3	3	3	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
25-34	2	5.0	32	1	1	5	9	9	9	9	5	3.2	3	2	2	2	4	6	6	6
35-54	3	5.7	20	1	1	6	9	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	5	7.4	29	3	3	6	11	16	16	16	2	10.0	32	6	6	10	14	14	14	14
75 +	9	12.1	76	2	3	10	17	25	30	30										
ALL AGES	23	8.7	45	1	2	7	11	17	22	30	9	4.7	15	1	1	4	6	11	14	14
SUBTOTAL	**53**	**9.7**	**61**	**1**	**2**	**7**	**14**	**19**	**27**	**38**	**23**	**7.3**	**31**	**1**	**2**	**6**	**9**	**16**	**20**	**23**
GRAND TOTAL	**108**	**11.9**	**130**	**1**	**2**	**9**	**15**	**26**	**44**	**99 +**	**43**	**8.5**	**57**	**1**	**2**	**6**	**11**	**22**	**23**	**35**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	4	2.8	4	1	1	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +	1	3.0		3	3	3	3	3	3	3	7	4.4	14	1	1	3	5	11	12	12
ALL AGES	8	2.3	2	1	1	2	3	5	5	5	10	4.0	12	1	1	3	6	9	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	6	4.5	3	2	2	5	6	6	6	6										
55-74	5	3.6	12	1	1	2	6	9	9	9	5	5.6	30	1	1	4	7	15	15	15
75 +	4	3.8	7	1	1	3	6	7	7	7	4	4.5	32	1	1	2	8	13	13	13
ALL AGES	16	4.1	6	1	1	4	6	7	8	9	10	4.7	26	1	1	3	5	14	15	15
SUBTOTAL	**24**	**3.5**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**9**	**20**	**4.4**	**18**	**1**	**1**	**3**	**5**	**12**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24	4	7.0	23	2	2	7	11	12	12	12										
25-34	5	7.0	28	1	1	5	10	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4	3	6.3	10	3	3	7	8	9	9	9
ALL AGES	12	6.7	17	1	2	5	9	13	15	15	5	4.2	13	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.5	13	1	1	3	6	6	6	6										
18-24	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	2	4.5	25	1	1	4	8	8	8	8										
35-54	2	7.5	5	6	6	7	9	9	9	9	1	1.0		1	1	1	1	1	1	1
55-74	3	8.7	43	1	1	12	13	13	13	13	1	7.0		7	7	7	7	7	7	7
75 +											2	2.0	2	1	1	2	3	3	3	3
ALL AGES	10	6.5	19	1	1	7	9	12	13	13	5	2.6	7	1	1	1	4	7	7	7
SUBTOTAL	**22**	**6.6**	**17**	**1**	**1**	**6**	**9**	**12**	**14**	**15**	**10**	**3.4**	**10**	**1**	**1**	**2**	**7**	**8**	**9**	**9**
GRAND TOTAL	**46**	**5.0**	**13**	**1**	**1**	**5**	**7**	**10**	**12**	**15**	**30**	**4.0**	**15**	**1**	**1**	**3**	**6**	**10**	**13**	**15**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +											2	7.0	50	2	2	7	12	12	12	12
ALL AGES	1	1.0		1	1	1	1	1	1	1	4	4.8	23	2	2	3	7	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	12.0	8	10	10	12	14	14	14	14										
55-74											3	2.0	1	1	1	2	3	3	3	3
75 +	1	36.0		36	36	36	36	36	36	36	1	1.0		1	1	1	1	1	1	1
ALL AGES	4	16.3	185	5	5	12	25	36	36	36	4	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**5**	**13.2**	**187**	**1**	**1**	**10**	**19**	**36**	**36**	**36**	**8**	**3.3**	**13**	**1**	**1**	**2**	**3**	**9**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES											2	3.5	13	1	1	3	6	6	6	6
SUBTOTAL											**2**	**3.5**	**13**	**1**	**1**	**3**	**6**	**6**	**6**	**6**
GRAND TOTAL	**5**	**13.2**	**187**	**1**	**1**	**10**	**19**	**36**	**36**	**36**	**10**	**3.3**	**12**	**1**	**1**	**2**	**3**	**9**	**12**	**12**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54	1	15.0		15	15	15	15	15	15	15											
55-74	6	5.7	2	4	4	6	6	8	8	8		3	7.3	35	3	3	5	12	14	14	14
75 +	6	7.3	16	3	3	7	9	13	14	14		6	12.5	82	4	4	10	15	28	29	29
ALL AGES	13	7.2	13	3	4	6	8	14	15	15		9	10.8	66	3	3	7	14	23	29	29
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54	1	4.0		4	4	4	4	4	4	4		1	3.0		3	3	3	3	3	3	3
55-74	3	9.3	22	4	4	12	12	12	12	12		2	4.5	5	3	3	4	6	6	6	6
75 +	4	14.5	152	8	8	9	21	33	33	33		2	10.5	61	5	5	10	16	16	16	16
ALL AGES	8	11.3	85	4	4	9	12	27	33	33		5	6.6	29	3	3	5	8	16	16	16
SUBTOTAL	**21**	**8.7**	**43**	**3**	**4**	**8**	**10**	**14**	**23**	**33**		**14**	**9.3**	**54**	**3**	**3**	**6**	**14**	**17**	**26**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	1	19.0		19	19	19	19	19	19	19											
25-34	1	5.0		5	5	5	5	5	5	5											
35-54	1	4.0		4	4	4	4	4	4	4											
55-74	2	9.0	2	8	8	9	10	10	10	10		2	15.0	128	7	7	15	23	23	23	23
75 +	3	14.7	109	4	4	15	22	25	25	25		1	7.0		7	7	7	7	7	7	7
ALL AGES	8	11.3	59	4	4	9	17	23	25	25		3	12.3	87	7	7	7	19	23	23	23
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34	1	39.0		39	39	39	39	39	39	39											
35-54	2	46.5	1985	15	15	46	78	78	78	78		1	9.0		9	9	9	9	9	9	9
55-74	3	19.3	14	16	16	19	22	23	23	23											
75 +	3	12.3	34	6	6	14	16	17	17	17		1	7.0		7	7	7	7	7	7	7
ALL AGES	9	25.2	473	6	9	17	27	62	78	78		2	8.0	2	7	7	8	9	9	9	9
SUBTOTAL	**17**	**18.6**	**315**	**4**	**4**	**15**	**20**	**36**	**64**	**78**		**5**	**10.6**	**49**	**7**	**7**	**7**	**12**	**23**	**23**	**23**
GRAND TOTAL	**38**	**13.2**	**183**	**4**	**4**	**9**	**15**	**24**	**37**	**78**		**19**	**9.6**	**51**	**3**	**3**	**7**	**14**	**20**	**26**	**29**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	9.5	1	9	9	9	10	10	10	10	3	6.7	52	2	2	3	12	15	15	15
55-74	5	8.4	51	1	1	5	14	19	19	19	1	7.0		7	7	53	99 +	99 +	99 +	99 +
75 +	4	19.8	297	3	3	16	30	44	44	44	2	26.0	800	6	6	46	86	99 +	99 +	99 +
ALL AGES	13	14.5	167	1	3	10	17	39	43	44	7	11.4	255	1	1	7	59	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	2	12.5	145	4	4	12	21	21	21	21										
18-24																				
25-34	3	10.0	109	3	3	5	18	22	22	22										
35-54											2	9.0	72	3	3	9	15	15	15	15
55-74	6	21.8	242	6	6	18	29	47	49	49	2	18.0	392	4	4	18	32	32	32	32
75 +	5	13.0	104	6	6	7	19	30	30	30										
ALL AGES	17	15.6	147	3	4	14	21	30	42	49	4	13.5	182	3	3	9	23	32	32	32
SUBTOTAL	**30**	**15.1**	**151**	**3**	**4**	**11**	**19**	**34**	**44**	**49**	**11**	**12.2**	**208**	**1**	**2**	**7**	**35**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	39.5	113	32	32	39	47	47	47	47										
18-24	2	7.5	25	4	4	7	11	11	11	11	1	4.0		4	4	4	4	4	4	4
25-34											4	17.5	353	3	3	11	29	45	45	45
35-54	1	5.0		5	5	5	5	5	5	5	5	41.6	241	28	28	32	58	60	60	60
55-74	3	7.0	13	3	3	8	9	10	10	10	5	14.0	294	2	2	4	25	42	42	42
75 +	3	9.7	29	4	4	10	14	15	15	15	2	19.0	32	15	15	19	23	23	23	23
ALL AGES	11	13.5	190	3	3	10	14	38	46	47	17	22.9	369	2	3	19	34	55	59	60
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	41.0		41	41	41	41	41	41	41										
18-24																				
25-34	2	9.0	128	1	1	9	17	17	17	17	1	29.0		29	29	29	29	29	29	29
35-54	5	9.0	62	3	3	4	15	21	21	21	2	5.5	1	5	5	5	6	6	6	6
55-74	2	15.0	128	7	7	15	23	23	23	23	1	4.0		4	4	4	4	4	4	4
75 +	2	3.5	1	3	3	3	4	4	4	4	1	21.0		21	21	80	99 +	99 +	99 +	99 +
ALL AGES	13	11.0	138	1	2	4	18	27	38	41	5	13.0	129	4	4	13	29	93	99 +	99 +
SUBTOTAL	**24**	**12.2**	**155**	**2**	**3**	**7**	**16**	**33**	**43**	**47**	**22**	**20.7**	**322**	**2**	**3**	**19**	**32**	**58**	**74**	**99 +**
GRAND TOTAL	**54**	**13.8**	**153**	**2**	**3**	**10**	**19**	**33**	**43**	**49**	**33**	**17.8**	**295**	**2**	**3**	**15**	**32**	**60**	**99 +**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	13.7	73	6	6	12	20	23	23	23										
55-74	3	7.3	18	4	4	6	10	12	12	12	3	7.3	22	2	2	10	10	10	10	10
75 +	4	8.5	14	4	4	8	11	13	13	13										
ALL AGES	10	9.7	33	4	4	8	12	18	23	23	3	7.3	22	2	2	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
35-54	2	42.5	2245	9	9	42	76	76	76	76	1	1.0		1	1	1	1	1	1	1
55-74	10	9.4	53	1	1	9	11	20	27	27	2	4.0	2	3	3	4	5	5	5	5
75 +	8	12.6	116	4	4	9	16	31	36	36	5	4.6	5	2	2	5	6	8	8	8
ALL AGES	22	13.5	262	2	3	9	14	30	52	76	9	4.0	4	1	1	4	5	7	8	8
SUBTOTAL	**32**	**12.3**	**191**	**2**	**4**	**9**	**13**	**24**	**35**	**76**	**12**	**4.8**	**10**	**1**	**1**	**4**	**7**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	28.0		28	28	28	28	28	28	28										
35-54	2	6.0		6	6	6	6	6	6	6	1	43.0		43	43	43	43	43	43	43
55-74	2	8.0	18	5	5	8	11	11	11	11	1	9.0		9	9	9	9	9	9	9
75 +	1	24.0		24	24	24	24	24	24	24	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	12.4	92	5	5	7	21	27	28	28	3	19.7	407	7	7	9	34	43	43	43
B. FEMALE																				
0-12 YRS.																				
13-17	2	21.5	145	13	13	21	30	30	30	30										
18-24																				
25-34	4	9.8	56	5	5	6	14	21	21	21										
35-54																				
55-74	6	20.2	223	7	7	14	30	44	46	46										
75 +	3	5.7	41	1	1	3	10	13	13	13	3	37.3	2862	4	4	9	76	99	99	99 +
ALL AGES	15	14.7	152	1	3	12	20	30	42	46	3	37.3	2862	4	4	9	76	99	99	99 +
SUBTOTAL	**22**	**14.0**	**128**	**2**	**4**	**10**	**21**	**30**	**37**	**46**	**6**	**28.5**	**1401**	**4**	**4**	**9**	**43**	**93**	**99**	**99 +**
GRAND TOTAL	**54**	**13.0**	**163**	**2**	**4**	**9**	**14**	**28**	**35**	**75**	**18**	**12.7**	**550**	**1**	**2**	**5**	**9**	**33**	**77**	**99**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	2	8.0	98	1	1	8	15	15	15	15	1	6.0		6	6	6	6	6	6	6
25-34	3	7.3	33	1	1	9	11	12	12	12										
35-54	3	12.7	101	1	1	18	19	19	19	19										
55-74	2	24.5	481	9	9	24	40	40	40	40										
75 +																						
ALL AGES	10	12.5	140	1	1	11	18	29	40	40	1	6.0		6	6	6	6	6	6	6
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
25-34	5	13.4	52	3	3	14	20	20	20	20										
35-54	3	3.3	11	1	1	2	6	7	7	7	1	5.0		5	5	5	5	5	5	5
55-74																						
75 +	5	10.8	35	7	7	8	13	21	21	21	1	6.0		6	6	6	6	6	6	6
ALL AGES	14	10.0	43	1	2	8	14	20	21	21	3	4.7	2	3	3	5	6	6	6	6
SUBTOTAL	**24**	**11.0**	**82**	**1**	**1**	**9**	**16**	**20**	**27**	**40**	**4**	**5.0**	**2**	**3**	**3**	**5**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	1	23.0		23	23	23	23	23	23	23										
55-74																						
75 +																						
ALL AGES	2	24.5	5	23	23	24	26	26	26	26										
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	2	36.5	1	36	36	36	37	37	37	37										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																						
75 +												1	5.0		5	5	5	5	5	5	5
ALL AGES	4	20.5	342	4	4	20	36	37	37	37	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**6**	**21.8**	**212**	**4**	**4**	**24**	**36**	**37**	**37**	**37**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**30**	**13.2**	**120**	**1**	**1**	**10**	**20**	**31**	**37**	**40**	**5**	**5.0**	**2**	**3**	**3**	**5**	**6**	**6**	**6**	**6**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	9.1	61	2	3	8	10	22	27	27	2	7.5	85	1	1	7	14	14	14	14
25-34	15	12.0	65	3	4	13	16	25	29	30	6	8.7	48	3	3	5	17	18	18	18
35-54	4	6.5	7	3	3	7	8	9	9	9	10	19.0	380	2	3	10	26	54	55	55
55-74											1	6.0		6	6	6	6	6	6	6
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	28	10.3	55	3	3	8	14	23	27	30	19	13.8	241	1	2	8	16	42	54	55
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	6	11.2	52	4	4	9	15	23	24	24										
25-34	16	11.6	61	2	2	11	16	20	27	30	5	15.2	93	1	1	17	22	26	26	26
35-54	11	10.8	29	3	3	11	15	16	17	17	6	17.5	183	5	5	11	33	36	36	36
55-74	3	10.3	7	8	8	10	12	13	13	13										
75 +																				
ALL AGES	37	11.5	43	2	3	10	15	20	23	30	11	16.5	128	1	3	14	25	34	36	36
SUBTOTAL	**65**	**11.0**	**47**	**3**	**3**	**10**	**15**	**20**	**25**	**30**	**30**	**14.8**	**195**	**1**	**2**	**10**	**18**	**34**	**53**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	13.2	63	4	4	12	21	24	24	24	1	4.0		4	4	4	4	4	4	4
25-34	1	17.0		17	17	17	17	17	17	17	4	9.3	53	2	2	9	15	17	17	17
35-54																				
55-74																				
75 +																				
ALL AGES	7	13.7	56	4	4	13	20	23	24	24	5	8.2	46	2	2	4	15	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.0	8	7	7	9	11	11	11	11										
25-34	4	18.0	417	1	1	12	32	47	47	47										
35-54	3	10.3	47	5	5	8	15	18	18	18	2	8.0	72	2	2	8	14	14	14	14
55-74																				
75 +																				
ALL AGES	9	13.4	189	1	3	8	17	35	47	47	[illegible]	8.0	72	2	2	8	14	14	14	14
SUBTOTAL	**16**	**13.6**	**121**	**2**	**4**	**11**	**18**	**24**	**40**	**47**	[illegible]	**9.1**	**44**	**2**	**2**	**4**	**14**	**16**	**17**	**17**
GRAND TOTAL	**81**	**11.5**	**62**	**2**	**3**	**10**	**15**	**21**	**26**	**42**	**37**	**13.5**	**173**	**1**	**2**	**10**	**17**	**32**	**47**	**55**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	12.3	109	3	3	10	17	29	30	30	2	2.0		2	2	2	2	2	2	2
25-34	11	12.5	312	1	2	7	10	41	59	61	5	7.8	21	3	3	7	10	15	15	15
35-54	7	16.0	165	5	5	8	25	35	37	37	1	1.0		1	1	1	1	1	1	1
55-74	2	11.5	1	11	11	11	12	12	12	12	1	5.0		5	5	5	5	5	5	5
75 +	2	5.0	8	3	3	5	7	7	7	7										
ALL AGES	28	12.7	181	2	3	7	15	29	39	61	9	5.4	20	1	1	5	7	13	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	21.3	258	6	6	17	31	44	44	44										
25-34	5	28.2	1455	1	1	4	56	88	88	88										
35-54	9	11.6	79	2	3	10	13	26	33	33										
55-74	1	13.0		13	13	13	13	13	13	13	2	7.5	41	3	3	7	12	12	12	12
75 +	1	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
ALL AGES	20	17.3	443	1	2	10	17	44	66	88	3	8.7	23	3	3	11	12	12	12	12
SUBTOTAL	**48**	**14.6**	**289**	**2**	**3**	**8**	**16**	**36**	**47**	**88**	**12**	**6.3**	**20**	**1**	**2**	**5**	**10**	**13**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17	1	16.0		16	16	16	16	16	16	16
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	19.7	403	1	1	17	35	41	41	41	2	10.0	72	4	4	10	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	47.0		47	47	47	47	47	47	47										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	2	30.5	545	14	14	30	47	47	47	47	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**5**	**24.0**	**374**	**1**	**1**	**17**	**42**	**47**	**47**	**47**	**3**	**9.0**	**30**	**4**	**4**	**7**	**14**	**16**	**16**	**16**
GRAND TOTAL	**53**	**15.5**	**297**	**1**	**3**	**9**	**18**	**42**	**47**	**87**	**15**	**6.8**	**23**	**1**	**2**	**5**	**10**	**15**	**16**	**16**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	30.5	481	15	15	30	46	46	46	46										
13-17	15	16.7	99	3	5	14	26	32	34	35	1	76.0		76	76	76	76	76	76	76
18-24	180	11.3	116	1	2	8	15	24	31	59	36	11.3	106	1	2	7	16	28	34	41
25-34	501	10.9	107	2	2	7	14	23	33	55	99	11.6	181	1	2	7	14	22	41	73
35-54	412	9.7	81	2	2	7	12	21	28	46	99	12.8	222	1	2	9	16	33	52	99 +
55-74	53	11.2	72	1	3	9	15	25	29	41	8	6.4	73	1	1	3	12	71	99 +	99 +
75 +	6	12.3	145	2	2	7	27	28	28	28										
ALL AGES	1169	10.7	98	2	2	7	14	23	31	49	243	12.1	200	1	2	7	16	29	45	99 +
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	5	6.4	44	2	2	3	9	18	18	18										
18-24	55	11.9	123	1	2	8	17	24	37	51	1	12.0		12	12	12	12	12	12	12
25-34	259	11.4	110	1	3	8	15	25	33	58	31	8.8	49	2	3	7	11	19	35	99 +
35-54	312	11.6	102	2	2	9	16	23	32	53	64	12.1	116	2	2	8	18	23	32	62
55-74	192	13.8	92	3	4	11	18	25	33	49	18	8.9	143	1	1	4	13	20	38	50
75 +	32	14.2	124	3	3	11	20	31	36	44	4	13.5	97	5	5	13	22	23	23	23
ALL AGES	856	12.1	105	2	3	9	16	25	33	52	118	10.8	101	1	2	7	15	23	32	77
SUBTOTAL	**2025**	**11.3**	**102**	**2**	**3**	**8**	**15**	**24**	**32**	**51**	**361**	**11.7**	**167**	**1**	**2**	**7**	**16**	**26**	**40**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	18.5	538	4	4	8	32	53	53	53										
18-24	76	9.4	87	1	2	6	11	21	30	46	15	17.3	466	1	1	5	30	48	68	75
25-34	213	9.1	58	1	2	7	13	19	24	35	50	16.9	488	3	3	9	15	39	84	99
35-54	175	9.9	91	2	2	7	12	19	25	41	39	18.7	584	2	3	10	21	74	91	99 +
55-74	13	8.6	45	2	2	5	15	17	21	22	2	17.5	545	1	1	17	34	34	34	34
75 +	2	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
ALL AGES	483	9.5	77	1	2	7	13	20	25	42	107	17.5	504	1	3	9	19	54	84	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	2	45.0	3528	3	3	45	87	87	87	87
18-24	17	12.6	73	2	3	10	18	26	30	32	2	18.5	41	14	14	18	23	23	23	23
25-34	81	11.8	151	1	2	8	14	23	36	65	8	5.6	23	1	1	4	9	13	14	14
35-54	84	13.5	121	2	3	12	18	27	38	53	11	13.8	130	2	2	14	19	31	37	38
55-74	39	15.3	182	2	4	11	20	28	39	74	5	8.8	41	2	2	8	13	18	18	18
75 +	6	12.8	82	3	3	12	14	27	29	29	3	21.0	921	2	2	5	43	56	56	56
ALL AGES	228	13.1	136	2	3	10	17	27	34	63	31	13.9	328	1	2	9	16	31	55	87
SUBTOTAL	**711**	**10.6**	**100**	**1**	**2**	**8**	**14**	**22**	**27**	**52**	**138**	**16.7**	**464**	**1**	**2**	**9**	**17**	**48**	**80**	**99**
GRAND TOTAL	**2736**	**11.1**	**102**	**2**	**2**	**8**	**15**	**23**	**31**	**52**	**499**	**13.1**	**253**	**1**	**2**	**7**	**16**	**29**	**52**	**99**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	44.0	338	31	31	44	57	57	57	57										
13-17	6	14.8	156	3	3	12	29	29	29	29										
18-24	11	10.0	32	1	2	10	14	18	21	21	12	15.1	150	3	3	11	25	35	36	36
25-34	15	13.6	141	2	4	8	21	33	40	42	5	9.0	58	1	1	7	13	21	21	21
35-54	4	4.5	10	2	2	3	6	9	9	9	1	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	39	13.1	155	1	2	9	18	30	38	57	19	12.6	119	2	3	8	19	33	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.8	158	9	9	21	32	35	35	35										
18-24	9	13.6	115	4	4	9	18	32	35	35	2	7.0	50	2	2	7	12	12	12	12
25-34	11	9.8	59	1	2	8	13	23	25	25	3	5.0	13	2	2	4	8	9	9	9
35-54	4	4.3	6	2	2	4	6	7	7	7	2	5.5	5	4	4	5	7	7	7	7
55-74	2	9.5	85	3	3	9	16	16	16	16	1	3.0		3	3	3	3	3	3	3
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	31	12.1	97	2	2	9	16	29	35	35	8	5.4	13	2	2	4	8	11	12	12
SUBTOTAL	**70**	**12.6**	**129**	**1**	**2**	**9**	**17**	**30**	**35**	**54**	**27**	**10.5**	**96**	**2**	**2**	**7**	**13**	**27**	**35**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	51.5	145	43	43	51	60	60	60	60										
13-17	7	14.4	69	4	5	14	20	27	28	28	1	21.0		21	21	21	21	21	21	21
18-24	5	9.4	74	1	1	7	16	22	22	22	8	23.4	694	4	4	12	35	69	77	77
25-34	10	6.7	19	1	2	5	9	13	15	15	3	7.3	121	1	1	1	15	20	20	20
35-54	4	9.0	23	4	4	9	13	14	14	14										
55-74																				
75 +																				
ALL AGES	28	12.6	171	1	3	8	15	26	45	60	12	19.2	514	1	1	12	21	58	74	77
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	3	11.7	35	6	6	11	16	18	18	18	3	17.7	195	4	4	17	28	32	32	32
25-34	4	12.8	17	9	9	11	15	19	19	19										
35-54	3	6.7	25	2	2	6	10	12	12	12	2	15.5	85	9	9	15	22	22	22	22
55-74	3	12.7	24	8	8	12	16	18	18	18	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	14	11.4	26	3	5	11	16	18	19	19	7	12.7	130	2	2	9	21	30	32	32
SUBTOTAL	**42**	**12.2**	**121**	**2**	**3**	**11**	**15**	**21**	**34**	**60**	**19**	**16.8**	**368**	**1**	**1**	**9**	**21**	**43**	**65**	**77**
GRAND TOTAL	**112**	**12.5**	**124**	**1**	**3**	**9**	**16**	**28**	**35**	**58**	**46**	**13.1**	**213**	**1**	**2**	**8**	**20**	**32**	**39**	**77**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	1	17.0		17	17	17	17	17	17	17										
35-54	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	3	11.0	43	4	4	12	16	17	17	17	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**8.8**	**48**	**2**	**2**	**8**	**14**	**17**	**17**	**17**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.0	450	7	7	22	37	37	37	37										
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	4	15.5	230	3	3	11	26	37	37	37										
SUBTOTAL	**4**	**15.5**	**230**	**3**	**3**	**11**	**26**	**37**	**37**	**37**										
GRAND TOTAL	**8**	**12.1**	**133**	**2**	**2**	**9**	**16**	**31**	**37**	**37**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	25.8	545	5	5	13	47	58	58	58										
18-24	51	11.1	172	2	3	7	11	22	26	85	6	12.3	150	2	2	8	14	34	36	36
25-34	150	9.5	76	1	2	7	12	21	27	48	11	7.3	19	1	2	8	11	13	14	14
35-54	107	11.2	77	2	3	9	15	22	28	42	6	2.5	2	1	1	2	4	4	4	4
55-74	21	13.0	105	3	4	11	15	24	36	48	2	6.0	18	3	3	6	9	9	9	9
75 +	2	28.5	841	8	8	28	49	49	49	49										
ALL AGES	336	10.9	105	2	3	7	14	22	28	50	25	7.2	53	1	1	6	10	14	49	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	21	10.4	52	2	3	8	15	22	25	27	3	4.3	6	3	3	3	6	7	7	7
25-34	102	10.6	102	1	2	7	15	24	30	52	10	8.9	64	1	1	6	15	20	24	24
35-54	143	10.1	87	2	2	7	12	23	31	42	9	4.9	9	1	1	6	7	8	9	9
55-74	59	13.0	95	3	5	11	17	30	32	96	3	6.7	1	6	6	6	8	8	8	8
75 +	10	10.3	69	2	2	7	15	24	27	27										
ALL AGES	336	10.3	90	2	2	7	14	23	31	52	25	6.6	32	1	1	6	8	16	39	99 +
SUBTOTAL	**672**	**10.8**	**99**	**2**	**2**	**7**	**14**	**23**	**30**	**51**	**50**	**6.9**	**42**	**1**	**1**	**6**	**9**	**15**	**35**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	11.6	91	1	1	9	16	27	27	27										
18-24	39	9.3	62	1	1	8	13	20	23	39	4	7.8	56	3	3	4	12	19	19	19
25-34	57	9.1	59	2	3	7	10	23	23	95	7	5.4	24	1	1	3	9	13	14	14
35-54	43	9.3	81	1	2	6	9	20	35	38	1	3.0		3	3	3	3	3	3	3
55-74	9	10.9	53	3	4	8	14	23	26	26										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	154	9.4	65	1	2	7	12	21	27	39	12	6.0	31	1	2	4	8	15	18	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	19	9.9	78	2	2	8	13	22	30	36										
25-34	33	12.2	169	1	2	8	12	34	39	53	5	3.8	5	2	2	3	5	7	7	7
35-54	39	8.0	31	2	2	6	11	15	21	25	7	5.4	22	2	2	3	7	13	15	15
55-74	21	10.8	84	2	2	9	15	21	31	40	1	18.0		18	18	18	18	18	18	18
75 +	5	16.0	279	4	4	9	22	45	45	45										
ALL AGES	117	10.4	96	2	2	8	12	23	34	48	13	5.8	26	2	2	3	7	16	18	18
SUBTOTAL	**271**	**9.8**	**79**	**2**	**2**	**7**	**12**	**21**	**32**	**44**	**25**	**5.9**	**27**	**1**	**2**	**3**	**7**	**15**	**18**	**19**
GRAND TOTAL	**943**	**10.5**	**93**	**2**	**2**	**7**	**14**	**23**	**30**	**49**	**75**	**6.6**	**36**	**1**	**1**	**6**	**8**	**15**	**22**	**99 +**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	10	16.9	87	5	7	14	23	31	36	36										
18-24	63	11.0	89	2	2	8	15	26	30	40	11	10.6	48	2	3	11	15	19	24	24
25-34	155	11.8	123	2	2	9	16	24	34	84	37	10.5	61	2	3	8	16	22	25	29
35-54	131	13.1	141	2	4	10	16	26	36	64	32	12.8	223	2	3	7	15	30	52	65
55-74	13	16.1	112	2	3	13	24	33	35	36	1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	374	12.5	125	2	3	10	16	26	35	58	81	11.4	121	2	3	7	16	24	29	62
B. FEMALE																				
0-12 YRS.	1	55.0		55	55	55	55	55	55	55										
13-17	5	30.8	650	5	5	28	53	63	63	63										
18-24	50	14.9	189	1	2	9	21	37	45	50	14	15.4	270	3	3	7	24	38	55	60
25-34	171	12.9	117	1	2	11	17	28	39	91	17	16.1	434	2	3	7	17	53	70	76
35-54	261	13.7	121	2	3	11	17	28	35	61	36	16.3	147	4	4	13	22	38	42	42
55-74	92	17.2	196	2	4	14	21	36	39	71	14	14.9	71	2	4	16	20	27	29	30
75 +	4	24.5	330	4	4	23	38	47	47	47										
ALL AGES	584	14.4	149	2	3	11	18	32	39	64	81	15.8	209	3	4	12	21	37	42	71
SUBTOTAL	**958**	**13.7**	**140**	**2**	**3**	**11**	**17**	**29**	**38**	**63**	**162**	**13.6**	**168**	**2**	**3**	**9**	**18**	**28**	**39**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	29.0	724	6	6	25	40	74	74	74	1	13.0		13	13	13	13	13	13	13
18-24	37	11.9	82	1	2	9	19	24	30	36	5	20.6	557	2	2	12	33	60	60	60
25-34	93	10.4	67	2	3	8	15	20	26	43	18	10.6	68	1	2	10	17	21	25	28
35-54	70	11.4	134	2	3	9	14	18	24	76	12	8.8	41	2	2	8	11	19	22	23
55-74	10	13.5	137	2	4	8	18	31	43	43	2	7.5	5	6	6	7	9	9	9	9
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	216	11.6	112	2	3	9	15	22	29	59	38	11.2	120	2	2	9	15	22	26	60
B. FEMALE																				
0-12 YRS.																				
13-17	7	39.3	1551	1	1	28	73	89	93	93										
18-24	39	15.5	292	1	2	10	21	31	44	93	5	29.4	564	12	12	16	46	67	67	67
25-34	105	11.7	83	3	3	8	14	24	31	49	11	19.2	422	3	3	10	32	50	67	69
35-54	115	12.4	103	2	3	9	17	27	34	45	25	11.7	88	2	3	10	15	30	31	34
55-74	40	15.2	114	3	4	13	20	33	37	43	2	14.0	72	8	8	14	20	20	20	20
75 +																				
ALL AGES	306	13.5	167	2	3	9	18	28	35	73	43	15.8	241	2	3	11	19	36	49	69
SUBTOTAL	**522**	**12.7**	**145**	**2**	**3**	**9**	**17**	**25**	**33**	**72**	**81**	**13.6**	**188**	**2**	**2**	**10**	**17**	**30**	**38**	**68**
GRAND TOTAL	**1480**	**13.3**	**143**	**2**	**3**	**10**	**17**	**28**	**36**	**64**	**243**	**13.6**	**174**	**2**	**3**	**10**	**18**	**29**	**39**	**67**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	6	3.3	5	1	1	3	5	7	7	7										
25-34	14	7.2	52	1	1	4	9	17	25	27	2	3.0	2	2	2	3	4	4	4	4
35-54	13	20.4	256	1	2	19	29	42	53	56	2	1.0		1	1	1	1	1	1	1
55-74	2	17.0	242	6	6	17	28	28	28	28	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	36	11.8	166	1	1	6	18	28	37	56	5	1.8	2	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.5	265	6	6	17	29	29	29	29										
18-24	5	16.2	82	7	7	14	24	28	28	28										
25-34	14	14.2	241	1	3	10	15	32	54	60	4	7.0	31	2	2	5	10	15	15	15
35-54	13	10.8	185	2	2	5	14	24	47	52	4	7.8	60	1	1	7	14	15	15	15
55-74	6	11.2	46	4	4	11	17	19	19	19	6	5.0	14	2	2	4	6	11	12	12
75 +																				
ALL AGES	40	13.1	162	2	3	9	16	28	41	60	14	6.4	28	1	1	5	12	15	15	15
SUBTOTAL	**76**	**12.5**	**162**	**1**	**2**	**8**	**17**	**28**	**37**	**59**	**19**	**5.2**	**25**	**1**	**1**	**3**	**6**	**14**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	25.0	98	18	18	25	32	32	32	32										
18-24	5	16.8	75	3	3	20	23	24	24	24	1	15.0		15	15	15	15	15	15	15
25-34	3	7.7	44	2	2	6	13	15	15	15										
35-54	4	18.5	114	9	9	16	27	32	32	32	2	2.5	1	2	2	2	3	3	3	3
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	15	16.5	88	2	3	17	23	32	32	32	3	6.7	52	2	2	3	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	43.0	18	40	40	43	46	46	46	46										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	10.8	41	5	5	9	15	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54	7	12.1	212	1	1	8	16	37	42	42	1	3.0		3	3	3	3	3	3	3
55-74	1	18.0		18	18	18	18	18	18	18										
75 +	1	45.0		45	45	45	45	45	45	45										
ALL AGES	16	17.5	271	1	1	11	30	45	46	46	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**31**	**17.0**	**177**	**1**	**2**	**15**	**23**	**41**	**45**	**46**	**5**	**5.2**	**30**	**2**	**2**	**3**	**6**	**15**	**15**	**15**
GRAND TOTAL	**107**	**13.8**	**169**	**1**	**2**	**9**	**19**	**31**	**42**	**58**	**24**	**5.2**	**25**	**1**	**1**	**3**	**6**	**15**	**15**	**15**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	30.5	1741	1	1	30	60	60	60	60											
13-17	16	10.5	65	1	2	8	16	24	26	26	2	35.5	113	28	28	43	86	99 +	99 +	99 +
18-24	57	10.5	80	2	2	7	13	24	33	36	15	10.9	45	2	3	10	14	23	23	23
25-34	79	11.8	148	1	2	7	16	25	42	58	48	14.8	239	2	3	11	17	31	50	75
35-54	48	10.8	132	1	2	8	13	20	34	61	34	15.1	273	1	3	10	18	33	61	74
55-74	8	11.3	85	2	3	8	15	27	31	31	6	14.2	218	3	3	7	24	38	40	40
75 +											2	3.0	8	1	1	3	5	5	5	5
ALL AGES	210	11.3	125	1	2	8	14	25	36	60	107	14.5	220	2	3	11	18	33	50	85
B. FEMALE																					
0-12 YRS.	1	12.0		12	12	12	12	12	12	12											
13-17	9	11.3	160	2	2	5	17	33	37	37	1	2.0		2	2	2	2	2	2	2
18-24	36	11.3	122	2	3	9	13	26	43	49	10	14.8	715	1	1	6	10	55	89	89
25-34	69	11.1	55	3	3	9	14	22	26	39	31	8.6	34	1	1	8	10	16	22	26
35-54	62	11.0	70	2	3	8	15	23	31	92	28	12.8	150	2	2	9	17	32	36	49
55-74	38	14.4	199	2	3	11	17	23	45	76	5	8.0	37	3	3	5	14	16	16	16
75 +	4	15.3	91	6	6	13	22	28	28	28											
ALL AGES	219	11.7	101	2	3	9	15	24	30	61	75	10.9	164	1	2	8	13	26	34	97
SUBTOTAL	**429**	**11.5**	**113**	**2**	**3**	**8**	**14**	**24**	**31**	**60**	**182**	**13.0**	**200**	**1**	**2**	**9**	**16**	**28**	**44**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	9	21.3	265	6	6	16	30	48	55	55	2	15.5	421	1	1	15	30	30	30	30
18-24	30	8.7	60	1	2	6	14	17	27	34	8	13.6	140	1	2	12	16	33	39	39
25-34	58	8.3	45	1	2	7	12	18	22	30	19	12.3	69	3	4	11	15	22	30	37
35-54	32	7.7	44	1	2	6	10	19	24	27	19	11.5	70	1	4	8	16	25	28	29
55-74	8	6.0	13	2	2	5	8	12	13	13										
75 +	1	15.0		15	15	15	15	15	15	15											
ALL AGES	138	9.0	69	1	2	7	12	20	26	40	48	12.3	[illegible]	1	3	10	16	26	31	39
B. FEMALE																					
0-12 YRS.																					
13-17	5	23.8	180	9	9	24	34	42	42	42											
18-24	18	13.4	166	3	3	9	17	36	41	44	2	26.5	481	11	11	26	42	42	42	42
25-34	33	10.2	77	1	2	7	16	21	30	34	11	10.2	113	1	1	3	20	27	29	29
35-54	30	9.9	61	1	2	9	13	19	25	36	15	9.1	31	2	2	10	13	16	17	18
55-74	7	9.4	29	3	3	9	14	16	16	16	2	11.5	5	10	10	11	13	13	13	13
75 +																					
ALL AGES	93	11.4	97	2	2	9	15	26	35	43	30	10.8	90	1	2	10	13	24	29	42
SUBTOTAL	**231**	**10.0**	**81**	**2**	**2**	**7**	**13**	**21**	**30**	**42**	**78**	**11.7**	**87**	**1**	**2**	**10**	**15**	**24**	**30**	**41**
GRAND TOTAL	**660**	**11.0**	**101**	**2**	**2**	**8**	**14**	**24**	**31**	**54**	**260**	**12.6**	**166**	**1**	**2**	**10**	**16**	**27**	**40**	**87**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UN'T/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.5	113	6	6	13	21	21	21	21	1	10.0		10	10	10	10	10	10	10
25-34	7	9.4	114	2	2	3	17	27	28	28										
35-54	11	13.7	193	1	2	9	17	37	46	47	1	10.0		10	10	10	10	10	10	10
55-74	4	8.3	100	1	1	4	14	23	23	23	5	2.4	1	1	1	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	24	11.5	138	1	2	7	19	28	35	47	8	4.3	13	1	1	3	7	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	5	11.6	104	3	3	6	19	27	27	27										
25-34	6	6.0	6	4	4	5	8	10	10	10										
35-54	19	11.2	78	1	2	9	17	24	30	34	3	5.7	40	2	2	2	10	13	13	13
55-74	10	10.2	66	2	2	9	14	22	28	28	2	4.0	2	3	3	4	5	5	5	5
75 +	3	5.7	9	3	3	5	8	9	9	9	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	44	10.0	64	2	3	8	14	21	27	34	7	4.3	16	1	1	3	5	11	13	13
SUBTOTAL	**68**	**10.6**	**88**	**2**	**2**	**7**	**16**	**25**	**28**	**45**	**15**	**4.3**	**13**	**1**	**1**	**3**	**5**	**10**	**12**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37										
18-24											4	12.8	43	7	7	11	17	22	22	22
25-34	2	10.5	61	5	5	10	16	16	16	16										
35-54	6	16.5	144	2	3	14	22	35	37	37	2	6.5	61	1	1	6	12	12	12	12
55-74	5	18.4	186	7	7	16	26	40	40	40	1	6.0		6	6	6	6	6	6	6
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	14	17.8	154	3	5	15	22	38	39	40	8	9.4	40	1	2	8	12	19	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	6.0	2	5	5	6	7	7	7	7										
25-34	2	12.5	113	5	5	12	20	20	20	20	3	12.0	156	2	2	8	21	26	26	26
35-54	6	7.7	47	1	1	6	12	18	19	19										
55-74	1	24.0		24	24	24	24	24	24	24	1	21.0		21	21	21	21	21	21	21
75 +	2	7.0	2	6	6	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
ALL AGES	13	9.3	54	1	1	7	14	21	23	24	5	11.6	128	1	1	8	22	26	26	26
SUBTOTAL	**27**	**13.7**	**121**	**1**	**3**	**10**	**20**	**34**	**38**	**40**	**13**	**10.2**	**69**	**1**	**1**	**8**	**15**	**23**	**25**	**26**
GRAND TOTAL	**95**	**11.5**	**97**	**1**	**2**	**7**	**17**	**26**	**33**	**44**	**28**	**7.0**	**47**	**1**	**1**	**4**	**10**	**19**	**22**	**26**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24	2	6.5	5	5	5	6	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	3	5.3	5	3	3	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	4	11.3	36	5	5	10	16	19	19	19	1	11.0		11	11	11	11	11	11	11
55-74	4	17.3	226	5	5	14	29	36	36	36	2	2.0	2	1	1	2	3	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	15	10.9	87	2	3	7	17	23	33	36	5	3.6	18	1	1	2	5	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	4	10.0	29	5	5	9	14	16	16	16	1	1.0		1	1	1	1	1	1	1
35-54	23	15.2	78	2	3	15	23	27	30	31	6	17.5	427	3	3	8	26	53	56	56
55-74	20	13.8	76	3	4	13	19	25	32	36	3	6.7	16	3	3	6	10	11	11	11
75 +																				
ALL AGES	48	14.1	71	3	4	13	19	26	29	36	11	11.7	264	1	2	6	11	38	54	56
SUBTOTAL	**63**	**13.3**	**76**	**3**	**4**	**12**	**19**	**26**	**30**	**36**	**16**	**9.2**	**195**	**1**	**1**	**4**	**10**	**25**	**47**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	6.8	5	5	5	6	8	10	10	10										
35-54	5	12.4	141	3	3	7	19	32	32	32	1	11.0		11	11	11	11	11	11	11
55-74	2	10.5	5	9	9	10	12	12	12	12	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	11	10.0	66	3	4	7	11	22	31	32	2	7.0	32	3	3	7	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	7	9.7	39	3	3	7	16	18	18	18	1	1.0		1	1	1	1	1	1	1
55-74	4	11.8	79	4	4	10	19	23	23	23	3	14.3	122	8	8	8	22	27	27	27
75 +	1	13.0		13	13	13	13	13	13	13	1	14.0		14	14	14	14	14	14	14
ALL AGES	14	10.1	41	3	4	8	15	18	22	23	5	11.6	95	1	1	8	17	27	27	27
SUBTOTAL	**25**	**10.1**	**49**	**3**	**4**	**7**	**14**	**18**	**25**	**32**	**7**	**10.3**	**74**	**1**	**1**	**8**	**13**	**24**	**27**	**27**
GRAND TOTAL	**88**	**12.4**	**70**	**3**	**4**	**10**	**17**	**24**	**29**	**36**	**23**	**9.5**	**154**	**1**	**1**	**6**	**11**	**26**	**37**	**56**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	21.6	183	4	5	19	29	42	45	52										
13-17	62	19.6	240	2	3	18	28	39	49	78	4	29.0	627	1	1	31	50	53	53	53
18-24	54	9.3	136	1	1	5	11	21	31	66	12	9.9	463	1	1	2	5	34	71	77
25-34	94	8.1	64	1	2	6	10	18	22	44	14	4.6	20	1	1	2	7	12	14	14
35-54	188	10.2	76	1	2	8	14	22	29	43	19	5.1	13	1	1	4	7	11	13	13
55-74	125	13.4	134	2	2	10	18	28	36	53	15	6.9	50	2	2	5	7	18	25	28
75 +	52	15.7	124	2	4	13	23	30	36	56	6	9.7	151	2	2	5	9	31	34	34
ALL AGES	607	12.5	133	1	2	9	18	28	35	52	70	8.0	160	1	1	4	7	15	34	72
B. FEMALE																				
0-12 YRS.	21	26.0	262	4	8	23	39	49	58	63										
13-17	112	16.7	199	1	3	14	22	32	50	62	10	12.8	122	2	2	9	28	59	97	99 +
18-24	93	12.1	139	1	2	8	16	31	44	79	17	4.5	38	1	1	2	4	17	20	21
25-34	220	10.8	123	1	2	7	14	22	32	55	13	5.8	24	1	2	3	9	12	17	18
35-54	335	12.0	113	1	2	9	16	24	35	50	58	6.9	63	1	1	4	9	18	25	37
55-74	237	14.0	135	1	2	11	19	29	39	60	48	7.0	46	1	2	5	8	17	19	34
75 +	123	15.4	118	2	3	14	18	31	37	53	34	6.9	33	1	2	6	9	10	13	34
ALL AGES	1141	13.3	138	1	2	10	18	28	40	59	180	6.9	52	1	1	4	9	17	23	36
SUBTOTAL	**1748**	**13.0**	**137**	**1**	**2**	**10**	**18**	**28**	**38**	**56**	**250**	**7.2**	**82**	**1**	**1**	**4**	**9**	**17**	**27**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	54	35.6	274	9	15	39	43	55	72	99	1	88.0		88	88	88	88	88	88	88
13-17	87	21.0	242	2	4	16	35	44	61	99 +	12	12.6	422	1	1	4	9	48	66	69
18-24	82	10.4	103	1	2	6	16	22	32	49	7	2.1	2	1	1	2	3	4	4	4
25-34	135	9.0	58	1	2	7	13	19	25	36	23	6.8	93	1	1	3	7	20	31	41
35-54	186	10.8	99	1	2	8	14	22	31	44	26	7.6	82	1	2	4	8	22	30	39
55-74	87	13.2	123	3	3	10	17	27	34	58	13	6.8	20	3	3	5	10	14	15	15
75 +	29	12.3	91	1	3	9	17	26	32	39	3	5.0	12	1	1	7	7	7	7	7
ALL AGES	660	14.1	181	1	2	10	19	36	43	71	85	8.4	190	1	1	4	7	19	39	81
B. FEMALE																				
0-12 YRS.	13	27.5	387	4	7	20	38	62	62	62	1	9.0		9	9	9	9	9	9	9
13-17	129	24.8	350	2	3	22	37	50	60	75	13	33.5	1099	3	3	32	83	87	97	99 +
18-24	123	13.0	138	1	2	10	19	29	38	56	10	6.5	62	1	1	4	7	18	28	28
25-34	285	11.4	125	1	2	8	14	25	37	55	28	7.7	112	2	2	4	8	16	24	56
35-54	306	12.9	142	2	2	10	17	28	36	77	37	7.4	43	1	1	6	10	17	19	29
55-74	134	16.3	190	3	4	13	21	33	41	77	29	8.7	53	1	2	6	11	20	26	31
75 +	61	16.3	148	3	4	13	23	35	47	95	14	7.7	24	3	4	6	9	12	20	22
ALL AGES	1051	14.8	189	2	3	11	20	34	44	70	132	10.3	213	1	2	6	10	23	41	88
SUBTOTAL	**1711**	**14.5**	**187**	**1**	**2**	**10**	**19**	**35**	**43**	**71**	**217**	**9.5**	**205**	**1**	**1**	**5**	**9**	**22**	**39**	**87**
GRAND TOTAL	**3459**	**13.8**	**161**	**1**	**2**	**10**	**18**	**31**	**41**	**62**	**467**	**8.3**	**140**	**1**	**1**	**5**	**9**	**18**	**31**	**83**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	18.4	92	1	4	20	25	29	30	30										
13-17	32	13.5	119	2	3	11	21	29	48	99 +	1	43.0		43	43	43	43	43	43	43
18-24	20	11.6	92	3	3	10	15	20	33	45	5	8.6	105	1	1	7	12	26	26	26
25-34	71	9.8	52	1	2	8	12	22	25	31	10	4.2	9	1	1	4	4	9	10	10
35-54	133	13.0	181	1	2	9	16	26	39	71	13	5.9	41	1	1	3	8	14	22	24
55-74	127	17.9	182	3	5	15	24	36	40	68	9	9.0	82	1	2	6	12	23	31	31
75 +	51	18.9	214	2	4	14	34	41	47	56	6	8.5	137	1	1	4	7	29	32	32
ALL AGES	442	14.6	164	2	3	11	20	31	39	65	44	7.7	87	1	1	4	8	24	31	43
B. FEMALE																				
0-12 YRS.	8	10.3	32	1	1	12	14	16	17	17										
13-17	65	14.6	172	2	3	13	19	25	28	88	2	4.5	13	2	2	4	7	7	7	7
18-24	66	11.0	84	2	2	8	14	25	30	44	3	6.0	31	1	1	5	10	12	12	12
25-34	188	9.9	66	2	2	8	14	20	25	40	32	10.5	209	1	1	5	12	29	52	60
35-54	379	12.5	91	2	3	10	17	26	31	43	38	15.8	188	1	2	11	29	38	43	49
55-74	370	16.5	126	2	5	14	22	31	36	57	31	10.8	78	2	3	8	14	24	28	38
75 +	139	19.1	192	3	5	16	24	41	47	64	10	5.8	15	2	2	5	10	11	11	11
ALL AGES	1215	14.1	121	2	3	12	19	28	35	53	116	11.7	150	1	2	8	14	30	39	57
SUBTOTAL	**1657**	**14.2**	**133**	**2**	**3**	**11**	**19**	**29**	**36**	**58**	**160**	**10.6**	**135**	**1**	**1**	**7**	**12**	**29**	**36**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	23.8	617	3	6	18	28	54	90	96										
13-17	29	16.3	195	3	4	11	23	41	42	56	4	29.3	399	1	1	34	43	47	47	47
18-24	33	9.0	101	1	2	5	13	18	25	53	6	12.7	83	5	5	9	21	26	27	27
25-34	99	12.9	162	1	2	9	16	28	37	70	12	4.9	29	1	1	3	6	13	18	19
35-54	183	11.1	99	2	2	8	15	24	31	41	19	6.9	33	1	1	4	11	17	18	18
55-74	87	14.3	140	3	3	11	17	27	40	63	7	5.4	9	2	2	5	7	10	10	10
75 +	18	14.7	48	3	6	14	20	24	26	26	3	13.7	141	4	4	10	23	27	27	27
ALL AGES	461	12.7	143	2	2	9	16	26	36	56	51	9.1	100	1	1	5	11	23	30	47
B. FEMALE																				
0-12 YRS.	3	20.0	3	19	19	19	21	22	22	22	1	59.0		59	59	59	59	59	59	59
13-17	55	14.2	109	2	4	13	18	29	52	99 +	7	19.3	233	2	2	19	32	40	42	42
18-24	84	14.6	207	2	3	9	20	38	51	89	14	14.0	279	1	2	8	17	33	58	65
25-34	287	14.5	237	2	2	9	19	31	57	84	29	7.9	54	2	2	5	10	19	28	29
35-54	432	13.9	188	2	3	10	19	28	39	69	50	7.6	46	1	2	5	12	16	22	28
55-74	197	18.1	[illegible]	3	4	14	25	36	48	76	17	8.4	84	1	1	5	11	14	31	40
75 +	54	18.8	160	5	6	17	23	35	51	59	3	9.0	16	5	5	9	12	13	13	13
ALL AGES	1112	15.1	204	2	3	11	20	32	47	76	121	9.7	115	1	2	6	13	22	29	61
SUBTOTAL	**1573**	**14.4**	**187**	**2**	**3**	**10**	**19**	**30**	**42**	**74**	**172**	**9.5**	**110**	**1**	**2**	**6**	**12**	**22**	**30**	**56**
GRAND TOTAL	**3230**	**14.3**	**159**	**2**	**3**	**11**	**19**	**29**	**39**	**67**	**332**	**10.0**	**123**	**1**	**2**	**6**	**12**	**27**	**33**	**56**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	9	11.3	47	1	2	13	16	20	21	21	1	15.0		15	15	15	15	15	15	15
18-24	37	12.6	84	2	3	12	17	26	33	40	9	8.0	37	1	1	8	14	16	17	17
25-34	93	9.9	59	2	3	7	13	21	26	37	20	9.6	59	2	3	7	13	23	26	27
35-54	139	10.7	106	1	2	8	13	23	29	61	23	5.9	22	1	1	5	8	12	18	21
55-74	56	15.7	128	3	5	14	19	32	43	54	6	6.5	24	1	1	6	11	13	13	13
75 +	8	24.1	263	3	6	20	38	47	48	48	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	343	11.9	107	2	3	9	15	25	32	49	61	7.7	38	1	2	6	10	16	20	27
B. FEMALE																				
0-12 YRS.																				
13-17	9	20.3	474	4	4	10	36	55	67	67	1	10.0		10	10	10	10	10	10	10
18-24	43	14.3	160	2	3	10	19	35	46	52	8	14.8	179	1	2	11	21	37	41	41
25-34	147	12.2	115	2	3	10	16	24	29	55	16	8.2	28	1	2	7	12	16	19	20
35-54	304	12.0	87	2	3	10	16	23	29	48	37	9.8	47	1	2	8	14	21	23	24
55-74	163	14.5	115	3	4	12	17	28	42	56	10	14.3	221	1	2	8	22	37	50	50
75 +	12	21.9	383	4	4	15	36	55	56	56	1	5.0		5	5	5	5	5	5	5
ALL AGES	678	13.1	116	2	3	11	17	25	36	54	73	10.5	81	1	2	8	13	22	24	48
SUBTOTAL	**1021**	**12.7**	**113**	**2**	**3**	**10**	**16**	**25**	**34**	**54**	**134**	**9.2**	**64**	**1**	**2**	**7**	**13**	**20**	**24**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	42.0	98	35	35	42	49	49	49	49										
13-17	3	17.3	38	11	11	18	22	23	23	23										
18-24	24	16.8	338	1	2	11	25	36	52	87	2	4.5	1	4	4	4	5	5	5	5
25-34	47	10.8	74	2	2	9	15	20	29	40	7	15.3	102	1	2	12	25	28	28	28
35-54	56	9.9	128	1	2	6	12	21	35	59	5	6.6	9	4	4	6	9	11	11	11
55-74	27	13.7	97	3	4	12	19	25	38	40	4	13.8	46	6	6	14	19	21	21	21
75 +	3	14.0	75	4	4	19	19	19	19	19										
ALL AGES	162	12.4	149	1	2	9	17	26	37	59	18	11.3	68	2	4	9	18	25	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	50	4	4	9	14	14	14	14										
18-24	7	12.6	65	4	4	13	20	24	24	24	2	4.5	5	3	3	4	6	6	6	6
25-34	40	11.7	73	2	3	9	16	23	30	38	4	9.3	44	3	3	9	15	16	16	16
35-54	73	11.5	116	2	3	10	14	19	28	71	6	12.0	222	2	2	5	15	38	41	41
55-74	43	13.0	95	1	3	10	18	25	36	40	2	6.5	13	4	4	6	9	9	9	9
75 +	7	19.3	150	3	4	20	28	37	38	38	2	16.0	200	6	6	16	26	26	26	26
ALL AGES	172	12.2	101	2	3	10	16	22	31	41	16	10.2	109	2	3	5	14	25	36	41
SUBTOTAL	**334**	**12.3**	**124**	**2**	**2**	**9**	**16**	**24**	**36**	**51**	**34**	**10.8**	**84**	**2**	**3**	**7**	**15**	**26**	**28**	**41**
GRAND TOTAL	**1355**	**12.6**	**115**	**2**	**3**	**10**	**16**	**25**	**34**	**54**	**168**	**9.6**	**66**	**1**	**2**	**7**	**13**	**21**	**26**	**41**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	23.2	217	8	8	25	34	42	42	42										
18-24	10	8.9	51	1	2	7	10	20	26	26	3	3.7		3	3	4	4	4	4	4
25-34	23	10.2	34	2	2	10	14	16	23	24	4	2.5		2	2	2	3	3	3	3
35-54	46	9.5	59	2	3	7	13	20	25	41	2	8.0	2	7	7	8	9	9	9	9
55-74	21	15.5	292	1	2	8	19	50	54	56										
75 +	3	10.7		10	10	10	12	12	12	12										
ALL AGES	108	11.4	112	2	2	9	14	24	33	54	9	4.1	6	2	2	3	5	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	25.3	407	3	3	31	39	42	42	42	1	17.0		17	17	17	17	17	17	17
18-24	8	11.6	152	2	3	8	11	33	41	41	3	3.0	3	2	2	2	4	5	5	5
25-34	39	13.9	115	3	3	11	20	28	39	46	2	5.0		5	5	5	5	5	5	5
35-54	83	12.7	106	2	3	10	18	28	33	47	9	8.7	71	1	1	5	14	22	23	23
55-74	75	16.9	127	4	5	15	23	30	39	56	3	5.0	9	2	2	5	7	8	8	8
75 +	10	16.9	94	4	5	18	28	60	97	99 +										
ALL AGES	218	14.7	121	2	3	12	20	30	39	51	18	7.2	46	1	1	5	11	20	22	23
SUBTOTAL	**326**	**13.6**	**120**	**2**	**3**	**11**	**18**	**29**	**38**	**53**	**27**	**6.1**	**35**	**1**	**2**	**4**	**8**	**16**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	6	9.7	59	2	2	7	14	22	23	23	1	13.0		13	13	13	13	13	13	13
25-34	27	13.1	106	2	2	11	18	30	35	40	3	12.0	163	1	1	9	22	26	26	26
35-54	40	12.7	94	1	1	12	18	26	34	38	3	7.7	33	1	1	11	11	11	11	11
55-74	11	15.9	255	1	2	13	19	43	53	54	1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	85	12.9	114	1	2	11	18	28	35	49	8	10.9	64	1	1	11	14	23	26	26
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	1	26.0		26	26	26	26	26	26	26										
18-24	11	14.7	285	1	1	11	16	42	57	58										
25-34	41	11.0	102	1	1	7	16	26	34	41	3	7.3	10	4	4	8	9	10	10	10
35-54	66	13.3	238	3	3	8	14	36	55	74	6	4.7	5	2	2	5	7	7	7	7
55-74	25	17.2	125	6	6	12	25	34	41	43	3	7.0	31	1	1	8	11	12	12	12
75 +	5	20.6	340	3	3	15	33	49	49	49										
ALL AGES	150	13.8	185	1	3	9	16	32	43	59	12	5.9	12	1	2	6	8	11	12	12
SUBTOTAL	**235**	**13.5**	**158**	**1**	**2**	**10**	**17**	**31**	**40**	**58**	**20**	**7.9**	**36**	**1**	**1**	**7**	**11**	**14**	**20**	**26**
GRAND TOTAL	**561**	**13.5**	**137**	**2**	**3**	**10**	**17**	**30**	**40**	**58**	**47**	**6.9**	**35**	**1**	**1**	**5**	**10**	**15**	**21**	**26**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.5	313	1	1	13	26	26	26	26	1	9.0		9	9	9	9	9	9	9
18-24	4	17.0	15	13	13	16	20	22	22	22										
25-34	19	18.7	339	3	4	10	25	43	63	74	3	2.3	6	1	1	1	4	5	5	5
35-54	18	11.9	195	1	2	7	12	26	46	59	10	6.4	21	1	1	6	9	13	16	16
55-74	7	11.3	85	2	2	6	19	25	26	26	3	3.7	5	1	1	5	5	5	5	5
75 +	2	49.5	1301	24	24	49	75	75	75	75										
ALL AGES	52	16.2	283	2	2	10	23	30	58	75	17	5.4	17	1	1	5	7	11	14	16
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	8	18.0	158	5	5	18	23	38	43	43	1	3.0		3	3	3	3	3	3	3
25-34	45	13.6	124	2	3	9	19	30	34	57	5	19.0	510	5	5	12	24	59	59	59
35-54	83	12.6	117	1	3	10	16	28	36	54	11	6.0	13	1	1	7	9	10	12	12
55-74	45	17.7	288	2	3	13	23	35	46	94	4	12.5	65	6	6	10	18	24	24	24
75 +	8	23.3	394	1	2	25	32	53	61	61	1	11.0		11	11	11	11	11	11	11
ALL AGES	190	14.7	175	2	3	10	19	31	39	63	22	10.2	144	1	2	8	12	16	38	59
SUBTOTAL	**242**	**15.0**	**199**	**2**	**3**	**10**	**21**	**31**	**40**	**74**	**39**	**8.1**	**93**	**1**	**1**	**6**	**9**	**12**	**20**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	23.5	613	6	6	23	41	41	41	41										
18-24	8	13.1	127	3	3	9	21	31	33	33	2	8.5	113	1	1	8	16	16	16	16
25-34	14	14.3	174	4	4	11	14	25	50	57										
35-54	18	9.4	92	1	1	7	15	24	31	35	3	4.3	1	4	4	4	5	5	5	5
55-74	9	12.6	83	4	4	9	19	27	30	30	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	51	12.5	128	2	2	9	17	28	35	57	6	5.8	27	1	1	4	5	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	2	35.5	841	15	15	35	56	56	56	56										
18-24	4	4.8	24	1	1	3	8	12	12	12	2	9.0	32	5	5	9	13	13	13	13
25-34	19	9.5	98	2	3	6	11	23	35	41	4	9.0	9	6	6	9	11	12	12	12
35-54	50	17.0	394	2	3	12	21	33	47	99	7	9.0	58	1	1	9	12	21	23	23
55-74	14	15.6	131	2	4	15	19	32	39	41	2	7.5	5	6	6	7	9	9	9	9
75 +	5	17.0	176	2	2	16	23	38	38	38										
ALL AGES	94	15.1	286	2	3	11	19	33	45	98	15	8.8	30	1	1	9	12	13	21	23
SUBTOTAL	**145**	**14.2**	**230**	**2**	**3**	**10**	**18**	**31**	**41**	**97**	**21**	**8.0**	**29**	**1**	**1**	**6**	**11**	**14**	**19**	**23**
GRAND TOTAL	**387**	**14.7**	**210**	**2**	**3**	**10**	**20**	**31**	**41**	**75**	**60**	**8.1**	**69**	**1**	**1**	**6**	**10**	**13**	**20**	**55**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	46.7	36	43	43	43	51	54	54	54	2	28.5	841	8	8	28	49	49	49	49
18-24	13	9.8	52	1	2	8	16	20	22	23										
25-34	38	9.9	87	1	1	7	14	25	26	40	5	11.4	72	3	3	10	16	25	25	25
35-54	29	11.1	71	1	2	9	15	19	23	43	7	4.0	4	1	1	4	6	7	7	7
55-74	11	9.9	67	1	1	7	16	22	27	28										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	95	11.4	112	1	1	8	16	24	37	49	14	10.1	163	1	2	6	10	27	44	49
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.0	193	5	5	7	24	30	30	30										
18-24	16	12.4	129	1	1	8	21	31	33	34	2	5.5	41	1	1	5	10	10	10	10
25-34	43	11.4	94	1	1	8	20	28	30	32	2	7.5	41	3	3	7	12	12	12	12
35-54	72	13.4	131	1	3	10	18	28	33	66	14	9.1	71	2	3	7	8	18	32	36
55-74	39	14.2	67	3	4	12	21	26	30	33	5	7.2	21	4	4	6	9	15	15	15
75 +	9	19.2	120	1	3	21	24	33	38	38										
ALL AGES	182	13.3	109	1	2	11	20	28	32	42	23	8.2	51	2	3	7	9	15	23	36
SUBTOTAL	**277**	**12.6**	**111**	**1**	**2**	**9**	**18**	**27**	**32**	**44**	**37**	**8.9**	**91**	**1**	**2**	**7**	**9**	**16**	**32**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44	1	6.0		6	6	6	6	6	6	6
13-17	5	11.6	61	3	3	14	17	21	21	21										
18-24	19	17.1	187	1	2	14	22	37	44	49										
25-34	24	12.1	92	1	2	10	19	27	30	31	6	7.7	40	2	2	6	8	19	20	20
35-54	28	12.8	94	2	3	10	18	24	32	41	5	7.4	43	3	3	5	9	19	19	19
55-74	14	11.2	47	1	1	11	18	20	21	21	1	1.0		1	1	1	1	1	1	1
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	92	13.5	112	1	2	11	20	28	35	47	13	6.9	35	1	2	6	7	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	6	18.3	283	2	2	11	39	40	40	40	1	15.0		15	15	15	15	15	15	15
18-24	15	12.9	88	2	3	9	22	28	28	28	3	5.7	22	2	2	4	9	11	11	11
25-34	33	9.3	61	2	4	7	11	23	35	99 +	1	7.0		7	7	7	7	7	7	7
35-54	44	14.5	213	1	2	9	20	37	44	64	7	7.7	39	2	2	5	11	18	19	19
55-74	19	12.2	77	1	2	12	18	25	28	30	2	9.0	2	8	8	9	10	10	10	10
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	118	12.6	136	2	2	9	17	29	40	75	14	7.9	27	2	2	7	11	15	18	19
SUBTOTAL	**210**	**13.0**	**125**	**2**	**2**	**9**	**19**	**29**	**39**	**55**	**27**	**7.4**	**30**	**2**	**2**	**6**	**10**	**18**	**19**	**20**
GRAND TOTAL	**487**	**12.8**	**116**	**1**	**2**	**9**	**18**	**28**	**34**	**48**	**64**	**6.3**	**65**	**2**	**2**	**6**	**10**	**16**	**21**	**47**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	30.8	35	25	25	28	36	39	39	39										
13-17	8	19.4	113	6	6	19	26	34	37	37										
18-24	7	5.6	10	1	2	5	7	10	11	11										
25-34	21	7.0	30	1	2	6	8	15	19	23	2	3.5	1	3	3	3	4	4	4	4
35-54	21	8.0	45	2	2	7	9	14	23	33	2	1.0		1	1	1	1	1	1	1
55-74	9	11.6	63	4	4	9	17	24	26	26	8	4.3	15	1	1	3	5	11	13	13
75 +	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
ALL AGES	72	10.8	88	2	3	7	14	26	32	39	13	3.7	11	1	1	3	5	7	12	13
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	19	11.7	169	2	3	7	14	44	72	99 +	1	3.0		3	3	3	3	3	3	3
18-24	14	6.9	68	1	1	3	8	18	29	32	3	14.3	99	3	3	19	20	21	21	21
25-34	27	8.2	62	1	1	7	11	19	22	36	12	26.1	334	1	2	29	41	50	50	50
35-54	65	10.5	74	2	3	8	14	22	30	37	27	18.8	117	4	8	15	28	30	34	45
55-74	36	17.2	241	1	4	13	22	37	51	72	7	8.4	52	2	2	6	13	19	21	21
75 +	16	16.3	95	6	7	14	21	30	37	40	1	6.0		6	6	6	6	6	6	6
ALL AGES	178	11.9	128	1	2	8	15	29	37	67	51	18.3	180	2	3	13	28	39	45	50
SUBTOTAL	**250**	**11.6**	**116**	**1**	**2**	**8**	**15**	**27**	**36**	**56**	**64**	**15.3**	**181**	**1**	**2**	**11**	**25**	**33**	**43**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.5	85	19	19	25	32	32	32	32										
13-17	14	17.4	176	4	5	15	23	37	46	49										
18-24	21	6.7	73	1	1	4	6	20	30	33	2	11.5	5	10	10	11	13	13	13	13
25-34	31	7.2	90	1	1	4	7	14	28	48	5	9.0	46	2	2	7	15	18	18	18
35-54	32	9.5	67	1	2	6	12	22	29	33	6	14.5	145	3	3	13	26	28	28	28
55-74	9	13.3	67	3	4	11	22	24	24	24	3	2.3	1	2	2	2	3	3	3	3
75 +	2	8.0	18	5	5	8	11	11	11	11										
ALL AGES	111	9.9	100	1	2	6	13	25	32	48	16	10.1	82	2	2	6	16	26	27	28
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	16	23.0	415	4	6	14	37	42	69	80	1	4.0		4	4	52	99 +	99 +	99 +	99 +
18-24	28	9.6	58	1	1	9	[illegible]	20	25	30										
25-34	45	10.4	106	1	2	7	15	25	36	42	2	16.5	265	5	5	16	28	28	28	28
35-54	51	9.6	59	1	2	8	15	19	25	39	3	4.0	7	2	2	3	6	7	7	7
55-74	22	16.0	98	2	4	15	26	29	31	33	3	23.7	102	12	12	28	30	31	31	31
75 +	7	15.6	53	8	9	13	20	28	29	29	1	14.0		14	14	14	14	14	14	14
ALL AGES	170	12.3	126	1	2	9	16	27	35	42	10	13.4	131	2	3	12	28	59	96	99 +
SUBTOTAL	**281**	**11.3**	**118**	**1**	**2**	**8**	**15**	**26**	**34**	**46**	**26**	**11.4**	**98**	**2**	**2**	**7**	**21**	**28**	**41**	**99 +**
GRAND TOTAL	**531**	**11.5**	**115**	**1**	**2**	**8**	**15**	**27**	**35**	**48**	**90**	**14.2**	**158**	**1**	**2**	**11**	**25**	**31**	**42**	**80**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	4	4.0	36	1	1	1	7	13	13	13										
25-34	6	4.3	7	1	1	4	6	8	8	8	2	2.5	1	2	2	2	3	3	3	3
35-54	6	7.0	11	3	3	7	9	12	12	12	2	6.5	61	1	1	6	12	12	12	12
55-74	6	22.8	209	7	7	21	39	40	40	40										
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	25	9.3	113	1	1	6	10	23	39	40	4	4.5	26	1	1	2	7	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	8	6.1	11	2	2	6	8	10	11	11	1	38.0		38	38	38	38	38	38	38
35-54	2	25.5	613	8	8	25	43	43	43	43	1	98.0		98	98	98	98	98	98	98
55-74	13	11.0	53	1	2	9	15	23	25	25	1	1.0		1	1	1	1	1	1	1
75 +	2	7.0	8	5	5	7	9	9	9	9										
ALL AGES	27	11.0	94	2	3	9	13	24	34	43	3	45.7	2392	1	1	38	83	98	98	98
SUBTOTAL	**52**	**10.2**	**101**	**1**	**2**	**7**	**12**	**24**	**38**	**43**	**7**	**22.1**	**1298**	**1**	**1**	**3**	**31**	**86**	**98**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	2	13.5	313	1	1	13	26	26	26	26										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	3	5.3	15	1	1	7	8	8	8	8										
35-54	4	5.0	11	1	1	5	7	9	9	9										
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	13	10.8	157	1	1	7	13	30	43	46										
B. FEMALE																				
0-12 YRS.	2	25.5	1201	1	1	25	50	50	50	50										
13-17	3	16.7	133	9	9	11	25	30	30	30										
18-24	4	11.0	18	8	8	10	14	17	17	17										
25-34	7	6.0	21	1	1	6	7	13	15	15										
35-54	11	11.3	45	1	3	9	17	21	23	23	1	3.0		3	3	3	3	3	3	3
55-74	10	22.6	312	1	1	17	41	46	51	51										
75 +	8	20.4	313	1	3	17	25	49	59	59	1	10.0		10	10	10	10	10	10	10
ALL AGES	45	15.6	201	1	1	11	20	41	50	59	2	6.5	25	3	3	6	10	10	10	10
SUBTOTAL	**58**	**14.5**	**193**	**1**	**1**	**10**	**19**	**38**	**48**	**58**	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**
GRAND TOTAL	**110**	**12.5**	**152**	**1**	**1**	**8**	**15**	**30**	**42**	**54**	**9**	**18.7**	**1021**	**1**	**1**	**3**	**18**	**74**	**98**	**98**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**										

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	2	4.5	5	3	3	4	6	6	6	6	1	5.0		5	5	5	5	5	5	5
35-54	5	8.8	26	3	3	10	13	14	14	14	2	8.0		8	8	8	8	8	8	8
55-74	2	6.5	41	2	2	6	11	11	11	11										
75 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	11	10.0	82	2	2	10	12	22	33	34	3	7.0	3	5	5	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	12.0	8	10	10	12	14	14	14	14										
25-34	2	8.5	1	8	8	8	9	9	9	9										
35-54	6	7.3	25	4	4	5	8	16	17	17	2	18.0	32	14	14	18	22	22	22	22
55-74	10	9.1	15	2	2	10	12	13	13	13										
75 +	4	10.5	76	2	2	10	18	19	19	19										
ALL AGES	24	9.1	23	2		9	12	17	18	19	2	18.0	32	14	14	18	22	22	22	22
SUBTOTAL	**35**	**9.4**	**39**	**2**	**3**	**9**	**12**	**17**	**19**	**34**	**5**	**11.4**	**46**	**5**	**5**	**8**	**16**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13	3	5.0	21	1	1	4	8	10	10	10
35-54	3	6.7	25	2	2	6	10	12	12	12										
55-74	4	17.8	185	1	1	18	27	34	34	34	1	5.0		5	5	5	5	5	5	5
75 +	2	38.0	1800	8	8	38	68	68	68	68										
ALL AGES	11	17.8	363	1	2	13	20	48	66	68	4	5.0	14	1	1	4	7	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.0	8	2	2	4	6	6	6	6										
25-34	2	10.5	13	8	8	10	13	13	13	13										
35-54	4	9.8	123	2	2	5	17	26	26	26	1	1.0		1	1	1	1	1	1	1
55-74	7	12.7	58	5	5	13	18	24	25	25										
75 +	3	8.7	29	3	3	9	13	14	14	14	2	20.5	113	13	13	20	28	28	28	28
ALL AGES	18	10.2	54	2	2	8	14	23	26	26	3	14.0	183	1	1	13	24	28	28	28
SUBTOTAL	**29**	**13.1**	**176**	**2**	**2**	**9**	**15**	**26**	**36**	**68**	**7**	**8.9**	**90**	**1**	**1**	**5**	**12**	**25**	**28**	**28**
GRAND TOTAL	**64**	**11.0**	**105**	**2**	**2**	**9**	**14**	**19**	**28**	**63**	**12**	**9.9**	**68**	**1**	**1**	**8**	**13**	**24**	**27**	**28**

PARAPHRENIA (297.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	7.5	41	3	3	7	12	12	12	12										
ALL AGES	2	7.5	41	3	3	7	12	12	12	12										
SUBTOTAL	**2**	**7.5**	**41**	**3**	**3**	**7**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**3**	**7.0**	**21**	**3**	**3**	**6**	**10**	**12**	**12**	**12**										

SHARED PARANOID DISORDER (297.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	2	3.0	8	1	1	3	5	5	5	5										
75 +																				
ALL AGES	3	5.3	21	1	1	5	9	10	10	10										
SUBTOTAL	**4**	**5.8**	**13**	**1**	**1**	**6**	**8**	**10**	**10**	**10**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	7.0	18	4	4	7	10	10	10	10										
SUBTOTAL	**3**	**6.0**	**12**	**4**	**4**	**4**	**9**	**10**	**10**	**10**										
GRAND TOTAL	**7**	**5.9**	**11**	**1**	**2**	**5**	**9**	**10**	**10**	**10**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	4.7		4	4	5	5	5	5	5										
25-34	8	7.8	38	2	2	6	12	17	19	19	1	7.0		7	7	7	7	7	7	7
35-54	13	6.5	34	1	2	6	8	14	21	23										
55-74	4	9.8	3	7	7	10	11	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +	2	8.0	8	6	6	8	10	10	10	10	2	8.5	1	8	8	8	9	9	9	9
ALL AGES	31	7.0	26	1	2	6	10	13	19	23	4	6.5	10	2	2	7	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	4.3	5	2	2	5	6	6	6	6										
25-34	5	10.2	56	2	2	8	14	22	22	22	1	1.0		1	1	1	1	1	1	1
35-54	16	11.8	68	4	5	9	15	22	31	35										
55-74	27	11.3	84	3	3	9	14	27	31	40	2	4.0	8	2	2	4	6	6	6	6
75 +	16	22.8	163	4	7	24	32	39	44	46	2	8.5	5	7	7	8	10	10	10	10
ALL AGES	67	13.7	119	3	3	9	20	31	36	45	5	5.2	14	1	1	6	8	10	10	10
SUBTOTAL	**98**	**11.6**	**99**	**2**	**3**	**8**	**15**	**28**	**34**	**43**	**9**	**5.8**	**11**	**1**	**1**	**7**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	11	9.3	105	1	2	5	11	28	33	33	1	7.0		7	7	7	7	7	7	7
35-54	16	8.5	28	2	2	8	13	16	17	17	2	6.5	61	1	1	6	12	12	12	12
55-74	4	14.3	6	11	11	14	16	18	18	18	1	9.0		9	9	9	9	9	9	9
75 +	2	15.5	25	12	12	15	19	19	19	19										
ALL AGES	34	9.6	54	2	2	8	14	18	24	33	4	7.3	21	1	1	8	10	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	12	9.2	51	3	3	6	13	21	24	25	1	2.0		2	2	2	2	2	2	2
35-54	6	15.7	89	4	4	16	20	29	30	30	1	10.0		10	10	10	10	10	10	10
55-74	12	12.8	131	2	3	8	17	32	37	38	1	25.0		25	25	25	25	25	25	25
75 +	8	16.4	116	2	2	20	25	28	28	28										
ALL AGES	39	12.6	97	2	3	8	20	28	30	38	3	12.3	138	2	2	10	21	25	25	25
SUBTOTAL	**73**	**11.2**	**79**	**2**	**2**	**8**	**16**	**25**	**29**	**37**	**7**	**9.4**	**64**	**1**	**1**	**9**	**11**	**22**	**25**	**25**
GRAND TOTAL	**171**	**11.5**	**88**	**2**	**3**	**8**	**16**	**26**	**31**	**40**	**16**	**7.4**	**34**	**1**	**1**	**7**	**9**	**12**	**21**	**25**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	7.8	18	4	4	6	10	14	14	14										
35-54	3	9.7	49	2	2	11	15	16	16	16										
55-74	2	9.0	18	6	6	9	12	12	12	12										
75 +																				
ALL AGES	10	8.0	25	2	2	7	12	15	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	2	7.5	85	1	1	7	14	14	14	14	1	6.0		6	6	6	6	6	6	6
35-54	8	10.3	26	1	2	12	14	15	16	16										
55-74	2	4.0	2	3	3	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	14	9.6	51	1	1	9	14	17	24	26	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**24**	**9.0**	**38**	**1**	**2**	**7**	**14**	**16**	**19**	**26**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	10.3	33	4	4	12	14	15	15	15	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24																				
25-34	3	21.3	403	6	6	14	36	44	44	44	1	1.0		1	1	1	1	1	1	1
35-54	2	3.5	13	1	1	3	6	6	6	6	3	2.7	4	1	1	2	4	5	5	5
55-74	3	13.7	57	7	7	12	19	22	22	22	4	9.3	114	2	2	5	16	25	25	25
75 +	2	24.5	13	22	22	24	27	27	27	27	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	11	16.9	158	1	4	14	24	34	43	44	10	6.0	51	1	1	4	7	16	25	25
SUBTOTAL	**14**	**15.5**	**134**	**2**	**4**	**13**	**22**	**29**	**41**	**44**	**11**	**5.6**	**48**	**1**	**1**	**3**	**7**	**15**	**24**	**25**
GRAND TOTAL	**38**	**11.4**	**81**	**1**	**2**	**10**	**14**	**24**	**27**	**44**	**13**	**5.5**	**40**	**1**	**1**	**4**	**6**	**11**	**22**	**25**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	6	3.0	2	1	1	3	4	5	5	5	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24											1	4.0		4	4	4	4	4	4	4
25-34	3	4.0	9	1	1	4	6	7	7	7										
35-54	2	8.0	8	6	6	8	10	10	10	10	1	5.0		5	5	5	5	5	5	5
55-74	1	13.0		13	13	13	13	13	13	13	3	7.3	7	5	5	7	9	10	10	10
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	8	7.1	24	1	1	6	11	14	14	14	5	6.2	6	4	4	5	8	10	10	10
SUBTOTAL	14	5.4	17	1	1	4	7	13	14	14	7	5.0	8	1	1	5	7	9	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	2	6.0	2	5	5	6	7	7	7	7										
55-74											1	2.0		2	2	2	2	2	2	2
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	2	6.0	2	5	5	6	7	7	7	7	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	23.0		23	23	23	23	23	23	23	1	1.0		1	1	1	1	1	1	1
55-74	3	6.7	8	5	5	5	9	10	10	10										
75 +	1	7.0		7	7	7	7	7	7	7	3	6.0	13	3	3	5	9	10	10	10
ALL AGES	7	9.7	40	5	5	7	11	21	23	23	4	4.8	14	1	1	4	7	10	10	10
SUBTOTAL	9	8.9	32	5	5	7	10	18	23	23	8	3.4	9	1	1	2	4	8	10	10
GRAND TOTAL	23	6.7	26	1	2	5	9	13	17	23	15	4.1	9	1	1	3	5	10	10	10

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3	2	5.0	18	2	2	5	8	8	8	8
55-74	2	8.5	61	3	3	8	14	14	14	14	1	2.0		2	2	2	2	2	2	2
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	4	5.5	32	2	2	3	9	14	14	14	4	3.5	9	2	2	2	5	8	8	8
SUBTOTAL	**4**	**5.5**	**32**	**2**	**2**	**3**	**9**	**14**	**14**	**14**	**5**	**3.4**	**7**	**2**	**2**	**2**	**4**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	25.0		25	25	25	25	25	25	25										
55-74																				
75 +																				
ALL AGES	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	4.0	18	1	1	4	7	7	7	7
55-74											1	8.0		8	8	8	8	8	8	8
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	5.3	15	1	1	7	8	8	8	8
SUBTOTAL	**2**	**13.5**	**265**	**2**	**2**	**13**	**25**	**25**	**25**	**25**	**4**	**4.3**	**14**	**1**	**1**	**4**	**7**	**8**	**8**	**8**
GRAND TOTAL	**6**	**8.2**	**89**	**2**	**2**	**3**	**14**	**24**	**25**	**25**	**9**	**3.8**	**9**	**1**	**1**	**2**	**7**	**8**	**8**	**8**

ACUTE PARANOID REACTION (298.3)

	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	2	20.0	200	10	10	20	30	30	30	30										
25-34	2	25.5	481	10	10	25	41	41	41	41	1	8.0		8	8	8	8	8	8	8
35-54	3	9.3	17	5	5	10	12	13	13	13	2	6.5	61	1	1	6	12	12	12	12
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	17.0	175	5	6	10	26	39	41	41	5	5.2	23	1	1	4	9	12	12	12
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	3	14.0	63	8	8	11	20	23	23	23	1	3.0		3	3	3	3	3	3	3
35-54	4	4.5	11	2	2	4	7	9	9	9										
55-74	2	14.5	181	5	5	14	24	24	24	24										
75 +																						
ALL AGES	9	9.9	68	2	2	8	14	24	24	24	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**16**	**13.0**	**120**	**2**	**2**	**10**	**18**	**29**	**38**	**41**	**6**	**4.8**	**19**	**1**	**1**	**3**	**8**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	9.5	113	2	2	9	17	17	17	17										
35-54	3	7.7	36	2	2	7	12	14	14	14										
55-74											1	41.0		41	41	41	41	41	41	41
75 +																						
ALL AGES	6	7.8	40	2	2	6	14	17	17	17	1	41.0		41	41	41	41	41	41	41
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
35-54	2	7.0	2	6	6	7	8	8	8	8										
55-74	3	12.7	21	9	9	11	16	18	18	18										
75 +	3	9.0	4	7	7	9	10	11	11	11	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	9	9.1	18	3	4	9	11	15	18	18	3	5.0	12	1	1	7	7	7	7	7
SUBTOTAL	**15**	**8.6**	**25**	**2**	**2**	**8**	**11**	**17**	**18**	**18**	**4**	**14.0**	**332**	**1**	**1**	**7**	**24**	**41**	**41**	**41**
GRAND TOTAL	**31**	**10.9**	**76**	**2**	**2**	**9**	**13**	**23**	**30**	**41**	**10**	**8.5**	**144**	**1**	**1**	**5**	**8**	**26**	**41**	**41**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES											1	21.0		21	21	21	21	21	21	21
SUBTOTAL											**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL											**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	9.8	90	1	1	4	18	24	26	26										
18-24	17	4.7	10	1	1	4	8	9	10	10	4	3.0	5	1	1	2	4	6	6	6
25-34	10	3.9	8	1	1	3	6	8	9	9	4	5.8	12	3	3	4	8	11	11	11
35-54	9	4.8	13	2	2	4	6	11	12	12	2	1.5	1	1	1	1	2	2	2	2
55-74	5	4.8	28	1	1	3	6	14	14	14	3	3.0	3	2	2	2	4	5	5	5
75 +	3	7.0	12	5	5	5	10	11	11	11	1	2.0		2	2	2	2	2	2	2
ALL AGES	53	5.6	27	1	1	4	8	12	17	26	14	3.5	7	1	1	3	5	[illegible]	10	11
B. FEMALE																				
0-12 YRS.																				
13-17	4	13.3	95	2	2	14	21	22	22	22										
18-24	13	8.5	66	1	1	6	11	23	24	24	3	5.0	16	1	1	5	8	9	9	9
25-34	23	7.7	49	1	2	5	9	20	24	28										
35-54	37	8.2	84	2	2	6	10	14	19	56	2	4.5	1	4	4	4	5	5	5	5
55-74	10	10.5	54	2	2	9	19	20	20	20	4	11.8	146	1	1	9	21	27	27	27
75 +	4	7.8	18	2	2	8	11	12	12	12										
ALL AGES	91	8.6	65	1	2	6	11	20	22	44	9	7.9	73	1	1	5	16	63	99 +	99 +
SUBTOTAL	**144**	**7.5**	**53**	**1**	**2**	**5**	**9**	**19**	**21**	**30**	**23**	**5.2**	**36**	**1**	**1**	**4**	**6**	**17**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	5.0	16	2	2	3	8	11	12	12										
18-24	10	4.4	13	1	1	3	5	10	13	13	2	5.5	41	1	1	5	10	10	10	10
25-34	19	3.8	23	1	1	2	5	8	16	21	1	2.0		2	2	2	2	2	2	2
35-54	13	9.2	68	1	2	7	11	21	29	31										
55-74	2	4.5	25	1	1	4	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	51	5.5	34	1	1	4	8	12	19	31	5	4.6	13	1	1	4	7	10	10	10
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	10	8.6	160	1	1	4	9	28	43	43										
18-24	13	4.5	12	1	1	3	5	10	13	14	1	3.0		3	3	3	3	3	3	3
25-34	28	5.0	23	1	1	3	7	10	15	24	1	5.0		5	5	5	5	5	5	5
35-54	28	4.7	50	1	1	3	5	8	15	38	3	2.7	8	1	1	1	5	6	6	6
55-74	5	6.2	47	1	1	4	9	18	18	18	1	4.0		4	4	4	4	4	4	4
75 +	2	8.0	8	6	6	8	10	10	10	10	1	15.0		15	15	15	15	15	15	15
ALL AGES	87	5.3	46	1	1	3	6	10	15	41	7	5.0	23	1	1	4	6	13	15	15
SUBTOTAL	**138**	**5.4**	**41**	**1**	**1**	**3**	**6**	**11**	**17**	**39**	**12**	**4.8**	**18**	**1**	**1**	**4**	**6**	**11**	**14**	**15**
GRAND TOTAL	**282**	**6.5**	**48**	**1**	**1**	**4**	**8**	**14**	**21**	**36**	**35**	**5.1**	**28**	**1**	**1**	**4**	**6**	**15**	**24**	**99 +**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19	1	1.0		1	1	1	1	1	1	1
13-17	10	28.2	841	7	7	15	33	81	86	86	2	2.0	2	1	1	1	3	3	3	3
18-24	38	11.9	196	1	1	8	13	31	47	64	19	9.1	32	2	2	8	12	18	21	22
25-34	38	9.2	104	1	1	6	13	19	35	45	23	6.6	74	1	1	4	7	12	24	43
35-54	45	9.0	57	1	1	7	12	17	23	39	27	4.9	20	1	1	3	6	13	14	15
55-74	60	9.4	72	1	2	6	13	22	28	43	33	6.0	47	1	1	5	6	12	15	39
75 +	49	9.2	105	1	2	6	10	24	35	48	57	7.2	29	1	1	7	10	14	19	25
ALL AGES	241	10.5	141	1	1	7	13	22	35	65	162	6.6	38	1	1	5	9	14	17	37
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	6	23.5	372	1	2	20	42	48	49	49	2	23.5	925	2	2	23	45	45	45	45
18-24	21	10.8	111	1	3	9	10	24	37	48	7	5.9	28	1	1	5	10	14	15	15
25-34	61	8.6	53	1	2	6	12	20	24	32	20	5.6	36	1	1	4	7	10	19	28
35-54	79	7.2	73	1	1	4	8	16	25	48	21	4.0	12	1	1	3	4	9	13	14
55-74	91	8.7	54	1	2	7	11	18	20	38	50	6.4	39	1	1	4	8	14	20	31
75 +	87	9.2	78	2	2	6	13	22	27	42	87	4.9	11	1	2	4	6	9	11	19
ALL AGES	345	8.9	75	1	2	6	11	20	26	44	188	5.5	30	1	1	4	6	11	14	30
SUBTOTAL	**586**	**9.5**	**104**	**1**	**2**	**6**	**12**	**21**	**29**	**49**	**350**	**6.0**	**34**	**1**	**1**	**4**	**7**	**12**	**15**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	38.8	556	4	4	47	53	56	56	56										
13-17	10	10.5	187	1	1	4	8	36	39	39	2	4.5	5	3	3	4	6	6	6	6
18-24	26	9.8	92	2	3	7	12	24	28	43	16	6.4	28	1	1	4	10	15	17	18
25-34	42	7.3	40	1	2	5	9	18	22	24	19	4.7	9	1	2	3	7	9	11	12
35-54	44	8.7	64	1	2	6	11	20	29	33	20	5.9	28	1	1	4	7	14	19	20
55-74	26	15.3	127	4	4	12	21	32	41	47	9	5.4	22	2	2	5	7	13	16	16
75 +	20	13.4	116	2	3	12	19	24	35	46	20	5.4	22	1	1	4	6	15	17	17
ALL AGES	172	10.9	116	1	2	7	14	24	33	50	86	5.5	21	1	2	4	7	13	17	20
B. FEMALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63	2	43.5	85	37	37	43	50	50	50	50
13-17	2	21.0	200	11	11	21	31	31	31	31	1	11.0		11	11	11	11	11	11	11
18-24	21	7.7	28	1	2	7	11	14	19	22	7	5.4	34	1	1	3	9	15	16	16
25-34	52	11.8	228	1	2	7	12	27	49	73	14	9.8	55	2	3	8	13	22	26	27
35-54	48	9.8	148	1	1	6	10	24	36	66	12	6.5	207	1	1	2	4	19	47	52
55-74	36	10.2	65	2	2	8	12	21	32	35	17	3.9	4	1	2	4	5	6	8	9
75 +	30	14.0	235	2	3	11	17	24	31	85	9	5.2	8	1	1	5	7	9	10	10
ALL AGES	190	11.3	168	1	2	7	13	25	35	70	62	7.5	105	1	1	4	8	16	31	52
SUBTOTAL	**362**	**11.1**	**143**	**1**	**2**	**7**	**14**	**24**	**34**	**64**	**148**	**6.3**	**57**	**1**	**1**	**4**	**7**	**13**	**18**	**50**
GRAND TOTAL	**948**	**10.1**	**120**	**1**	**2**	**7**	**13**	**22**	**32**	**54**	**498**	**6.1**	**41**	**1**	**1**	**4**	**7**	**13**	**17**	**38**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
GRAND TOTAL											1	3.0		3	3	3	3	3	3	3

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	26.1	214	5	5	29	37	43	43	43	1	11.0		11	11	11	11	11	11	11
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	26.1	214	5	5	29	37	43	43	43	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49	1	98.0		98	98	98	98	98	98	98
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49	1	98.0		98	98	98	98	98	98	98
SUBTOTAL	**9**	**28.7**	**242**	**5**	**5**	**30**	**42**	**47**	**49**	**49**	**2**	**54.5**	**3785**	**11**	**11**	**54**	**98**	**98**	**98**	**98**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	30.5	354	1	4	40	49	90	99 +	99 +	2	50.5	3121	11	11	50	90	90	90	90
13-17	1	40.0		40	40	40	40	40	40	40										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	31.9	304	1	5	40	47	86	99 +	99 +	2	50.5	3121	11	11	50	90	90	90	90
B. FEMALE																				
0-12 YRS.	2	55.0	288	43	43	55	67	67	67	67										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	55.0	288	43	43	55	67	67	67	67										
SUBTOTAL	**9**	**37.0**	**371**	**1**	**8**	**41**	**52**	**83**	**99 +**	**99 +**	**2**	**50.5**	**3121**	**11**	**11**	**50**	**90**	**90**	**90**	**90**
GRAND TOTAL	**18**	**32.8**	**310**	**3**	**5**	**40**	**43**	**61**	**85**	**99 +**	**4**	**52.5**	**2307**	**11**	**11**	**51**	**94**	**98**	**98**	**98**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	36.3	964	9	9	30	60	70	70	70	2	7.0		7	7	7	7	7	7	7
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.3	784	9	9	21	50	70	70	70	2	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	3	54.0	324	36	36	54	67	72	72	72										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	41.3	861	3	3	45	63	72	72	72										
SUBTOTAL	8	35.8	740	3	5	33	62	71	72	72	2	7.0		7	7	7	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	45.0		45	45	45	45	45	45	45	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	9	36.8	658	3	5	36	58	71	72	72	3	6.0	3	4	4	7	7	7	7	7

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17	2	1.5	1	1	1	1	2	2	2	2	2	2.0	2	1	1	1	3	3	3	3
18-24	7	3.7	15	1	1	2	4	11	12	12	6	1.5		1	1	1	2	2	2	2
25-34	16	4.0	20	1	1	2	4	13	14	14	10	2.2	1	1	1	2	3	4	4	4
35-54	26	4.0	23	1	1	2	5	10	14	22	39	2.5	20	1	1	1	3	4	5	29
55-74	17	7.5	71	1	1	4	10	21	26	29	18	2.7	4	1	1	2	4	6	7	7
75 +	5	6.0	27	2	2	4	7	15	15	15	7	2.0	2	1	1	1	3	4	4	4
ALL AGES	74	4.8	33	1	1	2	5	12	19	27	83	2.4	10	1	1	2	3	4	5	22
B. FEMALE																				
0-12 YRS.											1	93.0		93	93	93	93	93	93	93
13-17	13	2.2	3	1	1	1	3	5	7	7	2	1.0		1	1	1	1	1	1	1
18-24	11	3.0	8	1	1	2	4	8	10	10	9	2.0	2	1	1	2	2	4	5	5
25-34	38	5.3	27	1	1	4	7	13	18	21	21	3.0	3	1	1	3	4	5	6	6
35-54	51	4.8	23	1	1	3	7	12	15	19	61	2.3	3	1	1	2	3	4	6	8
55-74	56	6.6	72	1	1	3	8	17	26	45	46	2.9	9	1	1	2	3	5	6	21
75 +	22	3.3	6	1	1	3	4	6	9	12	23	3.2	7	1	1	3	4	8	9	10
ALL AGES	191	5.0	35	1	1	3	6	12	18	29	163	3.2	55	1	1	2	3	5	7	20
SUBTOTAL	**265**	**4.9**	**35**	**1**	**1**	**3**	**6**	**12**	**18**	**29**	**246**	**2.9**	**40**	**1**	**1**	**2**	**3**	**5**	**6**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	3	18.7	132	8	8	17	27	31	31	31										
18-24	3	9.7	33	3	3	12	13	14	14	14	2	1.0		1	1	1	1	1	1	1
25-34	21	7.9	71	1	1	4	13	22	26	30	12	1.6		1	1	2	2	3	3	3
35-54	24	5.9	32	1	1	3	10	15	18	22	11	2.5	4	1	1	2	3	5	7	7
55-74	9	6.3	31	2	2	3	11	15	16	16	10	2.6	6	1	1	2	3	6	9	9
75 +																				
ALL AGES	61	8.0	68	1	1	4	12	19	26	37	35	2.1	3	1	1	2	2	4	6	9
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	6	14.8	126	1	1	18	24	26	26	26	2	3.0	2	2	2	3	4	4	4	4
18-24	15	4.2	7	1	1	4	7	8	8	8	5	1.4	1	1	1	1	2	3	3	3
25-34	56	8.2	76	1	2	5	10	17	23	47	14	5.6	50	1	1	3	6	17	23	25
35-54	76	7.2	34	1	1	6	10	18	20	23	33	6.9	71	1	1	3	8	22	24	37
55-74	44	10.0	94	1	1	8	13	21	37	40	18	5.2	28	1	1	3	7	14	18	19
75 +	11	12.8	215	2	2	6	15	31	52	54	9	3.8	11	1	1	2	5	9	11	11
ALL AGES	209	8.5	72	1	1	6	11	19	24	43	81	5.5	46	1	1	3	6	15	22	33
SUBTOTAL	**270**	**8.4**	**70**	**1**	**1**	**6**	**11**	**19**	**24**	**40**	**116**	**4.5**	**35**	**1**	**1**	**2**	**5**	**11**	**18**	**29**
GRAND TOTAL	**535**	**6.7**	**55**	**1**	**1**	**4**	**9**	**16**	**21**	**37**	**362**	**3.4**	**39**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	3	1.3		1	1	1	2	2	2	2	3	2.7	8	1	1	1	5	6	6	6
18-24	4	4.5	20	1	1	3	7	11	11	11	6	2.3	2	1	1	2	3	4	4	4
25-34	6	4.7	21	1	1	2	10	11	11	11	8	3.0	8	1	1	1	5	7	8	8
35-54	11	4.3	13	1	1	4	6	10	13	13	10	2.8	4	1	1	2	5	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3	9	2.0	2	1	1	1	3	4	5	5
75 +	2	17.5	545	1	1	17	34	34	34	34										
ALL AGES	27	5.0	47	1	1	2	6	11	16	34	37	2.5	4	1	1	2	4	6	6	8
B. FEMALE																				
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5	6	2.3	4	1	1	2	2	6	6	6
13-17	5	6.2	69	2	2	2	8	21	21	21	18	2.3	5	1	1	1	2	5	8	9
18-24	12	4.4	18	1	1	2	6	12	13	13	14	2.6	7	1	1	1	4	6	9	10
25-34	32	7.8	112	1	1	2	9	26	29	40	14	3.8	15	1	1	3	4	7	14	16
35-54	37	7.7	109	1	1	5	10	15	35	48	28	2.9	4	1	1	3	4	5	6	8
55-74	15	4.1	26	1	1	2	5	9	17	20	16	2.6	3	1	1	2	3	6	7	7
75 +	2	3.5	5	2	2	3	5	5	5	5	3	1.7	1	1	1	1	2	3	3	3
ALL AGES	105	6.6	82	1	1	3	8	17	26	46	99	2.8	5	1	1	2	4	6	7	13
SUBTOTAL	**132**	**6.3**	**74**	**1**	**1**	**3**	**7**	**14**	**26**	**46**	**136**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**6**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	6	5.8	16	2	2	5	9	12	12	12										
18-24	3	6.0	39	1	1	4	11	13	13	13										
25-34	7	2.6	3	1	1	2	4	5	5	5	5	4.6	28	2	2	2	6	14	14	14
35-54	11	8.1	54	2	2	4	13	20	23	23	5	2.8	2	1	1	3	4	4	4	4
55-74											5	5.6	39	1	1	2	9	16	16	16
75 +																				
ALL AGES	28	7.1	71	1	1	4	9	17	25	39	15	4.3	21	1	1	2	4	14	15	16
B. FEMALE																				
0-12 YRS.	4	47.5	116	33	33	49	54	59	59	59										
13-17	5	7.4	5	4	4	8	9	10	10	10	2	5.0	8	3	3	5	7	7	7	7
18-24	13	12.5	200	1	1	6	28	49	89	99+	11	3.4	6	1	1	3	5	7	9	9
25-34	46	11.2	159	1	2	6	15	32	41	48	8	2.9	7	1	1	2	3	7	9	9
35-54	36	11.0	131	2	2	8	13	24	31	61	14	2.4	3	1	1	2	4	5	7	7
55-74	10	6.6	32	1	1	5	8	15	20	20	10	4.4	13	1	1	3	6	10	11	11
75 +	2	11.5	181	2	2	11	21	21	21	21	4	7.5	110	1	1	3	14	23	23	23
ALL AGES	116	12.0	178	1	2	7	16	33	47	74	49	3.6	15	1	1	2	4	8	10	23
SUBTOTAL	**144**	**11.0**	**161**	**1**	**2**	**6**	**14**	**32**	**44**	**63**	**64**	**3.8**	**16**	**1**	**1**	**2**	**4**	**9**	**12**	**22**
GRAND TOTAL	**276**	**8.8**	**124**	**1**	**1**	**4**	**11**	**24**	**37**	**57**	**200**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	33.0	648	15	15	33	51	51	51	51	1	1.0		1	1	1	1	1	1	1
35-54											2	4.0	2	3	3	4	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	23.7	583	5	5	15	42	51	51	51	3	3.0	4	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	9.5	113	1	1	6	16	25	25	25										
25-34	4	12.8	145	3	3	9	22	29	29	29	1	4.0		4	4	4	4	4	4	4
35-54	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74	1	25.0		25	25	25	25	25	25	25	3	2.3	3	1	1	2	3	4	4	4
75 +																				
ALL AGES	10	12.1	111	1	1	7	25	27	29	29	5	3.0	2	1	1	4	4	4	4	4
SUBTOTAL	**13**	**14.8**	**206**	**1**	**2**	**7**	**25**	**33**	**48**	**51**	**8**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24																				
25-34	5	8.2	153	1	1	3	12	30	30	30										
35-54	2	13.5	113	6	6	13	21	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	8	10.3	110	1	1	6	17	27	30	30	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	7	14.3	135	3	3	10	22	33	35	35	2	6.0	18	3	3	6	9	9	9	9
35-54	4	6.5	24	1	1	6	10	12	12	12	2	8.0	18	5	5	8	11	11	11	11
55-74	7	13.7	166	1	1	11	22	34	36	36	1	3.0		3	3	3	3	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	21	11.2	111	1	2	9	13	29	35	36	5	6.2	13	3	3	5	9	11	11	11
SUBTOTAL	**29**	**10.9**	**108**	**1**	**1**	**7**	**14**	**28**	**35**	**36**	**6**	**5.3**	**15**	**1**	**1**	**4**	**9**	**11**	**11**	**11**
GRAND TOTAL	**42**	**12.1**	**138**	**1**	**1**	**7**	**15**	**29**	**35**	**51**	**14**	**4.0**	**8**	**1**	**1**	**3**	**5**	**9**	**11**	**11**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74																				
75 +																				
ALL AGES	3	3.7	6	1	1	4	5	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
ALL AGES	4	7.3	36	2	2	5	11	16	16	16	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**5.7**	**24**	**1**	**1**	**5**	**6**	**14**	**16**	**16**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	1	39.0		39	39	39	39	39	39	39										
18-24																				
25-34	4	6.5	6	4	4	6	8	10	10	10										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	8	14.1	176	4	5	8	21	37	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	29.4	709	11	11	15	42	75	75	75	1	1.0		1	1	1	1	1	1	1
35-54	5	8.8	42	3	3	7	13	19	19	19										
55-74	2	6.5	13	4	4	6	9	9	9	9										
75 +																				
ALL AGES	12	17.0	395	3	4	11	17	44	71	75	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**20**	**15.9**	**293**	**3**	**4**	**10**	**17**	**35**	**57**	**75**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**27**	**13.2**	**242**	**2**	**3**	**7**	**15**	**31**	**44**	**75**	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	22	25.6	306	4	10	25	31	62	90	99+											
13-17	57	15.5	249	1	2	9	26	46	64	99+	9	34.3	768	1	1	35	45	75	90	90
18-24	18	4.2	25	1	1	3	5	12	18	20	7	2.3	1	1	1	2	3	4	4	4
25-34	40	5.4	31	1	1	3	6	15	18	26	8	2.4	2	1	1	2	4	4	4	4
35-54	66	7.2	69	1	1	5	9	16	27	43	17	3.9	15	1	1	2	5	11	13	13
55-74	25	5.7	21	1	1	4	8	14	15	16	6	3.0	10	1	1	2	4	8	9	9
75 +	7	9.9	77	3	3	6	17	24	25	25	4	3.3	2	1	1	3	4	5	5	5
ALL AGES	235	10.3	158	1	1	6	14	28	37	99+	51	8.7	272	1	1	2	5	33	43	90
B. FEMALE																						
0-12 YRS.	12	31.2	268	12	12	28	48	66	94	99+	1	5.0		5	5	5	5	5	5	5
13-17	117	15.5	230	2	3	12	19	39	46	78	12	24.9	374	2	4	28	47	68	94	99+
18-24	57	6.1	43	1	1	3	8	15	18	33	15	6.1	52	1	1	5	6	13	26	30
25-34	109	7.3	48	1	1	5	11	16	21	35	25	5.6	47	1	1	2	7	15	23	27
35-54	142	7.5	54	1	1	5	10	18	24	34	49	4.3	24	1	1	3	5	9	18	22
55-74	70	8.9	54	1	2	6	12	18	24	35	38	4.9	34	1	1	3	6	10	17	30
75 +	24	8.7	60	2	2	6	10	18	27	33	12	4.7	5	1	1	5	6	7	10	10
ALL AGES	531	9.8	117	1	2	6	13	21	32	52	152	6.5	85	1	1	3	6	17	29	60
SUBTOTAL	**766**	**10.0**	**129**	**1**	**1**	**6**	**13**	**25**	**35**	**69**	**203**	**7.1**	**131**	**1**	**1**	**3**	**6**	**18**	**31**	**74**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	44	30.8	203	9	10	33	41	44	61	99+	1	4.0		4	4	4	4	4	4	4
13-17	103	17.0	249	1	2	11	25	43	50	99+	24	39.5	749	3	6	37	63	90	93	99+
18-24	69	6.2	40	1	1	4	8	15	23	25	9	11.0	340	1	1	3	9	42	58	58
25-34	106	7.2	52	1	1	5	9	15	23	38	10	4.7	14	1	1	4	5	11	14	14
35-54	136	6.7	56	1	1	5	8	13	20	37	17	8.2	54	1	1	6	11	22	23	23
55-74	26	8.0	38	1	2	7	12	17	19	26	9	10.4	194	2	2	6	9	34	46	46
75 +	8	10.0	79	1	3	8	9	25	31	31	1	6.0		6	6	6	6	6	6	6
ALL AGES	492	11.2	159	1	1	7	14	31	42	64	71	18.9	544	1	2	7	32	60	80	98
B. FEMALE																						
0-12 YRS.	25	28.4	188	8	10	28	37	46	55	59										
13-17	167	17.3	275	1	2	12	25	42	50	75	30	37.7	615	3	7	42	64	99+	99+	99+
18-24	104	7.5	46	1	1	6	10	15	19	35	13	7.8	59	1	2	5	11	18	27	29
25-34	206	8.5	102	1	1	5	10	17	27	45	26	8.2	74	1	1	5	8	25	30	34
35-54	198	8.6	81	1	1	6	12	19	24	63	41	7.6	89	1	2	3	9	18	31	44
55-74	63	8.6	44	2	2	6	12	19	24	27	10	5.7	22	1	1	4	9	13	16	16
75 +	17	11.4	45	3	5	9	15	20	26	29	13	5.5	4	2	3	6	7	8	8	8
ALL AGES	780	11.0	145	1	2	7	14	25	36	62	133	14.2	346	1	2	7	16	50	71	99+
SUBTOTAL	**1272**	**11.0**	**152**	**1**	**1**	**7**	**14**	**27**	**40**	**63**	**204**	**15.8**	**419**	**1**	**2**	**7**	**23**	**56**	**73**	**99+**
GRAND TOTAL	**2038**	**10.6**	**144**	**1**	**1**	**7**	**14**	**26**	**39**	**63**	**407**	**11.4**	**295**	**1**	**1**	**5**	**10**	**41**	**60**	**99+**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	1.0		1	1	1	1	1	1	1	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	3	3.7	6	1	1	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	3.0	8	1	1	3	5	5	5	[illegible]	5	2.6	5	1	1	1	4	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	3	2.7	4	1	1	2	4	5	5	5	6	2.3	5	1	1	1	4	6	6	6

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	2	13.0	98	6	6	13	20	20	20	20										
SUBTOTAL	2	13.0	98	6	6	13	20	20	20	20										
GRAND TOTAL	2	13.0	98	6	6	13	20	20	20	20										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES											3	4.0	1	3	3	4	5	5	5	5
SUBTOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**	**3**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34	1	28.0		28	28	28	28	28	28	28										
35-54	2	4.0	2	3	3	4	5	5	5	5										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	10.0	145	3	3	4	16	28	28	28	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	24.0		24	24	24	24	24	24	24										
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	2	16.5	113	9	9	16	24	24	24	24										
SUBTOTAL	**6**	**12.2**	**120**	**3**	**3**	**7**	**24**	**28**	**28**	**28**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**7**	**13.7**	**118**	**3**	**3**	**9**	**24**	**27**	**28**	**28**	**4**	**4.8**	**2**	**3**	**3**	[illegible]	[illegible]	**7**	**7**	**7**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.7	1	1	1	1	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17											1	49.0		49	49	49	49	49	49	49
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34											2	4.5	1	4	4	4	5	5	5	5
35-54	1	6.0		6	6	6	6	6	6	6	3	3.3	3	2	2	3	4	5	5	5
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											3	13.3	66	5	5	14	19	21	21	21
ALL AGES	4	4.5	14	1	1	4	7	9	9	9	9	12.0	231	2	2	5	16	38	49	49
SUBTOTAL	**7**	**3.3**	**9**	**1**	**1**	**2**	**5**	**8**	**9**	**9**	**9**	**12.0**	**231**	**2**	**2**	**5**	**16**	**38**	**49**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-54	3	13.0	79	3	3	16	19	20	20	20										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	6	9.2	62	1	1	8	16	20	20	20	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.0	32	4	4	8	12	12	12	12										
18-24	2	8.0	18	5	5	8	11	11	11	11										
25-34	8	9.8	106	2	2	6	12	28	33	33	1	3.0		3	3	3	3	3	3	3
35-54	4	1.5	1	1	1	1	2	3	3	3										
55-74	8	14.0	83	3	4	14	16	28	33	33	2	3.5	1	3	3	3	4	4	4	4
75 +	3	14.3	136	2	2	16	23	25	25	25										
ALL AGES	27	10.0	83	1	1	7	15	23	33	33	3	3.3	1	3	3	3	4	4	4	4
SUBTOTAL	**33**	**9.9**	**76**	**1**	**1**	**7**	**16**	**21**	**32**	**33**	**4**	**4.3**	**3**	**3**	**3**	**4**	**5**	**7**	**7**	**7**
GRAND TOTAL	**40**	**8.7**	**71**	**1**	**1**	**6**	**14**	**18**	**29**	**33**	**13**	**9.6**	**169**	**2**	**3**	**5**	**9**	**27**	**45**	**49**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	2.0	2	1	1	2	3	3	3	3
13-17	7	8.1	204	1	1	2	7	34	40	40	3	2.0	3	1	1	1	3	4	4	4
18-24	4	4.8	5	3	3	4	6	8	8	8	4	1.3		1	1	1	2	2	2	2
25-34	3	2.7	8	1	1	1	5	6	6	6	3	4.3	18	1	1	3	7	9	9	9
35-54	4	3.8	5	2	2	3	5	7	7	7	6	2.7	2	1	1	2	4	5	5	5
55-74	10	10.7	465	2	2	4	5	39	72	72	5	7.0	24	1	1	8	11	12	12	12
75 +	9	5.1	15	1	1	3	7	11	13	13	4	17.8	661	2	2	6	33	56	56	56
ALL AGES	37	6.8	163	1	1	3	6	9	31	72	27	5.6	112	1	1	3	5	11	19	56
B. FEMALE																				
0-12 YRS.																				
13-17	11	4.5	64	1	1	1	4	15	27	28	7	1.7	2	1	1	1	2	4	5	5
18-24	11	1.8	3	1	1	1	2	4	6	6	10	1.5	2	1	1	1	1	3	5	5
25-34	11	3.3	5	1	1	2	5	7	7	7	15	7.8	435	1	1	2	4	6	64	83
35-54	5	1.6	1	1	1	1	2	3	3	3	8	2.9	8	1	1	2	4	8	9	9
55-74	9	3.7	3	1	1	4	4	6	7	7	10	2.7	2	1	1	3	4	5	5	5
75 +	11	6.1	32	1	2	4	7	15	20	21	19	4.2	3	1	2	4	6	7	7	7
ALL AGES	58	3.7	21	1	1	2	4	7	10	27	69	4.0	97	1	1	2	4	6	7	69
SUBTOTAL	**95**	**4.9**	**78**	**1**	**1**	**3**	**5**	**7**	**12**	**58**	**96**	**4.4**	**101**	**1**	**1**	**2**	**4**	**7**	**10**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	8.0		8	8	8	8	8	8	8
13-17	13	9.8	147	1	1	6	13	26	41	44	6	12.0	360	1	1	4	11	46	50	50
18-24	24	4.9	24	1	1	3	8	13	16	18	15	1.8	2	1	1	1	2	4	5	5
25-34	49	4.1	11	1	1	3	6	9	11	15	17	5.0	63	1	1	2	5	10	26	34
35-54	40	3.0	3	1	1	3	3	6	7	7	17	2.6	3	1	1	2	4	5	6	6
55-74	7	2.4	4	1	1	1	4	5	5	5	3	6.3	17	2	2	7	9	10	10	10
75 +	2	8.0	50	3	3	8	13	13	13	13	8	5.4	4	2	3	5	6	8	9	9
ALL AGES	136	4.6	29	1	1	3	6	10	14	26	67	4.4	53	1	1	2	5	8	10	47
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	14	11.2	400	1	1	3	5	45	63	68	14	6.6	62	1	1	4	7	20	24	25
18-24	37	4.4	53	1	1	2	3	10	25	33	4	1.5	1	1	1	1	2	3	3	3
25-34	50	5.8	53	1	1	4	7	12	17	45	18	3.2	13	1	1	2	4	6	12	16
35-54	28	8.5	97	1	1	4	10	25	32	35	16	2.0	1	1	1	2	3	3	3	3
55-74	7	4.7	5	1	2	4	6	8	8	8	8	5.9	16	2	2	5	8	12	14	14
75 +	3	4.7	9	2	2	4	7	8	8	8	5	3.4	4	1	1	4	5	6	6	6
ALL AGES	139	6.4	95	1	1	3	6	17	26	48	66	3.9	21	1	1	2	4	7	16	24
SUBTOTAL	**275**	**5.5**	**63**	**1**	**1**	**3**	**6**	**12**	**21**	**44**	**133**	**4.2**	**37**	**1**	**1**	**2**	**4**	**8**	**14**	**37**
GRAND TOTAL	**370**	**5.4**	**66**	**1**	**1**	**3**	**6**	**11**	**21**	**44**	**229**	**4.3**	**63**	**1**	**1**	**2**	**4**	**7**	**11**	**51**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	4	4.3	20	1	1	2	7	11	11	11										
55-74	2	9.5	145	1	1	9	18	18	18	18										
75 +																				
ALL AGES	8	5.3	36	1	1	3	7	16	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74	2	4.0	18	1	1	4	7	7	7	7	1	7.0		7	7	7	7	7	7	7
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	3.7	9	1	1	3	6	7	7	7	2	6.0	2	5	5	6	7	7	7	7
SUBTOTAL	**11**	**4.8**	**29**	**1**	**1**	**3**	**6**	**14**	**18**	**18**	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	26.0		26	26	26	26	26	26	26										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	2.5	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
55-74	2	15.5	181	6	6	15	25	25	25	25										
75 +																				
ALL AGES	6	11.0	128	2	2	5	25	26	26	26	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	8.7	9	5	5	10	11	11	11	11										
SUBTOTAL	**9**	**10.2**	**84**	**2**	**2**	**6**	**14**	**26**	**26**	**26**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**20**	**7.3**	**57**	**1**	**1**	**4**	**10**	**21**	**25**	**26**	**4**	**3.8**	**7**	**1**	**1**	**3**	**6**	**7**	**7**	**7**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	10.0	18	7	7	10	13	13	13	13										
18-24																				
25-34	3	2.3	2	1	1	3	3	3	3	3	1	18.0		18	18	18	18	18	18	18
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	6.5	26	1	1	5	12	13	13	13	2	10.0	128	2	2	10	18	18	18	18
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	11.0	50	6	6	11	16	16	16	16										
55-74	1	33.0		33	33	33	33	33	33	33										
75 +	2	9.5	113	2	2	9	17	17	17	17										
ALL AGES	8	17.0	206	1	1	16	26	39	41	41										
SUBTOTAL	**14**	**12.5**	**150**	**1**	**1**	**9**	**17**	**34**	**39**	**41**	**2**	**10.0**	**128**	**2**	**2**	**18**	**79**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	7.7	30	2	2	8	12	13	13	13										
18-24																				
25-34	3	7.0	7	5	5	6	9	10	10	10										
35-54	3	11.7	64	3	3	13	17	19	19	19										
55-74																				
75 +																				
ALL AGES	9	8.8	30	2	2	8	13	17	19	19										
B. FEMALE																				
0-12 YRS.	2	40.0	968	18	18	40	62	62	62	62										
13-17	3	29.7	489	5	5	36	45	48	48	48										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	5	9.0	154	1	1	5	31	93	99 +	99 +										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	3	8.7	13	6	6	7	11	13	13	13	1	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	15	17.1	347	2	4	10	33	61	89	99 +	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**24**	[illegible]	**238**	**2**	**3**	**8**	**18**	**48**	**71**	**99 +**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**38**	**13.4**	**203**	**1**	**2**	**8**	**18**	**39**	**56**	**99 +**	**4**	**6.3**	**61**	**2**	**2**	**3**	**38**	**99 +**	**99 +**	**99 +**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	72.0		72	72	72	72	72	72	72										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	3	2.7	2	1	1	3	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	6	14.7	789	1	1	4	5	65	72	72	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	3	8.7	21	5	5	7	12	14	14	14										
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	5	8.8	29	3	3	7	14	15	15	15										
SUBTOTAL	**11**	**12.0**	**416**	**1**	**2**	**5**	**12**	**38**	**69**	**72**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.3	854	2	2	5	42	54	54	54										
18-24	2	15.0	32	11	11	15	19	19	19	19	2	4.0	2	3	3	4	5	5	5	5
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	3.5	13	1	1	3	6	6	6	6	1	5.0		5	5	5	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	9	11.4	288	1	1	5	13	40	54	54	3	4.3	2	3	3	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34	3	16.3	116	4	4	22	23	23	23	23										
35-54	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	5	12.0	94	4	4	7	22	23	23	23	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**14**	**11.6**	**207**	**1**	**2**	**5**	**19**	**26**	**48**	**54**	**4**	**5.0**	**3**	**3**	**3**	**5**	**6**	**7**	**7**	**7**
GRAND TOTAL	**25**	**11.8**	**285**	**1**	**2**	**5**	**14**	**23**	**58**	**72**	**5**	**4.8**	**2**	**3**	**3**	**5**	**6**	**7**	**7**	**7**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	3.3	2	2	2	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	32.0		32	32	32	32	32	32	32										
55-74																				
75 +																				
ALL AGES	3	13.0	271	3	3	4	25	32	32	32	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**6**	**8.2**	**136**	**2**	**2**	**4**	**4**	**29**	**32**	**32**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-24	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	7	5.0	13	1	1	5	7	10	11	11	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	93.0		93		93	93	93	93	93										
13-17	1	3.0		3		3	3	3	3	3										
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	34.0	2613	3	3	6	71	93	93	93	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**10**	**13.7**	**786**	**1**	**1**	**5**	**8**	**52**	**93**	**93**	**4**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**7**	**7**
GRAND TOTAL	**16**	**11.6**	**525**	**1**	**2**	**4**	**7**	**30**	**75**	**93**	**5**	**3.4**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**7**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	2	7.0	32	3	3	7	11	11	11	11	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	23.0	19	20	20	21	26	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.0	19	20	20	21	26	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	21.0	200	11	11	21	31	31	31	31										
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	3	15.7	184	5	5	11	26	31	31	31										
SUBTOTAL	6	19.3	99	5	6	20	28	31	31	31										
GRAND TOTAL	8	16.3	105	3	4	16	24	30	31	31	1	3.0		3	3	3	3	3	3	3

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	2	2.0		2	2	2	2	2	2	2	3	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34	3	4.7	14	2	2	3	7	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54	3	4.3	7	2	2	4	6	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	7	5.4	13	2	2	4	8	11	11	11	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**9**	**4.7**	**12**	**2**	**2**	**3**	**7**	**10**	**11**	**11**	**5**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	14.0	162	5	5	14	23	23	23	23										
18-24	3	1.7		1	1	2	2	2	2	2										
25-34	5	9.0	54	1	1	9	14	19	19	19	1	1.0		1	1	1	1	1	1	1
35-54	5	4.2	7	2	2	3	7	7	7	7	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	15	6.6	46	1	1	3	9	19	22	23	4	2.5	4	1	1	2	4	5	5	5
SUBTOTAL	**16**	**6.3**	**44**	**1**	**1**	**3**	**8**	**18**	**22**	**23**	**6**	**2.0**	**3**	**1**	**1**	**1**	**3**	**5**	**5**	**5**
GRAND TOTAL	**25**	**5.7**	**32**	**1**	**1**	**3**	**8**	**13**	**20**	**23**	**11**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**	**5**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	1.7	1	1	1	1	2	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	14.6	483	1	1	4	23	53	53	53	1	1.0		1	1	1	1	1	1	1
25-34	2	13.5	221	3	3	13	24	24	24	24										
35-54	2	4.0	8	2	2	4	6	6	6	6										
55-74																				
75 +																				
ALL AGES	9	12.0	291	1	1	4	16	41	53	53	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**12**	**9.4**	**234**	**1**	**1**	**3**	**9**	**33**	**50**	**53**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.0		3	3	3	3	3	3	3										
18-24	2	5.0	2	4	4	5	6	6	6	6										
25-34	9	5.4	21	1	1	3	10	12	12	12										
35-54	3	4.0	7	1	1	5	6	6	6	6										
55-74																				
75 +																				
ALL AGES	16	4.8	13	1	1	4	6	11	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10										
18-24	6	4.3	15	1	1	3	6	10	11	11										
25-34	5	16.8	211	2	2	15	30	35	35	35	2	12.0	200	2	2	12	22	22	22	22
35-54	6	5.0	18	2	2	3	6	12	13	13	5	10.2	66	5	5	6	14	24	24	24
55-74	1	22.0		22	22	22	22	22	22	22	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	20	8.7	92	1	1	4	12	25	31	35	8	9.8	73	2	2	6	16	23	24	24
SUBTOTAL	**36**	**7.0**	**59**	**1**	**1**	**4**	**9**	**15**	**26**	**35**	**8**	**9.8**	**73**	**2**	**2**	**6**	**16**	**23**	**24**	**24**
GRAND TOTAL	**48**	**7.6**	**100**	**1**	**1**	**4**	**9**	**20**	**29**	**53**	**9**	**8.8**	**73**	**1**	**1**	**5**	**14**	**23**	**24**	**24**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	1	5	5	5	6	6	6	6										
18-24	6	4.3	5	2	2	4	6	8	8	8										
25-34	3	2.7		2	2	3	3	3	3	3										
35-54	3	3.3	3	2	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	14	3.9	4	2	2	3	5	6	8	8	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	43.0	3362	2	2	43	84	84	84	84										
18-24	3	3.0		3	3	3	3	3	3	3										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	5	19.0	1321	2	2	3	23	84	84	84	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**19**	**7.9**	**342**	**2**	**2**	**3**	**5**	**7**	**50**	**84**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	8	3.1	17	1	1	1	3	10	13	13										
25-34	5	3.8	8	1	1	4	6	7	7	7	2	1.5	1	1	1	1	2	2	2	2
35-54	7	3.3	5	1	1	3	5	7	7	7										
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	21	3.3	9	1	1	3	4	7	10	13	4	2.3	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	41	2	2	6	11	11	11	11										
18-24	2	9.5	113	2	2	9	17	17	17	17										
25-34	1	28.0		28	28	28	28	28	28	28	1	5.0		5	5	5	5	5	5	5
35-54											2	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	12.0	121	2	2	11	20	28	28	28	3	3.7	1	3	3	3	5	5	5	5
SUBTOTAL	**26**	**5.0**	**39**	**1**	**1**	**3**	**6**	**13**	**19**	**28**	**7**	**2.9**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**45**	**6.2**	**164**	**1**	**1**	**3**	**5**	**11**	**20**	**84**	**9**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	64	99 +	99 +	99 +	99 +										
13-17	6	28.3	215	7	8	29	39	47	48	48	1	2.0		2	2	2	2	2	2	2
18-24	12	6.2	46	1	1	4	6	17	24	25	2	9.5	25	6	6	9	13	13	13	13
25-34	22	5.8	40	1	1	3	7	15	21	25	3	1.7		1	1	2	2	2	2	2
35-54	9	2.1	4	1	1	1	2	5	7	7	1	9.0		9	9	9	9	9	9	9
55-74	3	3.0	1	2	2	3	4	4	4	4										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	54	8.0	111	1	1	3	10	28	37	97	7	5.0	21	1	1	2	8	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	11	15.7	211	2	3	9	25	39	44	45	3	15.3	496	2	2	3	31	41	41	41
18-24	31	7.3	36	1	1	5	12	16	20	22	1	3.0		3	3	3	3	3	3	3
25-34	44	8.0	102	1	1	5	9	18	29	51	4	4.8	12	1	1	4	7	9	9	9
35-54	31	8.5	118	1	1	4	12	26	27	46	1	3.0		3	3	3	3	3	3	3
55-74	3	6.0	21	1	1	7	9	10	10	10	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	120	8.6	99	1	1	5	11	21	27	47	10	7.4	144	1	1	3	6	25	41	41
SUBTOTAL	**174**	**8.4**	**102**	**1**	**1**	**5**	**11**	**25**	**29**	**50**	**17**	**6.4**	**91**	**1**	**1**	**3**	**7**	**12**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	9.0	13	5	5	10	11	12	12	12										
18-24	16	6.3	84	1	2	4	6	8	30	40	3	1.3		1	1	1	2	2	2	2
25-34	35	6.8	61	1	1	3	9	14	27	32	5	3.4	3	1	1	3	4	6	6	6
35-54	18	5.1	27	1	1	3	6	14	17	19	2	2.0	2	1	1	1	3	3	3	3
55-74	3	7.7	25	3	3	7	11	13	13	13										
75 +																				
ALL AGES	75	6.4	53	1	1	4	8	14	23	38	10	2.5	3	1	1	2	3	5	6	6
B. FEMALE																				
0-12 YRS.	2	59.5	1861	29	29	59	90	90	90	90										
13-17	14	18.8	191	1	2	16	28	38	42	43	1	6.0		6	6	6	6	6	6	6
18-24	36	9.4	172	1	1	4	8	34	40	57	1	2.0		2	2	2	2	2	2	2
25-34	65	6.2	47	1	1	5	7	12	14	46	4	5.0	17	2	2	3	7	11	11	11
35-54	52	9.1	101	1	1	6	13	19	28	54	8	6.5	47	1	1	4	10	18	20	20
55-74	3	8.7	24	4	4	8	12	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +	2	11.5	61	6	6	11	17	17	17	17										
ALL AGES	174	9.4	149	1	1	6	12	20	37	56	15	5.5	30	1	1	4	6	14	18	20
SUBTOTAL	**249**	**8.5**	**122**	**1**	**1**	**5**	**10**	**19**	**32**	**54**	**25**	**4.3**	**21**	**1**	**1**	**3**	**5**	**11**	**15**	**20**
GRAND TOTAL	**423**	**8.5**	**113**	**1**	**1**	**5**	**10**	**20**	**30**	**53**	**42**	**5.2**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**41**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.0	72	18	18	24	30	30	30	30	1	1.0		1	1	1	1	1	1	1
13-17	2	2.5	5	1	1	2	4	4	4	4										
18-24	3	5.0	12	1	1	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
25-34	5	6.8	17	3	3	7	9	13	13	13	1	4.0		4	4	4	4	4	4	4
35-54	2	31.5	1513	4	4	31	59	59	59	59										
55-74																				
75 +																				
ALL AGES	14	11.8	245	1	1	7	13	33	53	59	3	4.0	9	1	1	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-24																				
25-34	6	26.5	1022	1	1	11	51	77	80	80	1	5.0		5	5	5	5	5	5	5
35-54	5	9.6	85	1	1	7	14	25	25	25										
55-74	2	7.5	1	7	7	7	8	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	14	19.1	550	1	1	8	25	54	74	80	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**28**	**15.4**	**398**	**1**	**1**	**7**	**17**	**49**	**61**	**80**	**5**	**4.0**	**5**	**1**	**1**	**4**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	11.2	373	1	1	3	10	46	50	50										
18-24	2	1.0		1	1	1	1	1	1	1										
25-34	7	10.4	214	1	1	5	12	36	42	42	1	9.0		9	9	9	9	9	9	9
35-54	7	4.6	17	1	1	4	7	11	12	12										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	23	7.7	162	1	1	4	7	20	45	50	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	6	15.7	394	2	2	8	16	51	55	55										
18-24	8	6.3	15	1	1	6	9	12	13	13										
25-34	4	5.5	42	1	1	3	9	15	15	15	2	7.0	72	1	1	7	13	13	13	13
35-54	2	3.5	13	1	1	3	6	6	6	6	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	20	8.7	139	1	1	6	10	15	35	55	3	7.7	37	1	1	9	12	13	13	13
SUBTOTAL	**43**	**8.1**	**149**	**1**	**1**	**4**	**9**	**15**	**45**	**55**	**4**	**8.0**	**25**	**1**	**1**	**9**	**11**	**13**	**13**	**13**
GRAND TOTAL	**71**	**11.0**	**255**	**1**	**1**	**6**	**10**	**35**	**51**	**76**	**9**	**5.8**	**16**	**1**	**1**	**5**	**9**	**11**	**13**	**13**

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	14.0		14	14	14	14	14	14	14
35-54																				
55-74																				
75 +																				
ALL AGES											1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	14.0		14	14	14	14	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	3.7	2	2	2	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	3	3.7	2	2	2	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	3.7	2	2	2	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	3	3.7	2	2	2	4	5	5	5	5	2	8.5	61	3	3	8	14	14	14	14

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54																				
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	16.0		16	16	16	16	16	16	16										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
GRAND TOTAL	2	10.0	72	4	4	10	16	16	16	16										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	2.0	1	1	1	2	3	3	3	3										
35-54											1	4.0		4	4	4	4	4	4	4
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											7	8.1	8	2	3	9	9	10	10	10
25-34											37	8.3	4	2	5	9	9	9	10	10
35-54											37	7.4	10	2	2	9	9	9	9	12
55-74											2	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES											83	7.9	7	2	2	9	9	9	10	11
SUBTOTAL	3	2.0	1	1	1	2	3	3	3	3	85	7.8	7	2	2	9	9	9	10	11
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
GRAND TOTAL	4	2.5	2	1	1	2	3	4	4	4	85	7.8	7	2	2	9	9	9	10	11

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	1.5	1	1	1	1	2	3	3	3	8	2.0	2	1	1	1	3	4	4	4
55-74	4	2.0	4	1	1	1	3	5	5	5	10	2.5	5	1	1	2	3	6	8	8
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	10	1.7	2	1	1	1	2	4	5	5	20	2.3	3	1	1	2	3	4	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**10**	**1.7**	**2**	**1**	**1**	**1**	**2**	**4**	**5**	**5**	**20**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	2.0	2	1	1	2	3	3	3	3										
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**12**	**1.8**	**1**	**1**	**1**	**1**	**2**	**4**	**5**	**5**	**20**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**8**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	32.0		32	32	32	32	32	32	32										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	2	17.5	421	3	3	17	32	32	32	32	1	3.0		3	3	3	3	3	3	3

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	1.2		1	1	1	1	2	2	2	9	1.1		1	1	1	1	2	2	2
18-24	15	5.4	66	1	1	1	3	21	21	21	7	1.3	1	1	1	1	1	3	3	3
25-34	53	4.5	48	1	1	2	4	10	21	32	51	6.1	82	1	1	2	4	25	29	30
35-54	110	5.6	94	1	1	3	5	9	22	53	117	4.8	39	1	1	2	4	13	22	28
55-74	67	6.2	60	1	2	3	6	16	28	37	81	5.3	36	1	2	3	4	14	21	28
75 +	13	4.8	12	1	1	4	7	10	12	12	10	6.0	10	2	2	6	7	11	13	13
ALL AGES	263	5.4	68	1	1	3	5	13	22	35	275	5.0	44	1	1	3	4	13	22	29
B. FEMALE																				
0-12 YRS.																				
13-17	3	9.3	38	4	4	8	14	16	16	16	6	1.7	1	1	1	1	2	4	4	4
18-24	10	6.1	63	1	1	3	5	21	21	21	5	1.6	1	1	1	1	2	3	3	3
25-34	26	4.5	52	1	1	2	4	6	28	29	15	4.6	52	1	1	2	4	21	22	23
35-54	40	4.4	37	1	2	3	4	6	15	35	46	4.5	38	1	1	3	5	9	21	30
55-74	24	6.4	66	1	1	4	6	14	30	34	26	6.3	63	1	1	3	9	20	24	32
75 +	3	3.7	4	2	2	3	5	6	6	6	3	5.7	32	1	1	4	10	12	12	12
ALL AGES	106	5.2	47	1	1	3	5	8	24	34	101	4.7	43	1	1	2	4	11	22	31
SUBTOTAL	**369**	**5.3**	**63**	**1**	**1**	**3**	**5**	**12**	**22**	**35**	**376**	**4.9**	**44**	**1**	**1**	**3**	**4**	**13**	**22**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	6.2	113	1	1	2	5	23	34	34	14	17.8	116	1	2	17	27	33	34	34
18-24	37	8.1	107	1	1	2	16	26	29	36	74	15.9	124	1	2	14	28	30	31	37
25-34	145	6.6	75	1	1	3	6	24	28	36	237	15.1	116	1	2	14	25	30	31	37
35-54	207	7.4	75	1	1	4	8	23	30	34	417	11.7	111	1	2	6	21	29	30	34
55-74	114	7.5	46	1	2	5	10	19	23	29	209	10.3	89	2	2	5	17	27	29	36
75 +	14	6.6	24	1	1	6	10	12	17	19	19	7.1	54	1	2	4	10	18	25	28
ALL AGES	526	7.2	70	1	1	4	8	21	28	34	970	12.5	113	1	2	8	21	29	30	35
B. FEMALE																				
0-12 YRS.																				
13-17	6	6.0	138	1	1	1	2	27	30	30	11	25.9	280	1	1	31	36	45	52	53
18-24	15	3.2	28	1	1	2	3	4	17	22	29	16.1	140	1	1	21	28	30	33	35
25-34	63	5.8	49	1	1	3	7	13	28	30	93	14.4	142	1	1	14	26	30	32	36
35-54	90	5.6	73	1	1	3	5	12	31	41	150	12.3	127	1	2	5	24	30	30	34
55-74	55	6.2	39	1	1	4	7	13	19	31	89	14.1	129	2	2	10	23	30	31	44
75 +	3	5.7	12	2	2	6	8	9	9	9	5	5.0	4	3	3	4	7	7	7	7
ALL AGES	232	5.7	55	1	1	3	6	13	28	35	377	13.8	141	1	2	8	24	30	32	37
SUBTOTAL	**758**	**6.7**	**66**	**1**	**1**	**3**	**7**	**21**	**28**	**34**	**1347**	**12.9**	**120**	**1**	**2**	**8**	**22**	**29**	**31**	**36**
GRAND TOTAL	**1127**	**6.3**	**65**	**1**	**1**	**3**	**6**	**20**	**28**	**34**	**1723**	**11.1**	**115**	**1**	**1**	**5**	**21**	**29**	**30**	**35**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
13-17	27	27.6	201	2	6	28	35	40	51	69	12	21.3	235	1	2	24	29	40	49	51
18-24	68	22.3	128	1	2	28	30	34	35	40	61	18.8	126	1	1	23	28	29	30	32
25-34	235	19.6	127	2	2	23	29	31	34	38	255	17.8	124	1	2	22	28	29	30	33
35-54	554	19.9	127	2	3	24	28	31	35	38	491	16.3	138	2	2	20	28	30	30	36
55-74	284	18.6	121	2	3	21	28	31	32	36	283	16.8	116	2	2	20	27	30	30	36
75 +	17	14.1	126	2	3	10	24	30	33	35	26	13.2	93	1	2	12	21	27	28	29
ALL AGES	1186	19.7	131	2	3	23	28	31	35	38	1129	16.9	128	1	2	21	28	29	30	36
B. FEMALE																				
0-12 YRS.																				
13-17	18	23.2	225	2	3	23	35	43	45	45	15	25.0	248	1	1	29	30	47	50	51
18-24	21	25.9	154	4	8	28	31	39	50	57	22	16.8	115	1	2	19	26	30	31	32
25-34	72	16.5	159	1	2	21	28	30	34	40	81	15.7	140	1	1	20	28	30	31	37
35-54	146	19.8	121	2	3	23	28	30	32	39	175	15.5	142	1	2	19	28	29	30	35
55-74	109	19.9	110	2	3	23	28	30	34	37	122	17.5	112	2	3	21	27	30	31	36
75 +	10	16.7	119	4	4	15	29	31	31	31	14	13.5	137	1	2	7	25	29	32	33
ALL AGES	376	19.6	135	2	3	23	28	31	35	44	429	16.4	139	1	2	21	28	30	31	40
SUBTOTAL	**1562**	**19.7**	**131**	**2**	**3**	**23**	**28**	**31**	**35**	**39**	**1553**	**16.8**	**130**	**1**	**2**	**21**	**28**	**29**	**30**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.5	613	8	8	25	43	43	43	43	1	19.0		19	19	19	19	19	19	19
13-17	75	28.2	217	2	4	28	40	45	47	65	114	29.5	225	3	6	29	42	52	56	60
18-24	145	24.3	96	3	6	27	29	34	37	45	198	20.4	116	2	3	21	29	30	33	45
25-34	423	20.4	131	2	3	24	28	31	34	43	493	19.1	106	2	3	21	28	30	30	33
35-54	437	17.8	140	2	2	21	28	30	33	40	447	15.7	123	2	2	20	27	29	30	32
55-74	129	15.6	126	3	3	12	28	31	32	40	162	14.4	105	2	3	13	22	28	30	37
75 +	20	12.4	84	2	3	8	21	24	28	31	21	13.9	83	2	3	13	21	26	30	31
ALL AGES	1231	19.8	144	2	3	23	28	32	36	46	1436	18.4	137	2	3	21	28	30	32	47
B. FEMALE																				
0-12 YRS.																				
13-17	73	28.7	171	6	8	29	37	45	47	60	68	29.0	248	3	4	28	42	48	55	62
18-24	56	20.8	144	2	3	25	28	34	40	42	70	19.0	108	2	3	21	27	30	31	45
25-34	149	18.4	132	2	3	21	28	31	34	39	205	19.0	118	2	3	22	28	30	30	37
35-54	159	17.2	142	1	2	20	28	31	34	42	208	17.8	116	2	3	21	28	30	31	36
55-74	72	17.1	124	3	4	20	28	30	33	37	92	19.3	112	2	3	22	27	31	35	42
75 +	9	15.0	166	2	3	11	23	36	41	41	11	14.6	142	1	2	11	21	31	39	40
ALL AGES	518	19.5	155	2	3	21	28	34	39	46	654	19.6	140	2	3	22	28	31	36	48
SUBTOTAL	**1749**	**19.7**	**148**	**2**	**3**	**22**	**28**	**32**	**37**	**46**	**2090**	**18.8**	**138**	**2**	**3**	**21**	**28**	**30**	**33**	**48**
GRAND TOTAL	**3311**	**19.7**	**140**	**2**	**3**	**23**	**28**	**32**	**35**	**45**	**3648**	**17.9**	**137**	**2**	**2**	**21**	**28**	**30**	**31**	**45**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	6	11.7	173	1	1	5	28	29	29	29
25-34	17	12.8	128	2	3	8	27	28	33	35	28	12.9	113	2	2	7	25	29	30	31
35-54	27	12.1	110	2	3	7	20	30	31	33	28	10.3	120	1	1	5	20	28	30	35
55-74	6	7.7	24	3	3	6	9	16	17	17	2	15.0	128	7	7	15	23	23	23	23
75 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	51	11.6	106	3	3	7	17	29	30	35	66	11.5	116	1	1	6	23	28	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	4	5.5	2	4	4	5	6	7	7	7	2	8.0	98	1	1	8	15	15	15	15
25-34	21	15.8	179	1	2	9	30	34	37	39	23	8.6	108	1	2	5	8	28	33	39
35-54	17	14.4	117	1	2	9	26	30	31	31	9	12.6	122	2	2	7	25	28	29	29
55-74	2	16.5	221	6	6	16	27	27	27	27	9	6.2	72	1	1	2	9	21	21	21
75 +	1	7.0		7	7	7	7	7	7	7	2	11.0	98	4	4	11	18	18	18	18
ALL AGES	46	14.1	136	1	2	8	27	31	33	39	45	9.0	98	1	1	5	11	27	29	39
SUBTOTAL	**97**	**12.8**	**120**	**2**	**3**	**7**	**24**	**30**	**32**	**37**	**111**	**10.5**	**109**	**1**	**1**	**5**	**20**	**28**	**30**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	3.5	1	3	3	3	4	4	4	4
18-24	5	10.6	141	1	1	3	20	28	28	28	10	7.7	70	1	1	3	15	21	24	24
25-34	45	11.4	81	1	2	9	20	24	28	31	63	11.6	99	2	3	7	21	27	29	40
35-54	62	11.4	104	2	3	6	20	28	32	38	49	13.1	106	2	3	8	24	28	29	36
55-74	5	9.4	32	5	5	7	12	19	19	19										
75 +											1	23.0		23	23	23	23	23	23	23
ALL AGES	117	11.3	91	2	2	6	19	27	28	37	125	11.8	101	2	3	6	21	27	29	37
B. FEMALE																				
0-12 YRS.																				
13-17	4	12.5	76	6	6	9	18	25	25	25	2	2.5	5	1	1	2	4	4	4	4
18-24	9	13.8	88	4	4	10	22	28	29	29	10	13.4	90	4	4	10	24	27	28	28
25-34	60	11.6	108	2	2	7	16	28	34	41	44	15.0	103	2	4	12	25	29	31	33
35-54	33	13.5	95	3	4	9	21	29	31	34	22	14.5	85	4	4	14	23	25	30	34
55-74	8	12.5	106	1	2	9	23	26	27	27	7	11.9	126	2	2	7	23	28	28	28
75 +																				
ALL AGES	114	12.4	99	2	3	8	21	28	31	38	85	14.1	98	2	4	11	24	28	30	34
SUBTOTAL	**231**	**11.8**	**96**	**2**	**3**	**7**	**20**	**28**	**31**	**37**	**210**	**12.8**	**99**	**2**	**3**	**8**	**23**	**28**	**29**	**35**
GRAND TOTAL	**328**	**12.1**	**103**	**2**	**3**	**7**	**21**	**28**	**31**	**37**	**321**	**12.0**	**103**	**1**	**2**	**7**	**22**	**28**	**29**	**35**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	2	31.0	18	28	28	31	34	34	34	34
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	4	12.0	183	2	2	7	20	32	32	32	1	7.0		7	7	7	7	7	7	7
55-74											2	5.0	2	4	4	5	6	6	6	6
75 +																				
ALL AGES	6	10.0	126	2	2	7	10	30	32	32	5	15.8	198	4	4	7	29	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	2	5.0	8	3	3	5	7	7	7	7
25-34	7	19.3	65	7	8	21	26	27	27	27	4	9.3	190	2	2	3	16	30	30	30
35-54	9	21.8	134	1	2	23	31	34	34	34	9	11.1	57	3	3	10	15	22	27	27
55-74	6	20.3	122	3	4	21	29	33	34	34	10	19.5	137	3	3	25	28	31	33	33
75 +											5	12.0	82	2	2	12	21	21	21	21
ALL AGES	23	19.7	114	1	3	21	27	33	34	34	30	13.4	111	2	2	11	23	29	30	33
SUBTOTAL	**29**	**17.7**	**128**	**1**	**2**	**21**	**27**	**33**	**34**	**34**	**35**	**13.7**	**120**	**2**	**3**	**10**	**26**	**29**	**32**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	28.0		28	28	28	28	28	28	28	2	39.5	481	24	24	39	55	55	55	55
25-34	10	12.6	66	1	1	13	20	22	23	23	10	15.3	144	3	3	11	29	33	35	35
35-54	9	16.6	228	2	2	11	22	41	51	51	6	12.3	108	4	4	7	23	27	28	28
55-74	8	19.6	89	3	5	21	27	30	30	30	6	11.0	20	5	5	12	15	15	15	15
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	28	16.4	127	1	2	17	22	29	32	51	25	15.7	158	4	4	12	23	32	40	55
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	44.0		44	44	44	44	44	44	44	3	5.0	7	3	3	4	7	8	8	8
25-34	9	16.8	161	4	4	9	29	32	33	33	14	14.4	110	3	3	12	25	28	30	30
35-54	21	16.9	107	2	4	14	27	30	31	32	16	18.8	90	1	5	22	27	28	29	29
55-74	10	17.2	40	5	8	19	22	24	24	24	13	16.7	101	2	3	21	23	30	30	30
75 +	2	26.5	41	22	22	26	31	31	31	31	3	9.7	55	1	1	14	14	14	14	14
ALL AGES	43	18.0	113	3	5	18	27	31	32	44	49	15.6	99	2	3	15	25	28	30	30
SUBTOTAL	**71**	**17.4**	**116**	**2**	**4**	**17**	**26**	**30**	**32**	**50**	**74**	**15.6**	**118**	**3**	**3**	**14**	**25**	**29**	**30**	**50**
GRAND TOTAL	**100**	**17.5**	**118**	**1**	**3**	**19**	**27**	**31**	**33**	**47**	**109**	**15.0**	**118**	**2**	**3**	**13**	**25**	**29**	**30**	**43**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	30.0		30	30	30	30	30	30	30										
18-24	32	19.7	125	1	2	22	28	31	34	34	41	17.6	90	1	2	21	27	28	28	29
25-34	99	19.1	126	1	2	21	28	30	33	42	70	18.5	106	1	2	21	28	30	30	37
35-54	26	19.8	79	3	6	21	28	29	30	32	20	17.6	128	2	3	20	27	30	35	41
55-74	2	22.0	2	21	21	22	23	23	23	23										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	161	19.3	118	1	2	21	28	30	32	41	132	17.9	106	1	2	21	27	29	30	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8	2	14.5	365	1	1	14	28	28	28	28
18-24	28	16.3	109	1	1	21	25	28	29	29	19	23.6	63	7	14	25	28	31	34	36
25-34	31	16.6	131	1	2	21	28	29	30	30	35	17.7	151	2	2	22	28	31	32	42
35-54	10	19.3	64	3	7	21	22	29	30	30	4	16.0	137	5	5	15	26	28	28	28
55-74																				
75 +																				
ALL AGES	70	16.8	108	1	2	21	27	28	29	30	60	19.4	126	1	2	23	28	30	32	41
SUBTOTAL	**231**	**18.5**	**117**	**1**	**2**	**21**	**28**	**29**	**30**	**36**	**192**	**18.4**	**111**	**1**	**2**	**21**	**28**	**29**	**30**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	25.3	159	11	11	31	33	34	34	34	5	32.0	68	25	25	29	37	45	45	45
18-24	69	18.4	139	1	2	22	28	30	32	43	101	19.7	107	2	3	21	28	30	32	40
25-34	196	19.9	110	2	2	23	28	30	33	42	199	18.6	101	2	3	21	28	29	30	34
35-54	64	20.8	82	3	4	24	28	30	30	31	54	19.6	108	3	3	22	29	30	31	36
55-74	2	13.0	200	3	3	13	23	23	23	23	1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES	335	19.7	112	2	3	23	28	30	32	42	360	19.2	107	2	3	22	28	30	31	38
B. FEMALE																				
0-12 YRS.																				
13-17	5	35.6	354	2	2	44	45	45	45	45	9	30.1	344	3	3	33	46	50	50	50
18-24	49	17.3	113	2	2	21	27	28	29	31	42	15.8	139	1	2	16	27	30	33	40
25-34	65	18.1	134	2	3	22	28	31	32	34	84	19.5	132	2	2	24	29	30	32	34
35-54	14	19.1	129	4	6	21	28	33	37	38	15	20.9	111	1	2	27	28	30	31	31
55-74																				
75 +																				
ALL AGES	133	18.6	140	2	3	22	28	31	34	45	150	19.2	153	1	2	22	29	31	34	49
SUBTOTAL	**468**	**19.4**	**120**	**2**	**3**	**23**	**28**	**30**	**32**	**43**	**510**	**19.2**	**120**	**2**	**3**	**22**	**28**	**30**	**32**	**43**
GRAND TOTAL	**699**	**19.1**	**119**	**2**	**3**	**22**	**28**	**30**	**32**	**42**	**702**	**19.0**	**117**	**2**	**3**	**22**	**28**	**30**	**31**	**42**

CANNABIS DEPENDENCE (304.3)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17	20	28.9	193	7	12	33	37	48	51	51	11	28.9	127	3	14	29	34	43	44	44
18-24	7	23.4	204	2	3	28	30	40	42	42	10	20.8	110	2	3	26	29	29	29	29
25-34	14	20.1	120	2	4	21	28	33	37	38	12	17.0	101	4	4	15	27	30	31	31
35-54	4	23.5	14	20	20	23	26	28	28	28	5	16.8	140	5	5	15	28	30	30	30
55-74																				
75 +																				
ALL AGES	45	24.8	164	3	6	26	34	41	46	51	39	21.6	129	3	4	26	29	32	39	44
B. FEMALE																				
0-12 YRS.																				
13-17	7	21.3	181	5	5	25	34	36	36	36	1	30.0		30	30	30	30	30	30	30
18-24	1	31.0		31	31	31	31	31	31	31	4	25.8	106	14	14	25	34	38	38	38
25-34											2	26.0	32	22	22	26	30	30	30	30
35-54	1	28.0		28	28	28	28	28	28	28	2	28.5	1	28	28	28	29	29	29	29
55-74																				
75 +																				
ALL AGES	9	23.1	151	5	5	28	32	36	36	36	9	26.9	47	14	17	29	30	35	38	38
SUBTOTAL	**54**	**24.6**	**155**	**3**	**6**	**26**	**34**	**39**	**44**	**51**	**48**	**22.6**	**117**	**4**	**5**	**28**	**30**	**32**	**38**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29	1	2.0		2	2	2	2	2	2	2
13-17	67	30.6	245	3	14	28	43	51	63	66	85	30.0	175	3	11	30	41	44	48	61
18-24	23	24.6	164	1	4	26	28	38	51	61	50	22.2	82	5	7	22	28	34	36	44
25-34	23	17.7	122	1	1	21	27	31	32	32	35	18.9	94	1	3	20	28	30	30	32
35-54	11	24.9	22	18	19	25	29	31	32	32	11	17.5	93	2	4	18	26	28	28	28
55-74											1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	125	26.6	208	2	5	26	34	45	54	64	183	24.7	156	3	5	26	31	42	44	54
B. FEMALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-17	26	34.8	247	4	11	37	45	55	59	59	21	34.0	134	15	19	34	42	46	52	59
18-24	5	21.8	150	5	5	28	30	34	34	34	13	23.2	112	6	6	27	29	32	42	44
25-34	10	20.4	110	1	1	22	28	29	30	30	8	19.8	150	2	3	28	29	30	30	30
35-54	4	23.8	114	9	9	26	31	34	34	34	1	17.0		17	17	17	17	17	17	17
55-74																				
75 +																				
ALL AGES	45	29.2	228	2	5	29	39	48	57	59	44	27.3	165	6	8	28	35	44	46	59
SUBTOTAL	**170**	**27.3**	**212**	**2**	**5**	**27**	**36**	**45**	**56**	**63**	**227**	**25.2**	**158**	**3**	**6**	**27**	**32**	**43**	**45**	**56**
GRAND TOTAL	**224**	**26.6**	**202**	**2**	**5**	**27**	**36**	**45**	**51**	**63**	**275**	**24.8**	**149**	**3**	**6**	**27**	**30**	**42**	**44**	**54**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	5.5	41	1	1	5	10	10	10	10
18-24	6	17.7	162	1	1	23	28	29	29	29	9	11.7	56	1	1	14	17	21	21	21
25-34	10	15.4	153	1	1	20	28	29	29	29	12	13.7	137	2	2	8	26	30	30	30
35-54	2	13.5	265	2	2	13	25	25	25	25	4	24.8	217	5	5	26	34	41	41	41
55-74																				
75 +																				
ALL AGES	19	15.2	149	1	1	21	27	29	29	29	27	14.0	129	1	2	11	25	29	32	41
B. FEMALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53	1	21.0		21	21	21	21	21	21	21
18-24	9	17.0	89	5	5	21	26	27	28	28	5	22.4	74	8	8	26	28	29	29	29
25-34	9	13.8	97	3	4	9	23	27	27	27	8	20.4	127	2	3	24	28	30	31	31
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	1	26.0		26	26	26	26	26	26	26
75 +																				
ALL AGES	20	16.8	158	4	5	16	26	28	40	53	16	20.3	104	2	3	24	28	29	30	31
SUBTOTAL	**39**	**16.0**	**151**	**1**	**1**	**19**	**26**	**28**	**29**	**53**	**43**	**16.4**	**124**	**1**	**2**	**19**	**27**	**29**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											4	15.0	250	1	1	12	28	34	34	34
18-24	16	22.9	81	1	4	26	28	32	32	32	32	19.5	97	3	4	25	28	29	30	31
25-34	27	18.7	132	1	2	23	28	30	31	36	51	16.1	139	1	1	18	28	30	33	38
35-54	13	18.1	112	1	3	20	27	30	31	31	12	18.5	150	1	4	21	28	32	38	39
55-74																				
75 +																				
ALL AGES	56	19.7	116	1	2	23	28	30	32	36	99	17.4	130	1	2	20	28	29	32	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	55.0		55	55	55	55	55	55	55	2	25.5	25	22	22	25	29	29	29	29
18-24	6	21.8	190	5	5	26	30	37	38	38	19	12.9	100	1	2	10	23	27	28	28
25-34	17	20.1	128	3	5	26	28	30	38	43	39	14.9	136	1	2	13	27	30	32	34
35-54	6	27.0	78	15	16	27	30	40	41	41	4	22.8	83	11	11	24	30	32	32	32
55-74	1	37.0		37	37	37	37	37	37	37										
75 +																				
ALL AGES	31	23.5	159	4	5	26	30	39	43	55	64	15.1	125	2	2	14	26	29	32	34
SUBTOTAL	**87**	**21.1**	**131**	**2**	**3**	**26**	**29**	**31**	**37**	**51**	**163**	**16.5**	**128**	**1**	**2**	**19**	**28**	**29**	**32**	**38**
GRAND TOTAL	**126**	**19.5**	**142**	**1**	**2**	**23**	**28**	**30**	**36**	**53**	**206**	**16.5**	**126**	**1**	**2**	**19**	**27**	**29**	**31**	**38**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	13.0		13	13	13	13	13	13	13
35-54																				
55-74																				
75 +																				
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	31.7	530	5	5	45	45	45	45	45	2	41.5	313	29	29	41	54	54	54	54
18-24	2	33.5	265	22	22	33	45	45	45	45	1	10.0		10	10	10	10	10	10	10
25-34	1	25.0		25	25	25	25	25	25	25										
35-54																				
55-74																				
75 +																				
ALL AGES	6	31.2	274	5	7	35	45	45	45	45	3	31.0	487	10	10	29	48	54	54	54
B. FEMALE																				
0-12 YRS.																				
13-17	6	22.0	340	1	2	22	35	44	45	45										
18-24											1	5.0		5	5	5	5	5	5	5
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	6	22.0	340	1	2	22	35	44	45	45	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**12**	**26.6**	**302**	**1**	**4**	**30**	**45**	**45**	**45**	**45**	**5**	**20.2**	**463**	**3**	**3**	**10**	**35**	**54**	**54**	**54**
GRAND TOTAL	**12**	**26.6**	**302**	**1**	**4**	**30**	**45**	**45**	**45**	**45**	**6**	**19.0**	**379**	**3**	**3**	**11**	**29**	**51**	**54**	**54**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	2	21.5	613	4	4	21	39	39	39	39	1	44.0		44	44	44	44	44	44	44
18-24	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	1	6.0		6	6	6	6	6	6	6	2	4.0		4	4	4	4	4	4	4
35-54	4	3.0	2	2	2	3	4	5	5	5	3	11.3	237	1	1	4	23	29	29	29
55-74											2	8.5	113	1	1	8	16	16	16	16
75 +																				
ALL AGES	9	13.9	271	2	2	5	25	41	43	43	9	11.6	234	1	1	4	19	38	44	44
B. FEMALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24											2	4.5	1	4	4	4	5	5	5	5
25-34	3	12.0	97	4	4	9	19	23	23	23	4	16.0	118	1	1	19	24	24	24	24
35-54	4	10.3	103	2	2	7	18	24	24	24	2	19.0	200	9	9	19	29	29	29	29
55-74	1	17.0		17	17	17	17	17	17	17	3	10.3	166	1	1	5	20	25	25	25
75 +	1	14.0		14	14	14	14	14	14	14	3	24.0	7	21	21	25	26	26	26	26
ALL AGES	10	13.8	93	2	2	13	23	27	30	30	14	15.3	112	1	1	18	25	26	28	29
SUBTOTAL	**19**	**13.8**	**168**	**2**	**2**	**9**	**22**	**35**	**41**	**43**	**23**	**13.8**	**156**	**1**	**1**	**9**	**25**	**29**	**34**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	30.5	1513	3	3	30	58	58	58	58	2	30.0	1458	3	3	30	57	57	57	57
18-24	1	25.0		25	25	25	25	25	25	25	1	23.0		23	23	23	23	23	23	23
25-34	4	22.3	137	6	6	25	31	32	32	32	6	9.2	90	2	2	7	8	26	28	28
35-54	3	20.0	243	2	2	29	29	29	29	29	2	2.5	1	2	2	2	3	3	3	3
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	11	21.9	285	2	3	25	30	42	57	58	12	12.8	263	2	2	7	16	37	54	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-24	3	22.7	83	12	12	28	28	28	28	28	3	2.0	1	1	1	2	3	3	3	3
25-34	4	10.0	79	3	3	7	15	23	23	23	2	16.5	265	5	5	16	28	28	28	28
35-54	2	21.5	313	9	9	21	34	34	34	34	2	3.5	1	3	3	3	4	4	4	4
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	10	19.2	176	3	4	17	28	37	41	41	8	6.6	78	1	1	4	6	22	28	28
SUBTOTAL	**21**	**20.6**	**224**	**2**	**3**	**23**	**29**	**37**	**49**	**58**	**20**	**10.3**	**191**	**1**	**2**	**4**	**9**	**28**	**43**	**57**
GRAND TOTAL	**40**	**17.4**	**203**	**2**	**2**	**13**	**28**	**36**	**42**	**58**	**43**	**12.2**	**171**	**1**	**1**	**5**	**24**	**28**	**34**	**57**

OPIC[illegible]THER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	26.5	298	1	1	33	36	39	39	39	1	29.0		29	29	29	29	29	29	29
18-24	4	22.8	154	4	4	28	29	30	30	30	3	19.3	254	1	1	28	29	29	29	29
25-34	11	15.2	148	3	3	7	28	30	33	33	10	21.7	110	1	3	25	29	30	31	31
35-54	6	19.2	183	2	2	24	29	33	33	33	4	26.0	130	10	10	28	33	37	37	37
55-74																				
75 +																				
ALL AGES	25	19.2	174	2	3	27	29	33	35	39	18	22.7	117	1	2	28	29	31	35	37
B. FEMALE																				
0-12 YRS.																				
13-17	4	22.3	197	10	10	22	34	35	35	35	2	32.5	13	30	30	32	35	35	35	35
18-24											2	15.5	365	2	2	15	29	29	29	29
25-34	10	10.8	110	1	2	6	15	29	30	30	4	6.5	36	1	1	5	10	15	15	15
35-54	2	15.5	421	1	1	15	30	30	30	30	3	11.0	75	6	6	6	17	21	21	21
55-74																				
75 +											1	35.0		35	35	35	35	35	35	35
ALL AGES	16	14.3	158	1	2	8	29	34	35	35	12	15.8	181	1	1	11	29	35	35	35
SUBTOTAL	**41**	**17.2**	**172**	**1**	**2**	**15**	**29**	**33**	**35**	**39**	**30**	**19.9**	**151**	**1**	**2**	**25**	**29**	**33**	**35**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	17	34.5	84	15	20	35	38	42	51	55	1	3.0		3	3	3	3	3	3	3
18-24	10	28.6	90	3	15	31	35	35	35	35	4	12.8	132	1	1	12	22	25	25	25
25-34	35	23.5	83	2	4	28	29	30	31	33	11	18.5	151	1	2	22	28	33	38	38
35-54	6	21.5	128	5	5	28	29	29	29	29	8	25.6	63	8	12	28	30	32	32	32
55-74	4	23.5	98	11	11	24	31	34	34	34										
75 +																				
ALL AGES	72	26.7	103	3	10	28	33	36	40	52	24	19.3	134	1	3	23	29	31	34	38
B. FEMALE																				
0-12 YRS.																				
13-17	9	36.3	16	33	33	35	37	43	45	45	2	24.5	85	18	18	24	31	31	31	31
18-24	6	19.3	101	6	6	22	28	28	28	28										
25-34	13	22.5	194	2	2	27	31	36	43	45	3	15.7	183	3	3	14	26	30	30	30
35-54	4	28.3	5	25	25	28	30	32	32	32	2	18.0	338	5	5	18	31	31	31	31
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	33	25.8	153	2	4	28	34	37	44	45	8	16.8	160	2	2	16	30	31	31	31
SUBTOTAL	**105**	**26.4**	**118**	**3**	**6**	**28**	**33**	**36**	**40**	**50**	**32**	**18.7**	**136**	**1**	**2**	**21**	**29**	**31**	**32**	**38**
GRAND TOTAL	**146**	**23.8**	**151**	**2**	**4**	**28**	**33**	**35**	**39**	**46**	**62**	**19.3**	**140**	**1**	**2**	**23**	**29**	**31**	**35**	**38**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	44.6	252	28	29	36	55	70	73	73	6	16.3	132	3	3	17	28	29	29	29
18-24	21	25.0	111	3	4	28	31	35	35	35	14	25.6	101	6	9	28	29	32	42	45
25-34	22	23.0	48	6	12	26	28	29	29	29	19	20.4	109	2	4	28	28	29	31	31
35-54	6	22.8	53	10	11	24	28	30	30	30	3	12.7	179	3	3	7	23	28	28	28
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	57	26.4	141	4	9	28	29	35	42	72	42	21.0	121	3	4	28	28	30	31	45
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	9	29.6	222	1	7	32	40	48	48	48	4	29.5		29	29	29	30	30	30	30
18-24	7	23.3	92	5	7	28	30	31	31	31	5	19.4	175	3	3	28	29	30	30	30
25-34	9	14.8	108	3	3	14	27	28	28	28	16	21.6	96	1	5	24	29	31	33	34
35-54	4	22.8	94	8	8	27	28	28	28	28	3	7.7	25	3	3	7	11	13	13	13
55-74											2	14.5	181	5	5	14	24	24	24	24
75 +																				
ALL AGES	30	23.2	170	3	4	27	30	40	48	48	30	20.4	114	3	4	25	29	30	31	34
SUBTOTAL	**87**	**25.3**	**151**	**4**	**6**	**28**	**30**	**36**	**45**	**68**	**72**	**20.8**	**114**	**3**	**4**	**27**	**29**	**30**	**31**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	29	29.7	202	4	7	33	37	47	52	62	13	32.2	232	3	3	35	42	48	53	54
18-24	32	20.6	129	2	4	25	29	34	36	39	16	22.4	79	3	8	27	28	30	31	31
25-34	34	23.1	93	2	4	28	29	29	31	99 +	18	26.2	46	9	18	28	30	32	33	33
35-54	15	18.7	141	1	1	21	28	32	33	33	5	23.0	139	2	2	28	29	30	30	30
55-74																				
75 +																				
ALL AGES	110	23.5	151	2	4	28	30	35	40	77	52	26.2	120	3	6	28	31	39	42	54
B. FEMALE																				
0-12 YRS.																				
13-17	17	31.0	220	4	11	33	36	54	58	58	5	31.4	740	1	1	46	51	58	58	58
18-24	15	21.5	410	1	2	28	28	34	67	78	1	9.0		9	9	9	9	9	9	9
25-34	17	21.9	81	1	4	24	29	30	30	30	13	24.4	72	4	11	27	29	31	34	35
35-54	6	30.0	177	10	11	32	35	48	49	49	6	20.2	156	2	2	25	30	31	31	31
55-74	2	3.5	1	3	3	3	4	4	4	4	4	23.8	40	14	14	26	27	28	28	28
75 +																				
ALL AGES	57	24.7	241	1	3	28	32	38	55	77	29	24.1	191	2	3	27	30	42	49	58
SUBTOTAL	**167**	**23.9**	**181**	**2**	**4**	**28**	**31**	**36**	**46**	**75**	**81**	**25.5**	**142**	**2**	**4**	**28**	**30**	**39**	**46**	**57**
GRAND TOTAL	**254**	**24.4**	**170**	**2**	**4**	**28**	**30**	**36**	**46**	**72**	**153**	**23.2**	**138**	**3**	**4**	**28**	**29**	**32**	**42**	**54**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	35.0		35	35	35	35	35	35	35	1	2.0		2	2	2	2	2	2	2
18-24	2	23.0	50	18	18	23	28	28	28	28	7	21.4	100	2	5	24	28	31	32	32
25-34	2	11.0	98	4	4	11	18	18	18	18	8	12.8	102	1	2	11	23	26	26	26
35-54	1	3.0		3	3	3	3	3	3	3	6	18.3	150	2	2	24	28	28	28	28
55-74	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	7	16.9	138	3	3	18	26	34	35	35	23	16.0	123	1	2	20	27	28	30	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	15.0	288	3	3	15	27	27	27	27	2	1.5	1	1	1	1	2	2	2	2
25-34	4	30.0	7	28	28	29	32	34	34	34	6	12.2	124	1	1	10	21	27	28	28
35-54	2	7.0	32	3	3	7	11	11	11	11	4	14.8	126	1	1	17	24	24	24	24
55-74	1	2.0		2	2	2	2	2	2	2	1	27.0		27	27	27	27	27	27	27
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	10	16.9	183	2	2	19	29	32	34	34	13	12.5	122	1	1	10	24	27	28	28
SUBTOTAL	**17**	**16.9**	**155**	**2**	**3**	**18**	**28**	**33**	**35**	**35**	**36**	**14.7**	**123**	**1**	**1**	**16**	**25**	**28**	**28**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	10.0	98	3	3	10	17	17	17	17	7	27.0	133	13	13	25	37	41	42	42
18-24	1	27.0		27	27	27	27	27	27	27	5	26.4	273	1	1	29	37	45	45	45
25-34	6	16.8	154	1	1	19	28	29	29	29	8	23.4	178	1	2	29	31	34	35	35
35-54	3	21.7	140	8	8	27	29	30	30	30	4	19.8	435	2	2	14	35	48	48	48
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	13	18.6	127	1	2	25	28	29	30	30	24	24.5	199	1	2	28	35	42	46	48
B. FEMALE																				
0-12 YRS.																				
13-17	2	44.5	25	41	41	44	48	48	48	48	6	23.7	228	1	1	31	35	36	36	36
18-24											3	28.0	148	14	14	34	35	36	36	36
25-34	5	24.2	161	2	2	28	31	34	34	34	4	19.8	219	6	6	19	32	35	35	35
35-54	4	10.3	176	1	1	5	18	30	30	30	1	7.0		7	7	7	7	7	7	7
55-74	1	6.0		6	6	6	6	6	6	6	1	32.0		32	32	32	32	32	32	32
75 +																				
ALL AGES	12	21.4	277	1	2	27	32	43	47	48	15	22.9	185	1	6	30	35	36	36	36
SUBTOTAL	**25**	**20.0**	**190**	**1**	**2**	**27**	**29**	**34**	**43**	**48**	**39**	**23.9**	**188**	**1**	**2**	**29**	**35**	**37**	**44**	**48**
GRAND TOTAL	**42**	**18.7**	**176**	**1**	**2**	**22**	**29**	**34**	**37**	**48**	**75**	**19.5**	**176**	**1**	**2**	**22**	**30**	**35**	**37**	**47**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	5	1.2		1	1	1	1	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17	22	1.1		1	1	1	1	2	2	2	44	2.9	69	1	1	1	1	2	13	42
18-24	21	1.4		1	1	1	2	2	3	3	19	1.1		1	1	1	1	2	2	2
25-34	25	3.8	61	1	1	1	2	8	24	35	18	1.4	1	1	1	1	2	3	3	3
35-54	30	3.6	32	1	1	2	4	9	10	30	32	3.0	26	1	1	1	3	5	11	28
55-74	9	7.4	99	1	1	2	12	25	28	28	21	2.5	8	1	1	1	3	5	9	13
75 +	5	5.4	13	1	1	3	9	11	11	11	6	1.8	2	1	1	2	2	4	4	4
ALL AGES	117	3.1	31	1	1	1	2	8	11	32	142	2.4	28	1	1	1	2	3	5	39
B. FEMALE																					
0-12 YRS.											3	1.0		1	1	1	1	1	1	1
13-17	24	1.1		1	1	1	1	2	2	3	37	2.2	45	1	1	1	1	1	3	42
18-24	14	1.0		1	1	1	1	1	1	1	20	2.5	34	1	1	1	1	3	15	27
25-34	10	1.6	2	1	1	1	1	4	5	5	16	1.4	1	1	1	1	1	4	4	4
35-54	11	8.1	121	1	1	2	18	26	28	28	16	3.5	56	1	1	1	2	7	24	31
55-74	12	1.6		1	1	1	2	3	3	3	6	8.2	106	1	1	5	5	27	29	29
75 +											3	2.3	6	1	1	1	4	5	5	5
ALL AGES	71	2.3	24	1	1	1	1	3	5	27	101	2.7	39	1	1	1	1	4	6	36
SUBTOTAL	**188**	**2.8**	**28**	**1**	**1**	**1**	**2**	**5**	**10**	**29**	**243**	**2.5**	**33**	**1**	**1**	**1**	**1**	**4**	**5**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	22	8.1	120	1	1	1	12	27	29	30	14	13.1	285	1	1	2	19	42	42	42
18-24	27	6.5	49	1	1	3	11	18	22	26	20	10.6	135	1	1	4	23	28	29	29
25-34	35	8.1	113	1	1	3	12	28	30	38	27	11.4	158	1	1	3	27	29	29	30
35-54	37	6.1	81	1	1	2	6	22	29	37	35	9.1	137	1	1	3	21	28	28	34
55-74	9	6.3	72	1	1	3	6	20	28	28	15	8.5	101	1	1	4	9	28	30	31
75 +											3	2.0	1	1	1	2	3	3	3	3
ALL AGES	131	7.0	87	1	1	2	8	25	28	37	114	10.1	150	1	1	3	22	28	30	42
B. FEMALE																					
0-12 YRS.																					
13-17	21	13.4	298	1	1	2	26	39	53	57	14	13.8	344	1	1	3	21	43	51	53
18-24	12	8.9	158	1	1	3	11	32	38	39	13	5.5	109	1	1	1	2	28	30	30
25-34	24	8.2	79	1	1	4	14	23	28	28	23	8.3	123	1	1	3	6	28	29	30
35-54	16	9.1	134	1	1	3	14	29	34	36	22	7.2	106	1	1	1	13	27	28	28
55-74	9	5.9	71	1	1	4	5	19	28	28	8	10.4	143	1	1	4	22	28	28	28
75 +	2	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	84	9.3	154	1	1	3	15	28	33	55	82	8.5	154	1	1	2	13	28	30	49
SUBTOTAL	**215**	**7.9**	**114**	**1**	**1**	**3**	**9**	**28**	**29**	**43**	**196**	**9.5**	**150**	**1**	**1**	**2**	**19**	**28**	**30**	**42**
GRAND TOTAL	**403**	**5.5**	**81**	**1**	**1**	**2**	**5**	**21**	**28**	**37**	**439**	**5.6**	**97**	**1**	**1**	**1**	**3**	**27**	**28**	**42**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS										
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24											1	11.0		11	11	11	11	11	11	11
25-34																					
35-54																					
55-74	1	9.0		9	9	9	9	9	9	9											
75 +																					
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	11.0		11	11	11	11	11	11	11
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL	1	9.0		9	9	9	9	9	9	9	1	11.0		11	11	11	11	11	11	11
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9	1	11.0		11	11	11	11	11	11	11

CANNABIS ABUSE (305.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											4	10.0	181	1	1	4	17	30	30	30
18-24	1	28.0		28	28	28	28	28	28	28	1	28.0		28	28	28	28	28	28	28
25-34	2	4.5	5	3	3	4	6	6	6	6	4	22.3	78	14	14	22	30	31	31	31
35-54											2	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	3	12.3	188	3	3	6	22	28	28	28	11	19.4	138	1	3	28	29	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	3	12.7	373	1	1	2	27	35	35	35										
18-24											1	8.0		8	8	8	8	8	8	8
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.7	373	1	1	2	27	35	35	35	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**6**	**12.5**	**224**	**1**	**1**	**4**	**28**	**34**	**35**	**35**	**12**	**18.4**	**138**	**1**	**3**	**21**	**29**	**30**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	16	19.6	144	4	4	19	28	29	43	49	9	9.1	106	1	1	6	13	27	29	29
18-24	4	12.5	108	6	6	8	18	28	28	28	5	7.2	100	1	1	3	9	25	25	25
25-34	3	11.7	228	1	1	5	23	29	29	29	1	17.0		17	17	17	17	17	17	17
35-54	3	3.7	21	1	1	1	7	9	9	9	2	12.5	265	1	1	12	24	24	24	24
55-74																				
75 +																				
ALL AGES	26	15.8	148	1	2	14	28	29	33	49	17	9.4	101	1	1	4	19	25	28	29
B. FEMALE																				
0-12 YRS.																				
13-17	5	22.8	67	13	13	27	29	31	31	31	2	6.0	32	2	2	6	10	10	10	10
18-24	1	3.0		3	3	3	3	3	3	3	2	13.0	288	1	1	13	25	25	25	25
25-34	1	28.0		28	28	28	28	28	28	28	2	8.5	113	1	1	8	16	16	16	16
35-54																				
55-74																				
75 +																				
ALL AGES	7	20.7	110	3	5	27	28	30	31	31	6	9.2	96	1	1	6	16	24	25	25
SUBTOTAL	**33**	**16.8**	**142**	**1**	**3**	**15**	**28**	**29**	**31**	**49**	**23**	**9.3**	**96**	**1**	**1**	**4**	**17**	**25**	**27**	**29**
GRAND TOTAL	**39**	**16.2**	**150**	**1**	**2**	**15**	**28**	**29**	**33**	**49**	**35**	**12.5**	**124**	**1**	**1**	**8**	**25**	**29**	**30**	**31**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.5	13	10	10	12	15	15	15	15										
18-24	4	1.5		1	1	1	2	2	2	2	3	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	5.2	35	1	1	2	10	14	15	15	3	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**8**	**4.1**	**29**	**1**	**1**	**1**	**6**	**13**	**15**	**15**	**5**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	15.5	94	3	3	17	23	25	25	25	1	2.0		2	2	2	2	2	2	2
18-24	3	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	7	9.3	107	1	1	3	19	24	25	25	5	1.4		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	6.0		6	6	6	6	6	6	6	1	17.0		17	17	17	17	17	17	17
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.7	8	1	1	1	5	6	6	6	2	9.5	113	2	2	9	17	17	17	17
SUBTOTAL	**10**	**7.3**	**84**	**1**	**1**	**2**	**13**	**23**	**25**	**25**	**7**	**3.7**	**35**	**1**	**1**	**2**	**2**	**14**	**17**	**17**
GRAND TOTAL	**18**	**5.9**	**59**	**1**	**1**	**2**	**10**	**19**	**23**	**25**	**12**	**2.7**	**20**	**1**	**1**	**1**	**2**	**7**	**16**	**17**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	2	15.5	265	4	4	15	27	27	27	27										
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	3	10.7	201	1	1	4	21	27	27	27	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											3	5.0	21	1	1	4	8	10	10	10
35-54											1	28.0		28	28	28	28	28	28	28
55-74											1	8.0		8	8	8	8	8	8	8
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	4.5	1	4	4	4	5	5	5	5	5	10.2	111	1	1	8	14	28	28	28
SUBTOTAL	**5**	**8.2**	**113**	**1**	**1**	**4**	**10**	**27**	**27**	**27**	**6**	**9.3**	**94**	**1**	**1**	**6**	**10**	**26**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.0	50	3	3	8	13	13	13	13										
35-54	2	18.5	181	9	9	18	28	28	28	28	3	3.0	7	1	1	2	5	6	6	6
55-74											3	13.0	52	7	7	11	18	21	21	21
75 +																				
ALL AGES	4	13.3	112	3	3	11	20	28	28	28	6	8.0	54	1	1	6	11	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.5	5	1	1	2	4	4	4	4
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	1	13.0		13	13	13	13	13	13	13	5	12.4	88	1	1	11	20	25	25	25
35-54	3	11.7	201	2	2	5	22	28	28	28	5	12.8	115	1	1	10	24	24	24	24
55-74	3	11.7	59	3	3	14	17	18	18	18	3	14.7	119	2	2	21	21	21	21	21
75 +																				
ALL AGES	9	9.8	83	1	1	5	15	24	28	28	15	11.7	89	1	1	10	21	24	25	25
SUBTOTAL	**13**	**10.8**	**88**	**1**	**2**	**9**	**15**	**28**	**28**	**28**	**21**	**10.6**	**80**	**1**	**1**	**7**	**21**	**24**	**25**	**25**
GRAND TOTAL	**18**	**10.1**	**90**	**1**	**1**	**5**	**14**	**28**	**28**	**28**	**27**	**10.3**	**80**	**1**	**1**	**7**	**20**	**24**	**25**	**28**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	21.0		21	21	21	21	21	21	21
25-34	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	4	3.0	1	2	2	3	4	4	4	4										
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	6	2.3	2	1	1	2	3	4	4	4	3	9.3	109	1	1	6	17	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	21.0		21	21	21	21	21	21	21	3	4.7	2	3	3	5	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21	3	4.7	2	3	3	5	6	6	6	6
SUBTOTAL	**8**	**4.6**	**45**	**1**	**1**	**2**	**4**	**16**	**21**	**21**	**6**	**7.0**	**51**	**1**	**1**	**5**	**6**	**20**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9	3	14.3	138	4	4	12	23	27	27	27
25-34	3	4.0	1	3	3	4	5	5	5	5	3	6.3	7	4	4	6	8	9	9	9
35-54	4	6.0	1	5	5	6	7	7	7	7	2	3.5	13	1	1	3	6	6	6	6
55-74																				
75 +																				
ALL AGES	8	5.6	4	3	3	5	7	8	9	9	8	8.6	67	1	2	6	10	22	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34	5	8.2	15	5	5	7	9	15	15	15	2	9.0	50	4	4	9	14	14	14	14
35-54	4	4.3	4	2	2	4	6	6	6	6	4	12.3	90	3	3	12	20	21	21	21
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	11	7.3	21	2	3	6	7	16	17	17	6	11.2	67	3	3	9	20	21	21	21
SUBTOTAL	**19**	**6.6**	**14**	**2**	**3**	**6**	**7**	**13**	**16**	**17**	**14**	**9.7**	**64**	**1**	**3**	**6**	**14**	**22**	**26**	**27**
GRAND TOTAL	**27**	**6.0**	**23**	**1**	**2**	**5**	**7**	**14**	**18**	**21**	**20**	**8.9**	**58**	**1**	**2**	**6**	**13**	**21**	**24**	**27**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	3.5	13	1	1	3	6	6	6	6
18-24	3	2.7	2	1	1	3	4	4	4	4	9	6.8	108	1	1	2	8	25	27	27
25-34	13	10.2	125	1	1	5	20	28	29	29	23	16.2	115	1	1	21	25	28	28	28
35-54	3	10.3	235	1	1	2	21	28	28	28	8	8.1	99	1	1	2	14	24	28	28
55-74																				
75 +																				
ALL AGES	19	9.0	119	1	1	4	15	28	29	29	42	12.0	123	1	1	7	22	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17											1	10.0		10	10	10	10	10	10	10
18-24	6	5.7	60	1	1	3	6	19	21	21	10	6.0	88	1	1	1	4	23	26	26
25-34	10	9.7	111	1	1	5	21	25	28	28	11	11.8	111	1	1	6	20	28	29	29
35-54	3	19.3	536	5	5	7	36	46	46	46	3	23.0	4	21	21	23	24	25	25	25
55-74																				
75 +																				
ALL AGES	19	9.9	153	1	1	5	19	26	38	46	25	10.8	107	1	1	5	21	26	27	29
SUBTOTAL	**38**	**9.5**	**132**	**1**	**1**	**4**	**18**	**28**	**29**	**46**	**67**	**11.6**	**115**	**1**	**1**	**6**	**22**	**27**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											2	15.5	181	6	6	15	25	25	25	25
18-24	12	11.3	116	1	1	9	20	28	30	30	9	13.9	89	3	3	15	22	26	28	28
25-34	22	10.2	112	1	1	4	21	28	29	31	23	15.4	154	1	1	19	23	29	36	46
35-54	4	6.0	38	2	2	4	10	15	15	15	8	12.1	87	2	2	11	21	23	24	24
55-74																				
75 +																				
ALL AGES	38	10.1	104	1	1	5	19	28	29	31	43	14.1	123	1	1	14	23	26	29	46
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	3	23.3	267	5	5	29	34	36	36	36
18-24	6	8.0	71	2	2	4	13	22	23	23	6	10.5	129	1	1	6	21	27	28	28
25-34	14	9.1	88	1	1	6	11	28	28	28	13	11.6	124	1	1	7	23	28	28	28
35-54	3	12.7	199	4	4	5	23	29	29	29	4	15.5	177	3	3	16	27	27	27	27
55-74																				
75 +																				
ALL AGES	24	9.3	85	1	1	5	12	28	28	29	26	13.3	144	1	1	7	27	28	30	36
SUBTOTAL	**62**	**9.8**	**95**	**1**	**1**	**5**	**15**	**28**	**29**	**31**	**69**	**13.8**	**129**	**1**	**1**	**14**	**23**	**28**	**29**	**44**
GRAND TOTAL	**100**	**9.7**	**107**	**1**	**1**	**5**	**17**	**28**	**29**	**38**	**136**	**12.7**	**123**	**1**	**1**	**8**	**23**	**28**	**28**	**37**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24	2	14.5	365	1	1	14	28	28	28	28										
25-34	4	3.3	10	1	1	2	5	8	8	8	4	12.8	159	1	1	10	22	30	30	30
35-54											2	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	8	5.6	88	1	1	2	5	22	28	28	6	9.2	127	1	1	4	14	28	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1	1	15.0		15	15	15	15	15	15	15
25-34	2	2.0	2	1	1	2	3	3	3	3	3	10.0	91	4	4	5	17	21	21	21
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	4	1.5	1	1	1	1	2	3	3	3	5	9.2	71	1	1	5	16	21	21	21
SUBTOTAL	**12**	**4.3**	**60**	**1**	**1**	**1**	**3**	**14**	**26**	**28**	**11**	**9.2**	**92**	**1**	**1**	**5**	**15**	**25**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	7	5.3	40	1	1	2	6	17	19	19	6	9.0	144	1	1	2	17	29	30	30
25-34	10	9.0	71	3	3	5	9	24	26	26	5	7.6	54	1	1	3	15	17	17	17
35-54											3	9.3	185	1	1	2	19	25	25	25
55-74																				
75 +																				
ALL AGES	19	6.8	56	1	1	4	7	21	25	26	15	8.1	97	1	1	3	16	25	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	3	3.7	1	3	3	3	5	5	5	5										
18-24	4	5.0	5	2	2	5	6	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	9	5.8	6	2	2	6	8	9	9	9	1	28.0		28	28	28	28	28	28	28
35-54											1	22.0		22	22	22	22	22	22	22
55-74																				
75 +																				
ALL AGES	16	5.2	5	2	2	5	7	8	9	9	3	17.0	201	1	1	22	26	28	28	28
SUBTOTAL	**35**	**6.1**	**32**	**1**	**2**	**5**	**7**	**9**	**22**	**26**	**18**	**9.6**	**115**	**1**	**1**	**3**	**17**	**27**	**29**	**30**
GRAND TOTAL	**47**	**5.6**	**39**	**1**	**1**	**3**	**7**	**9**	**23**	**28**	**29**	**9.4**	**103**	**1**	**1**	**3**	**17**	**27**	**30**	**30**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**2**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	31.5	1201	7	7	31	56	56	56	56										
13-17	3	14.7	445	1	1	4	30	39	39	39	6	16.3	486	1	1	3	40	48	49	49
18-24											7	1.9	1	1	1	1	3	4	4	4
25-34	6	5.0	43	1	1	2	5	17	18	18	10	14.9	122	1	2	16	25	28	29	29
35-54	6	2.2	2	1	1	2	4	4	4	4	7	1.6	1	1	1	1	2	3	3	3
55-74																				
75 +																				
ALL AGES	17	8.8	238	1	1	3	5	35	50	56	30	9.0	171	1	1	3	12	28	40	49
B. FEMALE																				
0-12 YRS.																				
13-17	5	10.6	163	1	1	6	14	33	33	33	3	2.7	2	1	1	3	4	4	4	4
18-24	3	1.7	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	5	3.4	6	1	1	2	6	6	6	6	6	8.0	51	2	2	6	8	21	22	22
35-54	5	1.6	1	1	1	1	2	3	3	3	5	4.8	5	2	2	5	7	7	7	7
55-74	2	3.5	1	3	3	3	4	4	4	4	1	21.0		21	21	21	21	21	21	21
75 +	1	3.0		3	3	3	3	3	3	3	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	21	4.4	48	1	1	3	5	7	19	33	18	6.3	35	1	1	5	7	17	22	22
SUBTOTAL	**38**	**6.4**	**133**	**1**	**1**	**3**	**5**	**15**	**37**	**56**	**48**	**8.0**	**120**	**1**	**1**	**3**	**7**	**24**	**30**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	6.5	34	1	1	7	12	15	15	15	6	19.8	171	5	5	30	32	87	99 +	99 +
18-24	7	7.0	45	1	1	6	8	19	21	21	9	11.8	142	3	3	7	15	33	35	35
25-34	13	14.2	185	2	2	6	27	32	38	39	8	8.4	109	1	1	2	16	25	27	27
35-54	8	8.6	92	2	2	4	12	25	29	29	9	11.9	125	1	1	5	22	27	28	28
55-74											1	10.0		10	10	10	10	10	10	10
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	40	9.5	101	1	1	6	14	28	30	39	33	12.4	132	1	1	8	26	31	35	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	8	9	9	11	13	13	13	13	9	18.2	388	1	1	4	33	47	52	52
18-24	3	2.7	4	1	1	2	4	5	5	5	3	4.7	14	2	2	3	7	9	9	9
25-34	13	11.5	169	1	1	4	28	30	33	34	8	4.1	24	1	1	2	5	13	15	15
35-54	7	5.6	22	1	1	5	8	13	14	14	4	7.5	54	1	1	5	12	18	18	18
55-74	3	17.3	182	2	2	23	26	27	27	27										
75 +	2	8.0	18	5	5	8	11	11	11	11										
ALL AGES	30	9.5	106	1	1	5	13	28	29	34	24	10.0	194	1	1	4	12	32	44	52
SUBTOTAL	**70**	**9.5**	**101**	**1**	**1**	**5**	**13**	**28**	**29**	**38**	**57**	**11.4**	**156**	**1**	**1**	**5**	**21**	**31**	**38**	**96**
GRAND TOTAL	**108**	**8.4**	**114**	**1**	**1**	**4**	**9**	**28**	**30**	**46**	**105**	**9.8**	**142**	**1**	**1**	**4**	**15**	**29**	**36**	**73**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	2.3	2	1	1	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	2	4.0	18	1	1	4	7	7	7	7	2	5.5	25	2	2	5	9	9	9	9
35-54	2	4.5	5	3	3	4	6	6	6	6	2	3.5	5	2	2	3	5	5	5	5
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	3.6	8	1	1	3	6	7	7	7	6	3.8	8	2	2	3	5	9	9	9
SUBTOTAL	8	3.1	5	1	1	3	5	7	7	7	7	4.1	8	2	2	3	6	8	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	24.0		24	24	24	24	24	24	24
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3	1	24.0		24	24	24	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54	2	4.5	5	3	3	4	6	6	6	6	2	1.5	1	1	1	1	2	2	2	2
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	3.3	4	1	1	3	5	6	6	6	3	1.7		1	1	2	2	2	2	2
SUBTOTAL	6	3.2	2	1	1	3	3	6	6	6	4	7.3	124	1	1	2	13	24	24	24
GRAND TOTAL	14	3.1	4	1	1	3	3	6	7	7	11	5.3	44	1	1	2	6	15	23	24

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											4	1.5		1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
25-34	3	1.7		1	1	2	2	2	2	2	3	1.7		1	1	2	2	2	2	2
35-54	5	1.4		1	1	1	2	2	2	2	6	1.8	2	1	1	2	2	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1	6	2.2	1	1	1	2	3	3	3	3
75 +											3	1.7		1	1	2	2	2	2	2
ALL AGES	11	1.4		1	1	1	2	2	2	2	24	1.8	1	1	1	2	2	3	4	4
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17	3	5.0	21	1	1	4	8	10	10	10	2	1.5	1	1	1	1	2	2	2	2
18-24	3	2.3	6	1	1	1	4	5	5	5										
25-34	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	4	1.8	1	1	1	2	2	3	3	3	7	1.9	1	1	1	2	2	4	4	4
55-74	7	2.3	3	1	1	2	2	5	6	6	13	3.0	3	1	1	3	4	5	7	7
75 +	3	2.7	1	2	2	2	4	4	4	4	7	2.7	4	1	1	2	4	6	6	6
ALL AGES	24	2.5	4	1	1	2	3	5	7	10	30	2.5	3	1	1	2	4	5	6	7
SUBTOTAL	**35**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**6**	**10**	**54**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	2	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
55-74	2	1.5	1	1	1	1	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
ALL AGES	6	1.7		1	1	2	2	2	2	2	8	2.0	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54	4	5.3	16	2	2	4	8	11	11	11	4	1.5	1	1	1	1	2	3	3	3
55-74	2	1.5	1	1	1	1	2	2	2	2	11	2.2	2	1	1	2	3	4	5	5
75 +											10	2.1	3	1	1	2	3	5	6	6
ALL AGES	8	3.6	11	1	1	3	4	9	11	11	28	1.9	2	1	1	1	3	4	5	6
SUBTOTAL	**14**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**10**	**11**	**36**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**49**	**2.3**	**4**	**1**	**1**	**2**	**2**	**5**	**6**	**11**	**90**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

PSYCHOGEN CARDIOVASC DIS (306.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
55-74											1	1.0		1	1	1	1	1	1	1
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	6	2.2	2	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54	2	2.5	5	1	1	2	4	4	4	4	2	2.0	2	1	1	2	3	3	3	3
55-74											2	4.0	8	2	2	4	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	5	3.2	5	1	1	4	5	6	6	6	6	3.5	4	1	1	3	5	6	6	6
SUBTOTAL	**7**	**2.9**	**4**	**1**	**1**	**3**	**4**	**6**	**6**	**6**	**12**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54											2	1.5	1	1	1	1	2	2	2	2
55-74											3	1.3		1	1	1	2	2	2	2
75 +																				
ALL AGES											6	1.8	2	1	1	2	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74											2	3.5	5	2	2	3	5	5	5	5
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	2.7	4	1	1	2	4	5	5	5
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**9**	**2.1**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**
GRAND TOTAL	**8**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**	**21**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
75 +											2	5.0	18	2	2	5	8	8	8	8
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	7	3.6	6	1	1	4	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
18-24	3	1.7	1	1	1	1	3	3	3	3	3	2.3	2	1	1	3	3	3	3	3
25-34	3	5.0	7	3	3	4	7	8	8	8	3	2.7	1	2	2	2	4	4	4	4
35-54	1	3.0		3	3	3	3	3	3	3	3	5.3	9	2	2	7	7	7	7	7
55-74	4	4.3	2	2	2	4	5	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
ALL AGES	14	3.5	4	1	1	3	4	6	8	8	12	3.3	4	1	1	3	4	7	7	7
SUBTOTAL	**16**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**8**	**19**	**3.4**	**4**	**1**	**1**	**3**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	[illegible]	8.0		8	8	8	8	8	8	8										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											2	10.0	18	7	7	10	13	13	13	13
ALL AGES	5	5.2	10	1	1	6	8	8	8	8	2	10.0	18	7	7	10	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	7	5.9	9	2	2	6	8	10	11	11	3	8.3	27	4	4	7	12	14	14	14
55-74	5	3.2	1	2	2	3	4	4	4	4	4	4.3	4	2	2	4	6	7	7	7
75 +											6	4.5	7	1	1	5	7	7	7	7
ALL AGES	13	4.7	7	2	2	4	6	9	11	11	13	5.3	11	1	2	5	7	9	13	14
SUBTOTAL	**18**	**4.8**	**8**	**1**	**2**	**4**	**7**	**8**	**10**	**11**	**15**	**5.9**	**14**	**1**	**2**	**6**	**7**	**13**	**14**	**14**
GRAND TOTAL	**34**	**4.1**	**6**	**1**	**1**	**4**	**6**	**8**	**8**	**11**	**34**	**4.5**	**10**	**1**	**1**	**4**	**7**	**7**	**12**	**14**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL											2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL											2	4.5	5	3	3	4	6	6	6	6

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	9.5	41	5	5	9	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	3	6.7	44	1	1	5	12	14	14	14										
GRAND TOTAL	3	6.7	44	1	1	5	12	14	14	14	1	3.0		3	3	3	3	3	3	3

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES											2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											2	2.0		2	2	2	2	2	2	2
SUBTOTAL											**4**	**2.8**	**2**	**2**	**2**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34											1	7.0		7	7	7	7	7	7	7
35-54	1	1.0		1	1	1	1	1	1	1										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	5.0	7	2	2	6	7	7	7	7
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**4**	**4.0**	**9**	**1**	**1**	**4**	**6**	**7**	**7**	**7**
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**8**	**3.4**	**5**	**1**	**1**	**2**	**5**	**7**	**7**	**7**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	HOSPITALS WITHOUT PSY. UNIT/BEDS TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	3	3.0	3	1	1	4	4	4	4	4										
55-74	2	3.0	2	2	2	3	4	4	4	4	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	7	3.3	3	1	1	4	4	6	6	6	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	8	3.4	2	1	1	4	4	6	6	6	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	11.0	128	3	3	11	19	19	19	19	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	3	8.3	86	3	3	3	15	19	19	19	2	5.0		5	5	5	5	5	[illegible]	5
SUBTOTAL	4	6.5	70	1	1	3	11	19	19	19	3	4.3	2	3	3	5	5	5	5	[illegible]
GRAND TOTAL	12	4.4	23	1	1	3	4	10	18	19	4	4.5	1	3	3	5	5	5	[illegible]	[illegible]

Western Region January - December 1987

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	98.0		98	98	98	98	98	98	98
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES											2	52.0	4232	6	6	52	98	98	98	98
SUBTOTAL											2	52.0	4232	6	6	52	98	98	98	98
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	2	52.0	4232	6	6	52	98	98	98	98

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											1	6.0		6	6	6	6	6	6	6
55-74	2	5.5	5	4	4	5	7	7	7	7										
75 +																				
ALL AGES	4	4.5	4	2	2	4	6	7	7	7	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.	4	25.5	415	5	5	26	43	44	44	44	7	47.4	913	3	7	58	73	83	84	84
13-17	19	33.8	356	3	5	37	50	57	58	59	14	29.8	348	4	6	34	46	54	54	54
18-24	9	16.4	244	2	2	12	24	42	45	45	11	6.0	65	1	1	4	4	18	28	29
25-34	16	28.7	583	2	3	21	42	61	79	87	8	13.6	176	3	3	9	21	35	39	39
35-54	6	23.7	482	1	2	16	42	56	58	58	7	5.7	18	1	1	4	8	12	13	13
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	54	27.6	432	2	3	22	44	57	60	86	48	20.4	478	2	2	10	34	54	62	84
SUBTOTAL	**58**	**26.1**	**432**	**2**	**3**	**20**	**43**	**57**	**60**	**85**	**50**	**19.7**	**471**	**2**	**2**	**9**	**31**	**54**	**60**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	19.0	409	2	2	35	99 +	99 +	99 +	99 +										
13-17	1	75.0		75	75	75	75	75	75	75										
18-24											1	46.0		46	46	46	46	46	46	46
25-34	1	8.0		8	8	8	8	8	8	8										
35-54											1	21.0		21	21	21	21	21	21	21
55-74																				
75 +																				
ALL AGES	6	26.5	829	2	3	35	87	99 +	99 +	99 +	2	33.5	313	21	21	33	46	46	46	46
B. FEMALE																				
0-12 YRS.											6	17.5	452	1	1	6	36	50	52	52
13-17	21	33.0	349	6	8	37	47	60	84	99 +	22	39.5	348	7	13	45	57	75	99 +	99 +
18-24	44	27.5	495	1	3	25	44	59	65	92	8	18.5	309	3	3	9	37	42	43	43
25-34	37	31.6	354	2	3	35	47	59	64	99 +	8	29.3	247	4	6	28	42	49	50	50
35-54	15	28.2	198	5	10	31	39	41	51	55	14	15.9	274	1	2	8	21	43	52	54
55-74	4	16.5	548	1	1	7	31	51	51	51										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	121	29.4	392	2	3	30	45	55	64	99 +	59	27.0	407	2	4	26	46	57	66	99 +
SUBTOTAL	**127**	**29.3**	**404**	**2**	**3**	**30**	**46**	**60**	**73**	**99 +**	**61**	**27.2**	**400**	**2**	**4**	**26**	**46**	**57**	**64**	**99 +**
GRAND TOTAL	**185**	**28.3**	**412**	**2**	**3**	**28**	**45**	**58**	**65**	**99 +**	**111**	**23.9**	**439**	**2**	**3**	**18**	**42**	**56**	**60**	**99 +**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	3	8.0	127	1	1	2	16	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**3**	**8.0**	**127**	**1**	**1**	**2**	**16**	**21**	**21**	**21**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-17	4	10.8	47	2	2	11	15	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	10.8	47	2	2	11	15	19	19	19	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	3	10.0	61	5	5	6	16	19	19	19										
SUBTOTAL	**7**	**10.4**	**45**	**2**	**3**	**11**	**17**	**19**	**19**	**19**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
GRAND TOTAL	**10**	**9.7**	**59**	**1**	**1**	**8**	**19**	**20**	**21**	**21**	**3**	**6.7**	**66**	**1**	**1**	**3**	**13**	**16**	**16**	**16**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES											3	2.7	1	2	2	2	4	4	4	4
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	3	2.7	1	2	2	2	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	5	2.6	1	2	2	2	3	4	4	4

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1	2	12.5	113	5	5	12	20	20	20	20
18-24	3	23.3	407	1	1	29	37	40	40	40										
25-34	2	26.0	98	19	19	26	33	33	33	33	2	9.0	98	2	2	9	16	16	16	16
35-54	1	42.0		42	42	42	42	42	42	42										
55-74																				
75 +																				
ALL AGES	7	23.6	293	1	1	29	38	42	42	42	6	8.2	60	2	2	4	16	20	20	20
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29	3	16.0	333	4	4	7	29	37	37	37
13-17	35	27.3	181	2	4	31	36	40	44	54	6	27.7	375	2	3	29	46	47	47	47
18-24	62	27.8	177	2	6	29	37	40	46	60	3	27.7	352	6	6	37	39	40	40	40
25-34	32	33.3	197	11	15	34	42	47	52	74	5	11.6	263	2	2	4	17	40	40	40
35-54	25	31.7	260	2	7	32	34	48	68	75	11	12.7	228	3	3	4	24	39	40	40
55-74	6	22.2	166	2	3	26	33	34	34	34										
75 +	2	17.5	313	5	5	17	30	30	30	30	4	3.3	6	1	1	2	5	7	7	7
ALL AGES	163	29.0	200	2	7	30	38	43	48	73	32	15.9	280	2	2	6	37	41	45	47
SUBTOTAL	**170**	**28.8**	**202**	**2**	**5**	**30**	**38**	**42**	**47**	**72**	**38**	**14.7**	**250**	**2**	**2**	**6**	**29**	**40**	**44**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17	2	2.0	2	1	1	2	3	3	3	3
18-24	4	8.5	43	3	3	6	12	18	18	18	2	4.0	2	3	3	4	5	5	5	5
25-34	3	22.7	382	2	2	25	37	41	41	41	1	48.0		48	48	48	48	48	48	48
35-54	2	19.0	242	8	8	19	30	30	30	30	1	44.0		44	44	44	44	44	44	44
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	11	14.7	163	2	3	8	23	34	40	41	6	17.3	498	1	1	4	44	48	48	48
B. FEMALE																				
0-12 YRS.	5	21.6	679	1	1	5	46	57	57	57	3	8.7	11	5	5	9	11	12	12	12
13-17	26	25.2	253	3	4	26	33	46	54	64	13	21.5	297	2	2	19	39	41	46	47
18-24	105	27.9	234	7	8	28	39	46	55	68	40	28.0	230	4	6	34	40	45	46	47
25-34	77	23.4	265	2	3	22	39	45	47	91	38	25.4	279	2	3	29	39	46	51	56
35-54	46	32.5	171	7	10	40	41	42	48	61	16	30.9	196	4	7	34	40	47	47	47
55-74	8	13.3	408	1	1	5	15	49	60	60	4	24.0	303	1	1	27	37	41	41	41
75 +																				
ALL AGES	267	26.6	255	3	5	28	40	46	52	68	114	26.2	249	2	4	29	40	46	47	55
SUBTOTAL	**278**	**26.1**	**258**	**2**	**5**	**27**	**40**	**45**	**52**	**67**	**120**	**25.7**	**264**	**2**	**3**	**29**	**40**	**46**	**47**	**55**
GRAND TOTAL	**448**	**27.1**	**239**	**2**	**5**	**29**	**39**	**44**	**51**	**68**	**158**	**23.1**	**279**	**2**	**3**	**23**	**40**	**45**	**47**	**54**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	2.0		2	2	2	2	2	2	2

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	39.0		39	39	39	39	39	39	39
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.	2	18.5	145	10	10	18	27	27	27	27										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	18.5	145	10	10	18	27	27	27	27										
SUBTOTAL	**2**	**18.5**	**145**	**10**	**10**	**18**	**27**	**27**	**27**	**27**	**1**	**39.0**		**39**	**39**	**39**	**39**	**39**	**39**	**39**
GRAND TOTAL	**3**	**13.0**	**163**	**2**	**2**	**10**	**23**	**27**	**27**	**27**	**2**	**20.0**	**722**	**1**	**1**	**20**	**39**	**39**	**39**	**39**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5										
13-17	2	4.0	18	1	1	4	7	7	7	7	3	1.7		1	1	2	2	2	2	2
18-24																				
25-34	3	5.3	21	1	1	5	9	10	10	10	6	2.3	1	1	1	2	3	3	3	3
35-54	5	2.0	2	1	1	2	3	4	4	4	2	6.5	5	5	5	6	8	8	8	8
55-74	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	13	3.2	8	1	1	2	5	8	10	10	12	3.2	4	1	1	3	4	7	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	6	2.7	1	1	1	3	4	4	4	4	3	2.0	1	1	1	2	3	3	3	3
18-24	3	3.7	14	1	1	2	6	8	8	8	6	1.8	1	1	1	2	3	3	3	3
25-34	8	3.1	1	2	2	3	4	4	4	4	19	3.0	4	1	1	3	4	6	7	7
35-54	9	4.7	5	1	2	4	7	8	8	8	22	3.1	6	1	1	2	3	7	9	10
55-74	9	4.0	5	2	2	3	6	7	8	8	13	3.8	4	2	2	3	4	7	9	9
75 +	1	2.0		2	2	2	2	2	2	2	4	5.0	13	1	1	5	8	9	9	9
ALL AGES	37	3.6	4	1	2	3	4	7	8	8	67	3.2	5	1	1	3	4	6	8	10
SUBTOTAL	**50**	**3.5**	**5**	**1**	**1**	**3**	**4**	**7**	**8**	**10**	**79**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	7.0	18	4	4	7	10	10	10	10	2	2.5	1	2	2	2	3	3	3	3
35-54	4	4.0	5	2	2	3	5	7	7	7	2	2.5	1	2	2	2	3	3	3	3
55-74	3	12.0	108	6	6	6	20	24	24	24	1	1.0		1	1	1	1	1	1	1
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	9	7.3	45	2	2	6	8	18	24	24	8	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24	1	7.0		7	7	7	7	7	7	7	4	2.5	2	1	1	2	3	4	4	4
25-34	6	5.7	37	2	2	4	4	17	18	18	10	4.2	9	2	2	3	5	9	10	10
35-54	14	5.8	45	1	2	4	6	11	24	28	9	3.2	7	1	1	2	5	7	8	8
55-74	5	5.0	6	3	3	4	6	9	9	9	3	2.7	1	2	2	2	4	4	4	4
75 +	1	35.0		35	35	35	35	35	35	35	5	3.6	5	2	2	2	5	7	7	7
ALL AGES	28	6.6	61	2	2	4	6	15	29	35	32	3.4	5	1	1	3	4	7	9	10
SUBTOTAL	**37**	**6.8**	**56**	**2**	**2**	**4**	**7**	**16**	**27**	**35**	**40**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**87**	**4.9**	**29**	**1**	**1**	**4**	**6**	**8**	**11**	**32**	**119**	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**8**	**10**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34	2	22.5	1	22	22	22	23	23	23	23	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	2	4.0	18	1	1	4	7	7	7	7	3	3.0	7	1	1	2	5	6	6	6
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	5	10.8	120	1	1	7	22	23	23	23	5	2.6	4	1	1	2	3	6	6	6
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	3.0		3	3	3	3	3	3	3	2	9.0	50	4	4	9	14	14	14	14
75 +	3	2.3	2	1	1	3	3	3	3	3										
ALL AGES	6	2.2	1	1	1	2	3	3	3	3	4	5.5	34	1	1	3	9	14	14	14
SUBTOTAL	**11**	**6.1**	**69**	**1**	**1**	**3**	**6**	**22**	**23**	**23**	**9**	**3.9**	**17**	**1**	**1**	**2**	**4**	**11**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	3	8.7	36	2	2	10	13	14	14	14										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	12.0		12	12	12	12	12	12	12
75 +	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	5	6.8	26	2	2	5	11	14	14	14	4	5.0	23	2	2	3	8	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	11.0		11	11	11	11	11	11	11
25-34																				
35-54											3	1.7		1	1	2	2	2	2	2
55-74											5	3.2	5	1	1	3	5	6	6	6
75 +	3	3.7	2	2	2	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	3	3.7	2	2	2	4	5	5	5	5	10	3.6	10	1	1	3	5	8	11	11
SUBTOTAL	**8**	**5.6**	**18**	**2**	**2**	**4**	**8**	**13**	**14**	**14**	**14**	**4.0**	**12**	**1**	**1**	**3**	**5**	**11**	**12**	**12**
GRAND TOTAL	**19**	**5.9**	**45**	**1**	**1**	**3**	**7**	**19**	**23**	**23**	**23**	**4.0**	**13**	**1**	**1**	**2**	**5**	**11**	**13**	**14**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSY. UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	36.0		36	36	36	36	36	36	36										
18-24	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
25-34	2	6.5	13	4	4	6	9	9	9	9										
35-54	4	1.8	2	1	1	1	3	4	4	4	9	2.3	4	1	1	2	3	6	7	7
55-74											6	1.8	2	1	1	2	2	4	4	4
75 +											2	2.0		2	2	2	2	2	2	2
ALL AGES	8	7.4	140	1	1	3	7	28	36	36	19	2.1	2	1	1	2	2	4	6	7
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-24	2	5.0	32	1	1	5	9	9	9	9	2	1.5	1	1	1	1	2	2	2	2
25-34	8	6.8	79	1	1	3	9	22	26	26	6	2.5	2	1	1	2	3	5	5	5
35-54	5	3.0	16	1	1	1	4	10	10	10	12	6.8	86	1	1	2	13	22	24	24
55-74	5	2.4	4	1	1	2	3	6	6	6	9	2.7	5	1	1	1	4	7	7	7
75 +	1	1.0		1	1	1	1	1	1	1	5	2.4	4	1	1	1	4	5	5	5
ALL AGES	22	4.4	36	1	1	2	5	11	19	26	36	3.9	34	1	1	2	4	7	21	24
SUBTOTAL	**30**	**5.2**	**61**	**1**	**1**	**2**	**5**	**12**	**26**	**36**	**55**	**3.3**	**23**	**1**	**1**	**2**	**3**	**8**	**17**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74											2	2.0		2	2	2	2	2	2	2
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	4	1.3		1	1	1	2	2	2	2	5	1.6		1	1	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-24	4	12.8	139	5	5	8	20	30	30	30	2	1.0		1	1	1	1	1	1	1
25-34											2	2.0		2	2	2	2	2	2	2
35-54	3	2.7	4	1	1	2	4	5	5	5	5	3.0	2	2	2	2	4	5	5	5
55-74	2	2.0	2	1	1	1	3	3	3	3	8	10.0	77	1	1	6	19	22	22	22
75 +	2	5.5	1	5	5	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	13	6.3	58	1	1	5	6	15	27	30	18	5.7	48	1	1	2	6	20	22	22
SUBTOTAL	**17**	**5.1**	**49**	**1**	**1**	**3**	**5**	**10**	**23**	**30**	**23**	**4.8**	**41**	**1**	**1**	**2**	**5**	**19**	**21**	**22**
GRAND TOTAL	**47**	**5.1**	**56**	**1**	**1**	**2**	**5**	**11**	**27**	**36**	**78**	**3.7**	**29**	**1**	**1**	**2**	**4**	**7**	**21**	**23**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	H (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
SUBTOTAL	1	13.0		13	13	13	13	13	13	13	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	2	7.0	72	1	1	7	13	13	13	13	2	4.0	2	3	3	4	5	5	5	5

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	2	1.0		1	1	1	1	1	1	1										

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.0	450	4	4	19	34	34	34	34	2	7.0	50	2	2	7	12	12	12	12
13-17	4	10.5	38	2	2	12	15	16	16	16	3	11.0	271	1	1	2	23	30	30	30
18-24																				
25-34	5	3.4	23	1	1	1	4	12	12	12										
35-54	5	5.4	77	1	1	1	7	21	21	21	5	3.2	5	1	1	4	5	6	6	6
55-74	2	6.5	5	5	5	6	8	8	8	8										
75 +																				
ALL AGES	18	7.6	81	1	1	3	12	19	29	34	10	6.3	81	1	1	3	6	21	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	11	13.6	273	1	1	4	23	43	45	45	3	19.7	988	1	1	2	42	56	56	56
18-24	6	5.0	30	1	1	2	11	13	13	13	1	1.0		1	1	1	1	1	1	1
25-34	3	15.7	340	5	5	5	29	37	37	37	7	4.0	12	1	1	2	7	10	10	10
35-54	10	5.2	26	1	1	3	5	14	15	15	4	1.8	1	1	1	2	2	3	3	3
55-74	2	2.5	5	1	1	2	4	4	4	4	6	3.7	4	2	2	3	5	7	7	7
75 +	2	5.0	2	4	4	5	6	6	6	6	1	9.0		9	9	9	9	9	9	9
ALL AGES	34	8.6	138	1	1	4	11	28	41	45	22	5.7	134	1	1	2	5	9	28	56
SUBTOTAL	**52**	**8.3**	**116**	**1**	**1**	**4**	**11**	**23**	**37**	**45**	**32**	**5.9**	**114**	**1**	**1**	**2**	**5**	**11**	**28**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	36.9	161	16	20	42	50	85	99 +	99 +										
13-17	2	21.0	648	3	3	21	39	39	39	39										
18-24	2	1.5	1	1	1	1	2	2	2	2	4	2.0	1	1	1	2	3	3	3	3
25-34	7	6.4	47	2	2	4	8	19	21	21	3	3.0	7	1	1	2	5	6	6	6
35-54	8	6.9	36	1	1	6	11	16	16	16	4	5.8	66	1	1	2	10	18	18	18
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	27	15.2	272	1	1	8	28	47	56	99 +	11	3.6	25	1	1	2	3	11	17	18
B. FEMALE																				
0-12 YRS.	5	35.8	287	11	11	39	46	57	57	57										
13-17	11	20.0	241	2	4	15	34	42	48	49	1	5.0		5	5	5	5	5	5	5
18-24	6	11.5	219	1	1	4	22	35	37	37										
25-34	24	6.6	33	1	2	5	9	13	21	24	5	5.8	29	2	2	3	8	15	15	15
35-54	13	7.1	124	1	1	4	6	17	38	43	9	3.3	14	1	1	2	3	9	13	13
55-74	4	13.5	248	4	4	6	22	37	37	37	2	4.0	8	2	2	4	6	6	6	6
75 +	3	11.0	73	3	3	10	17	20	20	20	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	66	12.2	190	1	2	5	15	37	42	56	19	4.3	14	1	1	3	5	10	14	15
SUBTOTAL	**93**	**13.1**	**212**	**1**	**2**	**6**	**20**	**39**	**48**	**81**	**30**	**4.1**	**17**	**1**	**1**	**2**	**5**	**10**	**15**	**18**
GRAND TOTAL	**145**	**11.4**	**181**	**1**	**1**	**5**	**15**	**37**	**43**	**59**	**62**	**5.0**	**67**	**1**	**1**	**2**	**5**	**11**	**16**	**53**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	2.5	5	1	1	2	4	4	4	4	3	1.3		1	1	1	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54											2	2.0	2	1	1	1	3	3	3	3
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	3	2.3	2	1	1	3	3	3	3	3
GRAND TOTAL	3	3.0	3	1	1	4	4	4	4	4	6	1.8	1	1	1	2	3	3	3	3

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	5	2.4	7	1	1	1	3	7	7	7	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24											3	2.7	4	1	1	2	4	5	5	5
25-34	2	8.5	61	3	3	8	14	14	14	14	3	2.7	2	1	1	3	4	4	4	4
35-54	4	3.0	3	1	1	3	4	5	5	5	2	2.0	2	1	1	1	3	3	3	3
55-74	4	9.5	177	1	1	4	18	29	29	29	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	10	6.7	77	1	1	3	7	21	29	29	10	2.5	2	1	1	2	3	4	5	5
SUBTOTAL	**15**	**5.3**	**56**	**1**	**1**	**2**	**6**	**14**	**25**	**29**	**12**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	5	4.4	10	1	1	5	6	9	9	9	2	2.0	2	1	1	2	3	3	3	3
35-54	2	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	8	10.0	353	1	1	3	7	42	56	56	6	1.8	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	2	2.0		2	2	2	2	2	2	2
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54	2	1.0		1	1	1	1	1	1	1	4	3.3	4	1	1	3	5	6	6	6
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	4	4.0	23	1	1	2	7	11	11	11	7	3.1	4	1	1	2	5	6	6	6
SUBTOTAL	**12**	**8.0**	**240**	**1**	**1**	**2**	**7**	**24**	**51**	**56**	**13**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**27**	**6.5**	**133**	**1**	**1**	**2**	**6**	**13**	**33**	**56**	**25**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**6**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	14.0	97	2	2	19	23	23	23	23	1	3.0		3	3	3	3	3	3	3
13-17	44	9.2	128	1	1	5	10	29	41	44	9	5.0	48	1	1	2	5	16	23	23
18-24	58	3.3	14	1	1	2	4	10	12	17	12	2.5	3	1	1	2	4	5	5	5
25-34	59	3.4	13	1	1	2	4	8	10	21	10	2.3	1	1	1	2	3	4	5	5
35-54	68	4.5	19	1	1	3	6	11	14	21	14	2.4	2	1	1	2	3	4	5	5
55-74	19	7.5	124	1	1	4	8	14	35	50	5	2.2	1	1	1	2	3	4	4	4
75 +	4	20.8	523	7	7	10	33	55	55	55	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	259	5.5	60	1	1	3	7	12	20	44	53	2.9	10	1	1	2	3	5	5	22
B. FEMALE																				
0-12 YRS.	7	14.3	201	3	3	9	17	39	44	44										
13-17	113	7.4	107	1	1	3	9	19	30	51	19	13.1	129	1	1	9	19	31	34	36
18-24	87	4.0	25	1	1	2	4	11	14	25	11	2.0	1	1	1	2	3	4	4	4
25-34	106	4.8	40	1	1	3	5	13	21	32	15	2.9	8	1	1	2	3	8	10	11
35-54	124	5.2	30	1	1	3	7	12	16	26	33	3.4	6	1	1	2	5	6	9	10
55-74	30	6.0	32	1	1	4	8	14	16	26	8	3.5	10	1	1	3	4	9	11	11
75 +	14	7.8	25	1	2	8	11	14	18	19	6	4.8	7	2	2	4	7	9	9	9
ALL AGES	481	5.7	53	1	1	3	7	14	20	35	92	5.2	47	1	1	3	6	11	20	34
SUBTOTAL	**740**	**5.6**	**56**	**1**	**1**	**3**	**7**	**13**	**20**	**40**	**145**	**4.4**	**34**	**1**	**1**	**2**	**4**	**9**	**16**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	7.0	50	2	2	7	12	12	12	12	3	8.0	37	4	4	5	12	15	15	15
13-17	32	9.4	113	1	1	7	13	19	40	45	6	18.8	1544	2	2	3	4	89	99	99 +
18-24	77	3.8	9	1	1	3	5	8	10	16	13	2.3	4	1	1	2	3	5	7	8
25-34	115	3.9	11	1	1	3	5	9	11	15	33	3.5	7	1	1	3	5	7	8	12
35-54	111	5.3	37	1	1	3	7	12	15	33	20	4.7	9	1	1	4	7	10	10	11
55-74	16	7.0	50	1	1	4	10	14	24	28	7	4.6	13	1	1	3	7	10	11	11
75 +	7	6.7	33	1	1	5	11	15	16	16										
ALL AGES	360	5.0	32	1	1	3	6	11	15	27	82	5.0	119	1	1	3	5	8	11	72
B. FEMALE																				
0-12 YRS.	11	15.5	253	1	2	9	24	42	51	52	1	42.0		42	42	42	42	42	42	42
13-17	88	10.0	120	1	2	6	12	22	41	49	10	6.3	12	2	2	6	9	11	12	12
18-24	88	5.6	42	1	1	3	7	13	22	31	14	2.4	1	1	1	2	3	4	5	6
25-34	166	5.1	32	1	1	3	6	12	18	29	25	5.9	50	1	1	3	8	12	25	30
35-54	161	6.4	59	1	1	4	8	14	17	42	25	3.7	10	1	1	3	4	9	11	13
55-74	26	7.9	46	1	1	5	12	17	21	28	4	5.3	10	3	3	4	7	10	10	10
75 +	8	8.1	41	1	1	6	13	17	18	18										
ALL AGES	548	6.7	65	1	1	4	8	16	23	44	79	5.0	41	1	1	3	6	10	13	39
SUBTOTAL	**908**	**6.0**	**53**	**1**	**1**	**3**	**7**	**14**	**19**	**42**	**161**	**5.0**	**80**	**1**	**1**	**3**	**6**	**10**	**12**	**41**
GRAND TOTAL	**1648**	**5.8**	**54**	**1**	**1**	**3**	**7**	**14**	**19**	**42**	**306**	**4.7**	**58**	**1**	**1**	**3**	**5**	**10**	**12**	**33**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	5.5	15	1	1	5	7	11	13	13	2	48.5	4141	3	3	48	94	94	94	94
18-24	2	5.0	2	4	4	5	6	6	6	6										
25-34	9	5.3	26	1	1	3	9	14	14	14										
35-54	6	4.3	15	1	1	3	8	10	10	10	3	1.7		1	1	2	2	2	2	2
55-74	2	4.0	18	1	1	4	7	7	7	7										
75 +	1	53.0		53	53	53	53	53	53	53	1	6.0		6	6	6	6	6	6	6
ALL AGES	28	6.8	97	1	1	4	8	13	18	53	6	18.0	1389	1	1	3	6	85	94	94
B. FEMALE																				
0-12 YRS.	4	13.5	99	1	1	15	21	22	22	22										
13-17	15	9.6	164	1	2	5	10	27	43	49	1	5.0		5	5	5	5	5	5	5
18-24	3	4.7	22	1	1	3	8	10	10	10	2	1.0		1	1	1	1	1	1	1
25-34	7	5.1	9	3	3	4	6	10	11	11	2	8.0		8	8	8	8	8	8	8
35-54	9	5.1	31	1	1	3	7	15	16	16	2	15.5	145	7	7	24	81	99 +	99 +	99 +
55-74	3	7.0	37	3	3	4	11	14	14	14	3	3.7		3	3	4	4	4	4	4
75 +	1	11.0		11	11	11	11	11	11	11	2	10.0	32	6	6	10	14	14	14	14
ALL AGES	42	7.8	81	1	1	4	11	17	24	49	12	7.1	41	1	1	6	10	39	89	99 +
SUBTOTAL	**70**	**7.4**	**86**	**1**	**1**	**4**	**10**	**15**	**22**	**52**	**18**	**10.7**	**464**	**1**	**1**	**5**	**8**	**66**	**97**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	2	8.0	2	7	7	8	9	9	9	9										
18-24	8	3.8	9	1	1	3	6	8	9	9										
25-34	11	5.0	25	1	1	4	5	13	18	18										
35-54	22	4.8	10	1	1	4	6	9	12	14	1	4.0		4	4	4	4	4	4	4
55-74	5	13.8	152	2	2	13	19	34	34	34										
75 +																				
ALL AGES	49	5.8	32	1	1	5	7	12	14	34	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	13	10.2	116	2	2	6	10	31	36	37	2	19.0	162	10	10	19	28	28	28	28
18-24	5	6.6	23	3	3	5	8	15	15	15	4	6.5	30	1	1	6	11	13	13	13
25-34	14	6.2	47	1	1	3	10	15	22	24	4	4.3	10	1	1	4	7	8	8	8
35-54	14	6.3	78	1	1	3	5	17	30	34	2	5.0	2	4	4	5	6	6	6	6
55-74	5	10.6	28	2	2	12	14	16	16	16	1	5.0		5	5	5	5	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	1	14.0		14	14	14	14	14	14	14
ALL AGES	52	7.6	67	1	1	5	10	15	29	37	14	7.9	50	1	1	6	10	15	25	28
SUBTOTAL	**101**	**6.7**	**51**	**1**	**1**	**5**	**9**	**14**	**21**	**36**	**15**	**7.6**	**48**	**1**	**1**	**6**	**10**	**14**	**24**	**28**
GRAND TOTAL	**171**	**7.0**	**65**	**1**	**1**	**4**	**9**	**14**	**22**	**46**	**33**	**9.3**	**270**	**1**	**1**	**5**	**9**	**24**	**81**	**99 +**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	37.4	504	3	3	44	55	58	58	58										
13-17	14	7.6	103	1	1	4	8	21	34	38	3	7.7	34	1	1	10	11	12	12	12
18-24	17	2.6	6	1	1	1	3	7	9	9	5	1.8	3	1	1	1	2	5	5	5
25-34	25	4.2	18	1	1	2	6	8	14	19	3	2.3	6	1	1	1	4	5	5	5
35-54	27	3.6	5	1	1	3	5	7	7	8	8	4.5	6	1	1	5	5	8	9	9
55-74	7	10.4	101	1	1	11	16	26	28	28	3	3.7	9	1	1	3	6	7	7	7
75 +	8	11.9	69	3	3	11	17	24	26	26										
ALL AGES	103	6.9	106	1	1	3	7	18	28	56	22	3.9	11	1	1	4	5	10	43	99 +
B. FEMALE																				
0-12 YRS.	3	7.3	15	3	3	9	10	10	10	10										
13-17	34	8.8	234	1	1	5	7	12	49	76	3	5.0	28	1	1	3	9	11	11	11
18-24	20	2.7	20	1	1	1	2	7	14	20	5	5.4	10	2	2	7	8	9	9	9
25-34	51	3.8	15	1	1	2	5	10	12	18	5	2.6	4	1	1	2	4	6	6	6
35-54	54	8.6	174	1	1	4	9	20	25	73	19	5.9	20	1	2	5	8	14	15	16
55-74	18	10.1	78	1	1	8	20	23	24	24	5	2.4	1	1	1	2	3	4	4	4
75 +	9	8.6	48	1	2	8	11	20	24	24	1	3.0		3	3	3	3	3	3	3
ALL AGES	189	6.8	113	1	1	3	8	18	23	68	38	4.8	15	1	1	3	7	10	14	16
SUBTOTAL	**292**	**6.8**	**111**	**1**	**1**	**3**	**8**	**18**	**23**	**59**	**60**	**4.5**	**13**	**1**	**1**	**3**	**7**	**10**	**13**	**91**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	33.0	337	11	11	33	47	54	54	54	1	2.0		2	2	2	2	2	2	2
13-17	15	8.1	74	1	1	3	13	21	28	30	5	4.0	9	1	1	3	5	9	9	9
18-24	33	5.5	46	1	1	3	6	15	18	34	4	7.8	117	1	1	3	14	24	24	24
25-34	50	5.4	61	1	1	3	7	12	22	44	2	15.0	162	6	6	15	24	24	24	24
35-54	46	4.5	19	1	1	3	6	8	16	19	10	4.8	24	1	1	3	6	13	17	17
55-74	4	5.8	23	1	1	6	10	10	10	10	4	2.8	8	1	1	2	4	7	7	7
75 +	3	5.0	1	4	4	5	6	6	6	6	1	8.0		8	8	8	8	8	8	8
ALL AGES	155	6.1	69	1	1	3	7	15	22	44	27	5.6	40	1	1	3	7	15	24	24
B. FEMALE																				
0-12 YRS.	5	9.8	18	6	6	9	11	17	17	17										
13-17	26	11.9	205	1	2	7	14	24	44	69	4	31.5	980	1	1	33	58	59	59	59
18-24	30	5.0	12	1	1	4	6	10	11	16	12	4.3	10	1	1	3	5	10	12	12
25-34	74	5.5	50	1	1	3	7	11	12	44	5	5.0	14	2	2	4	7	11	11	11
35-54	57	6.3	24	1	1	5	9	14	15	23	5	1.8	2	1	1	1	2	4	4	4
55-74	17	6.9	37	1	1	5	10	18	20	20	4	5.8	11	1	1	6	8	9	9	9
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	210	6.7	57	1	1	5	9	14	17	42	30	7.8	200	1	1	4	7	11	58	59
SUBTOTAL	**365**	**6.4**	**63**	**1**	**1**	**4**	**8**	**14**	**19**	**43**	**57**	**6.7**	**124**	**1**	**1**	**3**	**7**	**12**	**24**	**59**
GRAND TOTAL	**657**	**6.6**	**84**	**1**	**1**	**4**	**8**	**15**	**21**	**54**	**117**	**5.6**	**68**	**1**	**1**	**3**	**7**	**11**	**17**	**72**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	4.7	30	1	1	2	9	11	11	11	1	16.0		16	16	16	16	16	16	16
13-17	8	11.1	30	2	3	12	13	18	20	20	1	22.0		22	22	22	22	22	22	22
18-24	1	5.0		5	5	5	5	5	5	5	3	2.3	2	1	1	3	3	3	3	3
25-34	3	9.3	7	7	7	9	11	12	12	12										
35-54	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
55-74	2	12.0	8	10	10	12	14	14	14	14	1	11.0		11	11	11	11	11	11	11
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	19	8.7	28	1	2	10	12	14	17	20	7	8.4	66	1	1	3	15	21	22	22
B. FEMALE																				
0-12 YRS.	3	7.0	27	1	1	10	10	10	10	10	1	17.0		17	17	17	17	17	17	17
13-17	10	5.3	39	1	1	3	6	15	21	21										
18-24	4	5.3	28	1	1	3	8	13	13	13										
25-34											1	1.0		1	1	1	1	1	1	1
35-54	4	2.0	2	1	1	1	3	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	22	5.1	28	1	1	3	10	11	16	21	3	6.7	80	1	1	2	13	17	17	17
SUBTOTAL	**41**	**6.8**	**30**	**1**	**1**	**5**	**11**	**13**	**17**	**21**	**10**	**7.9**	**62**	**1**	**1**	**3**	**16**	**19**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	12.0	36	7	7	9	15	22	22	22										
13-17	12	13.1	77	2	2	15	20	25	25	25	3	13.3	354	2	2	3	27	35	35	35
18-24	7	5.9	29	1	1	4	11	14	14	14	1	3.0		3	3	3	3	3	3	3
25-34	3	3.3	11	1	1	2	6	7	7	7	4	2.3	2	1	1	2	3	4	4	4
35-54	2	4.0	8	2	2	4	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	3	9.0	27	6	6	6	13	15	15	15										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	33	9.5	54	1	2	7	15	22	24	25	9	6.0	119	1	1	3	3	23	35	35
B. FEMALE																				
0-12 YRS.	1	34.0		34	34	34	34	34	34	34										
13-17	7	16.9	410	3	4	7	18	53	61	61	2	4.5	25	1	1	4	8	8	8	8
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
35-54	5	11.8	179	1	1	4	22	32	32	32	2	8.0	18	5	5	8	11	11	11	11
55-74	2	7.5	61	2	2	7	13	13	13	13										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	18	14.2	233	1	2	8	19	33	50	61	5	5.8	15	1	1	5	9	11	11	11
SUBTOTAL	**51**	**11.2**	**118**	**1**	**2**	**7**	**15**	**23**	**32**	**61**	**14**	**5.9**	**78**	**1**	**1**	**3**	**5**	**13**	**30**	**35**
GRAND TOTAL	**92**	**9.2**	**83**	**1**	**1**	**7**	**13**	**20**	**24**	**50**	**24**	**6.8**	**69**	**1**	**1**	**3**	**9**	**17**	**26**	**35**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	13.5	209	1	1	13	26	27	27	27										
13-17	14	9.4	110	2	2	7	11	20	37	42	1	18.0		18	18	59	99 +	99 +	99 +	99 +
18-24	6	2.7	1	1	1	3	4	4	4	4	10	1.8	1	1	1	1	3	4	4	4
25-34	11	2.6	4	1	1	2	4	5	7	7	9	3.2	4	1	1	3	4	6	7	7
35-54	15	5.2	54	1	1	3	5	9	25	30	1	8.0		8	8	8	8	8	8	8
55-74	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	53	5.9	68	1	1	3	7	13	27	42	22	3.4	15	1	1	3	4	10	47	99 +
B. FEMALE																				
0-12 YRS.	4	26.8	221	6	6	30	37	41	41	41										
13-17	33	12.4	118	1	2	8	21	28	29	42	5	3.6	6	1	1	4	6	6	6	6
18-24	13	3.8	6	1	1	4	6	7	8	8	3	3.7		3	3	4	4	4	4	4
25-34	13	3.8	14	1	1	2	5	11	12	12	3	2.0	1	1	1	2	3	3	3	3
35-54	18	2.8	9	1	1	1	5	6	10	12	1	4.0		4	4	4	4	4	4	4
55-74	3	9.3	11	7	7	8	12	13	13	13	1	2.0		2	2	2	2	2	2	2
75 +	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	86	8.2	92	1	1	5	11	25	28	42	14	3.1	3	1	1	3	4	6	6	6
SUBTOTAL	**139**	**7.3**	**84**	**1**	**1**	**4**	**8**	**22**	**28**	**42**	**36**	**3.3**	**10**	**1**	**1**	**3**	**4**	**7**	**14**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	13.6	116	1	2	10	24	29	29	29										
13-17	16	17.4	309	1	2	10	27	36	58	67										
18-24	12	6.1	18	1	2	5	8	12	16	17	18	5.4	63	1	1	3	5	11	26	35
25-34	25	4.2	18	1	1	3	5	9	15	18	21	4.9	32	1	1	3	5	10	18	26
35-54	22	4.5	26	1	1	3	5	18	49	99 +	4	4.0	5	2	2	3	5	7	7	7
55-74	7	19.3	559	3	3	5	40	56	57	57	1	2.0		2	2	2	2	2	2	2
75 +	2	6.0	32	2	2	6	10	10	10	10										
ALL AGES	91	8.8	144	1	1	4	9	27	36	86	44	5.0	40	1	1	3	7	12	48	99 +
B. FEMALE																				
0-12 YRS.	2	41.0	1458	14	14	41	68	68	68	68	1	1.0		1	1	1	1	1	1	1
13-17	28	15.9	312	1	2	8	26	34	64	68	2	9.0	50	4	4	14	78	99 +	99 +	99 +
18-24	14	7.8	183	1	1	4	7	19	45	53	5	6.8	38	2	2	4	10	17	17	17
25-34	21	6.3	61	1	1	3	8	12	23	36	11	5.8	58	1	1	4	6	15	27	28
35-54	23	13.1	209	1	2	8	14	35	46	55	5	4.0	10	1	1	3	6	9	9	9
55-74	7	10.7	93	2	2	10	14	26	29	29	1	4.0		4	4	4	4	4	4	4
75 +	5	12.0	106	1	1	13	19	26	26	26										
ALL AGES	100	12.1	222	1	1	6	14	30	47	68	25	5.6	38	1	1	4	7	17	42	99 +
SUBTOTAL	**191**	**10.5**	**188**	**1**	**1**	**5**	**13**	**29**	**41**	**68**	**69**	**5.2**	**39**	**1**	**1**	**3**	**7**	**15**	**34**	**99 +**
GRAND TOTAL	**330**	**9.2**	**145**	**1**	**1**	**4**	**11**	**27**	**34**	**67**	**105**	**4.6**	**29**	**1**	**1**	**3**	**5**	**12**	**28**	**99 +**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.0	450	4	4	19	34	34	34	34	1	4.0		4	4	4	4	4	4	4
13-17	6	10.2	59	1	1	9	17	21	21	21	1	9.0		9	9	9	9	9	9	9
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	31.0		31	31	31	31	31	31	31	2	6.5	25	3	3	6	10	10	10	10
35-54	4	2.8	4	1	1	2	4	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	14	10.3	124	1	1	5	17	31	33	34	5	5.6	13	2	2	4	9	10	10	10
B. FEMALE																				
0-12 YRS.	3	14.3	184	1	1	14	24	28	28	28	1	2.0		2	2	2	2	2	2	2
13-17	7	13.7	199	3	4	6	20	38	42	42										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	5	5.8	17	1	1	7	9	10	10	10	1	2.0		2	2	2	2	2	2	2
35-54	6	13.8	91	1	1	12	17	29	30	30	6	6.0	28	1	1	4	7	15	16	16
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	23	11.7	107	1	1	10	14	28	34	42	8	5.0	23	1	1	3	6	13	16	16
SUBTOTAL	**37**	**11.1**	**113**	**1**	**1**	**7**	**15**	**30**	**33**	**42**	**13**	**5.2**	**19**	**1**	**2**	**4**	**7**	**11**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	38.7	104	20	23	42	48	90	99 +	99 +	1	95.0		95	95	95	95	95	95	95
13-17	13	15.2	277	2	3	6	25	47	50	51	1	8.0		8	8	8	8	8	8	8
18-24	9	11.2	450	1	1	4	8	45	67	67										
25-34	7	6.7	39	1	1	4	12	16	17	17										
35-54	20	7.1	28	1	2	6	9	14	19	23	6	4.7	10	2	2	3	7	10	10	10
55-74	2	18.5	13	16	16	18	21	21	21	21										
75 +																				
ALL AGES	57	13.2	240	1	2	6	17	43	51	97	8	16.4	1017	2	2	5	9	69	95	95
B. FEMALE																				
0-12 YRS.	3	31.0	757	4	4	30	52	59	59	59										
13-17	16	18.9	264	1	3	16	26	43	52	56	2	2.5	5	1	1	2	4	4	4	4
18-24	10	6.1	45	1	1	3	9	18	18	18	2	3.0	2	2	2	3	4	4	4	4
25-34	12	14.4	301	2	2	6	16	50	50	50	5	6.2	21	1	1	5	9	13	13	13
35-54	6	12.7	122	3	3	10	13	32	34	34	2	1.0		1	1	1	1	1	1	1
55-74	5	7.6	27	1	1	8	10	15	15	15	2	4.5	25	1	1	4	8	8	8	8
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	52	14.3	235	1	2	8	18	41	50	59	14	4.0	13	1	1	3	5	9	12	13
SUBTOTAL	**109**	**13.7**	**236**	**1**	**2**	**7**	**18**	**42**	**50**	**80**	**22**	**8.5**	**384**	**1**	**1**	**4**	**8**	**11**	**46**	**95**
GRAND TOTAL	**146**	**13.1**	**204**	**1**	**1**	**7**	**17**	**39**	**50**	**68**	**35**	**7.3**	**246**	**1**	**1**	**4**	**8**	**10**	**15**	**95**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	17.5	41	13	13	17	22	22	22	22										
13-17	4	4.3	8	1	1	4	6	8	8	8										
18-24	8	1.9	3	1	1	1	3	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34	7	2.3	1	1	1	2	3	4	4	4										
35-54	14	4.0	8	1	1	3	4	8	10	11										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	37	4.2	18	1	1	3	5	9	12	22	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	4	9.0	161	2	2	3	16	28	28	28	2	15.5	365	2	2	15	29	29	29	29
13-17	22	7.1	95	1	1	4	7	24	33	37	1	1.0		1	1	1	1	1	1	1
18-24	12	2.8	2	1	1	2	4	5	6	6										
25-34	13	1.9	2	1	1	1	3	4	4	4	3	1.3		1	1	1	2	2	2	2
35-54	11	3.0	9	1	1	2	4	7	11	11	5	3.2	5	1	1	2	5	6	6	6
55-74	4	6.8	56	2	2	3	11	18	18	18	2	3.0	2	2	2	3	4	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	67	4.7	48	1	1	2	4	8	23	36	13	4.5	57	1	1	2	4	11	26	29
SUBTOTAL	**104**	**4.5**	**37**	**1**	**1**	**3**	**5**	**8**	**19**	**33**	**14**	**4.3**	**53**	**1**	**1**	**2**	**4**	**8**	**24**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	24.5	613	7	7	24	42	42	42	42	1	4.0		4	4	4	4	4	4	4
13-17	11	14.1	197	2	2	10	19	39	41	41	4	14.0	459	1	1	6	59	99 +	99 +	99 +
18-24	18	5.3	52	1	1	3	5	15	24	29	6	2.2	2	1	1	2	3	5	5	5
25-34	37	2.5	5	1	1	2	3	6	7	9	3	2.0	3	1	1	1	3	4	4	4
35-54	25	4.4	12	1	1	3	5	11	12	12	3	2.0	1	1	1	2	3	3	3	3
55-74	7	2.3	1	1	1	2	3	4	4	4										
75 +	2	2.0	2	1	1	2	3	3	3	3										
ALL AGES	102	5.1	59	1	1	2	5	11	19	41	17	5.0	114	1	1	2	4	34	78	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	26	10.2	135	1	1	7	14	24	35	53	3	5.7	52	1	1	2	11	14	14	14
18-24	23	6.3	91	1	1	2	4	23	30	35										
25-34	22	6.0	49	1	1	3	7	14	21	31	2	2.5	5	1	1	2	4	4	4	4
35-54	29	5.7	44	1	1	3	7	12	22	31	6	3.8	9	1	1	3	7	8	8	8
55-74	16	5.3	27	1	1	3	7	14	18	19	1	2.0		2	2	2	2	2	2	2
75 +	8	5.9	22	1	1	5	9	13	14	14	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	124	6.7	71	1	1	3	8	16	26	40	14	4.1	14	1	1	3	6	9	13	14
SUBTOTAL	**226**	**6.0**	**65**	**1**	**1**	**3**	**7**	**14**	**23**	**41**	**31**	**4.6**	**67**	**1**	**1**	**3**	**5**	**10**	**43**	**99 +**
GRAND TOTAL	**330**	**5.5**	**57**	**1**	**1**	**3**	**6**	**14**	**22**	**39**	**45**	**4.5**	**61**	**1**	**1**	**2**	**5**	**8**	**32**	**99 +**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	2	4.5	1	4	4	4	5	5	5	5										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	17.5	25	14	14	17	21	21	21	21										
75 +																				
ALL AGES	2	17.5	25	14	14	17	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**3**	**17.0**	**13**	**14**	**14**	**16**	**20**	**21**	**21**	**21**										
GRAND TOTAL	**5**	**12.0**	**54**	**4**	**4**	**14**	**17**	**21**	**21**	**21**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	4	9.5	25	3	3	10	13	15	15	15										
18-24	3	13.3	44	7	7	13	18	20	20	20										
25-34	4	16.8	171	6	6	13	27	34	34	34	1	19.0		19	19	59	99 +	99 +	99 +	99 +
35-54	2	17.0	338	4	4	17	30	30	30	30	2	23.5	1013	1	1	23	46	46	46	46
55-74	6	6.3	20	3	3	5	6	14	15	15	3	4.3	11	2	2	3	7	8	8	8
75 +	2	5.0	2	4	4	5	6	6	6	6	3	5.3	11	3	3	4	8	9	9	9
ALL AGES	21	10.8	77	3	4	7	15	31	60	99 +	10	9.6	193	1	1	4	16	68	97	99 +
B. FEMALE																				
0-12 YRS.	2	38.5	221	28	28	38	49	49	49	49										
13-17																				
18-24	2	3.0	2	2	2	3	4	4	4	4										
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	3	8.0	91	2	2	3	15	19	19	19										
55-74	3	10.7	25	5	5	12	14	15	15	15	1	10.0		10	10	10	10	10	10	10
75 +	8	8.5	32	4	5	7	8	18	22	22	3	6.7	6	4	4	7	8	9	9	9
ALL AGES	19	12.3	143	2	3	7	18	27	40	49	4	7.5	7	4	4	8	9	10	10	10
SUBTOTAL	**40**	**11.5**	**107**	**2**	**3**	**7**	**16**	**29**	**41**	**99 +**	**14**	**9.0**	**136**	**1**	**1**	**7**	**10**	**46**	**86**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	58.0		58	58	58	58	58	58	58										
13-17	3	25.3	397	8	8	21	40	47	47	47	1	7.0		7	7	7	7	7	7	7
18-24	4	7.0	88	1	1	3	12	21	21	21	1	8.0		8	8	8	8	8	8	8
25-34	3	5.7	21	3	3	3	9	11	11	11										
35-54	3	5.3	3	4	4	5	6	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74	1	15.0		15	15	15	15	15	15	15	2	4.0	18	1	1	4	7	7	7	7
75 +	3	11.0	37	7	7	8	15	18	18	18	3	6.7	41	2	2	4	11	14	14	14
ALL AGES	18	13.5	244	2	3	7	18	39	54	58	8	5.8	17	1	1	5	8	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-24											1	7.0		7	7	7	7	7	7	7
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	10.5	25	7	7	10	14	14	14	14										
55-74	4	9.8	14	6	6	9	13	14	14	14										
75 +																				
ALL AGES	7	11.4	27	6	6	12	14	19	20	20	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	**25**	**12.9**	**181**	**2**	**3**	**8**	**16**	**21**	**50**	**58**	**10**	**5.6**	**15**	**1**	**1**	**5**	**7**	**11**	**14**	**14**
GRAND TOTAL	**65**	**12.0**	**134**	**3**	**3**	**7**	**15**	**28**	**47**	**93**	**24**	**7.6**	**86**	**1**	**1**	**7**	**9**	**19**	**59**	**99 +**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	1.3		1	1	1	1	2	3	3	24	1.2		1	1	1	1	2	2	3
13-17	9	1.4	1	1	1	1	2	3	3	3	15	2.7	21	1	1	1	2	3	15	19
18-24	7	2.7	9	1	1	1	5	8	8	8	20	3.5	21	1	1	2	4	9	16	19
25-34	15	9.1	274	1	1	3	11	18	53	65	12	3.1	13	1	1	3	3	31	87	99 +
35-54	9	9.3	92	2	2	3	18	24	26	26	16	5.5	104	1	1	2	4	8	32	43
55-74	4	9.0	19	4	4	9	12	14	14	14	9	8.4	149	1	1	2	11	30	35	35
75 +	1	13.0		13	13	13	13	13	13	13	6	4.0	20	2	2	2	3	12	13	13
ALL AGES	63	5.2	90	1	1	2	4	15	19	60	102	3.6	40	1	1	2	3	7	19	70
B. FEMALE																				
0-12 YRS.	7	1.3		1	1	1	2	2	2	2	26	1.3		1	1	1	1	2	3	3
13-17	1	2.0		2	2	2	2	2	2	2	7	2.3	2	1	1	2	3	5	5	5
18-24	4	2.0	2	1	1	2	3	4	4	4	11	2.0	2	1	1	2	3	33	90	99 +
25-34	14	2.6	3	1	1	2	4	5	6	6	13	2.6	4	1	1	2	3	6	8	8
35-54	15	3.5	7	1	1	3	5	7	9	10	15	8.3	504	1	1	2	4	81	97	99 +
55-74	10	3.6	6	1	1	3	5	7	8	8	13	4.9	9	1	1	5	7	10	10	10
75 +	2	5.5	1	5	5	5	6	6	6	6	12	3.7	5	1	1	3	5	6	9	9
ALL AGES	53	2.9	5	1	1	2	4	6	7	10	97	3.5	82	1	1	2	3	6	10	99 +
SUBTOTAL	**116**	**4.1**	**53**	**1**	**1**	**2**	**4**	**8**	**16**	**39**	**199**	**3.5**	**61**	**1**	**1**	**2**	**3**	**7**	**14**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	2	27.0	32	23	23	27	31	31	31	31	1	1.0		1	1	1	1	1	1	1
18-24											2	6.5	41	2	2	6	11	11	11	11
25-34	4	5.5	12	2	2	5	8	9	9	9	3	3.0	4	1	1	3	4	5	5	5
35-54	7	4.6	3	1	1	5	6	6	6	6	2	1.0		1	1	1	1	1	1	1
55-74											3	2.7	1	2	2	2	4	4	4	4
75 +											3	6.7	14	4	4	5	9	11	11	11
ALL AGES	13	8.3	76	1	2	5	8	25	30	31	15	3.6	11	1	1	2	5	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24											3	5.7	22	2	2	4	9	11	11	11
25-34	1	6.0		6	6	6	6	6	6	6	4	5.3	72	1	1	1	10	18	18	18
35-54											2	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +	3	5.3	17	1	1	6	8	9	9	9	1	11.0		11	11	11	11	11	11	11
ALL AGES	5	5.2	9	1	1	6	7	9	9	9	12	4.6	31	1	1	2	7	13	17	18
SUBTOTAL	**18**	**7.4**	**59**	**1**	**1**	**5**	**9**	**19**	**28**	**31**	**27**	**4.0**	**20**	**1**	**1**	**2**	**5**	**11**	**12**	**18**
GRAND TOTAL	**134**	**4.6**	**54**	**1**	**1**	**2**	**5**	**9**	**17**	**36**	**226**	**3.6**	**55**	**1**	**1**	**2**	**3**	**8**	**13**	**99 +**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3	3	6.0	7	4	4	5	8	9	9	9
ALL AGES	3	3.7	9	1	1	3	6	7	7	7	4	5.0	9	2	2	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	12.0	8	10	10	12	14	14	14	14										
55-74											1	7.0		7	7	7	7	7	7	7
75 +	4	7.3	8	4	4	7	9	11	11	11	3	7.0	13	4	4	6	10	11	11	11
ALL AGES	6	8.8	14	4	4	9	11	14	14	14	4	7.0	9	4	4	6	9	11	11	11
SUBTOTAL	**9**	**7.1**	**17**	**1**	**2**	**7**	**10**	**13**	**14**	**14**	**8**	**6.0**	**9**	**2**	**3**	**5**	**8**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54																				
55-74	1	19.0		19	19	19	19	19	19	19	1	10.0		10	10	10	10	10	10	10
75 +	3	9.3	18	6	6	8	12	14	14	14	1	11.0		11	11	11	11	11	11	11
ALL AGES	5	11.0	29	6	6	8	15	19	19	19	2	10.5	1	10	10	10	11	11	11	11
SUBTOTAL	**5**	**11.0**	**29**	**6**	**6**	**8**	**15**	**19**	**19**	**19**	**2**	**10.5**	**1**	**10**	**10**	**10**	**11**	**11**	**11**	**11**
GRAND TOTAL	**14**	**8.5**	**23**	**1**	**3**	**8**	**11**	**15**	**15**	**19**	**10**	**6.9**	**10**	**2**	**3**	**6**	**10**	**11**	**11**	**11**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	3	4.7	4	3	3	4	6	7	7	7										
25-34	2	5.5	5	4	4	5	7	7	7	7	1	15.0		15	15	15	15	15	15	15
35-54	7	5.4	38	1	1	2	10	15	16	16	5	7.2	26	2	2	6	12	13	13	13
55-74	17	6.4	56	1	1	4	7	13	26	32	19	8.6	96	1	1	6	9	27	32	35
75 +	30	6.9	36	1	2	5	8	17	22	23	43	6.9	43	1	2	5	8	15	29	99 +
ALL AGES	61	6.8	43	1	1	5	8	15	22	31	68	7.5	56	1	2	6	9	17	29	88
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8	2	7.0	50	2	2	7	12	12	12	12
35-54	5	5.2	9	1	1	7	7	8	8	8	4	10.0	118	2	2	7	18	25	25	25
55-74	19	5.2	9	1	2	5	7	10	12	12	16	6.9	38	1	3	6	7	11	23	28
75 +	39	7.3	23	2	2	6	8	16	17	20	59	7.1	105	1	2	5	8	12	19	72
ALL AGES	64	6.5	18	1	2	6	8	13	16	20	81	7.2	89	1	2	5	8	12	21	62
SUBTOTAL	**125**	**6.7**	**30**	**1**	**2**	**6**	**8**	**14**	**18**	**28**	**149**	**7.3**	**74**	**1**	**2**	**5**	**8**	**15**	**25**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	2	5.5	1	5	5	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34	4	25.5	1043	1	1	14	44	73	73	73										
35-54	5	3.2	1	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74	18	10.4	124	1	2	7	13	16	37	51	8	4.4	8	1	1	4	6	9	10	10
75 +	11	7.8	144	1	1	4	8	23	41	43	9	5.9	13	1	2	6	8	11	13	13
ALL AGES	42	10.3	195	1	2	6	12	17	46	73	19	4.8	11	1	1	4	6	10	12	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	9.8	90	1	1	9	18	19	19	19										
35-54	7	5.6	15	2	2	5	8	11	12	12	3	6.7	54	1	1	4	12	15	15	15
55-74	13	9.2	25	2	3	11	13	15	17	17	7	7.1	11	4	4	6	10	12	12	12
75 +	9	12.2	229	2	2	7	11	37	51	51	12	7.0	20	1	2	7	9	14	16	16
ALL AGES	33	9.3	84	2	2	7	13	17	19	51	22	7.0	18	1	2	6	10	14	15	16
SUBTOTAL	**75**	**9.9**	**144**	**1**	**2**	**7**	**12**	**17**	**37**	**68**	**41**	**6.0**	**16**	**1**	**2**	**5**	**8**	**12**	**14**	**16**
GRAND TOTAL	**200**	**7.9**	**74**	**1**	**2**	**6**	**9**	**16**	**19**	**51**	**190**	**7.1**	**60**	**1**	**2**	**5**	**8**	**14**	**21**	**60**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	27.0	277	1	1	29	39	44	44	44										
13-17	21	13.9	152	1	2	11	20	33	42	44	2	9.0	128	1	1	9	17	17	17	17
18-24	13	9.8	152	1	1	4	12	33	39	40	5	5.0	39	1	1	2	7	16	16	16
25-34	14	5.2	31	1	1	3	5	14	19	20	9	4.0	42	1	1	1	4	14	21	21
35-54	20	4.5	19	1	1	4	6	9	15	19	12	2.0	2	1	1	2	3	4	5	5
55-74	21	11.0	263	1	1	4	11	39	51	56	13	5.2	12	1	1	5	7	10	12	13
75 +	10	5.0	8	1	2	5	5	9	11	11	7	6.4	39	2	2	4	10	17	18	18
ALL AGES	104	9.6	146	1	1	4	12	29	40	51	48	4.5	25	1	1	2	5	13	17	21
B. FEMALE																				
0-12 YRS.	5	22.6	215	5	5	18	34	43	43	43										
13-17	30	9.7	182	1	1	5	10	25	44	60	16	5.8	80	1	1	2	6	25	28	28
18-24	19	4.6	30	1	1	3	5	12	17	22	11	11.9	294	1	1	2	24	41	45	45
25-34	49	7.0	85	1	1	4	7	17	24	54	35	16.4	297	1	1	6	28	39	56	60
35-54	73	5.9	30	1	1	4	8	15	17	23	99	16.1	308	1	2	7	28	42	48	82
55-74	33	9.4	110	1	1	6	12	21	29	52	35	9.3	126	1	2	5	10	20	30	58
75 +	17	7.4	27	1	2	7	11	16	17	17	20	10.3	248	1	2	6	9	22	49	72
ALL AGES	226	7.5	83	1	1	4	9	17	23	52	216	13.5	262	1	1	6	22	36	46	72
SUBTOTAL	**330**	**8.2**	**103**	**1**	**1**	**4**	**9**	**20**	**29**	**52**	**264**	**11.9**	**230**	**1**	**1**	**5**	**18**	**32**	**44**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	37.0	330	25	25	29	47	64	64	64	2	4.0	18	1	1	3	7	7	7	7
13-17	21	20.2	305	1	1	23	32	40	50	61	3	3.0	12	1	1	1	5	7	7	7
18-24	20	5.3	26	1	1	3	7	14	17	19	5	1.6		1	1	2	2	90	99 +	99 +
25-34	60	5.8	21	1	1	4	10	13	14	17	5	5.4	19	2	2	4	7	13	13	13
35-54	70	6.6	31	1	1	5	9	16	19	21	9	8.0	84	1	1	3	15	23	25	25
55-74	17	9.6	65	2	3	7	13	23	26	28	1	5.0		5	5	5	5	5	5	5
75 +	9	10.4	97	1	1	9	14	27	30	30	7	6.6	8	4	4	6	8	11	12	12
ALL AGES	201	8.7	99	1	1	5	11	21	29	51	32	5.5	32	1	1	4	7	15	24	99 +
B. FEMALE																				
0-12 YRS.	7	20.9	373	2	2	19	27	52	58	58										
13-17	36	17.3	377	1	1	11	23	44	64	82	6	5.8	129	1	1	1	2	26	29	29
18-24	41	5.9	31	1	1	4	9	13	19	23	6	9.8	87	1	1	7	16	24	25	25
25-34	103	9.0	118	1	1	5	11	21	28	57	21	18.4	450	2	2	11	28	47	70	84
35-54	81	7.6	69	1	1	6	10	15	19	89	27	4.5	14	1	1	4	5	11	12	12
55-74	28	13.3	152	2	2	11	18	22	27	66	15	5.2	11	1	2	4	7	12	12	12
75 +	6	13.0	122	1	1	13	23	24	24	24	8	2.9	5	1	1	2	3	7	8	8
ALL AGES	302	9.9	145	1	1	6	13	22	30	68	83	8.5	165	1	1	4	10	22	30	75
SUBTOTAL	**503**	**9.4**	**127**	**1**	**1**	**6**	**12**	**22**	**29**	**66**	**115**	**7.6**	**130**	**1**	**1**	**4**	**9**	**20**	**29**	**89**
GRAND TOTAL	**833**	**8.9**	**118**	**1**	**1**	**5**	**11**	**22**	**29**	**60**	**379**	**10.6**	**203**	**1**	**1**	**4**	**13**	**30**	**42**	**72**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	32.4	1088	3	3	25	47	89	93	93	4	25.3	972	1	1	16	48	68	68	68
13-17	15	17.0	434	1	1	7	32	41	65	73	3	30.7	2213	2	2	5	65	85	85	85
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	26	22.3	711	1	2	10	37	70	87	93	7	27.6	1233	1	1	5	58	82	85	85
B. FEMALE																				
0-12 YRS.	6	17.5	189	4	4	13	31	36	37	37										
13-17	11	12.1	166	1	1	5	20	30	41	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	17	14.0	170	1	1	8	21	36	40	42										
SUBTOTAL	**43**	**19.0**	**506**	**1**	**2**	**10**	**28**	**43**	**77**	**93**	**7**	**27.6**	**1233**	**1**	**1**	**29**	**89**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	24.5	399	4	4	22	46	77	98	99 +	4	22.3	781	2	3	63	99 +	99 +	99 +	99 +
13-17	24	23.2	691	1	1	13	26	78	80	81	9	38.6	727	4	13	68	99 +	99 +	99 +	99 +
18-24	3	3.3	3	2	2	3	4	5	5	5	1	52.0		52	52	52	52	52	52	52
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	38	21.8	560	1	2	13	28	75	80	99 +	14	34.9	709	2	5	62	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	7	14.6	160	4	4	9	25	35	36	36										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	15.3	140	4	4	10	24	34	36	36										
SUBTOTAL	**46**	**20.7**	**487**	**1**	**3**	**13**	**28**	**68**	**79**	**99 +**	**14**	**34.9**	**709**	**2**	**5**	**63**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**89**	**19.9**	**490**	**1**	**2**	**12**	**28**	**56**	**79**	**97**	**21**	**32.4**	**847**	**2**	**2**	**62**	**99 +**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	2	10.5	41	6	6	10	15	15	15	15	1	27.0		27	27	27	27	27	27	27
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.0	27	6	6	15	15	15	15	15	1	27.0		27	27	63	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	6	12.2	82	2	2	11	12	27	29	29	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	12.2	82	2	2	11	12	27	29	29	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**9**	**12.1**	**59**	**2**	**4**	**12**	**15**	**23**	**29**	**29**	**2**	**15.5**	**265**	**4**	**4**	**27**	**82**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	6	8.7	75	3	3	6	8	24	26	26										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	11.1	107	3	3	7	21	26	26	26										
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	10	18.2	200	4	4	16	27	39	47	47	1	30.0		30	30	30	30	30	30	30
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	21.0	266	4	4	19	30	48	49	49	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**18**	**17.2**	**217**	**3**	**4**	**11**	**26**	**42**	**48**	**49**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
GRAND TOTAL	**27**	**15.5**	**166**	**3**	**4**	**12**	**25**	**31**	**47**	**49**	**3**	**20.3**	**204**	**4**	**4**	**28**	**65**	**99 +**	**99 +**	**99 +**

SOCIALIZED CONDUCT DIS (312.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	8.6	66	1	1	8	21	61	99 +	99 +	4	8.8	120	2	2	4	15	25	25	25
13-17	38	9.6	117	1	1	4	13	26	38	41	5	12.8	214	1	1	5	21	37	37	37
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	47	9.4	106	1	1	5	14	26	39	99 +	9	11.0	157	1	1	5	18	32	37	37
B. FEMALE																				
0-12 YRS.	3	17.3	158	5	5	17	27	30	30	30	1	2.0		2	2	2	2	2	2	2
13-17	36	12.8	212	1	2	7	18	47	52	99 +	5	32.8	676	5	5	24	51	72	72	72
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	40	13.0	201	1	2	8	18	46	51	99 +	6	27.7	696	2	2	21	44	69	72	72
SUBTOTAL	**87**	**11.0**	**153**	**1**	**1**	**6**	**17**	**34**	**48**	**99 +**	**15**	**17.7**	**409**	**1**	**2**	**6**	**25**	**44**	**65**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	23.5	504	1	3	16	52	86	99 +	99 +										
13-17	45	13.7	202	1	2	7	20	41	45	49	6	23.3	1394	1	2	15	99	99 +	99 +	99 +
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	55	14.9	244	1	2	8	21	45	49	98	6	23.3	1394	1	2	15	99	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	5	9.2	126	1	1	4	15	28	28	28	1	12.0		12	12	12	12	12	12	12
13-17	52	16.8	286	1	2	9	27	40	48	82	6	12.2	130	2	2	9	28	86	99 +	99 +
18-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	59	16.3	265	1	2	9	26	38	46	80	7	12.1	110	2	3	10	26	79	99 +	99 +
SUBTOTAL	**114**	**15.6**	**254**	**1**	**2**	**9**	**25**	**41**	**49**	**89**	**13**	**17.3**	**669**	**1**	**2**	**11**	**63**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**201**	**13.6**	**214**	**1**	**2**	**8**	**20**	**40**	**48**	**99 +**	**28**	**17.5**	**510**	**1**	**2**	**9**	**28**	**99**	**99 +**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	24.8	39	15	15	28	28	28	28	28										
13-17	4	21.3	1064	1	1	7	39	70	70	70										
18-24	3	5.7	6	3	3	6	7	8	8	8										
25-34	3	8.3	50	1	1	9	13	15	15	15										
35-54	2	4.0	2	3	3	4	5	5	5	5	2	9.5	61	4	4	9	15	15	15	15
55-74	2	5.0	8	3	3	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
75 +	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
ALL AGES	19	12.9	274	1	2	7	15	28	51	70	4	8.3	45	1	1	8	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	8.3	57	4	4	4	14	17	17	17	3	8.3	90	1	1	5	15	19	19	19
35-54																				
55-74																				
75 +																				
ALL AGES	5	6.0	39	2	2	4	7	17	17	17	3	8.3	90	1	1	5	15	19	19	19
SUBTOTAL	**24**	**11.5**	**229**	**1**	**2**	**6**	**15**	**28**	**41**	**70**	**7**	**8.3**	**53**	**1**	**1**	**5**	**14**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	13.0	288	1	1	13	25	25	25	25										
13-17	10	12.4	320	1	1	6	14	41	59	59										
18-24	4	19.3	180	1	1	23	29	30	30	30										
25-34	9	4.4	12	1	1	4	5	10	12	12	4	4.3	4	2	2	4	6	7	7	7
35-54	8	11.6	129	1	1	8	19	29	31	31										
55-74																				
75 +																				
ALL AGES	33	10.9	169	1	1	5	15	29	31	59	4	4.3	4	2	2	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	23.0	8	21	21	23	25	25	25	25
25-34	4	6.5	4	4	4	6	8	9	9	9	1	9.0		9	9	9	9	9	9	9
35-54	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	5	6.6	3	4	4	7	8	9	9	9	4	14.0	121	1	1	15	23	25	25	25
SUBTOTAL	**38**	**10.3**	**149**	**1**	**1**	**6**	**13**	**28**	**31**	**59**	**8**	**9.1**	**82**	**1**	**1**	**6**	**15**	**24**	**25**	**25**
GRAND TOTAL	**62**	**10.8**	**176**	**1**	**1**	**6**	**14**	**28**	**30**	**69**	**15**	**8.7**	**64**	**1**	**1**	**5**	**14**	**21**	**24**	**25**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	29.0		29	29	29	29	29	29	29
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	29.0		29	29	29	29	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17											1	16.0		16	16	16	16	16	16	16
18-24																				
25-34											1	25.0		25	25	25	25	25	25	25
35-54	1	27.0		27	27	27	27	27	27	27										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	3	24.7	22	19	19	27	28	28	28	28	2	20.5	41	16	16	20	25	25	25	25
SUBTOTAL	**4**	**19.8**	**110**	**5**	**5**	**23**	**27**	**28**	**28**	**28**	**2**	**20.5**	**41**	**16**	**16**	**20**	**25**	**25**	**25**	**25**
GRAND TOTAL	**5**	**16.0**	**155**	**1**	**1**	**19**	**27**	**28**	**28**	**28**	**3**	**23.3**	**47**	**16**	**16**	**25**	**28**	**29**	**29**	**29**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	20.5	761	1	1	20	40	40	40	40	2	3.0	8	1	1	3	5	5	5	5
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	2	10.0	32	6	6	10	14	14	14	14										
25-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	8	8.6	180	1	1	3	10	32	40	40	6	2.0	2	1	1	2	2	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.0	48	3	3	3	12	15	15	15										
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	4	8.5	41	3	3	8	14	15	15	15										
SUBTOTAL	**12**	**8.6**	**125**	**1**	**1**	**3**	**13**	**22**	**37**	**40**	**6**	**2.0**	**2**	**1**	**1**	**2**	**2**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	3	18.3	496	5	5	6	34	44	44	44	1	2.0		2	2	2	2	2	2	2
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	29.0		29	29	29	29	29	29	29										
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	17.2	254	5	5	10	29	42	44	44	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2738	13	13	50	87	87	87	87	1	42.0		42	42	42	42	42	42	42
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	50.0	2738	13	13	50	87	87	87	87	3	15.3	536	1	1	3	32	42	42	42
SUBTOTAL	**8**	**25.4**	**803**	**5**	**5**	**13**	**36**	**74**	**87**	**87**	**5**	**10.0**	**321**	**1**	**1**	**2**	**13**	**42**	**42**	**42**
GRAND TOTAL	**20**	**15.3**	**440**	**1**	**1**	**6**	**14**	**42**	**65**	**87**	**11**	**5.6**	**147**	**1**	**1**	**2**	**3**	**20**	**40**	**42**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	26.3	737	5	5	13	56	64	65	65	1	1.0		1	1	50	99 +	99 +	99 +	99 +
13-17	8	16.5	419	3	3	10	17	52	65	65										
18-24	2	4.5	5	3	3	4	6	6	6	6	1	7.0		7	7	7	7	7	7	7
25-34	2	10.5	13	8	8	10	13	13	13	13	1	9.0		9	9	9	9	9	9	9
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	18	17.8	442	3	3	9	19	62	65	65	5	9.2	110	1	1	8	27	93	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	18.5	613	1	1	18	36	36	36	36	1	25.0		25	25	25	25	25	25	25
13-17	17	14.5	64	2	6	13	20	30	72	99 +	1	5.0		5	5	5	5	5	5	5
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	15.0		15	15	15	15	15	15	15	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74											1	7.0		7	7	7	7	7	7	7
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	22	13.7	95	1	1	12	20	31	58	99 +	4	11.5	84	5	5	8	17	25	25	25
SUBTOTAL	**40**	**15.5**	**250**	**1**	**2**	**11**	**19**	**44**	**65**	**99 +**	**9**	**10.2**	**88**	**1**	**1**	**8**	**25**	**63**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	23.5	41	19	19	28	82	99 +	99 +	99 +	1	4.0		4	4	4	4	4	4	4
13-17	14	13.8	115	1	2	9	23	29	33	34	4	24.3	762	1	1	17	45	61	61	61
18-24	2	2.0	2	1	1	1	3	3	3	3										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	19	12.9	120	1	1	9	23	31	67	99 +	5	20.2	656	1	1	5	38	61	61	61
B. FEMALE																				
0-12 YRS.																				
13-17	18	18.5	240	2	4	16	25	44	51	55										
18-24	2	3.0	8	1	1	3	5	5	5	5										
25-34	1	3.0		3	3	3	3	3	3	3	2	4.0	8	2	2	4	6	6	6	6
35-54	2	11.5	5	10	10	11	13	13	13	13										
55-74																				
75 +																				
ALL AGES	23	15.9	215	2	3	12	18	42	49	55	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	**42**	**14.5**	**171**	**1**	**2**	**11**	**22**	**35**	**49**	**99 +**	**7**	**15.6**	**500**	**1**	**1**	**5**	**24**	**55**	**61**	**61**
GRAND TOTAL	**82**	**15.0**	**207**	**1**	**2**	**11**	**20**	**36**	**59**	**99 +**	**16**	**12.6**	**254**	**1**	**1**	**7**	**25**	**55**	**86**	**99 +**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	39.5	41	35	35	39	44	44	44	44										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	39.5	41	35	35	39	44	44	44	44										
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17											1	96.0		96	96	96	96	96	96	96
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28	1	96.0		96	96	96	96	96	96	96
SUBTOTAL	**3**	**35.7**	**61**	**28**	**28**	**35**	**42**	**44**	**44**	**44**	**1**	**96.0**		**96**	**96**	**96**	**96**	**96**	**96**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	35.6	253	15	15	36	45	58	58	58										
13-17	3	37.3	216	21	21	42	47	49	49	49	1	28.0		28	28	28	28	28	28	28
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	36.3	202	15	17	38	45	55	58	58	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17																				
18-24	2	16.5	181	7	7	16	26	26	26	26										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.7	242	7	7	26	35	38	38	38										
SUBTOTAL	**11**	**32.8**	**229**	**7**	**12**	**36**	**42**	**53**	**58**	**58**	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**
GRAND TOTAL	**14**	**33.4**	**189**	**9**	**14**	**35**	**42**	**50**	**56**	**58**	**2**	**62.0**	**2312**	**28**	**28**	**62**	**96**	**96**	**96**	**96**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	46.0		46	46	46	46	46	46	46										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**46.0**		**46**	**46**	**46**	**46**	**46**	**46**	**46**										
GRAND TOTAL	**3**	**18.3**	**578**	**3**	**3**	**6**	**36**	**46**	**46**	**46**										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	20	35.2	114	13	23	35	44	49	74	99+										
13-17	13	19.7	393	1	2	14	38	50	55	56	3	26.7	28	21	21	27	31	32	32	32
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	33	29.1	274	2	4	35	44	49	55	99+	3	26.7	28	21	21	27	31	32	32	32
B. FEMALE																				
0-12 YRS.	8	40.6	323	24	24	33	55	69	71	71	1	30.0		30	30	30	30	30	30	30
13-17	27	14.5	160	1	2	10	19	31	45	47	2	14.0	338	1	1	14	27	27	27	27
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	20.5	311	1	4	15	30	47	59	71	3	19.3	256	1	1	27	29	30	30	30
SUBTOTAL	**68**	**24.6**	**311**	**2**	**4**	**25**	**41**	**47**	**56**	**94**	**6**	**23.0**	**130**	**1**	**3**	**27**	**30**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	47	41.2	241	10	23	43	48	56	75	99+	1	18.0		18	18	18	18	18	18	18
13-17	29	32.8	472	3	4	39	46	57	95	99+	1	47.0		47	47	47	47	47	47	47
18-24											1	28.0		28	28	28	28	28	28	28
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	76	38.0	341	4	8	42	47	56	86	99+	3	31.0	217	18	18	28	42	47	47	47
B. FEMALE																				
0-12 YRS.	8	34.3	229	6	10	41	45	81	99+	99+										
13-17	33	25.7	336	3	5	19	40	52	60	62	5	43.0	670	5	5	45	57	77	77	77
18-24	2	43.5	2245	10	10	43	77	77	77	77										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	43	28.1	373	3	6	28	43	57	66	99+	5	43.0	670	5	5	45	57	77	77	77
SUBTOTAL	**119**	**34.4**	**374**	**4**	**7**	**39**	**46**	**56**	**75**	**99+**	**8**	**38.5**	**483**	**5**	**9**	**41**	**48**	**69**	**77**	**77**
GRAND TOTAL	**187**	**30.9**	**367**	**3**	**5**	**35**	**45**	**54**	**63**	**99+**	**14**	**31.9**	**371**	**2**	**5**	**29**	**45**	**53**	**72**	**77**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	12.0		12	12	12	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	21.0		21	21	21	21	21	21	21										
GRAND TOTAL	2	16.5	41	12	12	16	21	21	21	21	1	1.0		1	1	1	1	1	1	1

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	22	30.6	298	8	11	29	39	50	70	75	1	19.0		19	19	19	19	19	19	19
13-17	7	26.3	432	14	14	15	35	63	68	68	1	5.0		5	5	5	5	5	5	5
18-24	2	14.0	98	7	7	14	21	21	21	21										
25-34	1	38.0		38	38	38	38	38	38	38	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	32	28.9	307	7	11	27	38	50	68	75	3	8.7	81	2	2	5	15	19	19	19
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11	1	19.0		19	19	19	19	19	19	19
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	33	28.3	310	7	10	26	38	48	68	75	4	11.3	80	2	2	12	19	19	19	19
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	40	36.0	183	14	21	36	42	50	70	99 +	2	35.5	113	28	28	35	43	43	43	43
13-17	11	17.7	460	2	3	10	15	59	64	65	3	18.3	551	1	1	9	36	45	45	45
18-24	2	7.0	18	4	4	7	10	10	10	10										
25-34	1	18.0		18	18	18	18	18	18	18	1	21.0		21	21	21	21	21	21	21
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	55	30.3	314	4	5	33	42	50	62	99	6	24.5	316	1	1	24	43	45	45	45
B. FEMALE																				
0-12 YRS.	8	29.1	272	4	6	30	39	50	55	55										
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	11	23.8	288	2	3	26	37	46	54	55										
SUBTOTAL	**66**	**29.2**	**312**	**4**	**4**	**30**	**42**	**50**	**57**	**98**	**6**	**24.5**	**316**	**1**	**1**	**24**	**43**	**45**	**45**	**45**
GRAND TOTAL	**99**	**28.9**	**308**	**4**	**7**	**29**	**41**	**50**	**65**	**94**	**10**	**19.2**	**250**	**1**	**1**	**19**	**28**	**44**	**45**	**45**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	42.0		42	42	42	42	42	42	42
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	42.0		42	42	42	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	42.0		42	42	42	42	42	42	42
GRAND TOTAL											1	42.0		42	42	42	42	42	42	42

HYPERKINETIC CONDUCT DIS (314.2)

	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	49.0		49	49	49	49	49	49	49										
35-54																				
55-74																				
75 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	49.0		49	49	49	49	49	49	49										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	49.0		49	49	49	49	49	49	49										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											3	6.7	9	4	4	6	9	10	10	10
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											3	6.7	9	4	4	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											3	6.7	9	4	4	6	9	10	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54	1	10,0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	2	11.0	2	10	10	11	12	12	12	12	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	3	10.3	3	9	9	10	11	12	12	12	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	3	10.3	3	9	9	10	11	12	12	12	4	6.0	8	4	4	5	9	10	10	10

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	2	9.5	85	3	3	9	16	16	16	16	1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
SUBTOTAL	1	6.0		6	6	6	6	6	6	6	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	3	8.3	47	3	3	6	13	16	16	16	2	4.5	13	2	2	4	7	7	7	7

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	232	22.3	339	1	1	22	35	47	66	99 +	65	5.0	102	1	1	1	5	27	99 +	99 +
13-17	626	15.0	241	1	1	10	21	38	46	77	200	12.2	316	1	1	2	21	39	49	97
18-24	1013	10.6	120	1	1	7	15	28	31	41	446	10.6	124	1	1	5	20	28	29	36
25-34	2238	11.0	115	1	1	7	16	28	31	47	977	12.1	133	1	1	7	22	28	30	46
35-54	2642	11.5	122	1	2	7	18	28	31	45	1364	10.4	134	1	1	4	19	28	30	44
55-74	1267	12.8	130	1	2	8	21	29	32	50	815	9.4	104	1	1	5	16	27	30	37
75 +	567	10.6	115	1	2	7	13	24	35	56	481	7.0	54	1	2	5	8	14	24	65
ALL AGES	8585	12.0	138	1	1	7	18	28	34	55	4348	10.3	128	1	1	5	18	28	30	51
B. FEMALE																				
0-12 YRS.	128	21.2	313	1	2	17	33	48	55	78	64	12.0	553	1	1	2	5	39	79	97
13-17	949	13.7	214	1	1	8	20	35	45	66	234	11.9	270	1	1	3	20	42	50	99 +
18-24	1001	10.8	134	1	1	6	15	28	36	50	319	8.5	131	1	1	3	11	28	30	49
25-34	2325	10.6	117	1	1	7	14	25	30	51	740	9.7	131	1	1	5	12	28	30	56
35-54	3342	11.1	108	1	2	8	15	26	31	49	1199	9.6	131	1	1	5	13	28	31	48
55-74	2216	13.1	123	1	2	10	18	28	34	55	857	8.4	85	1	1	5	10	22	28	35
75 +	1034	11.7	118	2	2	8	16	27	35	54	734	6.6	61	1	2	5	8	13	21	73
ALL AGES	10995	11.8	129	1	2	8	16	28	35	54	4147	8.9	125	1	1	4	10	26	30	56
SUBTOTAL	**19580**	**11.9**	**133**	**1**	**2**	**8**	**17**	**28**	**35**	**54**	**8495**	**9.6**	**127**	**1**	**1**	**5**	**14**	**28**	**30**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	304	32.4	306	4	8	36	44	56	88	99 +	33	19.9	740	1	1	10	43	99 +	99 +	99 +
13-17	916	19.2	282	1	2	14	31	44	51	81	393	25.3	360	1	2	27	40	53	66	99 +
18-24	1234	11.6	131	1	1	6	21	28	32	45	816	15.3	150	1	1	15	26	30	32	50
25-34	2701	11.3	116	1	1	7	20	28	30	41	1885	14.1	130	1	2	12	24	29	30	36
35-54	2774	10.2	104	1	2	6	15	28	30	38	1982	11.2	116	1	2	6	20	28	29	36
55-74	959	10.9	97	2	2	7	15	25	31	45	879	9.7	86	1	2	6	15	24	28	38
75 +	262	10.5	79	1	2	8	14	22	26	43	200	7.4	46	2	2	5	9	17	22	30
ALL AGES	9150	12.5	153	1	2	7	21	29	36	55	6188	13.2	152	1	2	7	22	29	31	55
B. FEMALE																				
0-12 YRS.	128	27.4	401	2	4	27	41	58	62	94	19	18.8	394	1	2	9	37	51	56	59
13-17	1100	19.3	298	1	2	14	30	44	53	75	319	25.0	445	1	2	23	42	58	83	99 +
18-24	1256	12.7	184	1	1	7	19	31	40	61	461	13.3	162	1	1	7	22	30	39	47
25-34	2732	11.4	146	1	2	7	15	28	35	61	1115	13.1	143	1	2	7	24	29	31	43
35-54	2857	11.5	143	1	2	7	15	28	34	61	1199	10.6	108	1	1	6	19	28	30	39
55-74	1277	12.8	133	2	3	9	17	28	35	52	641	10.6	99	1	2	6	16	27	30	38
75 +	447	13.4	124	2	3	11	18	27	35	59	268	7.5	80	1	2	5	8	15	22	53
ALL AGES	9797	13.0	175	1	2	8	18	31	40	64	4022	12.6	164	1	2	7	21	30	36	58
SUBTOTAL	**18947**	**12.7**	**166**	**1**	**2**	**8**	**19**	**30**	**39**	**60**	**10210**	**13.0**	**156**	**1**	**2**	**7**	**22**	**29**	**33**	**57**
GRAND TOTAL	**38527**	**12.3**	**149**	**1**	**2**	**8**	**18**	**29**	**36**	**57**	**18705**	**11.4**	**147**	**1**	**1**	**6**	**20**	**29**	**31**	**56**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All long-term care hospitals, i.e., hospitals with average patient stays more than 30 days, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. Hospitals were then grouped according to presence or absence of a psychiatric acute care unit defined in the 1986 AHA magnetic tape.

Hospitals recording the presence of a psychiatric service unit were separated and labeled: hospitals with a psychiatric unit/beds. All other hospitals were labeled: hospitals without a psychiatric unit/beds.

Both hospital service types, however, may offer one or more of these services as defined in the *AHA Guide*, 1987 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth. The purpose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accreditation of Healthcare Organizations

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**	**Number of Hospitals**	**%**	**Number of Patients with Psychiatric Prin Dx**	**%**
Northeast	86	26.3	40,752	24.0	199	23.2	17,192	24.4
North Central	106	32.4	65,154	38.3	214	25.0	22,142	31.4
South	55	16.8	25,625	15.0	201	23.5	12,411	17.6
West	80	24.5	38,527	22.7	243	28.3	18,705	26.6
U.S.	327	100.0	170,058	100.0	857	100.0	70,450	100.0

APPENDIX 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other specified drug-induced mental disorders	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other specified transient organic mental disorders	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	29
295.1	Disorganized type schizophrenia	30
295.2	Catatonic type schizophrenia	31
295.3	Paranoid type schizophrenia	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type schizophrenia	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other manic-depressive psychosis	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52
297.8	Other specified paranoid states	53

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active state	
	1 Residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified childhood psychosis	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other anxiety states	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other neurotic disorders	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other personality disorders	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.2	Pedophilia	85
302.3	Transvestism	86
302.4	Exhibitionism	87
302.5	Trans-sexualism	88
302.50	Trans-sexualism with unspecified sexual history	88
302.51	Trans-sexualism with asexual history	88
302.52	Trans-sexualism with homosexual history	88
302.53	Trans-sexualism with heterosexual history	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	Psychosexual dysfunction with inhibited sexual desire	89
302.72	Psychosexual dysfunction with inhibited sexual excitement	89
302.73	Psychosexual dysfunction with inhibited female orgasm	89
302.74	Psychosexual dysfunction with inhibited male orgasm	89
302.75	Psychosexual dysfunction with premature ejaculation	89
302.76	Psychosexual dysfunction with functional dyspareunia	89
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90
302.89	Other specified psychosexual disorders	90
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified drinking behavior	
	1 Continuous drinking behavior	
	2 Episodic drinking behavior	
	3 In remission	
303.0	Acute alcoholic intoxication	91
303.9	Other and unspecified alcohol dependence	92

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
304.0	Opioid type dependence	93
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	94
304.2	Cocaine dependence	95
304.3	Cannabis dependence	96
304.4	Amphetamine and other psychostimulant dependence	97
304.5	Hallucinogen dependence	98
304.6	Other specified drug dependence	99
304.7	Combinations of opioid type drug with any other drug dependence	100
304.8	Combinations of drug dependence excluding opioid type drug	101
304.9	Unspecified drug dependence	102
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified use	
	1 Continuous use	
	2 Episodic use	
	3 In remission	
305.0	Alcohol abuse	103
305.1	Tobacco use disorder	104
305.2	Cannabis abuse	105
305.3	Hallucinogen abuse	106
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	107
305.5	Opioid abuse	108
305.6	Cocaine abuse	109
305.7	Amphetamine or related acting sympathomimetic abuse	110
305.8	Antidepressant type abuse	111
305.9	Other, mixed, or unspecified drug abuse	112
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	113
306.1	Respiratory malfunction arising from mental factors	114
306.2	Cardiovascular malfunction arising from mental factors	115
306.4	Gastrointestinal malfunction arising from mental factors	116
306.5	Genitourinary malfunction arising from mental factors	117
306.50	Psychogenic genitourinary malfunction, unspecified	117
306.51	Psychogenic vaginismus	117
306.52	Psychogenic dysmenorrhea	117
306.53	Psychogenic dysuria	117
306.59	Other genitourinary malfunction arising from mental factors	117
306.7	Disorder of organs of special sense arising from mental factors	118
306.8	Other specified psychophysiological malfunction	119
306.9	Unspecified psychophysiological malfunction	120
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	121
307.1	Anorexia nervosa	122
307.2	Tics	123
307.20	Tic disorder, unspecified	123

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.4	Specific disorders of sleep of nonorganic origin	124
307.40	Nonorganic sleep disorder, unspecified	124
307.41	Transient disorder of initiating or maintaining sleep	124
307.42	Persistent disorder of initiating or maintaining sleep	124
307.43	Transient disorder of initiating or maintaining wakefulness	124
307.44	Persistent disorder of initiating or maintaining wakefulness	124
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	124
307.46	Somnambulism or night terrors	124
307.47	Other dysfunctions of sleep stages or arousal from sleep	124
307.48	Repetitive intrusions of sleep	124
307.49	Other specific disorders of sleep of nonorganic origin	124
307.5	Other and unspecified disorders of eating	125
307.50	Eating disorder, unspecified	125
307.51	Bulimia	125
307.52	Pica	125
307.53	Psychogenic rumination	125
307.54	Psychogenic vomiting	125
307.59	Other disorders of eating	125
307.6	Enuresis	126
307.7	Encopresis	127
307.8	Psychalgia	128
307.80	Psychogenic pain, site unspecified	128
307.81	Tension headache	128
307.89	Other psychalgia	128
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	129
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	130
308.1	Predominant disturbance of consciousness	131
308.2	Predominant psychomotor disturbance	132
308.3	Other acute reactions to stress	133
308.4	Mixed disorders as reaction to stress	134
308.9	Unspecified acute reaction to stress	135
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	136
309.1	Adjustment reaction with prolonged depressive reaction	137
309.2	Adjustment reaction with predominant disturbance of other emotions	138
309.21	Separation anxiety disorder	138
309.22	Emancipation disorder of adolescence and early adult life	138
309.23	Specific academic or work inhibition	138
309.24	Adjustment reaction with anxious mood	138
309.28	Adjustment reaction with mixed emotional features	138
309.29	Other adjustment reactions with predominant disturbance of other emotions	138
309.3	Adjustment reaction with predominant disturbance of conduct	139
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	140
309.8	Other specified adjustment reactions	141
309.81	Prolonged posttraumatic stress disorder	141
309.82	Adjustment reaction with physical symptoms	141
309.83	Adjustment reaction with withdrawal	141
309.89	Other specified adjustment reactions	141
309.9	Unspecified adjustment reaction	142

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	143
310.1	Organic personality syndrome	144
310.2	Postconcussion syndrome	145
310.8	Other specified nonpsychotic mental disorders following organic brain damage	146
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	147
311	Depressive disorder, not elsewhere classified	148
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	149
312.1	Undersocialized conduct disorder, unaggressive type	150
312.2	Socialized conduct disorder	151
312.3	Disorders of impulse control, not elsewhere classified	152
312.30	Impulse control disorder, unspecified	152
312.31	Pathological gambling	152
312.32	Kleptomania	152
312.33	Pyromania	152
312.34	Intermittent explosive disorder	152
312.35	Isolated explosive disorder	152
312.39	Other disorders of impulse control	152
312.4	Mixed disturbance of conduct and emotions	153
312.8	Other specified disturbances of conduct, not elsewhere classified	154
312.9	Unspecified disturbance of conduct	155
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	156
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism specific to childhood and adolescence	157
313.3	Relationship problems specific to childhood and adolescence	158
313.8	Other or mixed emotional disturbances of childhood or adolescence	159
313.81	Oppositional disorder of childhood or adolescence	159
313.82	Identity disorder of childhood or adolescence	159
313.83	Academic underachievement disorder of childhood or adolescence	159
313.89	Other emotional disturbances of childhood or adolescence	159
313.9	Unspecified emotional disturbance of childhood or adolescence	160
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	161
314.00	Attention deficit disorder of childhood without mention of hyperactivity	161
314.01	Attention deficit disorder of childhood with hyperactivity	161
314.1	Hyperkinesis of childhood with developmental delay	162
314.2	Hyperkinetic conduct disorder of childhood	163
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	164
314.9	Unspecified hyperkinetic syndrome of childhood	165
290-314.9	**All psychiatric diagnosis codes**	166

APPENDIX 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	159
Acute alcoholic intoxication	303.0	91
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	138
Adjustment reaction with brief depressive reaction	309.0	136
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	140
Adjustment reaction with mixed emotional features	309.28	138
Adjustment reaction with physical symptoms	309.82	141
Adjustment reaction with predominant disturbance of conduct	309.3	139
Adjustment reaction with predominant disturbance of other emotions	309.2	138
Adjustment reaction with prolonged depressive reaction	309.1	137
Adjustment reaction with withdrawal	309.83	141
Affective personality disorder	301.1	76
Affective personality disorder, unspecified	301.10	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	103
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	91-92
Fifth-digit subclassification for use with 303:		
0 Unspecified drinking behavior		
1 Continuous drinking behavior		
2 Episodic drinking behavior		
3 In remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	97
Amphetamine or related acting sympathomimetic abuse	305.7	110
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	111
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia, uncomplicated	290.40	5
Attention deficit disorder of childhood	314.0	161
Attention deficit disorder of childhood with hyperactivity	314.01	161
Attention deficit disorder of childhood without mention of hyperactivity	314.00	161
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	107
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	94
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Bulimia	307.51	125
Cannabis abuse	305.2	105
Cannabis dependence	304.3	96
Cardiovascular malfunction arising from mental factors	306.2	115
Catatonic type schizophrenia	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	109
Cocaine dependence	304.2	95
Combinations of drug dependence excluding opioid type drug	304.8	101
Combinations of opioid type drug with any other drug dependence	304.7	100
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	148
Depressive type psychosis	298.0	55
Disorder of organs of special sense arising from mental factors	306.7	118
Disorders of impulse control, not elsewhere classified	312.3	152
Disorganized type schizophrenia	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	149-151
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Drug dependence	304.0-304.9	93-102
Fifth-digit subclassification for use with 304:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17
Eating disorder, unspecified	307.50	125
Elective mutism specific to childhood and adolescence	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	138
Encopresis	307.7	127
Enuresis	307.6	126
Excitative type psychosis	298.1	56
Exhibitionism	302.4	87
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	90
Frontal lobe syndrome	310.0	143
Gastrointestinal malfunction arising from mental factors	306.4	116
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	65
Genitourinary malfunction arising from mental factors	306.5	117
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	106
Hallucinogen dependence	304.5	98
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Hyperkinesis of childhood with developmental delay	314.1	162
Hyperkinetic conduct disorder of childhood	314.2	163
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder of childhood or adolescence	313.82	159
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	152
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	152
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	77
Isolated explosive disorder	312.35	152
Kleptomania	312.32	152
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.1	40
Manic disorder, single episode	296.0	39
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Mixed disorders as reaction to stress	308.4	134
Mixed disturbance of conduct and emotions	312.4	153
Multiple personality	300.14	66
Musculoskeletal malfunction-arising from mental factors	306.0	113
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	103-112
Fifth-digit subclassification for use with 305:		
0 Unspecified use		
1 Continuous use		
2 Episodic use		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	124
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	108
Opioid type dependence	304.0	93
Oppositional disorder of childhood or adolescence	313.81	159
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	144
Other acute reactions to stress	308.3	133
Other adjustment reactions with predominant disturbance of other emotions	309.29	138
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	92
Other and unspecified disorders of eating	307.5	125
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	129
Other anxiety states	300.09	65
Other disorders of eating	307.59	125
Other disorders of impulse control	312.39	152
Other dysfunctions of sleep stages or arousal from sleep	307.47	124
Other emotional disturbances of childhood or adolescence	313.89	159
Other genitourinary malfunction arising from mental factors	306.59	117
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other manic-depressive psychosis	296.89	47
Other neurotic disorders	300.8	73
Other neurotic disorders	300.89	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	159
Other personality disorders	301.8	83
Other personality disorders	301.89	83
Other psychalgia	307.89	128
Other specific disorders of sleep of nonorganic origin	307.49	124
Other specified adjustment reactions	309.8	141
Other specified adjustment reactions	309.89	141
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	154
Other specified drug dependence	304.6	99
Other specified drug-induced mental disorders	292.8	19
Other specified drug-induced mental disorders	292.89	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	164
Other specified nonpsychotic mental disorders following organic brain damage	310.8	146
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Other specified psychophysiological malfunction	306.8	119
Other specified psychosexual disorders	302.8	90
Other specified psychosexual disorders	302.89	90
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified transient organic mental disorders	293.89	23
Other specified types of schizophrenia	295.8	37
Other, mixed, or unspecified drug abuse	305.9	112
Overanxious disorder specific to childhood and adolescence	313.0	156
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid personality disorder	301.0	75
Paranoid state, simple	297.0	49
Paranoid type schizophrenia	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	152
Pedophilia	302.2	85
Persistent disorder of initiating or maintaining sleep	307.42	124
Persistent disorder of initiating or maintaining wakefulness	307.44	124
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	124
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	125
Postconcussion syndrome	310.2	145
Predominant disturbance of consciousness	308.1	131
Predominant disturbance of emotions	308.0	130
Predominant psychomotor disturbance	308.2	132
Presenile dementia	290.1	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Presenile dementia, uncomplicated	290.10	2
Prolonged posttraumatic stress disorder	309.81	141
Psychalgia	307.8	128
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	117
Psychogenic dysuria	306.53	117
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	117
Psychogenic pain, site unspecified	307.80	128
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	125
Psychogenic vaginismus	306.51	117
Psychogenic vomiting	307.54	125
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 Current or active state		
1 Residual state		
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction with functional dyspareunia	302.76	89

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction with inhibited female orgasm	302.73	89
Psychosexual dysfunction with inhibited male orgasm	302.74	89
Psychosexual dysfunction with inhibited sexual desire	302.71	89
Psychosexual dysfunction with inhibited sexual excitement	302.72	89
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	89
Psychosexual dysfunction with premature ejaculation	302.75	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	152
Reactive confusion	298.2	57
Relationship problems specific to childhood and adolescence	313.3	158
Repetitive intrusions of sleep	307.48	124
Residual schizophrenia	295.6	35
Respiratory malfunction arising from mental factors	306.1	114
Schizo-affective type schizophrenia	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	77
Senile dementia with delirium	290.3	4
Senile dementia with delusional features	290.20	3
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with depressive features	290.21	3
Senile dementia, uncomplicated	290.0	1
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	157
Separation anxiety disorder	309.21	138
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	157
Simple type schizophrenia	295.0	29
Social phobia	300.23	67
Socialized conduct disorder	312.2	151
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	124
Specific academic or work inhibition	309.23	138
Specific disorders of sleep of nonorganic origin	307.4	124
Stammering and stuttering	307.0	121
Subacute delirium	293.1	22
Tension headache	307.81	128
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	104
Trans-sexualism	302.5	88
Trans-sexualism with asexual history	302.51	88
Trans-sexualism with heterosexual history	302.53	88

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

English Description	*ICD-9-CM* Code	Page Number
Trans-sexualism with homosexual history	302.52	88
Trans-sexualism with unspecified sexual history	302.50	88
Transient disorder of initiating or maintaining sleep	307.41	124
Transient disorder of initiating or maintaining wakefulness	307.43	124
Transient tic disorder of childhood	307.21	123
Transvestism	302.3	86
Undersocialized conduct disorder, aggressive type	312.0	149
Undersocialized conduct disorder, unaggressive type	312.1	150
Unspecified acute reaction to stress	308.9	135
Unspecified adjustment reaction	309.9	142
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified childhood psychosis	299.9	64
Unspecified disturbance of conduct	312.9	155
Unspecified drug dependence	304.9	102
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	160
Unspecified hyperkinetic syndrome of childhood	314.9	165
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	147
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	120
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	90